

# 1

## INTRODUCTION

*In which we try to explain why we consider artificial intelligence to be a subject most worthy of study, and in which we try to decide what exactly it is, this being a good thing to decide before embarking.*

We call ourselves *Homo sapiens*—man the wise—because our mental capacities are so important to us. For thousands of years, we have tried to understand *how we think*; that is, how a mere handful of stuff can perceive, understand, predict, and manipulate a world far larger and more complicated than itself. The field of **artificial intelligence**, or AI, goes further still: it attempts not just to understand but also to *build* intelligent entities.

AI is one of the newest sciences. Work started in earnest soon after World War II, and the name itself was coined in 1956. Along with molecular biology, AI is regularly cited as the “field I would most like to be in” by scientists in other disciplines. A student in physics might reasonably feel that all the good ideas have already been taken by Galileo, Newton, Einstein, and the rest. AI, on the other hand, still has openings for several full-time Einsteins.

AI currently encompasses a huge variety of subfields, ranging from general-purpose areas, such as learning and perception to such specific tasks as playing chess, proving mathematical theorems, writing poetry, and diagnosing diseases. AI systematizes and automates intellectual tasks and is therefore potentially relevant to any sphere of human intellectual activity. In this sense, it is truly a universal field.

### 1.1 WHAT IS AI?

We have claimed that AI is exciting, but we have not said what it *is*. Definitions of artificial intelligence according to eight textbooks are shown in Figure 1.1. These definitions vary along two main dimensions. Roughly, the ones on top are concerned with *thought processes* and *reasoning*, whereas the ones on the bottom address *behavior*. The definitions on the left measure success in terms of fidelity to *human* performance, whereas the ones on the right measure against an *ideal* concept of intelligence, which we will call **rationality**. A system is rational if it does the “right thing,” given what it knows.

Systems that think like humans	Systems that think rationally
<p>“The exciting new effort to make computers think . . . <i>machines with minds</i>, in the full and literal sense.” (Haugeland, 1985)</p> <p>“[The automation of] activities that we associate with human thinking, activities such as decision-making, problem solving, learning . . .” (Bellman, 1978)</p>	<p>“The study of mental faculties through the use of computational models.” (Charniak and McDermott, 1985)</p> <p>“The study of the computations that make it possible to perceive, reason, and act.” (Winston, 1992)</p>
Systems that act like humans	Systems that act rationally
<p>“The art of creating machines that perform functions that require intelligence when performed by people.” (Kurzweil, 1990)</p> <p>“The study of how to make computers do things at which, at the moment, people are better.” (Rich and Knight, 1991)</p>	<p>“Computational Intelligence is the study of the design of intelligent agents.” (Poole <i>et al.</i>, 1998)</p> <p>“AI . . . is concerned with intelligent behavior in artifacts.” (Nilsson, 1998)</p>
<p><b>Figure 1.1</b> Some definitions of artificial intelligence, organized into four categories.</p>	

Historically, all four approaches to AI have been followed. As one might expect, a tension exists between approaches centered around humans and approaches centered around rationality.<sup>1</sup> A human-centered approach must be an empirical science, involving hypothesis and experimental confirmation. A rationalist approach involves a combination of mathematics and engineering. Each group has both disparaged and helped the other. Let us look at the four approaches in more detail.

### Acting humanly: The Turing Test approach

#### TURING TEST

The **Turing Test**, proposed by Alan Turing (1950), was designed to provide a satisfactory operational definition of intelligence. Rather than proposing a long and perhaps controversial list of qualifications required for intelligence, he suggested a test based on indistinguishability from undeniably intelligent entities—human beings. The computer passes the test if a human interrogator, after posing some written questions, cannot tell whether the written responses come from a person or not. Chapter 26 discusses the details of the test and whether a computer is really intelligent if it passes. For now, we note that programming a computer to pass the test provides plenty to work on. The computer would need to possess the following capabilities:

#### NATURAL LANGUAGE PROCESSING

- ◇ **natural language processing** to enable it to communicate successfully in English.

<sup>1</sup> We should point out that, by distinguishing between *human* and *rational* behavior, we are not suggesting that humans are necessarily “irrational” in the sense of “emotionally unstable” or “insane.” One merely need note that we are not perfect: we are not all chess grandmasters, even those of us who know all the rules of chess; and, unfortunately, not everyone gets an A on the exam. Some systematic errors in human reasoning are cataloged by Kahneman *et al.* (1982).

KNOWLEDGE  
REPRESENTATION  
AUTOMATED  
REASONING

- ◇ **knowledge representation** to store what it knows or hears;
- ◇ **automated reasoning** to use the stored information to answer questions and to draw new conclusions;

MACHINE LEARNING

- ◇ **machine learning** to adapt to new circumstances and to detect and extrapolate patterns.

TOTAL TURING TEST

Turing's test deliberately avoided direct physical interaction between the interrogator and the computer, because *physical* simulation of a person is unnecessary for intelligence. However, the so-called **total Turing Test** includes a video signal so that the interrogator can test the subject's perceptual abilities, as well as the opportunity for the interrogator to pass physical objects "through the hatch." To pass the total Turing Test, the computer will need

COMPUTER VISION

- ◇ **computer vision** to perceive objects, and

ROBOTICS

- ◇ **robotics** to manipulate objects and move about.

These six disciplines compose most of AI, and Turing deserves credit for designing a test that remains relevant 50 years later. Yet AI researchers have devoted little effort to passing the Turing test, believing that it is more important to study the underlying principles of intelligence than to duplicate an exemplar. The quest for "artificial flight" succeeded when the Wright brothers and others stopped imitating birds and learned about aerodynamics. Aeronautical engineering texts do not define the goal of their field as making "machines that fly so exactly like pigeons that they can fool even other pigeons."

### Thinking humanly: The cognitive modeling approach

COGNITIVE SCIENCE

If we are going to say that a given program thinks like a human, we must have some way of determining how humans think. We need to get *inside* the actual workings of human minds. There are two ways to do this: through introspection—trying to catch our own thoughts as they go by—and through psychological experiments. Once we have a sufficiently precise theory of the mind, it becomes possible to express the theory as a computer program. If the program's input/output and timing behaviors match corresponding human behaviors, that is evidence that some of the program's mechanisms could also be operating in humans. For example, Allen Newell and Herbert Simon, who developed GPS, the "General Problem Solver" (Newell and Simon, 1961), were not content to have their program solve problems correctly. They were more concerned with comparing the trace of its reasoning steps to traces of human subjects solving the same problems. The interdisciplinary field of **cognitive science** brings together computer models from AI and experimental techniques from psychology to try to construct precise and testable theories of the workings of the human mind.

Cognitive science is a fascinating field, worthy of an encyclopedia in itself (Wilson and Keil, 1999). We will not attempt to describe what is known of human cognition in this book. We will occasionally comment on similarities or differences between AI techniques and human cognition. Real cognitive science, however, is necessarily based on experimental investigation of actual humans or animals, and we assume that the reader has access only to a computer for experimentation.

In the early days of AI there was often confusion between the approaches: an author would argue that an algorithm performs well on a task and that it is *therefore* a good model

of human performance, or vice versa. Modern authors separate the two kinds of claims; this distinction has allowed both AI and cognitive science to develop more rapidly. The two fields continue to fertilize each other, especially in the areas of vision and natural language. Vision in particular has recently made advances via an integrated approach that considers neurophysiological evidence and computational models.

### Thinking rationally: The “laws of thought” approach

SYLLOGISMS

The Greek philosopher Aristotle was one of the first to attempt to codify “right thinking,” that is, irrefutable reasoning processes. His **syllogisms** provided patterns for argument structures that always yielded correct conclusions when given correct premises—for example, “Socrates is a man; all men are mortal; therefore, Socrates is mortal.” These laws of thought were supposed to govern the operation of the mind; their study initiated the field called **logic**.

LOGIC

Logicians in the 19th century developed a precise notation for statements about all kinds of things in the world and about the relations among them. (Contrast this with ordinary arithmetic notation, which provides mainly for equality and inequality statements about numbers.) By 1965, programs existed that could, in principle, solve *any* solvable problem described in logical notation.<sup>2</sup> The so-called **logician** tradition within artificial intelligence hopes to build on such programs to create intelligent systems.

LOGICIST

There are two main obstacles to this approach. First, it is not easy to take informal knowledge and state it in the formal terms required by logical notation, particularly when the knowledge is less than 100% certain. Second, there is a big difference between being able to solve a problem “in principle” and doing so in practice. Even problems with just a few dozen facts can exhaust the computational resources of any computer unless it has some guidance as to which reasoning steps to try first. Although both of these obstacles apply to *any* attempt to build computational reasoning systems, they appeared first in the logicist tradition.

### Acting rationally: The rational agent approach

AGENT

An **agent** is just something that acts (*agent* comes from the Latin *agere*, to do). But computer agents are expected to have other attributes that distinguish them from mere “programs,” such as operating under autonomous control, perceiving their environment, persisting over a prolonged time period, adapting to change, and being capable of taking on another’s goals. A **rational agent** is one that acts so as to achieve the best outcome or, when there is uncertainty, the best expected outcome.

RATIONAL AGENT

In the “laws of thought” approach to AI, the emphasis was on correct inferences. Making correct inferences is sometimes *part* of being a rational agent, because one way to act rationally is to reason logically to the conclusion that a given action will achieve one’s goals and then to act on that conclusion. On the other hand, correct inference is not *all* of rationality, because there are often situations where there is no provably correct thing to do, yet something must still be done. There are also ways of acting rationally that cannot be said to involve inference. For example, recoiling from a hot stove is a reflex action that is usually more successful than a slower action taken after careful deliberation.

<sup>2</sup> If there is no solution, the program might never stop looking for one.