Math 418, Spring 2025 – Homework 10

Due: Wednesday, May 7th, at 9:00am via Gradescope.

Instructions: Students should complete and submit all problems. Textbook problems are from Dummit and Foote, *Abstract Algebra*, *3rd Edition*. All assertions require proof, unless otherwise stated. Typesetting your homework using LaTeX is recommended, and will gain you 1 bonus point per assignment.

NOTE: This is only part of the homework assignment. The rest of the problems will be added later

- 1. Let k be an algebraically closed field, and consider the polynomial ring k[x,y].
 - (a) Let V be the x-axis, i.e. V = V(y). Prove that V is irreducible. [Hint: Show a prime ideal is radical.]
 - (b) Prove that V = V(x y) is irreducible.
 - (c) Prove that $S = \{(a, a) \in k^2 | a \neq 1\}$ is not an algebraic variety if $k = \mathbb{C}$.
 - (d) What is the decomposition of $V = V(x^2 y^2)$ into irreducibles? Warning: The answer depends on k!
- 2. **Dummit and Foote** #15.1.2 Show that each of the following rings are not Noetherian by exhibiting an explicit infinite increasing chain of ideals:
 - (a) the ring of continuous real valued functions on [0, 1]
 - (b) the ring of all functions from any infinite set X to $\mathbb{Z}/2\mathbb{Z}$.
- 3. Dummit and Foote #15.1.20 If f and g are irreducible polynomials in k[x,y] that are not associates (do not divide each other), show that V((f,g)) is either \emptyset or a finite set in k^2 . [Hint: If $(f,g) \neq (1)$, show (f,g) contains a nonzero polynomial in k[x] (and similarly a nonzero polynomial in k[y]) by letting R = k[x], F = k(x), and applying Gauss's Lemma to show f and g are relatively prime in F[y].]
- 4. **Dummit and Foote** #15.2.2 Let I and J be ideals in the ring R. Prove the following statements:
 - (a) If $I^k \subseteq J$ for some $k \ge 1$, then $\sqrt{I} \subseteq \sqrt{J}$.
 - (b) If $I^k \subset J \subset I$ for some k > 1, then $\sqrt{I} = \sqrt{J}$.

(c)
$$\sqrt{IJ} = \sqrt{I \cap J} = \sqrt{I} \cap \sqrt{J}$$
.

(d)
$$\sqrt{\sqrt{I}} = \sqrt{I}$$
.

(e)
$$\sqrt{I} + \sqrt{J} \subseteq \sqrt{I+J}$$
 and $\sqrt{I+J} = \sqrt{\sqrt{I} + \sqrt{J}}$.

- 5. **Dummit and Foote** #15.2.3 Prove that the intersection of two radical ideals is again a radical ideal.
- 6. Dummit and Foote #15.2.5 If $I = (xy, (x y)z) \subseteq k[x, y, z]$ prove that $\sqrt{I} = (xy, xz, yz)$. For this ideal prove directly that $V(I) = V(\sqrt{I})$, that V(I) is not irreducible, and that \sqrt{I} is not prime.

NOTE: This is only part of the homework assignment. The rest of the problems will be added later