

Table Football



All Code Clubs <u>must be registered</u>. Registered clubs appear on the map at codeclub.org.uk - if your club is not on the map then visit jumpto.cc/18CpLPy to find out what to do.

Introduction

Let's make a world cup football game in Scratch!





Activity Checklist



Test your Project



Save your Project

Follow these INSTRUCTIONS one by one

Click on the green flag to TEST your code

Make sure to SAVE your work now

Step 1: Get the pitch ready for a game

Activity Checklist

| 1. | Start a new project in Scratch. | |
|----|--|--|
| 2. | Click on the stage next to the sprite and switch to the | |
| | Backdrops tob, then click the Upload backdrop from file | |
| | button and choose the resources/pitch.jpg file. | |
| 3. | Delete the original blank backdrop, and the cat sprite. | |
| 4. | Our goals need nets! Create a sprite using the Upload sprite | |
| | from file button and select resources/net.png. Move the net | |
| | into the middle of the goal on the left. Rename it blue goal. | |
| 5. | Right-click on the net sprite and click duplicate, then move | |
| | this new sprite to the goal on the right and rename it red goal. | |
| | | |



Step 2: Add a goalie

Okay — our pitch is looking good! Now let's add some players and get them moving about.

Activity Checklist

| 1. | Click on Upload sprite from file and choose | |
|----|---|--|
| | resources/goalie_blue.png. Rename the sprite blue goalie, and | |
| | drag it near to the left goal. | |
| 2. | Click on the grow sprite button, and click on the blue goalie | |
| | sprite 10 times to scale up the sprite. | |
| 3. | Click on the Scripts tab, and add: | |

```
when clicked

go to x: -190 y: 0

forever

if key q v pressed? and y position < 80 then

change y by 5

if key a v pressed? and y position > -80 then

change y by -5
```

Let's look at the code. We position the goalie, then we loop forever listening for key presses from the player. Q moves the goalie up, A moves it down. We check the y position of the goalie to stop it moving off the screen.

Test your project

Click the green flag.

Can you control the goalie by pressing Q and A?
What happens when it gets to the edges of the pitch?



Step 3: Add some more players

We can't play a game of football with just one player! We need to add some more.



| 1. | Create another sprite using the <code>Upload sprite from file</code> | |
|----|--|--|
| | button and selecting resources/goalie_red.png. | |
| 2. | Change the name of the sprite to red goalie. | |
| 3. | Drag the sprite on the stage to the right-hand side just in | |
| | front of the goal. | |
| 4. | Like before, grow the sprite 10 times so it is as big as the | |
| | other goalie. | |
| 5. | Select the blue goalie sprite and drag the script to red goalie | |
| | to duplicate it. | |

```
when clicked

go to x: 150 y: 0

forever

if key p v pressed? and y position < 80 then

change y by 5

if key v pressed? and y position > -80 then

change y by -5
```

6. Select red goalie, and modify the script so it looks like this:

You should only have to change three things: the \boldsymbol{x} position, and which keys are pressed.

I Test your project

Click the green flag.

Can you control the red goalie by pressing P and L? Do the controls for the blue goalie still work?



Step 4: Add some attacking players

| | Activity | Checklis |
|--|----------|----------|
|--|----------|----------|

to match this:

| 1. | Create another sprite using the Upload sprite from file | |
|----|--|--|
| | button and selecting resources/attack_blue.png. Rename the | |
| | sprite blue attack. | |
| 2. | As before, grow the sprite 10 times, so the players are as big | |
| | as the goalies. | |
| 3. | Move the sprite into the right-hand side of the pitch, so they | |
| | are attacking the red team's goal. | |
| 4. | Drag the script from blue goalie to blue attack, and modify it | |

```
when clicked

go to x: 70 y: 0

forever

if key w v pressed? and y position < 80 then

change y by 5

if key s v pressed? and y position > -80 then

change y by -5
```

You should only have to change three things: the x position, and which keys are pressed.

- 5. Create one more sprite using the **Upload sprite from file** button and selecting resources/attack_red.png. Rename the sprite to red attack.
- 6. As before, grow the sprite 10 times, so all the players on the pitch are the same size.
- 7. Move the sprite into the left-hand side of the pitch, so they

are attacking the blue team's goal.

8. Drag the script from blue attack to red attack, and modify it to match this:



```
when clicked

go to x: -70 y: 0

forever

if key ov pressed? and y position < 80 then

change y by 5

if key kv pressed? and y position > -80 then

change y by -5
```

You should only have to change three things: the x position, and which keys are pressed.

Test your project

Click the green flag.

Do you have two teams of working players now? Try pressing Q, A, W and S to control the blue team, and P, L, O and K to control the red team.



Step 5: Add a bouncing ball

Our game of football has feet, but no ball! Let's fix that.



- Click Upload sprite from file
 Select resources/ball.png, and rename the sprite ball.
- 3. In the Scripts tab for the ball, add the following:

```
when clicked bounce about
broadcast resetball forever
move 10 steps
if on edge, bounce
```

- 4. Right-click on this script and click **add comment**. Add the comment "bounce about".
- 5. Add another script to the ball:

```
when I receive resetball v prepare for kick-off
go to x: 0 y: 0

point in direction pick random 1 to 360
```

This tells the ball to move to the middle of the pitch for kick-off, and then point in a random direction. Why do we use resetball?

6. Don't forget to add the "prepare for kick-off" comment, so we remember what this script does!

Test your project

Click the green flag.

Does the ball move?

What happens when it hits the edges?

Are you happy with the ball speed? Try changing the **move** block to have a smaller or larger number until you're happy with it.

What happens when the ball hits your players?



Step 6: Kicking the ball

We need the ball to bounce off the players on the pitch.

Modify the last code block you created ("bounce about") to look like this:

```
when clicked bounce about
broadcast resetball

forever

move 10 steps
if on edge, bounce

if touching color ? or touching color ? then

turn (* pick random 140 to 220 degrees
```

You should select the colours by clicking on the football players. This change makes the ball sense it is touching a player, and then bounce off them by turning (with a bit of randomness).

Test your project

Press the green flag.

What happens now when the ball hits your players? Is it working for both red and blue players?




Save your project

Step 7: GOOOOOOAAAAALLLLLLLL!!!!!!!




Activity Checklist

1. Select red goal and add the following script:




This is like goal line technology - it runs all the time, checking whether the ball is touching the goal, and broadcasting a message when it is.

- 2. Drag the script to blue goal to copy it there as well.
- 3. Now we need to do something when goal is broadcast. Click Upload sprite from file.
- Select resources/goal_text.png, and rename the sprite goal text.
- 5. Add this script to goal text:



6. Finally, add one more script to goal text:



...to ensure the goal text begins the game hidden.



Save your project

Test your project

You're ready to play a game! Press the green flag.

What happens when the ball goes in?

Try challenging a partner to a game!

Challenge 1: Keep score

Can you add variables that will keep track of scores for the red and blue teams?

Challenge 2: Tip the table

You might notice sometimes the ball gets stuck bouncing where the players can't reach. Can you add a script to the ball to fix this by "tipping the table" when the spacebar is pressed?

Challenge 3: Referee's whistle

Can you add the sound effect resources/whistle.mp3 so that the whistle sounds whenever a kick-off takes place?