

# The `caesar` package\*

Andy Thomas  
`andythomas(at)web.de`

April 5, 2020

## Abstract

This package allows the typesetting of rich content in the margin. It includes text, but also figures and tables, which is common in science textbooks such as Feynman's *Lectures on Physics*.

## Contents

<b>1</b>	<b>Usage</b>	<b>1</b>
<b>2</b>	<b>Technical note</b>	<b>2</b>
<b>3</b>	<b>Required packages</b>	<b>2</b>
<b>4</b>	<b>Implementation</b>	<b>2</b>

## 1 Usage

<code>\sidenote</code>	The macro is very similar to the footnote macro and tries to emulate its behavior. It just puts the notes in the margin instead of the bottom of the page, therefore the name <i>sidenote</i> . It has the same parameters as footnote: <code>\sidenote[number]{text}</code> . All the sidenotes are subsequently numbered and float in the margin to avoid overlap. The optional parameter will manually change the numbering to the given value.
<code>\sidenotemark</code>	Sidenote tries to mimic the footnote behavior and, consequently, provides the same solutions. Sometimes, it is not possible to directly call a sidenote macro, e.g. inside of a figure caption. Then, you can use the <code>\sidenotemark[number]</code> and <code>\sidenotetext[number]{text}</code> macros. <code>\sidenotemark</code> puts a mark at the current position. Afterwards, outside of the environment that causes the trouble,
<code>\sidenotetext</code>	it is possible the call <code>\sidenotetext[number]{text}</code> to provide the text and typeset the sidenote. The optional parameter is similar to the sidenote macro and will change the numbering.

<code>marginfigure</code>	The <code>marginfigure</code> environment puts a figure and its caption in the margin. Instead of <code>\begin{figure}[htbp]</code> use <code>\begin{marginfigure}</code> . The <code>marginfigure</code> has its own caption style named <i>marginfigure</i> . Please refer to the <i>caption</i> package for styles and their definitions.
<code>marginable</code>	The <code>marginable</code> environment works similar to <code>marginfigure</code> , but with table environments. Use <code>\begin{marginable}</code> instead of <code>\begin{table}[htbp]</code> , its caption style is named <i>marginable</i> .
<code>figure*</code>	The <code>figure*</code> environment is used to position figures across the full page, i.e. the text width plus the margin. The algorithm has to distinguish between recto and verso (left and right) pages and might need up to three L <sup>A</sup> T <sub>E</sub> X runs to provide the desired result. The corresponding caption style is called <i>widfigure</i> . The sister environment for tables is <code>table*</code> . Use <i>widetable</i> to change its caption style.
<code>table*</code>	

## 2 Technical note

When writing the package, we tried to provide a *minimum* extension to standard L<sup>A</sup>T<sub>E</sub>X for typesetting rich content in the margin. This means, that there are no sensible default values for most things such as page geometry, fonts and font sizes. However, the *caesar\_book*-class accompanies this package as an example implementation as well as a template we use for our theses.

Also, this package has less feature than its sister package *sidenotes*. It was stripped by the offset functionality and the associated *marginnote* package completely. The *caesar* style files are meant to generate different output files from the same input file, which does not allow for manual intervention. In some sense, *caesar* tries to completely separate presentation and content.

In addition, we tried to keep compatibility with packages the user might want to use later. However, the following packages are needed by *caesar* and might introduce side effects with other packages.

## 3 Required packages

**caption** allows easier formatting of captions. Please refer to the *caption* manual for details on styles.

**xparse** is used to take advantage of the improved L<sup>A</sup>T<sub>E</sub>X3 syntax. All macros and environments are defined using this package.

**l3keys2e** provides a key/value mechanism

**change page** is used to correctly shift `figure*` and `table*`. It has to use the option `[strict]` to work properly. This might lead to an option clash, if the same package is loaded without this option.

---

\*This document corresponds to *caesar* v0.30, dated 2020/04/05.

## 4 Implementation

Process the package options: onside

```

1 \ExplSyntaxOn
2 %
3 \keys_define:nn { caesar }
4 {
5   onside .bool_set:N = \caesar_onside
6 }
7 \ProcessKeysOptions { caesar }

```

We need a counter similar to the footnote counter.

```

8 \newcounter{sidenote} % make a counter
9 \setcounter{sidenote}{1} % init the counter

10 \DeclareExpandableDocumentCommand{\IfNoValueOrEmptyTF}{ m m m }
11 {
12   \IfNoValueTF{#1}
13   {#2}
14   {\tl_if_empty:nTF {#1} {#2} {#3}}
15 }

```

Put a marker in the horizontal list to detect subsequent sidenotemarks.

```

16 \NewDocumentCommand \@caesar@thesidenotemark { m }
17 {
18   \leavevmode
19   \ifhmode
20     \edef \@x@sf {\the \spacefactor }
21     \nobreak
22   \fi
23   \hbox {\@textsuperscript {\normalfont #1 }}
24   \ifhmode
25     \spacefactor \@x@sf
26   \fi
27   \relax
28 }
29 %
30 \NewDocumentCommand \@caesar@multisign { } {3sp}
31 %
32 \NewDocumentCommand \@caesar@multimarker { }
33 {
34   \kern-\@caesar@multisign
35   \kern\@caesar@multisign\relax
36 }
37 %
38 \NewDocumentCommand \@caesar@multichecker { }
39 {
40   \dim_compare:nNnTF \lastkern = \@caesar@multisign
41   {\@caesar@thesidenotemark{,}}
42   {}

```

```

43 }
44 %

Introduce an internal macro to place the marginal text.

45 \NewDocumentCommand \@caesar@placemarginal { m }
46 {
47     \marginpar{#1}
48 }
49 %

\sidenote Introduce the \sidenote macro with an optional argument.

50 \NewDocumentCommand \sidenote { o +m }
51 {
52     \sidenotemark[#1]
53     \sidenotetext[#1]{#2}
54     \@caesar@multimarker
55 }

\sidenotemark Sidenotemark is supposed to work similarly to footnotemark.

56 \NewDocumentCommand \sidenotemark { o }
57 {
58     \@caesar@multichecker
59     \IfNoValueOrEmptyTF{#1}
60     {\@caesar@thesidenotemark{\thesidenote}}
61     {\@caesar@thesidenotemark{#1}}
62     \@caesar@multimarker
63 }

\sidenotetext Sidenotetext is supposed to work similarly to footnotetext.

64 \NewDocumentCommand \sidenotetext { o +m }
65 {
66     \IfNoValueOrEmptyTF{#1}
67     {
68         \@caesar@placemarginal{\textsuperscript{\thesidenote}{~#2}}
69         \refstepcounter{sidenote}
70     }
71     {\@caesar@placemarginal{\textsuperscript{#1}{~#2}}}
72 }

marginfigure The marginfigure environment is similar to the figure environment. But the figure
is put in the margin.

73 \newsavebox{\@caesar@marginfigurebox}
74 \DeclareCaptionStyle{marginfigure}{font=footnotesize}
75 \NewDocumentEnvironment{marginfigure} { }
76 {
77     \begin{lrbox}{\@caesar@marginfigurebox}
78         \begin{minipage}{\marginparwidth}
79             \captionsetup{type=figure,style=marginfigure}

```

```

80 }
81 {
82     \end{minipage}%
83 \end{lrbox}%
84 \@caesar@placemarginal{\usebox{\@caesar@marginfigurebox}}
85 }

```

**margintable** The `margintable` is similar to the `table` environment. But the table is put in the margin.

```

86 \newsavebox{\@caesar@margintablebox}
87 \DeclareCaptionStyle{margintable}{font=footnotesize}
88 \NewDocumentEnvironment{margintable} { }
89 {
90     \begin{lrbox}{\@caesar@margintablebox}
91         \begin{minipage}{\marginparwidth}
92             \captionsetup{type=table,style=margintable}
93         }
94     {
95         \end{minipage}
96     \end{lrbox}
97     \@caesar@placemarginal{\usebox{\@caesar@margintablebox}}
98 }

```

**figure\*** The `figure*` environment provides a figure environment for figures that span across the full page (text plus margin width).

```

99 \AtBeginDocument{%
100 \newlength{\@caesar@extrawidth}
101 \setlength{\@caesar@extrawidth}{\marginparwidth}
102 \addtolength{\@caesar@extrawidth}{\marginparsep}}
103 %
104 \NewDocumentEnvironment{autoadjustwidth}{ m m }%
105 {
106     \bool_if:NTF \caesar_oneside
107     {
108         \begin{adjustwidth}{#1}{#2}
109     }
110     {
111         \begin{adjustwidth*}{#1}{#2}
112     }
113 }
114 {
115     \bool_if:NTF \caesar_oneside
116     {
117         \end{adjustwidth}
118     }
119     {
120         \end{adjustwidth*}
121     }
122 }

```

```

123 %
124 \DeclareCaptionStyle{widefigure}{font=footnotesize}
125 \RenewDocumentEnvironment{figure*}{ O{htbp} }
126 {
127     \begin{figure} [#1]
128         \begin{autoadjustwidth}{}{-\@caesar@extrawidth}
129         \begin{minipage}{\linewidth}
130             \captionsetup{style=widefigure}
131         }
132     {
133     \end{minipage}
134         \end{autoadjustwidth}
135     \end{figure}
136 }

```

**table\*** The `table*` environment provides a table environment for figures across text and margin width.

```

137 \DeclareCaptionStyle{widetable}{font=footnotesize}
138 \RenewDocumentEnvironment{table*}{ O{htbp} }
139 {
140     \begin{table} [#1]
141         \begin{autoadjustwidth}{}{-\@caesar@extrawidth}
142         \begin{minipage}{\linewidth}
143             \captionsetup{style=widetable}
144         }
145     {
146     \end{minipage}
147         \end{autoadjustwidth}
148     \end{table}
149 }
150 \ExplSyntaxOff

```

## Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

<b>E</b>	..... 1, <u>99</u>	<b>S</b>
environments:		<code>\sidenote</code> ..... 1, <u>50</u>
<code>figure*</code> ..... 1, <u>99</u>		<code>\sidenotemark</code> .... 1, <u>56</u>
<code>marginfigure</code> .. 1, <u>73</u>	<b>M</b>	<code>\sidenotetext</code> .... 1, <u>64</u>
<code>marginfigure</code> ... 1, <u>86</u>	<code>marginfigure</code> (environ-	
<code>table*</code> ..... 2, <u>137</u>	ment) ..... 1, <u>73</u>	<b>T</b>
<b>F</b>	<code>marginfigure</code> (environ-	<code>table*</code> (environment)
<code>figure*</code> (environment)	ment) ..... 1, <u>86</u>	..... 2, <u>137</u>

## Change History

v0.10	2019 . . . . .	1
General: Initial version, inherited		
from sidenotes.sty . . . . .	v0.30	
v0.11	<b>table*</b> : address issue with tables	
General: Found some bugs . . . . .	across the full width . . . . .	6
v0.20	<b>figure*</b> : address issue with figures	
General: Updated for TeX-Live	across the full width . . . . .	5