

## Supplementary File 1

### Light Exposure Behaviour Assessment (LEBA): Long Form

#### Participant's Instruction

Please indicate how often you performed the following behaviours in the **past four weeks**

	Items	Never	Rarely	Sometimes	Often	Always
01	I wear blue-filtering, orange-tinted, and/or red-tinted glasses indoors during the day.					
02	I wear blue-filtering, orange-tinted, and/or red-tinted glasses outdoors during the day.					
03	I wear blue-filtering, orange-tinted, and/or red-tinted glasses within 1 hour before attempting to fall asleep.					
04	I spend 30 minutes or less per day (in total) outside. (Reverse-scored)					
05	I spend between 30 minutes and 1 hour per day (in total) outside.					
06	I spend between 1 and 3 hours per day (in total) outside.					
07	I spend more than 3 hours per day (in total) outside.					
08	I spend as much time outside as possible.					
09	I go for a walk or exercise outside within 2 hours after waking up.					
10	I use my mobile phone within 1 hour before attempting to fall asleep.					
11	I look at my mobile phone screen immediately after waking up.					
12	I check my phone when I wake up at night.					
13	I look at my smartwatch within 1 hour before attempting to fall asleep					
14	I look at my smartwatch when I wake up at night.					
15	I dim my mobile phone screen within 1 hour before attempting to fall asleep.					
16	I use a blue-filter app on my computer screen within 1 hour before attempting to fall asleep.					
17	I use as little light as possible when I get up during the night.					
18	I dim my computer screen within 1 hour before attempting to fall asleep.					
19	I use tunable lights to create a healthy light environment.					
20	I use LEDs to create a healthy light environment.					
21	I use a desk lamp when I do focused work.					
22	I use an alarm with a dawn simulation light.					
23	I turn on the lights immediately after waking up.					

### Scoring

(Note: R = reverse-scored item)

LEBA captures light exposure-related behaviours on a 5-point Likert type scale ranging from 1 to 5 (1 = never; 2 = rarely; 3 = sometimes; 4 = often; 5 = always; for reversed-scored item: 1 = always; 2 = often; 3 = sometimes; 4 = rarely; 5 = never). The score of each factor is calculated by the summation of scores of items belonging to the corresponding factor.

Factor Name	Sore
F1: Wearing blue light filters	01+02+03
F2: Spending time outdoors	04(R)+05+06+07+08+09
F3: Using phone and smartwatch in bed	10+11+12+13+14
F4: Using light before bedtime	15+16+17+18
F5: Using light in the morning and during daytime	19+20+21+22+23

## Supplementary File 2

### Light Exposure Behaviour Assessment (LEBA): Short Form

#### Participant's Instruction

Please indicate how often you performed the following behaviours in the **past four weeks**.

	Items	Never	Rarely	Sometimes	Often	Always
01	I wear blue-filtering, orange-tinted, and/or red-tinted glasses indoors during the day.					
02	I wear blue-filtering, orange-tinted, and/or red-tinted glasses outdoors during the day.					
03	I wear blue-filtering, orange-tinted, and/or red-tinted glasses within 1 hour before attempting to fall asleep.					
04	I spend 30 minutes or less per day (in total) outside. (Reverse-scored)					
05	I spend between 30 minutes and 1 hour per day (in total) outside.					
06	I spend between 1 and 3 hours per day (in total) outside.					
07	I spend more than 3 hours per day (in total) outside.					
08	I spend as much time outside as possible.					
09	I go for a walk or exercise outside within 2 hours after waking up.					
10	I use my mobile phone within 1 hour before attempting to fall asleep.					
11	I look at my mobile phone screen immediately after waking up.					
12	I check my phone when I wake up at night.					
15	I dim my mobile phone screen within 1 hour before attempting to fall asleep.					
16	I use a blue-filter app on my computer screen within 1 hour before attempting to fall asleep.					
18	I dim my computer screen within 1 hour before attempting to fall asleep.					
19	I use tunable lights to create a healthy light environment.					
20	I use LEDs to create a healthy light environment.					
22	I use an alarm with a dawn simulation light.					

## Scoring

(Note: R = reverse-scored item)

LEBA captures light exposure-related behaviours on a 5-point Likert type scale ranging from 1 to 5 (1 = never; 2 = rarely; 3 = sometimes; 4 = often; 5 = always; for reversed-scored item: 1 = always; 2 = often; 3 = sometimes; 4 = rarely; 5 = never). The score of each factor is calculated by the summation of scores of items belonging to the corresponding factor.

Factor Name	Sore
F1: Wearing blue light filters	01+02+03
F2: Spending time outdoors	04(R)+05+06+07+08+09
F3: Using phone and smartwatch in bed	10+11+12
F4: Using light before bedtime	15+16+18
F5: Using light in the morning and during daytime	19+20+22

## Supplementary Tables

## Supplementary Table 1

*List of instruments measuring related constructs to LEBA.*

Name	Number of items	Description	Relevant items	Scale type
Visual Light Sensitivity Questionnaire-8 (Verriotto et al., 2017)	Eight-item	To assess the presence and severity of photosensitivity symptoms	None	5-point Likert scale
Office Light Survey (Eklund & Boyce, 1996)	30-item	To assess electrical lighting environment in office	Item 29	Mixed response format
Harvard Light Exposure Assessment Questionnaire (Bajaj et al., 2011)	One-item	To assess an individual's daily light exposure	None	Semi-quantitative
Hospital Lighting Survey (Dianat et al., 2013)	23-item	To assess light environment in a hospital	Item 16,17	5-point Likert scale
Morningness-Eveningness Questionnaire (Horne & Ostberg, 1976)	19-item	To assess an individual's chronotype	item 1,2,8,13,14	Mixed response format
Munich Chronotype Questionnaire (Roenneberg et al., 2003)	17-item	To understand an individual's phase of entrainment	Time spent outdoors	Mixed response format
Sleep Practices and Attitudes Questionnaire (Grandner et al., 2014)	16-subscale	To assess practice, behaviour and attitude related to sleep	Activities in bed and sleep environment subscales	5-point Likert scale
The Pittsburgh Sleep Quality Index (Buysse et al., 1989)	Nine-item	To assess sleep quality and sleeping pattern	item 1-4	Mixed response format
Self-Rating of Biological Rhythm Disorder for Disorder for Adolescents (Xie et al., 2022)	29-item	To assess four dimensions of biological rhythm disorder in adolescents	Item 3,6,22-25 and 29	5-point Likert scale
Photosensitivity Assessment Questionnaire (PAQ) (Bossini et al., 2006)	16-tem	To assess "photophobia" and "photophilia"	All items	Binary response option

**Supplementary Table 2***Geographical location of the participants (n =690).*

	Time zone and country name	Number of Participants
1	Africa/Ceuta (UTC +01:00)	2
2	Africa/Douala (UTC +01:00)	1
3	Africa/Johannesburg (UTC +02:00)	5
4	Africa/Khartoum (UTC +02:00)	2
5	Africa/Lagos (UTC +01:00)	1
6	America/Adak (UTC -09:00)	2
7	America/Anchorage (UTC -08:00)	3
8	America/Araguaina (UTC -03:00)	2
9	America/Argentina/Buenos_Aires (UTC -03:00)	5
10	America/Argentina/Cordoba (UTC -03:00)	2
11	America/Argentina/Jujuy (UTC -03:00)	1
12	America/Bahia (UTC -03:00)	2
13	America/Blanc-Sablon (UTC -04:00)	1
14	America/Bogota (UTC -05:00)	2
15	America/Boise (UTC -06:00)	4
16	America/Cayman (UTC -05:00)	1
17	America/Chicago (UTC -05:00)	30
18	America/Costa_Rica (UTC -06:00)	2
19	America/Cuiaba (UTC -04:00)	1
20	America/Denver (UTC -06:00)	6
21	America/Detroit (UTC -04:00)	6
22	America/Edmonton (UTC -06:00)	14
23	America/Fortaleza (UTC -03:00)	1
24	America/Guatemala (UTC -06:00)	1
25	America/Guayaquil (UTC -05:00)	2
26	America/Halifax (UTC -03:00)	1
27	America/Indiana/Indianapolis (UTC -04:00)	3
28	America/Indiana/Tell_City (UTC -05:00)	1
29	America/Kentucky/Louisville (UTC -04:00)	3
30	America/Los_Angeles (UTC -07:00)	37
31	America/Martinique (UTC -04:00)	1
32	America/Mexico_City (UTC -06:00)	2
33	America/Moncton (UTC -03:00)	2
34	America/Monterrey (UTC -06:00)	1
35	America/New_York (UTC -04:00)	63
36	America/North_Dakota/Center (UTC -05:00)	1

# LEBA: Supplementary Materials

37	America/North_Dakota/New_Salem (UTC -05:00)	1
38	America/Panama (UTC -05:00)	1
39	America/Phoenix (UTC -07:00)	7
40	America/Resolute (UTC -05:00)	1
41	America/Santiago (UTC -03:00)	8
42	America/Sao_Paulo (UTC -03:00)	19
43	America/Toronto (UTC -04:00)	16
44	America/Vancouver (UTC -07:00)	6
45	Antarctica/Macquarie (UTC +11:00)	1
46	Asia /Taipei City (UTC +08:00)	3
47	Asia/Amman (UTC +03:00)	2
48	Asia/Barnaul (UTC +07:00)	1
49	Asia/Dhaka (UTC +06:00)	1
50	Asia/Famagusta (UTC +02:00)	1
51	Asia/Ho_Chi_Minh (UTC +07:00),British - America/Tortola (UTC -04:00)	2
52	Asia/Hong_Kong (UTC +08:00)	2
53	Asia/Jakarta (UTC +07:00)	9
54	Asia/Jerusalem (UTC +02:00)	4
55	Asia/Karachi (UTC +05:00)	1
56	Asia/Kathmandu (UTC +05:45)	2
57	Asia/Kolkata (UTC +05:30)	38
58	Asia/Kuala_Lumpur (UTC +08:00)	7
59	Asia/Kuching (UTC +08:00)	2
60	Asia/Manila (UTC +08:00)	6
61	Asia/Novosibirsk (UTC +07:00)	1
62	Asia/Riyadh (UTC +03:00)	1
63	Asia/Seoul (UTC +09:00)	1
64	Asia/Shanghai (UTC +08:00)	7
65	Asia/Singapore (UTC +08:00)	1
66	Asia/Tokyo (UTC +09:00)	3
67	Asia/Tomsk (UTC +07:00)	1
68	Asia/Ulaanbaatar (UTC +08:00)	1
69	Asia/Vladivostok (UTC +10:00)	1
70	Asia/Yangon (UTC +06:30)	1
71	Asia/Yekaterinburg (UTC +05:00)	1
72	Atlantic/Canary (UTC)	1
73	Australia/Adelaide (UTC +10:30)	2
74	Australia/Brisbane (UTC +10:00)	4
75	Australia/Darwin (UTC +09:30)	1
76	Australia/Melbourne (UTC +11:00)	5
77	Australia/Perth (UTC +08:00)	2
78	Australia/Sydney (UTC +11:00)	2

## LEBA: Supplementary Materials

79	East Africa/Dodoma (UTC +03:00)	1
80	Europe/Amsterdam (UTC +01:00)	19
81	Europe/Athens (UTC +02:00)	3
82	Europe/Belgrade (UTC +01:00)	3
83	Europe/Berlin (UTC +01:00)	53
84	Europe/Bratislava (UTC +01:00)	2
85	Europe/Brussels (UTC +01:00)	4
86	Europe/Bucharest (UTC +02:00)	3
87	Europe/Budapest (UTC +01:00)	2
88	Europe/Busingen (UTC +01:00)	3
89	Europe/Copenhagen (UTC +01:00)	3
90	Europe/Dublin (UTC)	5
91	Europe/Helsinki (UTC +02:00)	9
92	Europe/Istanbul (UTC +03:00)	6
93	Europe/Kiev (UTC +02:00)	1
94	Europe/Lisbon (UTC)	2
95	Europe/Ljubljana (UTC +01:00)	3
96	Europe/London (UTC)	57
97	Europe/Madrid (UTC +01:00)	7
98	Europe/Moscow (UTC +03:00)	8
99	Europe/Oslo (UTC +01:00)	3
100	Europe/Paris (UTC +01:00)	22
101	Europe/Prague (UTC +01:00)	3
102	Europe/Riga (UTC +02:00)	2
103	Europe/Rome (UTC +01:00)	9
104	Europe/Sofia (UTC +02:00)	1
105	Europe/Stockholm (UTC +01:00)	4
106	Europe/Tallinn (UTC +02:00)	2
107	Europe/Tirane (UTC +01:00)	1
108	Europe/Vienna (UTC +01:00)	1
109	Europe/Vilnius (UTC +02:00)	5
110	Europe/Warsaw (UTC +01:00)	15
111	Europe/Zagreb (UTC +01:00)	2
112	Europe/Zurich (UTC +01:00)	21
113	European /Skopje (UTC +01:00)	1
114	Iran /Tehran (UTC +0:30)	3
115	Pacific/Auckland (UTC +13:00)	6
116	Pacific/Chatham (UTC +13:45)	1
117	Pacific/Easter (UTC -05:00)	1
118	Pacific/Honolulu (UTC -10:00)	2



**Supplementary Table 3.**

*Minimum average partial (MAP) method of factor number determination. MAP Statistics is the lowest in the 5<sup>th</sup> row indicating five factors are required.*

MAP Statistic <sup>1</sup>	df	$\chi^2$	RMSEA	BIC	SRMR
0.01125	1080	4344.31	0.08	-2199.54	0.09
0.01062	1033	3735.35	0.08	-2523.72	0.08
0.01077	987	3065.44	0.07	-2914.91	0.07
0.01042	942	2661.78	0.07	-3045.92	0.06
0.0093	898	2237.56	0.06	-3203.53	0.06
0.0094	855	2040.02	0.06	-3140.53	0.05
0.0097	813	1861.69	0.05	-3064.37	0.04
0.0100	772	1620.64	0.05	-3057.00	0.04

*Note.* <sup>1</sup> Minimum average partial.

**Supplementary Table 4**

*Factor loadings and communality of the retained in EFA with six factors. One factor emerged with only two items (n=428).*

Items	PA1	PA2	PA3	PA4	PA5	PA6	Communality
Item 16	.99						.01
Item 36	.94						.10
Item 17	.80						.33
Item 11		.82					.30
Item 10		.81					.34
Item 12		.64					.53
Item 08		-.48					.75
Item 07		.47					.74
Item 09		.33					.88
Item 33			.97				.02
Item 32			.77				.31
Item 35			.54				.59
Item 31			.49				.67
Item 03				.84			.27
Item 27				.81			.33
Item 40				.69			.47
Item 46					.65		.48
Item 45					.57		.65
Item 04					.48		.67
Item 25					.40		.76
Item 01					.35		.87
Item 26					.35		.84
Item 37						-.8	.32
Item38						.39	.76
% Of Variance	11	10	9	9	6	5	-

*Note.* Only loading higher than .30 is reported.

**Supplementary Table 5***Demographics Characteristics of the native and non-native English Speakers (n=262).*

Variable	Overall <sup>1</sup> (n= 262)	Native English Speakers <sup>1</sup> (n=129)	Non-native English Speakers <sup>1</sup> (n=133)
<b>Age</b>	32.89 (13.66)	34.08 (15.32)	31.74 (11.77)
<b>Sex</b>			
Female	136 (52%)	80 (62%)	56 (42%)
Male	121 (46%)	48 (37%)	73 (55%)
Other	5 (1.9%)	1 (.08%)	4 (3.0%)
<b>Occupational Status</b>			
Work	161 (61%)	76 (59%)	85 (64%)
School	52 (20%)	27 (21%)	25 (19%)
Neither	49 (19%)	26 (20%)	23 (17%)
<b>Occupational Setting</b>			
Home Office/Home schooling	109 (42%)	50 (39%)	59 (44%)
Face-to-face work/Face-to-face schooling	41 (16%)	22 (17%)	19 (14%)
Combination of home and face-to-face work/schooling	53 (20%)	23 (18%)	30 (23%)
Neither (no work or school, or in vacation)	59 (23%)	34 (26%)	25 (19%)

<sup>1</sup> Mean (SD); n (%).

**Supplementary Table 6**

*Items discrimination and response category difficulty thresholds of 23 items in LEBA (n=690).*

Items	a	b <sub>1</sub>	b <sub>2</sub>	b <sub>3</sub>	b <sub>4</sub>	Item Discrimination Category
<b>F1: Wearing blue light filters</b>						
Item 16	28.13	0.78	0.90	1.06	1.40	Very High
Item 36	4.49	0.94	1.08	1.23	1.40	Very High
Item 17	2.81	0.97	1.11	1.38	1.62	Very High
<b>F2: Spending time outdoors</b>						
Item 11	3.27	-0.79	0.65	1.54	2.31	Very High
Item 10	3.07	-1.27	-0.09	0.82	2.00	Very High
Item 12	1.72	-0.67	0.44	1.28	2.11	Very High
Item 07	1.09	-0.50	0.73	1.63	2.97	Moderate
Item 08	1.19	-2.26	-0.48	0.64	1.91	Moderate
Item 09	0.91	-2.63	-0.96	1.11	3.49	Moderate
<b>F3: Using phone and smartwatch in bed</b>						
Item 27	2.21	-1.88	-1.19	-0.73	0.30	Very High
Item 03	3.03	-1.24	-0.77	-0.20	0.66	Very High
Item 40	1.55	-0.51	0.46	1.32	2.22	High
Item 30	0.49	3.27	3.74	4.64	6.52	Low
Item 41	0.51	3.87	4.78	6.39	8.91	Low
<b>F4: Using light before bedtime</b>						
Item 32	1.62	-1.03	-0.78	-0.42	0.16	High
Item 35	1.37	-1.09	-0.98	-0.75	-0.40	High
Item 38	0.40	-7.48	-5.56	-4.23	-0.90	Low
Item 33	12.31	-0.66	-0.48	-0.24	0.13	Very High
<b>F5: Using light in the morning and during daytime</b>						
Item 46	2.22	0.68	0.89	1.38	2.17	Very High
Item 45	1.51	0.30	0.55	1.17	1.91	High
Item 25	0.52	-1.37	-0.04	1.89	4.22	Low
Item 04	0.84	2.44	2.80	3.18	3.67	Moderate
Item 01	0.39	-0.91	1.52	3.25	5.53	Low

*Note.* a = item discrimination parameter; b<sub>(1-4)</sub> = response category difficulty parameter

**Supplementary Table 7**

*Item discrimination, response category difficulty thresholds and fit statistics of the 18 items in short LEBA (n=690).*

Items	a	b <sub>1</sub>	b <sub>2</sub>	b <sub>3</sub>	b <sub>4</sub>	Signed $\chi^2$	df	RMSEA	p	Item Discrimination Category
<b>F1: Wearing blue light filters</b>										
Item 16	28.13	0.78	0.90	1.06	1.40	2.02	6	0.00	0.92	Very High
Item 36	4.49	0.94	1.08	1.23	1.40	39.07	13	0.05	0.00	Very High
Item 17	2.81	0.97	1.11	1.38	1.62	25.58	13	0.04	0.02	Very High
<b>F2: Spending time outdoors</b>										
Item 11	3.27	-0.79	0.65	1.54	2.31	55.03	27	0.04	0.00	Very High
Item 10	3.07	-1.27	-0.09	0.82	2.00	53.19	30	0.03	0.01	Very High
Item 12	1.72	-0.67	0.44	1.28	2.11	34.39	42	0.00	0.79	Very High
Item 07	1.09	-0.50	0.73	1.63	2.97	67.45	46	0.03	0.02	Moderate
Item 08	1.19	-2.26	-0.48	0.64	1.91	140.90	46	0.05	0.00	Moderate
Item 09	0.91	-2.63	-0.96	1.11	3.49	131.19	45	0.05	0.00	Moderate
<b>F3: Using phone and smartwatch in bed</b>										
Item 27	2.12	-1.91	-1.21	-0.74	0.31	16.41	11	0.03	0.13	Very High
Item 03	3.24	-1.22	-0.76	-0.20	0.65	15.09	11	0.02	0.18	Very High
Item 40	1.57	-0.50	0.45	1.30	2.20	9.92	9	0.01	0.36	High
<b>F4: Using light before bedtime</b>										
Item 32	1.60	-1.04	-0.79	-0.42	0.16	41.33	15	0.05	0.00	High
Item 35	1.34	-1.10	-0.99	-0.76	-0.41	41.71	14	0.05	0.00	High
Item 33	15.66	-0.66	-0.48	-0.24	0.13	46.89	14	0.06	0.00	Very High
<b>F5: Using light in the morning and during daytime</b>										
Item 46	2.34	0.66	0.88	1.36	2.12	19.00	15	0.02	0.21	Very High
Item 45	1.51	0.30	0.55	1.17	1.91	15.05	15	0.00	0.45	High
Item 25	0.49	-1.45	-0.04	1.99	4.46	31.60	15	0.04	0.01	Low

*Note.* a = item discrimination parameter; b<sub>(1-4)</sub> = response category difficulty parameter

## References

- Bajaj, A., Rosner, B., Lockley, S. W., & Schernhammer, E. S. (2011). Validation of a Light Questionnaire with Real-life Photopic Illuminance Measurements: the Harvard Light Exposure Assessment Questionnaire. *Cancer Epidemiology Biomarkers & Prevention*, 20(7), 1341-1349. <https://doi.org/10.1158/1055-9965.epi-11-0204>
- Bossini, L., Valdagno, M., Padula, L., De Capua, A., Pacchierotti, C., & Castrogiovanni, P. (2006). Sensibilità alla luce e psicopatologia: Validazione del Questionario per la Valutazione della Fotosensibilità (QVF). *Med Psicosomatica*, 51, 167-176.
- Buyse, D. J., Reynolds, C. F., 3rd, Monk, T. H., Berman, S. R., & Kupfer, D. J. (1989). The Pittsburgh Sleep Quality Index: a new instrument for psychiatric practice and research. *Psychiatry Res*, 28(2), 193-213. [https://doi.org/10.1016/0165-1781\(89\)90047-4](https://doi.org/10.1016/0165-1781(89)90047-4)
- Dianat, I., Sedghi, A., Bagherzade, J., Asghari Jafarabadi, M., & Stedmon, A. (2013). Objective and subjective assessments of lighting in a hospital setting: Implications for health, safety and performance. *Ergonomics*, 56. <https://doi.org/10.1080/00140139.2013.820845>
- Eklund, N. H., & Boyce, P. R. (1996). The Development of a Reliable, Valid, and Simple Office Lighting Survey. *Journal of the Illuminating Engineering Society*, 25(2), 25-40. <https://doi.org/10.1080/00994480.1996.10748145>
- Grandner, M. A., Jackson, N., Gooneratne, N. S., & Patel, N. P. (2014). The development of a questionnaire to assess sleep-related practices, beliefs, and attitudes. *Behavioral Sleep Medicine*, 12(2), 123-142. <https://doi.org/10.1080/15402002.2013.764530>
- Horne, J. A., & Ostberg, O. (1976). A self-assessment questionnaire to determine morningness-eveningness in human circadian rhythms. *Int J Chronobiol*, 4(2), 97-110.
- Roenneberg, T., Wirz-Justice, A., & Mrosovsky, M. (2003). Life between Clocks: Daily Temporal Patterns of Human Chronotypes. *J Biol Rhythms*, 18(1), 80-90. <https://doi.org/10.1177/0748730402239679>
- Verriotto, J. D., Gonzalez, A., Aguilar, M. C., Parel, J.-M. A., Feuer, W. J., Smith, A. R., & Lam, B. L. (2017). New methods for quantification of visual photosensitivity threshold and symptoms. *Translational vision science & technology*, 6(4), 18-18.
- Xie, Y., Wu, X., Tao, S., Wan, Y., & Tao, F. (2022). Development and validation of the self-rating of biological rhythm disorder for Chinese adolescents. *Chronobiol Int*, 39(2), 198-204. <https://doi.org/10.1080/07420528.2021.1989450>















































Supplementary Figures

Light Exposure Behavior Assessment													
Summary Descriptives EFA Sample (n =428)													
Items							Graphics		Response Pattern				
Item	Mean	SD	Skew	Kurtosis	SW <sup>†</sup>	Item Total Correlation	Histogram	Density	Never	Rarely	Sometimes	Often	Always
item01	2.27	1.39	0.74	-0.81	0.81*	0.19			42.29% (181)	22.20% (95)	12.62% (54)	12.38% (53)	10.51% (45)
item02	2.87	1.59	0.08	-1.60	0.83*	0.28			31.78% (136)	15.65% (67)	9.35% (40)	20.09% (86)	23.13% (99)
item03	3.36	1.38	-0.48	-1.03	0.87*	0.23			15.89% (68)	11.45% (49)	17.29% (74)	31.07% (133)	24.30% (104)
item04	1.47	1.18	2.38	4.00	0.43*	0.24			84.11% (360)	3.50% (15)	2.10% (9)	2.10% (9)	8.18% (35)
item05	4.01	1.40	-1.22	0.07	0.70*	0.17			12.85% (55)	3.50% (15)	9.58% (41)	17.52% (75)	56.54% (242)
item06	2.79	1.55	0.19	-1.48	0.85*	0.13			32.01% (137)	15.42% (66)	15.89% (68)	15.42% (66)	21.26% (91)
item07	2.26	1.25	0.70	-0.60	0.85*	0.32			35.98% (154)	27.80% (119)	17.29% (74)	12.38% (53)	6.54% (28)
item08	2.97	1.20	-0.06	-0.94	0.91*	0.25			13.79% (59)	22.20% (95)	27.80% (119)	25.93% (111)	10.28% (44)
item09	2.94	1.03	-0.12	-0.40	0.91*	0.08			10.28% (44)	19.63% (84)	41.82% (179)	22.43% (96)	5.84% (25)
item10	2.74	1.04	0.09	-0.74	0.91*	0.42			11.92% (51)	31.31% (134)	31.31% (134)	21.96% (94)	3.50% (15)
item11	2.18	0.90	0.60	0.12	0.86*	0.41			22.43% (96)	46.26% (198)	23.13% (99)	7.01% (30)	1.17% (5)
item12	2.36	1.22	0.59	-0.62	0.87*	0.48			29.91% (128)	29.67% (127)	21.50% (92)	12.15% (52)	6.78% (29)
item13	2.73	1.46	0.20	-1.36	0.87*	0.25			30.14% (129)	17.52% (75)	17.76% (76)	18.69% (80)	15.89% (68)
item14	2.14	1.31	0.77	-0.78	0.80*	0.28			47.20% (202)	18.93% (81)	12.62% (54)	15.65% (67)	5.61% (24)
item15	3.26	1.09	-0.26	-0.45	0.91*	0.03			7.48% (32)	13.79% (59)	37.15% (159)	28.04% (120)	13.55% (58)
item16	1.56	1.23	2.00	2.45	0.50*	0.28			79.67% (341)	4.21% (18)	3.97% (17)	4.67% (20)	7.48% (32)
item17	1.54	1.21	2.07	2.75	0.49*	0.21			80.61% (345)	3.27% (14)	5.14% (22)	3.27% (14)	7.71% (33)
item18	1.12	0.49	5.02	27.80	0.25*	0.18			93.22% (399)	3.50% (15)	2.10% (9)	0.70% (3)	0.47% (2)
item19	1.05	0.36	7.23	52.98	0.13*	0.17			97.43% (417)	0.93% (4)	0.47% (2)	1.17% (5)	0.00% (0)
item20	1.04	0.33	8.99	85.28	0.10*	0.16			98.36% (421)	0.23% (1)	0.70% (3)	0.47% (2)	0.23% (1)
item21	1.14	0.59	4.79	24.05	0.25*	0.21			93.69% (401)	1.64% (7)	3.04% (13)	0.47% (2)	1.17% (5)
item22	3.57	1.07	-0.65	-0.17	0.88*	0.20			4.91% (21)	11.92% (51)	21.96% (94)	43.22% (185)	17.99% (77)
item23	2.56	1.27	0.33	-1.00	0.89*	0.08			26.40% (113)	25.23% (108)	22.66% (97)	17.76% (76)	7.94% (34)
item24	4.14	0.99	-1.23	1.14	0.79*	0.22			2.34% (10)	5.84% (25)	10.98% (47)	37.38% (160)	43.46% (186)
item25	2.59	1.41	0.27	-1.27	0.86*	0.15			34.35% (147)	13.79% (59)	22.20% (95)	17.99% (77)	11.68% (50)
item26	2.25	1.27	0.69	-0.64	0.84*	0.08			38.32% (164)	23.36% (100)	20.09% (86)	10.98% (47)	7.24% (31)
item27	3.80	1.29	-0.87	-0.42	0.82*	0.17			8.41% (36)	11.21% (48)	11.21% (48)	30.37% (130)	38.79% (166)
item28	3.76	1.14	-0.68	-0.45	0.86*	0.18			3.97% (17)	13.08% (56)	17.06% (73)	34.81% (149)	31.07% (133)
item29	2.44	1.31	0.38	-1.14	0.86*	0.13			34.35% (147)	20.33% (87)	19.39% (83)	19.16% (82)	6.78% (29)
item30	1.48	1.11	2.18	3.35	0.48*	0.13			81.78% (350)	3.27% (14)	4.91% (21)	5.37% (23)	4.67% (20)
item31	3.00	1.62	-0.08	-1.61	0.83*	0.39			31.31% (134)	10.05% (43)	11.68% (50)	20.79% (89)	26.17% (112)
item32	3.55	1.65	-0.60	-1.34	0.76*	0.33			23.13% (99)	7.01% (30)	8.18% (35)	14.95% (64)	46.73% (200)
item33	3.62	1.64	-0.68	-1.25	0.74*	0.37			21.96% (94)	7.01% (30)	7.24% (31)	14.49% (62)	49.30% (211)
item34	3.42	1.83	-0.45	-1.69	0.69*	0.20			33.64% (144)	3.04% (13)	3.04% (13)	8.64% (37)	51.64% (221)
item35	3.86	1.67	-0.99	-0.85	0.65*	0.20			22.90% (98)	1.87% (8)	3.74% (16)	9.35% (40)	62.15% (266)
item36	1.54	1.25	2.13	2.86	0.46*	0.35			82.24% (352)	3.04% (13)	3.04% (13)	2.34% (10)	9.35% (40)
item37	1.33	0.91	3.03	8.43	0.41*	0.09			84.58% (362)	7.01% (30)	3.04% (13)	1.64% (7)	3.74% (16)
item38	4.30	1.08	-1.79	2.53	0.67*	0.32			5.37% (23)	3.50% (15)	5.37% (23)	27.57% (118)	58.18% (249)
item39	1.96	0.98	1.02	0.69	0.82*	0.07			37.62% (161)	38.79% (166)	15.65% (67)	5.61% (24)	2.34% (10)
item40	2.16	1.19	0.71	-0.54	0.84*	0.25			39.49% (169)	25.00% (107)	19.63% (84)	11.45% (49)	4.44% (19)
item41	1.31	0.81	2.75	6.92	0.43*	0.14			85.05% (364)	4.67% (20)	6.07% (26)	3.04% (13)	1.17% (5)
item42	3.93	1.48	-1.06	-0.44	0.71*	0.15			14.72% (63)	5.84% (25)	7.94% (34)	14.95% (64)	56.54% (242)
item43	1.64	1.18	1.79	2.02	0.60*	0.22			71.26% (305)	9.35% (40)	10.05% (43)	2.80% (12)	6.54% (28)
item44	3.51	1.30	-0.70	-0.59	0.85*	0.40			13.55% (58)	7.24% (31)	18.69% (80)	35.98% (154)	24.53% (105)
item45	2.22	1.48	0.71	-1.02	0.76*	0.29			53.04% (227)	7.01% (30)	16.36% (70)	11.92% (51)	11.68% (50)
item46	1.76	1.23	1.35	0.44	0.66*	0.39			67.06% (287)	7.71% (33)	11.68% (50)	8.88% (38)	4.67% (20)
item47	2.11	1.17	0.77	-0.39	0.83*	0.37			41.12% (176)	24.77% (106)	20.09% (86)	9.81% (42)	4.21% (18)
item48	2.60	1.25	0.29	-0.86	0.89*	0.36			25.00% (107)	21.50% (92)	30.84% (132)	13.79% (59)	8.88% (38)
<sup>†</sup> Shapiro-Wilk test													

Sup.Fig.1. Summary descriptive statistics and response pattern of EFA sample (n=428). All items violated normality assumptions

**Light Exposure Behavior Assessment**


Summary Descriptives CFA Sample (n=262)

Items	Summary Statistics				Graphics		Response Pattern				
	n	Mean	Median	SD	Histogram	Density	Never	Rarely	Sometimes	Often	Always
<b>F1: Wearing blue light filters</b>											
item16	262	1.6	1.0	1.3			78.24% (205)	3.44% (9)	4.20% (11)	5.73% (15)	8.40% (22)
item17	262	1.6	1.0	1.2			80.15% (210)	3.44% (9)	5.34% (14)	2.67% (7)	8.40% (22)
item36	262	1.6	1.0	1.3			80.53% (211)	3.44% (9)	3.05% (8)	3.44% (9)	9.54% (25)
<b>F2: Spending time outdoors</b>											
item07	262	2.1	2.0	1.2			43.13% (113)	23.66% (62)	14.50% (38)	14.12% (37)	4.58% (12)
item08	262	3.0	3.0	1.2			14.12% (37)	22.90% (60)	20.99% (55)	32.06% (84)	9.92% (26)
item09	262	2.9	3.0	1.1			12.98% (34)	22.14% (58)	34.35% (90)	26.34% (69)	4.20% (11)
item10	262	2.6	3.0	1.1			17.56% (46)	29.39% (77)	29.01% (76)	21.37% (56)	2.67% (7)
item11	262	2.1	2.0	0.9			25.95% (68)	46.56% (122)	20.23% (53)	5.34% (14)	1.91% (5)
item12	262	2.3	2.0	1.2			32.06% (84)	30.92% (81)	19.08% (50)	11.45% (30)	6.49% (17)
<b>F3: Using phone and smart-watch in bed</b>											
item03	262	3.7	4.0	1.3			11.83% (31)	7.25% (19)	17.56% (46)	28.24% (74)	35.11% (92)
item27	262	4.0	4.0	1.2			6.11% (16)	7.25% (19)	8.02% (21)	33.59% (88)	45.04% (118)
item30	262	1.4	1.0	1.1			83.59% (219)	2.67% (7)	4.20% (11)	6.11% (16)	3.44% (9)
item40	262	2.5	2.0	1.3			30.92% (81)	27.10% (71)	18.70% (49)	12.21% (32)	11.07% (29)
item41	262	1.2	1.0	0.7			90.08% (236)	3.82% (10)	2.29% (6)	2.67% (7)	1.15% (3)
<b>F4: Using light before bedtime</b>											
item32	262	3.4	4.0	1.7			25.95% (68)	4.20% (11)	11.45% (30)	16.79% (44)	41.60% (109)
item33	262	3.1	3.0	1.7			32.44% (85)	6.11% (16)	11.83% (31)	14.12% (37)	35.50% (93)
item35	262	3.6	5.0	1.8			27.48% (72)	2.67% (7)	7.25% (19)	6.49% (17)	56.11% (147)
item38	262	4.3	5.0	1.1			4.20% (11)	7.63% (20)	6.49% (17)	21.37% (56)	60.31% (158)
<b>F5: Using light in the morning and during daytime</b>											
item01	262	2.3	2.0	1.4			40.46% (106)	22.52% (59)	14.50% (38)	10.69% (28)	11.83% (31)
item04	262	1.3	1.0	0.8			89.31% (234)	2.29% (6)	3.44% (9)	3.05% (8)	1.91% (5)
item25	262	2.5	2.0	1.4			32.82% (86)	18.32% (48)	21.76% (57)	16.79% (44)	10.31% (27)
item45	262	2.0	1.0	1.4			64.12% (168)	5.34% (14)	9.54% (25)	11.83% (31)	9.16% (24)
item46	262	1.6	1.0	1.2			75.57% (198)	2.67% (7)	8.02% (21)	9.54% (25)	4.20% (11)


*Sup.Fig.2.* Summary descriptive statistics and response pattern of CFA sample (n=262).



## LEBA: Supplementary Materials



*Sup. Fig.3.* Item information curves for all items of LEBA. The red boxed five items (1, 25, 30, 38, 41) had relatively flat information curves.



**Sup.Fig.4.** Person fit of the five fitted IRT models (a) wearing blue light filters (b) spending time outdoors (c) using phone and smart-watch in bed (d) using light before bedtime (e) using light in the morning and during daytime. Most of the Zh values are higher than -2.