

12AVA

Sun Microsystems

Team

hame

reen tal k

ifioin nam,

hme

AL

1995

Java

Write

Run

Anywhd,

Jawo

Fea tureS

Java

•
•

Expi at

pointwr

not

availa

Plattorm

mdepn aat

seCure

Javey

Robnst

libray

men ory

manamnt

eheetor

mehod)

hntrad

Int

wys

1 by e

in

y arci

Objet riented.

hon

implemented

procpd

oriented

methad

Class bject
Absra t

)) Eneapsnation
Polymorphism
lnhinitan ee

oPlattom indepen dent!

yVM m depende
Java indapead
Linux

May
yDwin

Tnterpretd

DavaC

>(laes interpreter

Souree

byte code

Sava

tor

exeeuhon

y

by code

ino

machine

Im

Tine

Compiler

nterprete v and

Jst

used

3

Treuslators

toge.

o Ja

cungtas Compile

(J)Tcomp
Interpretuu

yna mic

Memory

Multi

Dis tribted

can work on dfereat
network.

lass A hme Jass mAME

public static void main(String[] args)

0 Save as B.java

3 open cm navigate to folder
JavaC B.java (A class will be
Java A entered)

lass S nanetant with
Class pile bytecode is input
JaNa Javac compiler.

should. be there.
VM Architecture

(class loader)
leads byte code For
in2AM betweenH
byte code + bitalzor. it Smethr
Verifier

Runtime
data

lclass Area Heap Memory p
YnethoN Area Memory

Code Store hunttime memoy stole
allo coaton while, calliy
method.
(recurtiy

Native
Method

Stack

Native
method
Library

root

class loader

Bootstrap

Extensio4

Java,

.Java

upload

OO)

loader

code)

Cuploads

work moe chss loader

>Joady bytecode in oin memy

yoripies he byte code.

initalizu e varinbles.

Exe utiow Engie
+git Pos
tinder pretew
Exe euted byteed