

# The RStudio Ecosystem

by *Stuart Hertzog*

*March–May 2018*



The RStudio IDE is the flagship of a comprehensive RStudio ecosystem.

## R Notebooks

R Notebooks are the most basic type of RMarkdown document. They are the RStudio equivalent to Jupyter Notebooks. As described by RStudio:

An R Notebook is an R Markdown document with chunks that can be executed independently and interactively, with output visible immediately beneath the input.

**Any R Markdown document can be used as a Notebook, and all R Notebooks can be rendered to other R Markdown document types.**

## Creating An R Notebook

The RStudio menu item *File -> New File -> R Notebook* creates a new RStudio Notebook containing instructions on how to use an R Notebook.

```
---  
title: "R Notebook"  
output:  
  html_notebook  
---
```

This is an [R Markdown](<http://rmarkdown.rstudio.com>) Notebook. When you execute code within the notebook

Try executing this chunk by clicking the *\*Run\** button within the chunk or by placing your cursor inside

```
---  
{r}  
plot(cars)  
---
```

Add a new chunk by clicking the *\*Insert Chunk\** button on the toolbar or by pressing *\*Cmd+Option+I\**.

When you save the notebook, an HTML file containing the code and output will be saved alongside it (click

The preview shows you a rendered HTML copy of the contents of the editor. Consequently, unlike *\*Knit\**, *\**

For more information see RStudio Notebook.

## R Notebook HTML files

An R Notebook HTML file is a special type of R Notebook.

It is an HTML file that uses the `.nb.html` extension and it enables:

- the source **.Rmd document** and
- **chunk outputs** to be recovered.

The `html_notebook` output format is specified in the YAML metadata:

```
title: "my_document_title"
output:
  html_notebook
```

With the `_yaml` file written this way, the command `rmarkdown::render()` will create an `.nb.html` R Notebook HTML Format file.

For more information, see Details of the R Notebook HTML Format.

**Note:** The RStudio instructions show an incorrect YAML header. You must use the `_yaml` format shown above or RStudio will throw an error and not compile.

## RMarkdown

R Markdown documents are fully reproducible. They use a productive notebook interface to weave together narrative text and code to produce elegantly-formatted output from multiple languages including R, Python, and SQL.— *RStudio RMarkdown*

**RMarkdown documents are the default RStudio document.** They are plain-text files with the `.Rmd` extension and can be used to generate many different types of output. The main ones are:

- HTML documents – `.html`
- PDF Documents – `.pdf`
- Word Documents – `.docx`

In addition to the standard output formats (above), RMarkdown documents can generate output in many other formats, via the pandoc conversion engine.

Beamer, HTML5 slides, Tufte-style handouts, books, dashboards, interactive documents, scientific articles, and websites.

**RStudio maintains a gallery of examples** of the many uses of RMarkdown.

## knitr

RMarkdown uses the knitr report generation package to output to the different file formats.

The **knitr** package enables integration of R code into LaTeX, LyX, HTML, Markdown, AsciiDoc, and reStructuredText documents. It can execute code chunks in a variety of languages via knitr Language Engines, including for:

- R

- Python
- SQL
- Bash
- Rcpp
- Stan
- JavaScript
- CSS

To process a code chunk using an alternate language engine simply use the name of the engine in place of `{r}` in the chunk declaration, for example:

```
```bash
cat flights1.csv flights2.csv flights3.csv > flights.csv
```
```

## Code Chunk Options

**RMarkdown code chunk processing can be controlled** by including *Chunk Options* in the *Chunk Declaration*, for example:

`{r, include = FALSE}` prevents code and results from appearing.

R Markdown still runs the code and the results can be used by other chunks.

`{r, eval = FALSE}` prevents to code from running but it still appears. `{r, echo = FALSE}` prevents code but not the results from appearing.

This is a useful way to embed figures.

`{r, message = FALSE}` prevents messages generated by code from appearing.

`{r, warning = FALSE}` prevents warnings generated by code from appearing.

`{r, fig.cap = "..."} adds a caption to graphical results.`

The R Markdown Reference Guide (.pdf) has a list of useful options. Yihui's `knitr` options has full documentation of all `knitr` code processing controls.

## pandoc

The RStudio installation includes pandoc, which is used for conversion between RMarkdown and the various output formats. You may have to install pandoc on your system for conversion to take place, especially for .pdf output, which goes through an intermediate LaTeX stage.

pandoc can also be run from the command line if it is installed separately. This is explained in detail in the pandoc manual.

## Shiny

Shiny is an R package that makes it easy to build interactive web apps straight from R. You can host standalone apps on a webpage or embed them in R Markdown documents or build dashboards. You can also extend your Shiny apps with CSS themes, htmlwidgets, and JavaScript actions. — *RStudio Shiny*

**RStudio's Shiny is a Web application framework for R that takes static RMarkdown documents and Web sites to the next level.**

There is no limit to building online documentation, interactive tutorials, and statistical data interfaces with these powerful R packages:

- `htmlwidgets` enables JavaScript visualisations and interactive components to be incorporated into R Markdown documents and Shiny web applications, as shown in this showcase and this gallery
- `crosstalk` wires widgets together, including linked brushing between widgets and client side filtering
- `shinydashboard` makes it easy to create all kinds of Web dashboards, as shown in these examples

and others:

- `intrval` can be used to build for example, a Web slider

We will explore building Shiny apps in a future Tutorial.

## Shiny Server

Shiny Server makes your Shiny Web apps accessible on a local network, an Enterprise server, or on the Internet. There are two flavours of server:

- Shiny Server Open Source and
- Shiny Server Pro

Documentation is available for:

- Installing Shiny Server Open Source
- Shiny Server Pro Admin Guide
- shinyapps.io User Guide

Shiny Apps can be available to an Intranet or to the Internet via:

- An Enterprise Server
- RStudio Connect
- shinyapps.io

The difference between the latter two is explained here.

## bookdown

`bookdown` is an open-source R package that makes it really easy to create online books and technical documents using RMarkdown.

**bookdown books open a new avenue for Web-enabled book publishing.**

They are essentially **responsive RMarkdown Web sites**, complete with content navigation, plus the ability to display and process computer code using a wide range of programming languages, including interactive Shiny dashboards and Web apps.

**bookdown has added a few important missing features** related to writing books, such as figure and table caption numbering and cross-references, and the ability to embed HTML widgets or Shiny apps.

**Developed and maintained by RStudio software engineer Yihui Xie**, `bookdown` books can be published on bookdown.org, a free service provided by RStudio Inc. Books are available for download, and the author holds full copyright.

**Fully-documented** in — of course! — a *bookdown* book called *bookdown*, the `bookdown` package uses many of the same conventions as other RMarkdown document types, so conversion of any RStudio project to an online book is relatively straightforward.

A Minimal Book Example can be cloned from GitHub. It can also be downloaded as a `.zip` file if you are not familiar with GitHub.

## **bookdown Installation**

Installation requires the `devtools` R package to be first installed, after which `bookdown` can be installed from its GitHub repository:

```
install.packages("devtools")
devtools::install_github("rstudio/bookdown")
```

## **tinytex**

**PDF output requires some version of the LaTeX typesetting system** to be installed. LaTeX is not a stand-alone typesetting program in itself, but document preparation software that runs on top of Donald E. Knuth's TeX typesetting system.

**TeX distributions usually bundle together all the parts needed** for a working TeX system. LaTeX and many of the packages built on it form an important component of any modern TeX distribution.

**As this is a large package consisting of many gigabytes of files** that users may not wish to install, Yihui Xie wrote `tinytex`, a lightweight, cross-platform, portable, and easy-to-maintain LaTeX distribution based on TeX Live.

## **tinytex Installation**

Installation of `tinytex` is accomplished with:

```
install.packages(c('tinytex', 'rmarkdown'))
tinytex::install_tinytex()
```

**PDF output (including Beamer slides) requires a full TeX installation.**

## **blogdown**

Just as WordPress changed the Web by bringing blogging to the masses, `blogdown` has opened a path for the more computer-savvy to create quick-loading, static blog sites using RMarkdown.

Not content with authoring `bookdown`, RStudio developer Yihui Xie took the next logical step by writing the `blogdown` R package.

**Based on the Hugo website framework, blogdown lets you write posts in RStudio as RMarkdown.Rmd files** These are automatically converted to blog posts for uploading to a hosting service, including GitHub pages.

## Learning blogdown

It is advisable to first read Yihui Xie and Alison Presmanes Hill's **bookdown** book *Creating Websites with R Markdown* to become familiar with **bookdown** concepts and the Hugo framework before you embark on creating your first blog site.

**These links offer practical Setup hints and guidance:**

### blogdown Setup

- Up and running with blogdown | Alison Presmanes Hill
- Getting Started With Blogdown | Borasky Research Journal
- R Blogdown Setup in GitHub (2) | Tales of R
- A Technical Introduction to Yihui's personal website
- A not-so-technical introduction to Daijiang's personal website

### blogdown Links

- blogdown: Creating Websites with R Markdown
- Announcing blogdown - Yihui Xie, RStudio 2017-09-11
- GitHub - rstudio/blogdown: Create Blogs and Websites with R Markdown
- GitHub - rbind/blogdown-demo: A minimal website example using blogdown
- Twitter hashtag #blogdown

## Hugo Themes

**blogdown** uses **Hugo** themes to style the look and feel of its blogs. The default theme for **blogdown** is *hugo-lithium*, a minimal theme that offers several options, detailed in Section 2.4.1 of the **blogdown** book. The base theme can be modified to suit your taste, or it can be replaced by another theme.

**The Hugo web site showcases many user-contributed themes.** These can be examined online and downloaded for use as-is or as a starting point for themeing.

### Hugo Links

- Hugo — world's fastest (?) framework for building websites
- Hugo Setup Guide — applies to **blogdown** blog sites
- Hugo Themeing — how to choose and fine-tune a blog
- Contributed Hugo Themes – hundreds of excellent Hugo themes
- Converting Old Wordpress Posts To Hugo — goodbye WordPress!

### blogdown Blogs

A list of R-related **blogdown** blogs is kept at rbind on Github. R-blogs made with **blogdown** can be viewed [here](#).

An interesting and uncluttered example is Simply Statistics, a statistics blog by Rafa Irizarry, Roger Peng, and Jeff Leek.

## RStudio Products



Some RStudio products are open-source and free for student and personal use. Others are priced for professional or Enterprise deployment.

### Software

- R Notebooks — equivalent to Jupyter Notebooks
- RMarkdown — creates .Rmd files using Pandoc Markdown
- R Packages — available on CRAN and GitHub
- RStudio Desktop — the RStudio IDE, also on GitHub
- RStudio Server — free for personal and local Network use
- Shiny — build interactive Web pages and JavaScript apps
- Shiny Server — free for local network and Web access behind a firewall

### Cloud Services

- RStudio Server Pro – enhanced admin, Enterprise security and pricing
- RStudio Connect – team management, Enterprise security and pricing
- RStudio Cloud (in alpha) — Do, Share, Teach, and Learn Data Science
- Shiny Server Pro – share Shiny apps, Enterprise security and pricing
- shinyapps.io – deploy Shiny apps, enhanced security, scalable
- Bookdown Book Publishing — free for bookdown static page books

### Resources

- RStudio Cheat Sheets — PDF format
- RStudio Community — register for full Forum access
- RStudio Documentation — Help articles for all RStudio products
- RStudio Server> Getting Started — lists many links for setup and use
- RStudio Server Pro Admin. Guide — web-accessible User Manual

Part 1 - RStudio IDE | Part 2 - Fundamentals of R