# Fitting a von Bertalanffy Growth Function

Derek H. Ogle, Northland College 20-Aug-2016

## **Preliminaries**


```
> library(FSAdata)  # for TroutBR data
> library(FSA)  # for filterD(), headtail(), col2rgbt(), vbFuns(), vbStart()
> library(nlstools)  # for nlsBoot()
```

## Loading the Data and Some Preparations

```
> data(TroutBR)
> str(TroutBR)
'data.frame':
                851 obs. of 3 variables:
          : int 16 16 17 17 17 17 17 17 17 17 ...
 $ tl
          : int 4 4 2 3 3 3 3 3 3 4 ...
 $ age
 $ species: Factor w/ 2 levels "Brown", "Rainbow": 1 1 1 1 1 1 1 1 1 1 ...
> rbt <- filterD(TroutBR, species=="Rainbow")</pre>
> headtail(rbt)
    tl age species
    12 3 Rainbow
       3 Rainbow
   14
    14
       3 Rainbow
625 31
       7 Rainbow
626 31
         9 Rainbow
627 32 7 Rainbow
> xlbl <- "Age (yrs)"
> ylbl <- "Total Length (in)"
> clr <- col2rgbt("black",0.05)</pre>
```

## Examine Plot of Data


```
> plot(tl~age,data=rbt,pch=19,col=clr,xlab=xlbl,ylab=ylbl)
```




## Fit Typical VBGF

#### Declare a Function


## Find Starting Values





#### Fit the Model


```
> fit1 <- nls(tl~vb(age,Linf,K,t0),data=rbt,start=svb)</pre>
> summary(fit1,correlation=TRUE)
Formula: tl ~ vb(age, Linf, K, t0)
Parameters:
     Estimate Std. Error t value Pr(>|t|)
Linf 27.71191 0.28383 97.64
                                 <2e-16
K
     0.63242 0.04248 14.89
                                   <2e-16
      1.71686 0.10159 16.90
                                   <2e-16
t0
Residual standard error: 1.775 on 624 degrees of freedom
Correlation of Parameter Estimates:
   Linf K
K - 0.91
t0 -0.71 0.92
Number of iterations to convergence: 3
Achieved convergence tolerance: 9.57e-06
> ( cf <- coef(fit1) )
      I.inf
                   K
                              t.0
27.7119083 0.6324231 1.7168636
> confint(fit1)
          2.5%
                     97.5%
Linf 27.1916077 28.3279785
    0.5499956 0.7192266
t0 1.4930214 1.8999245
> boot1 <- nlsBoot(fit1,niter=1000)</pre>
> str(boot1)
List of 4
 $ coefboot: num [1:1000, 1:3] 28 27.7 28.1 27.6 27.9 ...
  ..- attr(*, "dimnames")=List of 2
  ....$ : NULL
  ....$ : chr [1:3] "Linf" "K" "t0"
 $ rse : num [1:1000] 1.77 1.73 1.69 1.81 1.72 ...
 $ bootCI : num [1:3, 1:3] 27.714 0.634 1.723 27.176 0.554 ...
  ..- attr(*, "dimnames")=List of 2
  ....$ : chr [1:3] "Linf" "K" "t0"
  ....$ : chr [1:3] "Median" "2.5%" "97.5%"
 $ estiboot: num [1:3, 1:2] 27.7162 0.6344 1.7155 0.2853 0.0424 ...
  ..- attr(*, "dimnames")=List of 2
  ....$ : chr [1:3] "Linf" "K" "t0"
  .. ..$ : chr [1:2] "Estimate" "Std. error"
 - attr(*, "class")= chr "nlsBoot"
> headtail(boot1$coefboot)
            Linf
                        K
[1,]
        27.99407 0.5696074 1.511786
[2,]
       27.67781 0.6549548 1.810114
[3,]
       28.07905 0.5899080 1.656963
 [998,] 27.63469 0.6523097 1.807306
 [999,] 27.43055 0.6773599 1.809091
[1000,] 27.22687 0.6692506 1.693652
```



### **Make Predictions**

### Visualize the Fit

```
> plot(tl~age,data=rbt,xlab=xlbl,ylab=ylbl,pch=19,col=clr)
> curve(vb(x,cf),from=3,to=10,n=500,lwd=2,col="red",add=TRUE)
```



# > residPlot(fit1)

