

Microeconomics III: Problem Set 11^a

Thor Donsby Noe (thor.noe@econ.ku.dk) & Christopher Borberg (christopher.borberg@econ.ku.dk) December 4 2019

Department of Economics, University of Copenhagen

^aSlides created for exercise class 3 and 4, with reservation for possible errors.

Outline

- PS11, Ex. 1 (A): Signaling effect of the GED education program
- PS11, Ex. 2 (A): Asymmetric/incomplete information (PBE)

Signaling games in general

- PS11, Ex. 3: Signaling game (pooling and separating PBE)
 - PS11, Ex. 3.a: Signaling game (pooling PBE)
 - PS11, Ex. 3.b: Signaling game (separating PBE)
- PS11, Ex. 4: Signaling games (pooling and separating PBE)
 - PS11, Ex. 4.a: Signaling game (pooling and separating PBE)
 - PS11, Ex. 4.b: Signaling game (pooling and separating PBE)
- PS11, Ex. 5: Signaling games (pooling PBE)
 - PS11, Ex. 5.a: Signaling game (pooling PBE)
 - PS11, Ex. 5.b: Three-type signaling game (pooling PBE)
- PS11, Ex. 6: Spence's education signaling model (pooling and separating PBE)
 - PS11, Ex. 6.a: Spence's education signaling model (separating PBE)
 - PS11, Ex. 6.b: Spence's education signaling model (pooling PBE)

1

PS11, Ex. 1 (A): Signaling effect of the GED education program

PS11, Ex. 1 (A): Signaling effect of the GED education program

Does signaling work? Read the article by Tyler, Murnane and Willett and think about their results. What is their hypothesis for why they do not find an effect for minority groups? Come up with an example of an education program that has mostly signaling value in your country.

(This is a reflection question, no answer will be provided).

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

Step 1: Consider the uniform distribution $x \sim U(a,b)$. Use the cumulative distribution function (CDF) to write up the probability that a random draw of x is lower than a constant c. Use the mean to write up the expected value of a random draw of x where x is lower than a constant $c \in [a,b]$.

4

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

- Step 1: Consider the uniform distribution $x \sim U(a,b)$. Use the cumulative distribution function (CDF) to write up the probability that a random draw of x is lower than a constant c. Use the mean to write up the expected value of a random draw of x where x is lower than a constant $c \in [a,b]$.
- 1. Standard results for $x \sim U(a, b)$:

CDF:
$$F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$$
 (†)

Mean:
$$\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$$
 (‡)

5

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

- Step 1: Consider the uniform distribution $x \sim U(a,b)$. Use the cumulative distribution function (CDF) to write up the probability that a random draw of x is lower than a constant c. Use the mean to write up the expected value of a random draw of x where x is lower than a constant $c \in [a,b]$.
- Step 2: The buyer offers a price p. Write up the seller's strategy (best response).

1. Standard results for $x \sim U(a, b)$:

CDF:
$$F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$$
 (†)

Mean:
$$\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$$
 (‡)

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

- Step 1: Consider the uniform distribution $x \sim U(a,b)$. Use the cumulative distribution function (CDF) to write up the probability that a random draw of x is lower than a constant c. Use the mean to write up the expected value of a random draw of x where x is lower than a constant $c \in [a,b]$.
- Step 2: The buyer offers a price p. Write up the seller's strategy (best response).

1. Standard results for $x \sim U(a, b)$:

CDF:
$$F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$$
 (†)

Mean:
$$\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$$
 (‡

2.
$$S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$$

7

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

- Step 1: Consider the uniform distribution $x \sim U(a,b)$. Use the cumulative distribution function (CDF) to write up the probability that a random draw of x is lower than a constant c. Use the mean to write up the expected value of a random draw of x where x is lower than a constant $c \in [a,b]$.
- Step 2: The buyer offers a price p. Write up the seller's strategy (best response).
- Step 3: Write out the buyer's problem.

1. Standard results for $x \sim U(a, b)$:

CDF:
$$F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$$
 (†)

Mean:
$$\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$$
 (‡

2.
$$S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$$

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

- Step 1: Consider the uniform distribution $x \sim U(a,b)$. Use the cumulative distribution function (CDF) to write up the probability that a random draw of x is lower than a constant c. Use the mean to write up the expected value of a random draw of x where x is lower than a constant $c \in [a,b]$.
- Step 2: The buyer offers a price *p*. Write up the seller's strategy (best response).
- Step 3: Write out the buyer's problem:

$$\max_{p} \mathbb{P}[v_s < p] \mathbb{E}[v_b - p | v_s < p]$$

1. Standard results for $x \sim U(a, b)$:

CDF:
$$F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$$
 (†)

Mean:
$$\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$$
 (‡

2.
$$S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$$

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

Step 1: Use the CDF to write up
$$\mathbb{P}(x < c)$$
. 1. Standard results for $x \sim U(a, b)$:

Use the mean to write up $\mathbb{E}(x < c)$. CDF: $F(x) = \frac{x-a}{b-2} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-2}$ (†)

Step 2: The buyer offers a price
$$p$$
. Write up the seller's strategy (best response). Mean: $\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$ (‡

Step 3: Write out the buyer's problem:
$$\max_{p} \mathbb{P}[v_{s} < p] \mathbb{E}[v_{b} - p | v_{s} < p]$$

$$= \max_{p} \frac{p - 0}{1 - 0} \mathbb{E}[kv_{s} - p | v_{s} < p] \quad \text{using } (\dagger)$$

$$= \max_{p} p \left(k \mathbb{E}[v_{s} < p] - p\right)$$

$$= \max_{p} p \left(k \mathbb{E}[v_{s} < p] - p\right)$$

$$= \max_{p} p \left(k \frac{0 + p}{2} - p\right) \quad \text{using } (\ddagger)$$

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

Step 1: Use the CDF to write up
$$\mathbb{P}(x < c)$$
. 1. Standard results for $x \sim U(a, b)$:

Use the mean to write up $\mathbb{E}(x < c)$. CDF: $F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$ (†)

Step 2: The buyer offers a price
$$p$$
. Write up the seller's strategy (best response). Mean: $\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$ (

Step 3: Write out the buyer's problem:
$$\max_{p} \mathbb{P}[v_s < p] \mathbb{E}[v_b - p | v_s < p]$$
 2.
$$S_s(p, v_s) = \begin{cases} Sell & \text{if } p \geq v_s \\ Don't & \text{if } p < v_s \end{cases}$$

$$= \max_{p} \frac{p - 0}{1 - 0} \mathbb{E}[kv_s - p | v_s < p] \quad \text{using (†)} \quad 3. \quad \max_{p} u_b(p) = \max_{p} p^2 \left(\frac{k}{2} - 1\right)$$

$$= \max_{p} p \left(k \mathbb{E}[v_s < p] - p\right)$$

$$= \max_{p} p \left(k \frac{0+p}{2} - p \right)$$
 using (‡)

Step 4: Take the first-order condition wrt p

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See

- Step 1: Use the CDF to write up $\mathbb{P}(x < c)$. Use the mean to write up $\mathbb{E}(x < c)$.
- Step 2: The buyer offers a price *p*. Write up the seller's strategy (best response).

Step 3: Write out the buyer's problem.

 $p\frac{k}{2}=p$

Samuelson 1984.)

Step 4: Take the first-order condition wrt. *p*:

$$rac{\delta u_b(p)}{\delta p}=0$$
 $2p\left(rac{k}{2}-1
ight)=0$ (take the SOC) $2prac{k}{2}=2p$

1. Standard results for $x \sim U(a, b)$:

CDF:
$$F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$$
 (†)

Mean:
$$\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$$
 (‡)

2.
$$S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$$

$$3. \max_{p} u_b(p) = \max_{p} p^2 \left(\frac{k}{2} - 1\right)$$

4. FOC:
$$p \frac{k}{2} = p$$

SOC: What is the functional form of $u_b(p)$ for different values of k? E.g. is the buyer's utility a linear, concave, or convex function of p?

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See

Step 1: Use the CDF to write up
$$\mathbb{P}(x < c)$$
.

Step 2: The buyer offers a price *p*. Write up the seller's strategy (best response).

Use the mean to write up $\mathbb{E}(x < c)$.

Step 3: Write out the buyer's problem.

Samuelson 1984.)

Step 4: Take the first-order condition wrt.
$$p$$
:
$$\frac{\delta u_b(p)}{\delta p} = 0$$

$$2p\left(\frac{k}{2}-1\right)=0$$
 (take the SOC) $2p\frac{k}{2}=2p$

$$p\frac{k}{2} = p$$

1. Standard results for
$$x \sim U(a, b)$$
:
CDF: $F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$ (†)

Mean:
$$\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$$
 (‡

2.
$$S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$$

$$3. \max_{p} u_b(p) = \max_{p} p^2 \left(\frac{k}{2} - 1\right)$$

4. FOC:
$$p \frac{k}{2} = p$$

SOC:
$$k-2$$
 $\begin{cases} < 0, k \in (1,2) \Rightarrow \text{concave} \\ = 0, k=2 \Rightarrow \text{flat} \\ > 0, k>2 \Rightarrow \text{convex} \end{cases}$

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

- Step 1: Use the CDF to write up $\mathbb{P}(x < c)$.
 - Use the mean to write up $\mathbb{E}(x < c)$. CDF: $F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$ (†)
- Step 2: The buyer offers a price *p*. Write up the seller's strategy (best response).
- Step 3: Write out the buyer's problem.
- Step 4: Take the first-order and second-order condition wrt. *p*.
- Step 5: Maximize buyer's utility for k < 2.

Mean:
$$\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$$
 (‡)

1. Standard results for $x \sim U(a, b)$:

- 2. $S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$
- 3. $\max_{p} u_b(p) = \max_{p} p^2 \left(\frac{k}{2} 1\right)$
- 4. FOC: $p^{\frac{k}{2}} = p$

SOC:
$$k-2$$
 $\begin{cases} <0, \ k \in (1,2) \Rightarrow \text{concave} \\ =0, \ k=2 \Rightarrow \text{flat} \\ >0, \ k>2 \Rightarrow \text{convex} \end{cases}$

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_h and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_h) but the buyer does not know v_h (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

- Step 1: Use the CDF to write up $\mathbb{P}(x < c)$. 1. Standard results for $x \sim U(a, b)$: Use the mean to write up $\mathbb{E}(x < c)$. CDF: $F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$ (†)
- Step 2: The buyer offers a price p. Write up Mean: $\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$ the seller's strategy (best response).
- Step 3: Write out the buyer's problem.
- Step 4: Take the first-order and second-order condition wrt. p.
- Step 5: Maximize buyer's utility for k < 2.
- Step 6: Maximize buyer's utility for k > 2.

- 2. $S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$
- $3. \max_{p} u_b(p) = \max_{p} p^2 \left(\frac{k}{2} 1\right)$
- 4. FOC: $p^{\frac{k}{2}} = p$

SOC:
$$k-2$$

$$\begin{cases} <0, & k \in (1,2) \Rightarrow \text{concave} \\ =0, & k=2 \Rightarrow \text{flat} \\ >0, & k>2 \Rightarrow \text{convex} \end{cases}$$

5. $k \in (1,2)$: FOC, SOC $\Rightarrow p^* = 0$

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

Step 1: Use the CDF to write up
$$\mathbb{P}(x < c)$$
.

Use the mean to write up $\mathbb{E}(x < c)$.

Step 2: The buyer offers a price p . Write up

the seller's strategy (best response).

Step 5: Maximize buyer's utility for k < 2. Step 6: Maximize buyer's utility for k > 2.

Step 7: Looking at the seller's strategy, will trade occur when k > 2?

What about $k \in (1,2)$? Have we seen something similar before?

CDF:
$$F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$$
 (†)
Mean: $\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$ (‡)

1. Standard results for $x \sim U(a, b)$:

2.
$$S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$$

3.
$$\max_{p} u_b(p) = \max_{p} p^2 \left(\frac{k}{2} - 1\right)$$

4. FOC:
$$p\frac{k}{2} = p$$

SOC:
$$k-2$$
 $\begin{cases} <0, & k \in (1,2) \Rightarrow \text{concave} \\ =0, & k=2 \Rightarrow \text{flat} \\ >0, & k>2 \Rightarrow \text{convex} \end{cases}$

5.
$$k \in (1,2)$$
: FOC, SOC $\Rightarrow p^* = 0$

6.
$$k > 2$$
: max u_b : $p \to \infty \Rightarrow p^{**} = 1$

16

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_b and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_b) but the buyer does not know v_b (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

Step 1: Use the CDF to write up
$$\mathbb{P}(x < c)$$
.

Use the mean to write up $\mathbb{E}(x < c)$.

Step 2: The buyer offers a price p . Write up

the seller's strategy (best response).

Step 3: Write out the buyer's problem.

Step 4: Take the FOC and SOC wrt.
$$p$$
.
Step 5: Maximize buyer's utility for $k < 2$.
Step 6: Maximize buyer's utility for $k > 2$.

Step 7: k > 2: As $v_s \in [0, 1]$, seller will always accept the price $p^{**} = 1$. What about $k \in (1, 2)$? Have we seen something similar before?

CDF:
$$F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$$
 (†)
Mean: $\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$ (‡)

1. Standard results for $x \sim U(a, b)$:

2.
$$S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$$

$$3. \max_{p} u_b(p) = \max_{p} p^2 \left(\frac{k}{2} - 1\right)$$

4. FOC:
$$p^{\frac{k}{2}} = p$$

SOC:
$$k-2$$
 $\begin{cases} <0, \ k \in (1,2) & \Rightarrow \text{concave} \\ =0, \ k=2 & \Rightarrow \text{flat} \\ >0, \ k>2 & \Rightarrow \text{convex} \end{cases}$

5.
$$k \in (1,2)$$
: FOC, SOC $\Rightarrow p^* = 0$

6.
$$k > 2$$
: max u_b : $p \to \infty \Rightarrow p^{**} = 1$

Exercise 4.11 in Gibbons (p. 250). Difficult. A buyer and a seller have valuations v_h and v_s . It is common knowledge that there are gains from trade (i.e., that $v_b > v_s$), but the size of the gains is private information, as follows: the seller's valuation is uniformly distributed on [0,1]; the buyer's valuation $v_b = kv_s$, where k > 1 is common knowledge; the seller knows v_s (and hence v_h) but the buyer does not know v_h (and hence v_s). Suppose the buyer makes a single offer, p, which the seller either accepts or rejects. What is the perfect Bayesian equilibrium when k < 2? When k > 2? (See Samuelson 1984.)

Use the mean to write up $\mathbb{E}(x < c)$. Step 2: The buyer offers a price p. Write up

Step 1: Use the CDF to write up $\mathbb{P}(x < c)$.

the seller's strategy (best response). Step 3: Write out the buyer's problem.

Step 5: Maximize buyer's utility for k < 2. Step 6: Maximize buyer's utility for k > 2. Step 7: k > 2: As $v_s \in [0, 1]$, seller will

always accept the price $p^{**} = 1$. $k \in (1,2)$: Seller will not accept if $v_s > 0$, though trade would benefit both under perfect information.

Similar to Akerlof's 'Lemons'.

- 1. Standard results for $x \sim U(a, b)$:
- CDF: $F(x) = \frac{x-a}{b-a} \Rightarrow \mathbb{P}(x < c) = \frac{c-a}{b-a}$ (†)
- Mean: $\mu = \frac{a+b}{2} \Rightarrow \mathbb{E}(x < c) = \frac{a+c}{2}$ 2. $S_s(p, v_s) = \begin{cases} Sell & \text{if } p \ge v_s \\ Don't & \text{if } p < v_s \end{cases}$
 - $3. \max_{p} u_b(p) = \max_{p} p^2 \left(\frac{k}{2} 1\right)$
 - 4. FOC: $p^{\frac{k}{2}} = p$ SOC: k-2 $\begin{cases} < 0, k \in (1,2) \Rightarrow \text{concave} \\ = 0, k = 2 \Rightarrow \text{flat} \\ > 0, k > 2 \Rightarrow \text{concave} \end{cases}$
 - \Rightarrow convex 5. $k \in (1, 2)$: FOC, SOC $\Rightarrow p^* = 0$
 - 6. k > 2: max u_h : $p \to \infty \Rightarrow p^{**} = 1$

Signaling games in general

PS11: Signaling games in general

Players:


 2 players: Sender (S) and receiver (R). E.g. firm and consumer, or employer and employee (Spence).

Timing:

- 1. Nature chooses the sender's type from $T = \{t_1, ...\}$.
- 2. S: The sender realizes her type and sends a signal from $M = \{m_1, ...\}$, typically either L (left) or R (right).
- R: The receiver observes m (but not the type t!) and forms his beliefs:
 μ(t₁|L) = p and μ(t₁|R) = q
 Consequently, for S having two possible types:

$$\mu(t_2|L) = 1 - p$$
 and $\mu(t_2|R) = 1 - q$

- 4. R: The receiver chooses an action from $A = \{a_1, ...\}$, e.g. up or down.
- 5. Payoffs are realized.



PS11: Signaling games in general

Players:

 2 players: Sender (S) and receiver (R). E.g. firm and consumer, or employer and employee (Spence).

Timing:


- 1. Nature chooses the sender's type from $T = \{t_1, ...\}$.
- 2. S: The sender realizes her type and sends a signal from $M = \{m_1, ...\}$, typically either L (left) or R (right).
- 3. R: The receiver observes m (but not the type t!) and forms his beliefs: $p = \mu(t_1|L) \text{ and } q = \mu(t_1|R)$ Consequently, for S having two possible types:

$$1-p=\mu(t_2|L)$$
 and $1-q=\mu(t_2|R)$

- 4. R: The receiver chooses an action from $A = \{a_1, ...\}$, e.g. up or down.
- 5. Payoffs are realized.

Four possible equilibria for two types:

- Pooling on L or pooling on R.
- Separating: t₁ plays L and t₂ plays R or the other way around.



PS11: Signaling games in general

Players:

2 players: Sender (S) and receiver (R). E.g. firm and consumer, or employer and employee (Spence).

Timing:


- 1. Nature chooses the sender's type from $T = \{t_1, ...\}.$
- 2. S: The sender realizes her type and sends a signal from $M = \{m_1, ...\},\$ typically either L (left) or R (right).
- 3. R: The receiver observes m (but not the type t!) and forms his beliefs: $p = \mu(t_1|L) \text{ and } q = \mu(t_1|R)$ Consequently, for S having two possible types:

$$1-p=\mu(t_2|L)$$
 and $1-q=\mu(t_2|R)$

- 4. R: The receiver chooses an action from $A = \{a_1, ...\}$, e.g. up or down.
- 5. Pavoffs are realized.

Four possible equilibria for two types:

- Pooling on *L* or pooling on *R*.
- Separating: t₁ plays L and t₂ plays R or the other way around.



Cookbook: For each possible equilibrium go over signaling requirements 3 and 2:

SR3: R: Find the beliefs p, q given S's eq. strategy. (Only consider beliefs that are consistent with S's eq. strategy.)


SR2R: R: Given beliefs, find $a(m_i|\mu(t_1|m_i))$.

SR2S: S: Does t_1 or t_2 want to deviate?

PBE: No deviation \rightarrow PBE. Pooling on L: Find off-eq. $a(R|q) \rightarrow \text{possibly two}$ different PBE for different q.


Consider the signaling game in Figure 1.

- (a) Suppose there is a pooling PBE where the Sender sends message *L* regardless of his type. What are the beliefs in this equilibrium?
- (b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?



(a) Suppose there is a pooling PBE where the Sender sends message *L* regardless of his type. What are the beliefs in this equilibrium?

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's equilibrium strategy.)



- (a) Suppose there is a pooling PBE where the Sender sends message *L* regardless of his type. What are the beliefs in this equilibrium?
- SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.):


$$\mu(t_1|L) = \mu(t_2|L) = \frac{1}{2}$$

$$\Rightarrow p = 1 - p = \frac{1}{2}$$

$$q \in [0; 1]$$


I.e. in a pooling perfect Bayesian equilibrium where S always sends the message L, the receiver R believes that S can be type t_1 or t_2 with equal probability as the signal does not reveal anything.

As the message R is not a part of S's equilibrium strategy, the receiver R has no beliefs about q other than $q \in [0,1]$ in the case where S would unexpectedly send the message R instead.




(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

SR3:



(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's equilibrium strategy.)




(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)

SR2R:

SR2S:

PBE:




SR3: In the separating PBE, R has beliefs:

$$\mu(t_1|L)=p^*=0$$

$$\mu(t_1|R)=q^*=1$$

- (b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?
- SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)
- SR2R: R: Find R's optimal strategy given beliefs about S's strategy.
- SR2S: S: Check whether S wants to deviate.
- PBE: Write up the conditions such that SR2R and SR2S hold (no incentive to deviate) for the following PBE:


$$\{(\underbrace{R},\underbrace{L}),(\underbrace{u}_{a(L)},\underbrace{d}_{a(R)}),\underbrace{p=0}_{\mu(t_1|L)},\underbrace{q=1}_{\mu(t_1|R)}\}$$
 SR3: In the separating PBE, R has beliefs:
$$\mu(t_1|L)=p^*=0$$



$$\mu(t_1|L)=p^*=0$$

$$\mu(t_1|R)=q^*=1$$

- (b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?
- SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)
- SR2R: R: Find R's optimal strategy given beliefs about S's strategy.
- SR2S: S: Check whether S wants to deviate.
 - PBE: Write up the conditions such that SR2R and SR2S hold (no incentive to deviate) for the following PBE:



$$\{(\underbrace{R},\underbrace{L}),(\underbrace{u}_{a(L)},\underbrace{d}_{a(R)}),\underbrace{p=0}_{\mu(t_1|L)},\underbrace{q=1}_{\mu(t_1|R)}\}$$
 SR3: In the separating PBE, R has beliefs:
$$\mu(t_1|L)=p^*=0$$

 $\mu(t_1|L) = p^* = 0$

$$\mu(t_1|R)=q^*=1$$

SR2R: $\mathbb{E}[u_R(L, u|p=0)] > \mathbb{E}[u_R(L, d|p=0)]$ $\mathbb{E}[u_R(R,d|q=1)] > \mathbb{E}[u_R(R,u|q=1)]$


(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)

SR2R: R: Find R's optimal strategy given beliefs about S's strategy.

SR2S: S: Check whether S wants to deviate.

PBE: Write up the conditions such that SR2R and SR2S hold (no incentive to deviate) for the following PBE:



 $\{(\underbrace{R}_{m(t_1)},\underbrace{L}_{m(t_2)}),(\underbrace{u}_{a(L)},\underbrace{d}_{a(R)}),\underbrace{p=0}_{\mu(t_1|L)},\underbrace{q=1}_{\mu(t_1|R)}\} \text{SR3: In the separating PBE, R has beliefs: } \\ \mu(t_1|L)=p^*=0$

 $\rightarrow\,$ Construct payoffs that live up to these conditions.

$$\begin{aligned} \mu(t_1|R) &= q^* = 1 \\ \text{SR2R: } \mathbb{E}[u_R(L, u|p=0)] &\geq \mathbb{E}[u_R(L, d|p=0)] \\ \mathbb{E}[u_R(R, d|q=1)] &> \mathbb{E}[u_R(R, u|q=1)] \end{aligned}$$

SR2S:
$$u_S(R, d|t_1) \ge u_S(L, u|t_1)$$

 $u_S(L, u|t_2) \ge u_S(R, d|t_2)$

(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)


SR2R: R: Find R's optimal strategy given beliefs about S's strategy.

SR2S: S: Check whether S wants to deviate.

PBE: Write up the conditions such that SR2R and SR2S hold (no incentive to deviate) for the following PBE:

$$\{(\underbrace{R},\underbrace{L}),(\underbrace{u},\underbrace{d}),\underbrace{p=0},\underbrace{q=1}\} \text{SR3} \text{: In the separating PBE, R has beliefs: } \\ \mu(t_1|L)=p^*=0$$

- → Construct payoffs that live up to these conditions. (first example)
 - i: Simplest possible example.



 $\mu(t_1|R) = q^* = 1$ SR2R: $\mathbb{E}[u_R(L, u|p=0)] > \mathbb{E}[u_R(L, d|p=0)]$ $\mathbb{E}[u_{\mathbb{R}}(R,d|q=1)] > \mathbb{E}[u_{\mathbb{R}}(R,u|q=1)]$

 $\mu(t_1|L) = p^* = 0$

SR2S: $u_S(R, d|t_1) > u_S(L, u|t_1)$ $u_{S}(L, u|t_{2}) > u_{S}(R, d|t_{2})$

 $\mu(t_1|L) \ \mu(t_1|R)$

(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)

beliefs about S's strategy.

SR2S: S: Check whether S wants to deviate.

SR2R: R: Find R's optimal strategy given

PBE: Write up the conditions such that SR2R and SR2S hold (no incentive


to deviate) for the following PBE:
$$(0,0)$$
 d $[1-p]$ $1-q$ d $(0,0)$ d

a(L) a(R)

- → Construct payoffs that live up to these conditions. (second example)
- i: Simplest possible example.

 $m(t_1)$ $m(t_2)$

ii: Does the PBE still hold for this example?



 $\mu(t_1|R) = q^* = 1$ SR2R: $\mathbb{E}[u_R(L, u|p=0)] \ge \mathbb{E}[u_R(L, d|p=0)]$ $\mathbb{E}[u_R(R, d|q=1)] > \mathbb{E}[u_R(R, u|q=1)]$

 $\mu(t_1|L) = p^* = 0$

SR2S:
$$u_S(R, d|t_1) \ge u_S(L, u|t_1)$$

 $u_S(L, u|t_2) > u_S(R, d|t_2)$

32

(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)


SR2R: R: Find R's optimal strategy given beliefs about S's strategy.

SR2S: S: Check whether S wants to deviate. PBE: Write up the conditions such that

> SR2R and SR2S hold (no incentive to deviate) for the following PBE:

$$\{(\underbrace{R},\underbrace{L}),(\underbrace{u},\underbrace{d}),\underbrace{p=0},\underbrace{q=1}\} \text{SR3} : \text{ In the separating PBE, R has beliefs: } \\ \mu(t_1|L)=p^*=0 \\ \mu(t_1|R)=c^*=1$$

- → Construct payoffs that live up to these conditions. (second example)
- i: Simplest possible example.
- ii: Yes. all conditions still hold.



$$\begin{split} \mu(t_1|R) &= q^* = 1 \\ \text{SR2R: } \mathbb{E}[u_{\text{R}}(L, u|p = 0)] &\geq \mathbb{E}[u_{\text{R}}(L, d|p = 0)] \\ \mathbb{E}[u_{\text{R}}(R, d|q = 1)] &\geq \mathbb{E}[u_{\text{R}}(R, u|q = 1)] \end{split}$$

 $\mu(t_1|L) = p^* = 0$

SR2S: $u_{S}(R, d|t_{1}) \geq u_{S}(L, u|t_{1})$ $u_{S}(L, u|t_{2}) > u_{S}(R, d|t_{2})$

33

(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

 $\{(R, L), (u, d), p = 0, q = 1\}$ SR3: In the separating PBE, R has beliefs:

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)

beliefs about S's strategy.

SR2S: S: Check whether S wants to deviate.


PBE: Write up the conditions such that SR2R and SR2S hold (no incentive

SR2R: R: Find R's optimal strategy given

to deviate) for the following PBE:

$$m(t_1)$$
 $m(t_2)$ $a(L)$ $a(R)$ $\mu(t_1|L)$ $\mu(t_1|R)$
 \rightarrow Construct payoffs that live up to these conditions. (third example)

- i: Simplest possible example.
- ii: Yes, all conditions still hold.
- iii: What about zero payoffs all over?



 $\mu(t_1|R) = q^* = 1$ SR2R: $\mathbb{E}[u_R(L, u|p=0)] \ge \mathbb{E}[u_R(L, d|p=0)]$ $\mathbb{E}[u_R(R, d|q=1)] \ge \mathbb{E}[u_R(R, u|q=1)]$

 $\mu(t_1|L) = p^* = 0$

SR2S:
$$u_{S}(R, d|t_{1}) \geq u_{S}(L, u|t_{1})$$

$$u_{\mathsf{S}}(L,u|t_2)\geq u_{\mathsf{S}}(R,d|t_2)$$

(b) Consider a possible separating PBE where t_1 sends message R, t_2 sends message L, and where the receiver chooses u if and only if he receives message L. Can you write down payoffs for this game such that nobody has an incentive to deviate?

SR3: R: Find the beliefs of R given S's equilibrium strategy. (In equilibrium, we only consider beliefs of R that are consistent with S's eq. strategy.)

SR2R: R: Find R's optimal strategy given beliefs about S's strategy.


SR2S: S: Check whether S wants to deviate.

PBE: Write up the conditions such that SR2R and SR2S hold (no incentive to deviate) for the following PBE:

$$\{(\underbrace{R},\underbrace{L}),(\underbrace{u},\underbrace{d}),\underbrace{p=0},\underbrace{q=1}\} \text{SR3}: \text{ In the separating PBE, R has beliefs:} \\ \mu(t_1|L)=p^*=0$$

→ Construct payoffs that live up to these conditions. (third example)

- i: Simplest possible example.
- ii: Yes. all conditions still hold.
- iii: All conditions hold with equality.




 $\mu(t_1|R) = q^* = 1$

 $\mu(t_1|L) = p^* = 0$


SR2R: $\mathbb{E}[u_R(L, u|p=0)] > \mathbb{E}[u_R(L, d|p=0)]$ $\mathbb{E}[u_{\mathbb{R}}(R,d|q=1)] \geq \mathbb{E}[u_{\mathbb{R}}(R,u|q=1)]$

SR2S: $u_{S}(R, d|t_{1}) \geq u_{S}(L, u|t_{1})$ $u_{S}(L, u|t_{2}) > u_{S}(R, d|t_{2})$


35



Step 1: Write up S's possible strategies.




Step 1: Write up S's possible strategies.



Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Step 1: Write up S's possible strategies.

Step 2: For the pooling strategy (*L*,*L*), go over SR3, SR2R, and SR2S.



Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S:

SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L) = p = \frac{1}{2} \text{ and } \mu(t_1|R) = q \in [0,1]$$

SR2R: R: Indifferent between u and d:


$$\mathbb{E}[u_{R}(L, u|p)] = \mathbb{E}[u_{R}(L, d|p)]$$

$$1p + 0[1 - p] = 0p + 1[1 - p]$$

$$\frac{1}{2} = \frac{1}{2}$$


SR2S: S: t_2 wants to deviate as $L|t_2$ is strictly dominated by $R|t_2$.

PBE: Not a PBE as to would deviate.



- 2. No DDE that includes (1, 1)
- 2. No PBE that includes (L, L).

- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 3: For the pooling strategy (*R*,*R*), go over SR3, SR2R, and SR2S.



- 1. $S_S = \{(L, L); (R, R); (L, R); (R, L)\}$
- 2. No PBE that includes (L, L).

Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.


- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 3: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S:
 - SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L) = p \in [0,1]$$
 and $\mu(t_1|R) = q = \frac{1}{2}$

SR2R: R: Best response is to play u as $\mathbb{E}[u_{\mathbb{R}}(R,u|q=\frac{1}{2})]=2\frac{1}{2}+0\frac{1}{2}=1$ $\mathbb{E}[u_{\mathbb{R}}(R,d|q=\frac{1}{2})]=0\frac{1}{2}+1\frac{1}{2}=\frac{1}{2}$

SR2S: t_1 will not deviate even if a(L) = d: $u_S(R, u|t_1) = 2 \ge 2 = \max u_S(L, a(L)|t_1)$ t_2 will not deviate as $R|t_2$ strictly dominates $L|t_2$.

PBE: Find the off-equilibrium beliefs p to identify a(L|p) (possibly 2 for different p.)



- 1. $S_S = \{(L, L); (R, R); (L, R); (R, L)\}$
- 2. No PBE that includes (L, L).
- 3.

Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 3: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S:

SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L) = p \in [0,1]$$
 and $\mu(t_1|R) = q = \frac{1}{2}$
SR2R: R: Best response is to play u as


 $\mathbb{E}[u_{R}(R, u|q=\frac{1}{2})] = 2\frac{1}{2} + 0\frac{1}{2} = 1$ $\mathbb{E}[u_{R}(R, d|q=\frac{1}{2})] = 0\frac{1}{2} + 1\frac{1}{2} = \frac{1}{2}$

SR2S: t_1 will not deviate even if a(L) = d: $u_S(R, u|t_1) = 2 \ge 2 = \max u_S(L, a(L)|t_1)$ t_2 will not deviate as $R|t_2$ strictly dominates $L|t_2$.

PBE: Find the off-equilibrium beliefs p to identify (two different) a(L|p): $\mathbb{E}[u_R(L,u|p) \geq \mathbb{E}[u_R(L,d|p)$

$$1p + 0[1 - p] \ge 0p + 1[1 - p]$$

 $p > 1/2$



- 1. $S_S = \{(L, L); (R, R); (L, R); (R, L)\}$
- 2. No PBE that includes (L, L).
- 3. Write up all PBE including (R,R).

Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 3: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S:

$$\mu(t_1|L) = p \in [0,1]$$
 and $\mu(t_1|R) = q = \frac{1}{2}$
SR2R: R: Best response is to play u as

$$\mathbb{E}[u_{\mathsf{R}}(R, u|q = \frac{1}{2})] = 2\frac{1}{2} + 0\frac{1}{2} = 1$$


$$\mathbb{E}[u_{\mathsf{R}}(R, d|q = \frac{1}{2})] = 0\frac{1}{2} + 1\frac{1}{2} = \frac{1}{2}$$

SR2S: t_1 will not deviate even if a(L) = d: $u_S(R, u|t_1) = 2 \ge 2 = \max u_S(L, a(L)|t_1)$ t_2 will not deviate as $R|t_2$ strictly dominates $L|t_2$.

PBE: Find the off-equilibrium beliefs p to identify (two different) a(L|p): $\mathbb{E}[u_{R}(L,u|p) \geq \mathbb{E}[u_{R}(L,d|p)$

$$1p + 0[1 - p] \ge 0p + 1[1 - p]$$


 $p > 1/2$



- 1. $S_S = \{(L, L); (R, R); (L, R); (R, L)\}$
- 2. No PBE that includes (L, L).

3.
$$\left\{ \begin{array}{l} (R,R), (u,u), p \geq \frac{1}{2}, q = \frac{1}{2} \\ (R,R), (d,u), p \leq \frac{1}{2}, q = \frac{1}{2} \end{array} \right\}$$

- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 3: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 4: For the separating strategy (L,R), go over SR3, SR2R, and SR2S.



- 1. $S_S = \{(L, L); (R, R); (L, R); (R, L)\}$
- 2. No PBE that includes (L, L).

3.
$$\left\{ \begin{array}{l} (R,R), (u,u), p \geq \frac{1}{2}, q = \frac{1}{2} \\ (R,R), (d,u), p \leq \frac{1}{2}, q = \frac{1}{2} \end{array} \right\}$$

Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 3: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 4: For the separating strategy (L,R), go over SR3, SR2R, and SR2S:
 - SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L)=p=1$$
 and $\mu(t_1|R)=q=0$


- SR2R: R: Best response is to play u|L, d|R.
- SR2S: t_1 will not deviate as

$$u_{S}(L, u|t_{1}) = 1 > 0 = u_{S}(R, d|t_{1})$$

t2 will not deviate as

$$u_{S}(R, d|t_{2}) = 1 > 0 = u_{S}(L, u|t_{2})$$

PBE: No deviation, thus, it's a PBE.




- 1. $S_S = \{(L, L); (R, R); (L, R); (R, L)\}$
- 2. No PBE that includes (L, L).

3.
$$\left\{ \begin{array}{l} (R,R), (u,u), p \geq \frac{1}{2}, q = \frac{1}{2} \\ (R,R), (d,u), p \leq \frac{1}{2}, q = \frac{1}{2} \end{array} \right\}$$

4.
$$\{(L,R),(u,d),p=1,q=0\}$$

- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 3: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 4: For the separating strategy (L,R), go over SR3, SR2R, and SR2S.
- Step 5: For the separating strategy (*R,L*), go over SR3, SR2R, and SR2S.



- 1. $S_S = \{(L, L); (R, R); (L, R); (R, L)\}$
- 2. No PBE that includes (L, L).
- 3. $\left\{ \begin{array}{l} (R,R), (u,u), p \geq \frac{1}{2}, q = \frac{1}{2} \\ (R,R), (d,u), p \leq \frac{1}{2}, q = \frac{1}{2} \end{array} \right\}$
- 4. $\{ (L,R), (u,d), p=1, q=0 \}$


- Step 1: Write up S's possible strategies.
- Step 2: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 3: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 4: For the separating strategy (L,R), go over SR3, SR2R, and SR2S.
- Step 5: For the separating strategy (R,L), go over SR3, SR2R, and SR2S:
 - SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L)=p=0$$
 and $\mu(t_1|R)=q=1$

- SR2R: R: Best response is to play d|L, u|R.
- SR2S: t_2 wants to deviate as

$$u_{S}(L, d|t_{2}) = 0 < 1 = u_{S}(R, u|t_{2})$$

- PBE: No PBE as t_2 will want to deviate.
- Step 6: Write up the full set of PBE.



- 1. $S_S = \{(L, L); (R, R); (L, R); (R, L)\}$
- 2. No PBE that includes (L, L).

3.
$$\left\{ \begin{array}{l} (R,R), (u,u), p \geq \frac{1}{2}, q = \frac{1}{2} \\ (R,R), (d,u), p \leq \frac{1}{2}, q = \frac{1}{2} \end{array} \right\}$$

- 4. $\{(L,R),(u,d),p=1,q=0\}$
- 5. No PBE that includes (R, L).

Exercise 4.4.a in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Step 1: Write up S's possible strategies.

(1,1) u

(1,1) u

Step 2: For the pooling strategy (*L*,*L*), go over SR3, SR2R, and SR2S.

Step 3: For the pooling strategy (*R*,*R*), go


over SR3, SR2R, and SR2S.

Step 4: For the separating strategy (L,R), go

over SR3, SR2R, and SR2S.

Step 5: For the separating strategy (*R,L*), go over SR3, SR2R, and SR2S:


Step 6: Write up the full set of PBE.



2. No PBE that includes (L, L). 3. $\left\{ \begin{array}{l} (R, R), (u, u), p \geq \frac{1}{2}, q = \frac{1}{2} \\ (R, R), (d, u), p \leq \frac{1}{2}, q = \frac{1}{2} \end{array} \right\}$ 4. $\left\{ \begin{array}{l} (L, R), (u, d), p = 1, q = 0 \end{array} \right\}$

5. No PBE that includes (R, L). 6. $\begin{cases}
(R, R), (u, u), p \ge \frac{1}{2}, q = \frac{1}{2} \\
(R, R), (d, u), p \le \frac{1}{2}, q = \frac{1}{2} \\
(L, R), (u, d), p = 1, q = 0
\end{cases}$


19



Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

• Consider S's possible strategies:

$$S_{S} = \{(L, L); (R, R); (L, R); (R, L)\}$$




Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.



1.
$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S:


SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L)=p=rac{1}{2}$$
 and $\mu(t_1|R)=q\in[0,1]$

SR2R: R: Best response is to play u|L as $\mathbb{E}[u_R(L, u|p=\frac{1}{2})] = 0\frac{1}{2} + 3\frac{1}{2} = \frac{3}{2}$ $\mathbb{E}[u_R(L, d|p=\frac{1}{2})] = 1\frac{1}{2} + 1\frac{1}{2} = 1$

SR2S: t_1, t_2 will not deviate if R plays u|R.

PBE: So, now what?



Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

• Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

Step 1: For the pooling strategy
$$(L,L)$$
, go over SR3. SR2R. and SR2S:


SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L)=p=rac{1}{2}$$
 and $\mu(t_1|R)=q\in[0,1]$

SR2R: R: Best response is to play u|L as $\mathbb{E}[u_{R}(L, u|p=\frac{1}{2})] = 0\frac{1}{2} + 3\frac{1}{2} = \frac{3}{2}$ $\mathbb{E}[u_{R}(L, d|p=\frac{1}{2})] = 1\frac{1}{2} + 1\frac{1}{2} = 1$

SR2S: t_1, t_2 will not deviate if R plays u|R.

PBE: Find values of q such that the receiver plays u|R.



Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_{S} = \{(L, L); (R, R); (L, R); (R, L)\}$$

Step 1: For the pooling strategy (L, L) , go

over SR3, SR2R, and SR2S: SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L)=p=rac{1}{2}$$
 and $\mu(t_1|R)=q\in[0,1]$


SR2R: R: Best response is to play u|L as $\mathbb{E}[u_R(L, u|p=\frac{1}{2})] = 0\frac{1}{2} + 3\frac{1}{2} = \frac{3}{2}$ $\mathbb{E}[u_R(L, d|p=\frac{1}{2})] = 1\frac{1}{2} + 1\frac{1}{2} = 1$ SR2S: t_1, t_2 will not deviate if R plays u|R.

PBE: Find values of q such that the receiver plays u|R:

$$\mathbb{E}[u_{\mathsf{R}}(R,u|q) \geq \mathbb{E}[u_{\mathsf{R}}(R,d|q)]$$
 $0q + 2[1-q] \geq 1q + 0[1-q]$
 $2 - 2q \geq q$
 $2 > 3q$

$$\frac{2}{2} \geq q$$

Write up the PBE including beliefs.



55

Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S:

SR3: R: Beliefs given S's eq. strategy:


$$\mu(t_1|L)=p=rac{1}{2}$$
 and $\mu(t_1|R)=q\in[0,1]$

SR2R: R: Best response is to play u|L as $\mathbb{E}[u_R(L,u|p=\frac{1}{2})] = 0\frac{1}{2} + 3\frac{1}{2} = \frac{3}{2}$ $\mathbb{E}[u_R(L,d|p=\frac{1}{2})] = 1\frac{1}{2} + 1\frac{1}{2} = 1$ SR2S: t_1,t_2 will not deviate if R plays u|R.

PBE: Find values of q such that the receiver plays u|R:

$$\mathbb{E}[u_{\mathsf{R}}(R, u|q) \ge \mathbb{E}[u_{\mathsf{R}}(R, d|q)$$
$$0q + 2[1 - q] \ge 1q + 0[1 - q]$$
$$2 - 2q \ge q$$

$$2 \ge 3q$$
 $\frac{2}{3} \ge q$




Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

- Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 2: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.



Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.

Step 2: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S:


SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L) = p \in [0,1] \text{ and } \mu(t_1|R) = q = \frac{1}{2}$$

SR2R: R: Best response is to play u as $\mathbb{E}[u_{R}(R, u|q=\frac{1}{2})] = 0\frac{1}{2} + 2\frac{1}{2} = 1$ $\mathbb{E}[u_{R}(R, d|q=\frac{1}{2})] = 1\frac{1}{2} + 0\frac{1}{2} = \frac{1}{2}$

SR2S: t_1 will deviate as the payoff from $(L, a(L)|t_1)$ is strictly higher than $(R, u|t_1) = 0$.

PBE: No PBE, as t_1 wants to deviate.




Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

- Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 2: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 3: For the separating strategy (*L*,*R*), go over SR3, SR2R, and SR2S.



2. No PBE that includes (R, R).

Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

- Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 2: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 3: For the separating strategy (L,R), go over SR3, SR2R, and SR2S:
 - SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L)=p=1$$
 and $\mu(t_1|R)=q=0$


- SR2R: R: Best response is to play d|L, u|R.
- SR2S: t_1 will not deviate as

$$u_{S}(L, d|t_{1}) = 1 > 0 = u_{S}(R, u|t_{1})$$

t₂ will not deviate as

$$u_{S}(R, u|t_{2}) = 1 > 0 = u_{S}(L, d|t_{2})$$

PBE: No deviation, thus, it's a PBE.



2. No PBE that includes (R, R).


3. $\{(L,R),(d,u),p=1,q=0\}$

Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:


$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

- Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 2: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 3: For the separating strategy (L,R), go over SR3, SR2R, and SR2S.
- Step 4: For the separating strategy (*R*,*L*), go over SR3, SR2R, and SR2S.



- 2. No PBE that includes (R, R).
- 3. $\{ (L,R), (d,u), p=1, q=0 \}$

- Consider S's possible strategies: $S_S = \{(L, L); (R, R); (L, R); (R, L)\}$
- Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 2: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 3: For the separating strategy (L,R), go over SR3, SR2R, and SR2S.
- Step 4: For the separating strategy (R,L), go over SR3, SR2R, and SR2S:
 - SR3: R: Beliefs given S's eq. strategy: $\mu(t_1|L)=p=0 \text{ and } \mu(t_1|R)=q=1$
- SR2R: R: Best response is to play u|L, d|R.
- SR2S: t_1 will not deviate as $u_S(R, d|t_1) = 4 > 3 = u_S(L, u|t_1)$ t_2 will not deviate as $u_S(L, u|t_2) = 3 > 2 = u_S(R, d|t_2)$
 - PBE: No deviation, thus, it's a PBE.
- Step 5: Write up the full set of PBE.




- 2. No PBE that includes (R, R).
- 3. $\{ (L,R), (d,u), p=1, q=0 \}$
- 4. $\{ (R, L), (u, d), p = 0, q = 1 \}$

Exercise 4.4.b in Gibbons (p. 248). Describe all the pure-strategy pooling and separating perfect Bayesian equilibria in the following signaling game.

Consider S's possible strategies:

$$S_S = \{(L, L); (R, R); (L, R); (R, L)\}$$

- Step 1: For the pooling strategy (L,L), go over SR3, SR2R, and SR2S.
- Step 2: For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.
- Step 3: For the separating strategy (L,R), go over SR3. SR2R, and SR2S.
- Step 4: For the separating strategy (R,L), go over SR3. SR2R, and SR2S:
- Step 5: Write up the full set of PBE.




- 1. $\{(L, L), (u, u), p = \frac{1}{2}, q \leq \frac{2}{3}\}$
- 2. No PBE that includes (R, R).
- 3. $\{(L,R),(d,u),p=1,q=0\}$
- 4. $\{ (R, L), (u, d), p = 0, q = 1 \}$
- 5. $\left\{ \begin{array}{l} (L,L), (u,u), p = \frac{1}{2}, q \leq \frac{2}{3} \\ (L,R), (d,u), p = 1, q = 0 \\ (R,L), (u,d), p = 0, q = 1 \end{array} \right\}$

PS11, Ex. 5: Signaling games (pooling PBE)

PS11, Ex. 5.a: Signaling games (pooling PBE)


Exercise 4.3.a in Gibbons (p. 246). Specify a pooling perfect Bayesian equilibria in which both Sender types play R in the following signaling game.



PS11, Ex. 5.a: Signaling games (pooling PBE)

Exercise 4.3.a in Gibbons (p. 246). Specify a pooling perfect Bayesian equilibria in which both Sender types play *R* in the following signaling game.

For the pooling strategy (R,R), go over SR3, SR2R, and SR2S.



Exercise 4.3.a in Gibbons (p. 246). Specify a pooling perfect Bayesian equilibria in which both Sender types play R in the following signaling game.

For the pooling strategy (R,R), go over SR3, SR2R, and SR2S:


SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L) = p \in [0,1] \text{ and } \mu(t_1|R) = q = \frac{1}{2}$$

SR2R: R: Best response is to play d as $\mathbb{E}[u_{\mathbb{R}}(R, u|q=\frac{1}{2})] = 1\frac{1}{2} + 0\frac{1}{2} = \frac{1}{2}$ $\mathbb{E}[u_{\mathbb{R}}(R, d|q=\frac{1}{2})] = 0\frac{1}{2} + 2\frac{1}{2} = 1$

SR2S: t_1 will not deviate as $u_{\rm S}(R,d|t_1)=3>1=u_{\rm S}(L,u|t_1)$ $u_{\rm S}(R,d|t_1)=3>2=u_{\rm S}(L,d|t_1)$ t_2 will deviate if a(L)=d (as 2<3) but not if a(L)=u (as 2>0).

PBE: Find the off-equilibrium beliefs p for which R plays $a^*(L) = u$.



Exercise 4.3.a in Gibbons (p. 246). Specify a pooling perfect Bayesian equilibria in which both Sender types play R in the following signaling game.

For the pooling strategy (R,R), go over SR3, SR2R, and SR2S:

SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L) = p \in [0,1] \text{ and } \mu(t_1|R) = q = \frac{1}{2}$$

SR2R: R: Best response is to play d as $\mathbb{E}[u_{R}(R, u|q=\frac{1}{2})] = 1\frac{1}{2} + 0\frac{1}{2} = \frac{1}{2}$ $\mathbb{E}[u_{R}(R, d|q=\frac{1}{2})] = 0\frac{1}{2} + 2\frac{1}{2} = 1$

SR2S:
$$t_1$$
 will not deviate as

$$u_{S}(R, d|t_{1}) = 3 > 1 = u_{S}(L, u|t_{1})$$

 $u_{S}(R, d|t_{1}) = 3 > 2 = u_{S}(L, d|t_{1})$
 t_{2} will deviate if $a(L) = d$ (as 2<3)


but not if a(L) = u (as 2>0).

PBE: Find the off-equilibrium beliefs p for which R plays $a^*(L) = u$: $\mathbb{E}[u_{\mathbb{R}}(L, u|p)] \ge \mathbb{E}[u_{\mathbb{R}}(L, d|p)]$

$$2p \geq 1-p$$

$$3p \ge 1$$

$$p \geq \frac{1}{3}$$



Write up the PBE.

Exercise 4.3.a in Gibbons (p. 246). Specify a pooling perfect Bayesian equilibria in which both Sender types play R in the following signaling game.

For the pooling strategy (R,R), go over SR3, SR2R, and SR2S:

SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L) = p \in [0,1]$$
 and $\mu(t_1|R) = q = \frac{1}{2}$

SR2R: R: Best response is to play d as

$$\mathbb{E}[u_{\mathsf{R}}(R, u|q=\frac{1}{2})] = 1\frac{1}{2} + 0\frac{1}{2} = \frac{1}{2}$$
$$\mathbb{E}[u_{\mathsf{R}}(R, d|q=\frac{1}{2})] = 0\frac{1}{2} + 2\frac{1}{2} = 1$$

SR2S: t_1 will not deviate as $u_S(R, d|t_1) = 3 > 1 = u_S(L, u|t_1)$


 t_2 will deviate if a(L) = d (as 2<3) but not if a(L) = u (as 2>0).

 $u_{S}(R, d|t_{1}) = 3 > 2 = u_{S}(L, d|t_{1})$

PBE: Find the off-equilibrium beliefs p for which R plays $a^*(L) = u$: $\mathbb{E}[u_{\mathbb{R}}(L, u|p)] > \mathbb{E}[u_{\mathbb{R}}(L, d|p)]$

$$2p \ge 1 - p$$
$$3p \ge 1$$


$$p \ge \frac{1}{3}$$



Write up the PBE:


$$\left\{ (R,R), (u,d), p \geq \frac{1}{3}, q = \frac{1}{2} \right\}$$

Exercise 4.3.b in Gibbons (p. 246). The following three-type signaling game begins with a move by nature, not shown in the tree, that yields one of the three types with equal probability. Specify a pooling perfect Bayesian equilibria in which all three Sender types play L.



Exercise 4.3.b in Gibbons (p. 246). The following three-type signaling game begins with a move by nature, not shown in the tree, that yields one of the three types with equal probability. Specify a pooling PBE in which all three Sender types play L.

For the pooling strategy (L,L,L), go over SR3, SR2R, and SR2S.



Exercise 4.3.b in Gibbons (p. 246). The following three-type signaling game begins with a move by nature, not shown in the tree, that yields one of the three types with equal probability. Specify a pooling PBE in which all three Sender types play L.

For the pooling strategy (L,L,L), go over SR3, SR2R, and SR2S:

SR3: R: Beliefs given S's eq. strategy:

$$\mu(t_1|L) \equiv p_1 = \frac{1}{3} = p_2 \equiv \mu(t_2|L)$$

 $\mu(t_1|R) = q_1 \in [0,1]$

$$\mu(t_2|R) = q_1 \in [0, 1 - q_1]$$


SR2R: R: Best response is to play u|L as $\mathbb{E}[u_{\mathsf{R}}(L,u)] = 1\frac{1}{3} + 1\frac{1}{3} + 1\frac{1}{3} = 1$ $\mathbb{E}[u_{\mathsf{R}}(L,d)] = 0\frac{1}{3} + 0\frac{1}{3} + 0\frac{1}{3} = 0$

SR2S: t_1 will never deviate as $L|t_1$ strictly dominates $R|t_1$.

 t_2 will not deviate (2>1, 2>1).

 t_3 will not deviate if R plays a(R)=u.

PBE: Find the off-equilibrium beliefs q_1, q_2 for which R plays $a^*(R) = u$.



Exercise 4.3.b in Gibbons (p. 246). Find a PBE in which all three Sender types play L. For the pooling strategy (L,L,L), go over SR3, SR2R, and SR2S:

SR3: R: Beliefs given S's eq. strategy:
$$\mu(t_1|L) \equiv p_1 = \frac{1}{3} = p_2 \equiv \mu(t_2|L)$$
 $\mu(t_1|R) = q_1 \in [0,1]$

$$\mu(t_2|R) = q_1 \in [0, 1 - q_1]$$

SR2R: R: Best response is to play
$$u|L$$
 as $\mathbb{E}[u_{\mathsf{R}}(L,u)] = 1\frac{1}{3} + 1\frac{1}{3} + 1\frac{1}{3} = 1$ $\mathbb{E}[u_{\mathsf{R}}(L,d)] = 0\frac{1}{3} + 0\frac{1}{3} + 0\frac{1}{3} = 0$

SR2S: t_1 will never deviate as $L|t_1$ strictly dominates $R|t_1$.

 t_2 will not deviate (2>1, 2>1).

 t_3 will not deviate if R plays a(R)=u. PBE: Find the off-equilibrium beliefs q_1, q_2

for which R plays
$$a^*(R) = u$$
:
 $\mathbb{E}[u_R(R, u)] \ge \mathbb{E}[u_R(R, d)]$


$$1q_1 + 1q_2 \ge 1(1 - q_1 - q_2)$$

 $2q_1 + 2q_2 > 1$

$$2q_1 + 2q_2 \ge 1$$

$$q_1+q_2\geq \frac{1}{2}$$

Write up the PBE with pooling on L



Exercise 4.3.b in Gibbons (p. 246). Find a PBE in which all three Sender types play L. For the pooling strategy (L,L,L), go over SR3, SR2R, and SR2S:

SR3: R: Beliefs given S's eq. strategy:
$$\mu(t_1|L) \equiv p_1 = \frac{1}{3} = p_2 \equiv \mu(t_2|L)$$

$$\mu(t_1|R) = q_1 \in [0,1]$$

$$\mu(t_2|R) = q_1 \in [0,1-q_1]$$

SR2R: R: Best response is to play
$$u|L$$
 as
$$\mathbb{E}[u_{R}(L,u)] = 1\frac{1}{3} + 1\frac{1}{3} + 1\frac{1}{3} = 1$$

$$\mathbb{E}[u_{R}(L,d)] = 0\frac{1}{2} + 0\frac{1}{2} + 0\frac{1}{2} = 0$$

SR2S:
$$t_1$$
 will never deviate as $L|t_1$ strictly dominates $R|t_1$.

$$t_2$$
 will not deviate (2>1, 2>1).

 t_3 will not deviate if R plays a(R)=u. PBE: Find the off-equilibrium beliefs q_1, q_2

for which R plays $a^*(R) = u$: $\mathbb{E}[u_{\mathsf{R}}(R,u)] > \mathbb{E}[u_{\mathsf{R}}(R,d)]$ $1q_1 + 1q_2 > 1(1 - q_1 - q_2)$

$$1q_1 + 1q_2 \ge 1(1 - q_1 - q_2)$$

 $2q_1 + 2q_2 \ge 1$

$$q_1+q_2\geq rac{1}{2}$$

$$q_1+q_2\geq \frac{1}{2}$$

 $[p_1]$ R (1,0) \sim (0,0) Receiver Receiver $[p_2]$ $[q_2]$ (0,0)□ Receiver 1 Receiver (0,0)u $[1-p_1-p_2]$ t_3 $[1-q_1-q_2]$ R (0,0)(2,1)

Write up the PBE with pooling on *L*: $\{(L, L, L), (u, u), p_1 = p_2 = \frac{1}{3}, q_1 + q_2 \ge \frac{1}{2}\}$

separating PBE)

Consider the following version of Spence's education signaling model, where a firm is hiring a worker. Workers is characterized by their type θ , which measures their ability. There are two worker types: $\theta \in \{\theta_L, \theta_H\}$. Nature chooses the worker's type, with $p_H = \mathbb{P}[\theta = \theta_H]$ and $p_L = \mathbb{P}[\theta = \theta_H] = 1 - p_H$.

The worker observes his own type, but the firm does not. The worker can choose his level of education: $e \in \mathbb{R}^+$. The cost to him of acquiring this education is $c_{\theta}(e) = e/\theta$. Education is observed by the firm, who then forms beliefs about the workers type: $\mu(\theta|e)$. We assume that the marginal productivity of a worker is equal to his ability and that the company is in competition such it pays the marginal productivity: $w(e) = \mathbb{E}[\theta|e]$. Thus, the payoff to a worker conditional on his type and education is $u_{\theta}(e) = w(e) - c_{\theta}(e)$. Suppose for this exercise that $\theta_H = 3$ and $\theta_L = 1$.

- (a) Find a separating pure strategy Perfect Bayesian Equilibrium.
- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.

- (a) Find a separating pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs Types: $\theta \in \{\theta_L, \theta_H\}$, $\theta_H = 3$ and $\theta_L = 1$ (determined by Bayes' rule).
 - Prob.: $p_H = \mathbb{P}[\theta = \theta_H]$ and $p_L = 1 p_H$
 - Wage: $w(e) = \mathbb{E}[\theta|e]$
 - Cost: $c_{\theta}(e) = e/\theta$
 - Utility: $u_{\theta}(e) = w(e) c_{\theta}(e)$

- (a) Find a separating pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule).

Types:
$$\theta \in \{\theta_L, \theta_H\}$$
, $\theta_H = 3$ and $\theta_L = 1$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost:
$$c_{\theta}(e) = e/\theta$$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_{H}|e_{H}^{*}\right) = \mathbb{P}\left[\theta = \theta_{H}|e_{H}^{*}\right] = 1$$

 $\mu\left(\theta_{L}|e_{L}^{*}\right) = \mathbb{P}\left[\theta = \theta_{L}|e_{L}^{*}\right] = 1$

- (a) Find a separating pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule).
- Step 2: Specify off-equilibrium path beliefs where any deviation is believed to be by a low type.

Types:
$$heta \in \{ heta_L, heta_H\}$$
, $heta_H = 3$ and $heta_L = 1$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost:
$$c_{\theta}(e) = e/\theta$$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_{H}|\mathbf{e}_{H}^{*}\right) = \mathbb{P}\left[\theta = \theta_{H}|\mathbf{e}_{H}^{*}\right] = 1$$

$$\mu\left(\theta_{L}|\mathbf{e}_{L}^{*}\right) = \mathbb{P}\left[\theta = \theta_{L}|\mathbf{e}_{L}^{*}\right] = 1$$

- (a) Find a separating pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs 7 (determined by Bayes' rule).

Step 2: Specify off-equilibrium path beliefs

where any deviation is believed to be

by a low type.

Types:
$$heta \in \{ heta_L, heta_H\}$$
, $heta_H = 3$ and $heta_L = 1$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost:
$$c_{\theta}(e) = e/\theta$$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_{H}|\mathbf{e}_{H}^{*}\right) = \mathbb{P}\left[\theta = \theta_{H}|\mathbf{e}_{H}^{*}\right] = 1$$

$$\mu\left(\theta_{L}|\mathbf{e}_{I}^{*}\right) = \mathbb{P}\left[\theta = \theta_{L}|\mathbf{e}_{I}^{*}\right] = 1$$

2.
$$\mu^*(\theta_H|\mathbf{e}) = \begin{cases} 1, & \mathbf{e} = \mathbf{e}_H^* \\ 0, & \mathbf{e} \neq \mathbf{e}_H^* \end{cases}$$

- (a) Find a separating pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule).
- Step 2: Specify off-equilibrium path beliefs where any deviation is believed to be by a low type.
- Step 3: Write up the wage function under competition (implied by the beliefs).

Types:
$$\theta \in \{\theta_L, \theta_H\}$$
, $\theta_H = 3$ and $\theta_L = 1$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost: $c_{\theta}(e) = e/\theta$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_{H}|e_{H}^{*}\right) = \mathbb{P}\left[\theta = \theta_{H}|e_{H}^{*}\right] = 1$$

$$\mu\left(\theta_{L}|e_{L}^{*}\right) = \mathbb{P}\left[\theta = \theta_{L}|e_{L}^{*}\right] = 1$$

2.
$$\mu^*(\theta_H|e) = \begin{cases} 1, & e = e_H^* \\ 0, & e \neq e_H^* \end{cases}$$

- (a) Find a separating pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule).
- Step 2: Specify off-equilibrium path beliefs where any deviation is believed to be by a low type.
- Step 3: Write up the wage function under competition (implied by the beliefs).

Types:
$$\theta \in \{\theta_L, \theta_H\}$$
, $\theta_H = 3$ and $\theta_L = 1$

Prob.: $p_H = \mathbb{P}[\theta = \theta_H]$ and $p_L = 1 - p_H$

Wage: $w(e) = \mathbb{E}[\theta|e]$ Cost: $c_{\theta}(e) = e/\theta$

Utility: $u_{\theta}(e) = w(e) - c_{\theta}(e)$

1.
$$\mu\left(\theta_{H}|\mathbf{e}_{H}^{*}\right) = \mathbb{P}\left[\theta = \theta_{H}|\mathbf{e}_{H}^{*}\right] = 1$$

$$\mu\left(\theta_{L}|\mathbf{e}_{L}^{*}\right) = \mathbb{P}\left[\theta = \theta_{L}|\mathbf{e}_{L}^{*}\right] = 1$$

2.
$$\mu^*(\theta_H|e) = \begin{cases} 1, & e = e_H^* \\ 0, & e \neq e_H^* \end{cases}$$

3.
$$w^*(e) = \begin{cases} 3, & e = e_H^* \\ 1, & e \neq e_H^* \end{cases}$$

- (a) Find a separating pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule).
- Step 2: Specify off-equilibrium path beliefs where any deviation is believed to be by a low type.
- Step 3: Write up the wage function under competition (implied by the beliefs).
- Step 4: Find e_H^* , e_L^* such that low types will not imitate high types (ICC Incentive Compatibility Constraint).

Types: $\theta \in \{\theta_L, \theta_H\}$, $\theta_H = 3$ and $\theta_L = 1$

Prob.: $p_H = \mathbb{P}[\theta = \theta_H]$ and $p_L = 1 - p_H$ Wage: $w(e) = \mathbb{E}[\theta|e]$

Cost: $c_{\theta}(e) = e/\theta$

Utility: $u_{\theta}(e) = w(e) - c_{\theta}(e)$

1.
$$\mu\left(\theta_{H}|e_{H}^{*}\right) = \mathbb{P}\left[\theta = \theta_{H}|e_{H}^{*}\right] = 1$$

 $\mu\left(\theta_{L}|e_{I}^{*}\right) = \mathbb{P}\left[\theta = \theta_{L}|e_{I}^{*}\right] = 1$

2.
$$\mu^*(\theta_H|e) = \begin{cases} 1, & e = e_H^* \\ 0, & e \neq e_H^* \end{cases}$$

3.
$$w^*(e) = \begin{cases} 3, & e = e_H^* \\ 1, & e \neq e_H^* \end{cases}$$

- (a) Find a separating pure strategy Perfect Bayesian Equilibrium.
- (determined by Bayes' rule).
- Step 2: Specify off-equilibrium path beliefs where any deviation is believed to be by a low type.
- Step 3: Write up the wage function under competition (implied by the beliefs).
- Step 4: Find e_H^* , e_I^* such that low types will not imitate high types (ICC -Incentive Compatibility Constraint):

$$w(e_{L}^{*}) - c_{\theta_{L}}(e_{L}^{*}) \ge w(e_{H}^{*}) - c_{\theta_{L}}(e_{H}^{*})$$
 $\theta_{L} - \frac{e_{L}^{*}}{\theta_{L}} \ge \theta_{H} - \frac{e_{H}^{*}}{\theta_{L}}$
 $1 - \frac{e_{L}^{*}}{1} \ge 3 - \frac{e_{H}^{*}}{1}$
 $e_{L}^{*} \ge 2 - e_{H}^{*}$
 $e_{H}^{*} - e_{I}^{*} \ge 2$

Step 5: Find e_H^* , e_I^* such that high types will not deviate (ICC).

Step 1: Specify on-equilibrium path beliefs Types:
$$\theta \in \{\theta_L, \theta_H\}$$
, $\theta_H = 3$ and $\theta_L = 1$ (determined by Bayes' rule). Prob.: $p_H = \mathbb{P}[\theta = \theta_H]$ and $p_L = 1 - p_H$

Wage: $w(e) = \mathbb{E}[\theta|e]$ Cost: $c_{\theta}(e) = e/\theta$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

- 1. $\mu\left(\theta_H|e_H^*\right) = \mathbb{P}\left[\theta = \theta_H|e_H^*\right] = 1$ $\mu\left(\theta_L|e_I^*\right) = \mathbb{P}\left[\theta = \theta_L|e_I^*\right] = 1$
- 2. $\mu^*(\theta_H|e) = \begin{cases} 1, & e = e_H^* \\ 0, & e \neq e_H^* \end{cases}$
- 3. $w^*(e) = \begin{cases} 3, & e = e_H^* \\ 1, & e \neq e_H^* \end{cases}$
- 4. $e_H^* e_I^* \ge 2$

- (a) Find a separating pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule).
- Step 2: Specify off-equilibrium path beliefs where any deviation is believed to be by a low type.
- Step 3: Write up the wage function under competition (implied by the beliefs).
- Step 4: Find e_H^* , e_L^* such that low types will not imitate high types (ICC Incentive Compatibility Constraint).
- Step 5: Find e_H^* , e_L^* such that high types will not deviate (ICC):

$$\begin{split} w(e_{H}^{*}) - c_{\theta_{H}}(e_{H}^{*}) &\geq w(e_{L}^{*}) - c_{\theta_{H}}(e_{L}^{*}) \\ \theta_{H} - \frac{e_{H}^{*}}{\theta_{H}} &\geq \theta_{L} - \frac{e_{L}^{*}}{\theta_{H}} \\ 3 - \frac{e_{H}^{*}}{3} &\geq 1 - \frac{e_{L}^{*}}{3} \end{split}$$

$$2 \geq \frac{e_H^* - e_L^*}{3}$$

$$6 \ge e_H^* - e_I^*$$

Types:
$$\theta \in \{\theta_L, \theta_H\}$$
, $\theta_H = 3$ and $\theta_L = 1$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost: $c_{\theta}(e) = e/\theta$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_{H}|e_{H}^{*}\right) = \mathbb{P}\left[\theta = \theta_{H}|e_{H}^{*}\right] = 1$$

$$\mu\left(\theta_{L}|e_{L}^{*}\right) = \mathbb{P}\left[\theta = \theta_{L}|e_{L}^{*}\right] = 1$$

2.
$$\mu^*(\theta_H|e) = \begin{cases} 1, & e = e_H^* \\ 0, & e \neq e_H^* \end{cases}$$

3.
$$w^*(e) = \begin{cases} 3, & e = e_H^* \\ 1, & e \neq e_H^* \end{cases}$$

4.
$$e_H^* - e_L^* \ge 2$$

5.
$$e_H^* - e_L^* \le 6 \Rightarrow e_H^* - e_L^* \in [2, 6]$$

- (a) Find a separating pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule).
- Step 2: Specify off-equilibrium path beliefs where any deviation is believed to be by a low type.
- Step 3: Write up the wage function under competition (implied by the beliefs).
- Step 4: Find e_H^* , e_L^* such that low types will not imitate high types (ICC Incentive Compatibility Constraint).
- Step 5: Find e_H^* , e_L^* such that high types will not deviate (ICC):
- Step 6: Which level of e_L^* does θ_L choose?

Types: $\theta \in \{\theta_L, \theta_H\}$, $\theta_H = 3$ and $\theta_L = 1$

Prob.: $p_H = \mathbb{P}[\theta = \theta_H]$ and $p_L = 1 - p_H$ Wage: $w(e) = \mathbb{E}[\theta|e]$

Nage: $w(e) = \mathbb{E}[heta|e]$ Cost: $c_{ heta}(e) = e/ heta$

Utility: $u_{\theta}(e) = w(e) - c_{\theta}(e)$

ty: $u_{\theta}(e) = w(e) - c_{\theta}(e)$

1.
$$\mu\left(\theta_{H}|e_{H}^{*}\right) = \mathbb{P}\left[\theta = \theta_{H}|e_{H}^{*}\right] = 1$$

$$\mu\left(\theta_{L}|e_{L}^{*}\right) = \mathbb{P}\left[\theta = \theta_{L}|e_{L}^{*}\right] = 1$$

2.
$$\mu^*(\theta_H|e) = \begin{cases} 1, & e = e_H^* \\ 0, & e \neq e_H^* \end{cases}$$

3.
$$w^*(e) = \begin{cases} 3, & e = e_H^* \\ 1, & e \neq e_H^* \end{cases}$$

4.
$$e_H^* - e_L^* \ge 2$$

5.
$$e_H^* - e_L^* \le 6 \Rightarrow e_H^* - e_L^* \in [2, 6]$$

- (a) Find a separating pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule).
- Step 2: Specify off-equilibrium path beliefs where any deviation is believed to be by a low type.
- Step 3: Write up the wage function under competition (implied by the beliefs).
- Step 4: Find e_H^* , e_L^* such that low types will not imitate high types (ICC Incentive Compatibility Constraint).
- Step 5: Find e_H^* , e_L^* such that high types will not deviate (ICC):
- Step 6: Which level of e_L^* does θ_L choose?

The productivity, and thus the wage, is the same for all levels of education when the incentives (ICCs) are satisfied. But education is costly for the worker.

Step 7: Write up the PBE given beliefs.

Types:
$$\theta \in \{\theta_L, \theta_H\}$$
, $\theta_H = 3$ and $\theta_L = 1$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost: $c_{\theta}(e) = e/\theta$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_{H}|e_{H}^{*}\right) = \mathbb{P}\left[\theta = \theta_{H}|e_{H}^{*}\right] = 1$$

$$\mu\left(\theta_{L}|e_{L}^{*}\right) = \mathbb{P}\left[\theta = \theta_{L}|e_{L}^{*}\right] = 1$$

2.
$$\mu^*(\theta_H|e) = \begin{cases} 1, & e = e_H^* \\ 0, & e \neq e_H^* \end{cases}$$

3.
$$w^*(e) = \begin{cases} 3, & e = e_H^* \\ 1, & e \neq e_H^* \end{cases}$$

4.
$$e_H^* - e_I^* \ge 2$$

5.
$$e_H^* - e_L^* \le 6 \Rightarrow e_H^* - e_L^* \in [2, 6]$$

6. $e_L^* = 0$ is the cost-minimizing effort.

- (a) Find a separating pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule).
- Step 2: Specify off-equilibrium path beliefs where any deviation is believed to be by a low type.
- Step 3: Write up the wage function under competition (implied by the beliefs).
- $\begin{array}{ll} \text{Step 4: Find } e_H^*, e_L^* \text{ such that low types will} \\ \text{not imitate high types (ICC -} \\ \text{Incentive Compatibility Constraint)}. \end{array}$
- Step 5: Find e_H^* , e_L^* such that high types will not deviate (ICC):
- Step 6: Which level of e_L^* does θ_L choose?

The productivity, and thus the wage, is the same for all levels of education when the incentives (ICCs) are satisfied. But education is costly for the worker.

- Step 7: Write up the PBE given beliefs.
- Step 8: Which e_H^* is cost-minimizing?

Types:
$$\theta \in \{\theta_L, \theta_H\}$$
, $\theta_H = 3$ and $\theta_L = 1$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost: $c_{\theta}(e) = e/\theta$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_{H}|e_{H}^{*}\right) = \mathbb{P}\left[\theta = \theta_{H}|e_{H}^{*}\right] = 1$$

$$\mu\left(\theta_{L}|e_{L}^{*}\right) = \mathbb{P}\left[\theta = \theta_{L}|e_{L}^{*}\right] = 1$$

2.
$$\mu^*(\theta_H|e) = \begin{cases} 1, & e = e_H^* \\ 0, & e \neq e_H^* \end{cases}$$

3.
$$w^*(e) = \begin{cases} 3, & e = e_H^* \\ 1, & e \neq e_H^* \end{cases}$$

4.
$$e_H^* - e_L^* \ge 2$$

5.
$$e_H^* - e_L^* \le 6 \Rightarrow e_H^* - e_L^* \in [2, 6]$$

6. $e_l^* = 0$ is the cost-minimizing effort.

7.
$$\{e_H^* \in [2,6], e_I^* = 0, w^*(e), \mu^*(\theta_H|e)\}$$

- (a) Find a separating pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule).
- Step 2: Specify off-equilibrium path beliefs where any deviation is believed to be by a low type.
- Step 3: Write up the wage function under competition (implied by the beliefs).
- Step 4: Find e_H^* , e_L^* such that low types will not imitate high types (ICC Incentive Compatibility Constraint).
- Step 5: Find e_H^* , e_L^* such that high types will not deviate (ICC):
- Step 6: Which level of e_L^* does θ_L choose?

The productivity, and thus the wage, is the same for all levels of education when the incentives (ICCs) are satisfied. But education is costly for the worker.

- Step 7: Write up the PBE given beliefs.
- Step 8: Which e_{μ}^{*} is cost-minimizing?

Types: $\theta \in \{\theta_L, \theta_H\}$, $\theta_H = 3$ and $\theta_L = 1$

Prob.: $p_H = \mathbb{P}[\theta = \theta_H]$ and $p_L = 1 - p_H$

Wage: $w(e) = \mathbb{E}[\theta|e]$

Cost: $c_{\theta}(e) = e/\theta$

Utility: $u_{\theta}(e) = w(e) - c_{\theta}(e)$

1.
$$\mu\left(\theta_{H}|e_{H}^{*}\right) = \mathbb{P}\left[\theta = \theta_{H}|e_{H}^{*}\right] = 1$$

$$\mu\left(\theta_{L}|e_{L}^{*}\right) = \mathbb{P}\left[\theta = \theta_{L}|e_{L}^{*}\right] = 1$$

2.
$$\mu^*(\theta_H|e) = \begin{cases} 1, & e = e_H^* \\ 0, & e \neq e_H^* \end{cases}$$

3.
$$w^*(e) = \begin{cases} 3, & e = e_H^* \\ 1, & e \neq e_H^* \end{cases}$$

4.
$$e_H^* - e_L^* \ge 2$$

5.
$$e_H^* - e_L^* \le 6 \Rightarrow e_H^* - e_L^* \in [2, 6]$$

6. $e_l^* = 0$ is the cost-minimizing effort.

7.
$$\{e_H^* \in [2,6], e_L^* = 0, w^*(e), \mu^*(\theta_H|e)\}$$

8. The efficient PBE is for $e_H^* = 2$.

(b) Find a pooling pure strategy Perfect Bayesian Equilibrium.

Types:
$$\theta \in \{\theta_L, \theta_H\}$$
, $\theta_H = 3$ and $\theta_L = 1$
Prob.: $p_H = \mathbb{P}[\theta = \theta_H]$ and $p_L = 1 - p_H$
Wage: $w(e) = \mathbb{E}[\theta|e]$
Cost: $c_{\theta}(e) = e/\theta$
Utility: $u_{\theta}(e) = w(e) - c_{\theta}(e)$

(b) Find a pooling pure strategy Perfect Bayesian Equilibrium.

Step 1: Specify on-equilibrium path beliefs Types: $\theta \in \{\theta_L, \theta_H\}$, $\theta_H = 3$ and $\theta_L = 1$ (determined by Bayes' rule) for the Prob.: $p_H = \mathbb{P}[\theta = \theta_H]$ and $p_L = 1 - p_H$ pooling PBE where $e_L = e_H = e_p^*$. Wage: $w(e) = \mathbb{E}[\theta|e]$ Cost: $c_{\theta}(e) = e/\theta$ Utility: $u_{\theta}(e) = w(e) - c_{\theta}(e)$

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_L = e_H = e_p^*$.
- Types: $\theta \in \{\theta_L, \theta_H\}$, $\theta_H = 3$ and $\theta_L = 1$ Prob.: $p_H = \mathbb{P}[\theta = \theta_H]$ and $p_L = 1 - p_H$
 - Wage: $w(e) = \mathbb{E}[\theta|e]$
- Step 2: Specify off-equilibrium path beliefs, believing any deviation is by θ_L .
 - Cost: $c_{\theta}(e) = e/\theta$ Utility: $u_{\theta}(e) = w(e) - c_{\theta}(e)$
 - Offility: $u_{\theta}(e) = w(e) c_{\theta}(e)$
 - 1. $\mu\left(\theta_{H}|e_{p}^{*}\right)=p_{H},\ \mu\left(\theta_{L}|e_{p}^{*}\right)=1-p_{H}$

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_L = e_H = e_p^*$.
- Step 2: Specify off-equilibrium path beliefs, believing any deviation is by θ_L .

Types:
$$\theta \in \{\theta_L, \theta_H\}, \theta_H = 3 \text{ and } \theta_L = 1$$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost:
$$c_{\theta}(e) = e/\theta$$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_{H}|e_{p}^{*}\right)=p_{H},\ \mu\left(\theta_{L}|e_{p}^{*}\right)=1-p_{H}$$

2.
$$\mu_p^*(\theta_H|e) = \begin{cases} p_H, & e = e_p^* \\ 0, & e \neq e_p^* \end{cases}$$

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_L = e_H = e_p^*$.
- Step 2: Specify off-equilibrium path beliefs, believing any deviation is by θ_L .
- Step 3: Write up the wage function under competition (implied by the beliefs).

Types:
$$\theta \in \{\theta_L, \theta_H\}, \theta_H = 3 \text{ and } \theta_L = 1$$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost:
$$c_{\theta}(e) = e/\theta$$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_H|e_p^*\right) = p_H$$
, $\mu\left(\theta_L|e_p^*\right) = 1 - p_H$

2.
$$\mu_p^*(\theta_H|e) = \begin{cases} p_H, & e = e_p^* \\ 0, & e \neq e_p^* \end{cases}$$

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_L = e_H = e_n^*$.
- Step 2: Specify off-equilibrium path beliefs, believing any deviation is by θ_L .
- Step 3: Write up the wage function under competition (implied by the beliefs).

Types:
$$heta \in \{ heta_L, heta_H\}$$
, $heta_H = 3$ and $heta_L = 1$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost:
$$c_{\theta}(e) = e/\theta$$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_{H}|e_{p}^{*}\right)=p_{H},\;\mu\left(\theta_{L}|e_{p}^{*}\right)=1-p_{H}$$

2.
$$\mu_p^*(\theta_H|e) = \begin{cases} p_H, & e = e_p^* \\ 0, & e \neq e_p^* \end{cases}$$

3.
$$w_p^*(e) = \begin{cases} 1 + 2p_H, & e = e_p^* \\ 1, & e \neq e_p^* \end{cases}$$

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_L = e_H = e_p^*$.
- Step 2: Specify off-equilibrium path beliefs, believing any deviation is by θ_L .
- Step 3: Write up the wage function under competition (implied by the beliefs).
- Step 4: Find e_p^* where the optimal deviation e'=0 isn't profitable for θ_L (ICC Incentive Compatibility Constraint).

Types:
$$\theta \in \{\theta_L, \theta_H\}$$
, $\theta_H = 3$ and $\theta_L = 1$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost: $c_{\theta}(e) = e/\theta$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_H|e_p^*\right) = p_H, \ \mu\left(\theta_L|e_p^*\right) = 1 - p_H$$

2.
$$\mu_p^*(\theta_H|e) = \begin{cases} p_H, & e = e_p^* \\ 0, & e \neq e_p^* \end{cases}$$

3.
$$w_p^*(e) = \begin{cases} 1 + 2p_H, & e = e_p^* \\ 1, & e \neq e_p^* \end{cases}$$

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_L = e_H = e_p^*$.
- Step 2: Specify off-equilibrium path beliefs, believing any deviation is by θ_L .
- Step 3: Write up the wage function under competition (implied by the beliefs).
- Step 4: Find e_p^* where the optimal deviation e'=0 isn't profitable for θ_L (ICC Incentive Compatibility Constraint):

$$w(e_p^*) - c_{\theta_L}(e_p^*) \ge w(e') - c_{\theta_L}(e')$$
 $1 + 2p_H - \frac{e_p^*}{\theta_L} \ge 1 - \frac{e'}{\theta_L}$
 $2p_H - \frac{e_p^*}{1} \ge \frac{0}{1}$
 $2p_H > e_p^*$

Step 5: Find e_p^* such that ICC holds for θ_H .

Types:
$$\theta \in \{\theta_L, \theta_H\}$$
, $\theta_H = 3$ and $\theta_L = 1$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost:
$$c_{\theta}(e) = e/\theta$$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_H|e_p^*\right) = p_H, \ \mu\left(\theta_L|e_p^*\right) = 1 - p_H$$

2.
$$\mu^*(\theta_H|e) = \begin{cases} p_H, & e = e_p^* \\ 0, & e \neq e_p^* \end{cases}$$

3.
$$w^*(e) = \begin{cases} 1 + 2p_H, & e = e_p^* \\ 1, & e \neq e_p^* \end{cases}$$

4.
$$e_p^* \leq 2p_h$$
 (*)

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_L = e_H = e_o^*$.
- Step 2: Specify off-equilibrium path beliefs, believing any deviation is by θ_I .
- Step 3: Write up the wage function under competition (implied by the beliefs).
- Step 4: Find e_p^* where the optimal deviation e'=0 isn't profitable for θ_L (ICC Incentive Compatibility Constraint).
- Step 5: Find e_p^* such that ICC holds for θ_H : $w(e_p^*) - c_{\theta_H}(e_p^*) \ge w(e') - c_{\theta_H}(e')$

$$1+2p_H-rac{e_p^*}{ heta_H}\geq 1-rac{e'}{ heta_H}$$
 $2p_H-rac{e_p^*}{2}\geq rac{0}{2}$

$$2p_H - \frac{1}{3} \ge \frac{1}{3}$$

$$2p_H \ge \frac{e_p^*}{3}$$

$$6p_H \geq e_p^*$$

Types: $\theta \in \{\theta_L, \theta_H\}$, $\theta_H = 3$ and $\theta_L = 1$ Prob.: $p_H = \mathbb{P}[\theta = \theta_H]$ and $p_L = 1 - p_H$

Wage: $w(e) = \mathbb{E}[\theta|e]$

Cost: $c_{\theta}(e) = e/\theta$ Utility: $u_{\theta}(e) = w(e) - c_{\theta}(e)$

1. $\mu\left(\theta_{H}|e_{p}^{*}\right) = p_{H}, \ \mu\left(\theta_{L}|e_{p}^{*}\right) = 1 - p_{H}$

2.
$$\mu^*(\theta_H|e) = \begin{cases} p_H, & e = e_p^* \\ 0, & e \neq e_p^* \end{cases}$$

3.
$$w^*(e) = \begin{cases} 1 + 2p_H, & e = e_p^* \\ 1, & e \neq e_p^* \end{cases}$$

4. $e_p^* \leq 2p_h$ (*)

5. $e_p^* \le 6p_h$ (**) binds less than (*).

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_L = e_H = e_p^*$.
- Step 2: Specify off-equilibrium path beliefs, believing any deviation is by θ_L .
- Step 3: Write up the wage function under competition (implied by the beliefs).
- Step 4: Find e_p^* where the optimal deviation e'=0 isn't profitable for θ_L (ICC Incentive Compatibility Constraint).
- Step 5: Find e_p^* such that ICC holds for θ_H :
- Step 6: Write up the pooling PBE.

Types:
$$\theta \in \{\theta_L, \theta_H\}$$
, $\theta_H = 3$ and $\theta_L = 1$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost:
$$c_{\theta}(e) = e/\theta$$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_{H}|e_{p}^{*}\right)=p_{H},\;\mu\left(\theta_{L}|e_{p}^{*}\right)=1-p_{H}$$

2.
$$\mu_p^*(\theta_H|e) = \begin{cases} p_H, & e = e_p^* \\ 0, & e \neq e_p^* \end{cases}$$

3.
$$w_p^*(e) = \begin{cases} 1 + 2p_H, & e = e_p^* \\ 1, & e \neq e_p^* \end{cases}$$

4.
$$e_p^* \le 2p_h$$
 (*)

5.
$$e_p^* \le 6p_h$$
 (**) binds less than (*).

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_L = e_H = e_p^*$.
- Step 2: Specify off-equilibrium path beliefs, believing any deviation is by θ_L .
- Step 3: Write up the wage function under competition (implied by the beliefs).
- Step 4: Find e_p^* where the optimal deviation e'=0 isn't profitable for θ_L (ICC Incentive Compatibility Constraint).
- Step 5: Find e_p^* such that ICC holds for θ_H :
- Step 6: Write up the pooling PBE.
- Step 7: Which e_p^* is cost-minimizing?

Types:
$$\theta \in \{\theta_L, \theta_H\}$$
, $\theta_H = 3$ and $\theta_L = 1$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost:
$$c_{\theta}(e) = e/\theta$$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_{H}|e_{p}^{*}\right) = p_{H}, \ \mu\left(\theta_{L}|e_{p}^{*}\right) = 1 - p_{H}$$

2.
$$\mu_p^*(\theta_H|e) = \begin{cases} p_H, & e = e_p^* \\ 0, & e \neq e_p^* \end{cases}$$

3.
$$w_p^*(e) = \begin{cases} 1 + 2p_H, & e = e_p^* \\ 1, & e \neq e_p^* \end{cases}$$

4.
$$e_p^* \le 2p_h$$
 (*)

5.
$$e_p^* \le 6p_h$$
 (**) binds less than (*).

6.
$$\{e_p^* \in [0, 2p_H], w_p^*(e), \mu_p^*(\theta_H|e)\}$$

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_L = e_H = e_p^*$.
- Step 2: Specify off-equilibrium path beliefs, believing any deviation is by θ_L .
- Step 3: Write up the wage function under competition (implied by the beliefs).
- Step 4: Find e_p^* where the optimal deviation e'=0 isn't profitable for θ_L (ICC Incentive Compatibility Constraint).
- Step 5: Find e_p^* such that ICC holds for θ_H :
- Step 6: Write up the pooling PBE.
- Step 7: Which e_p^* is cost-minimizing?

Types:
$$\theta \in \{\theta_L, \theta_H\}$$
, $\theta_H = 3$ and $\theta_L = 1$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost:
$$c_{\theta}(e) = e/\theta$$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_H|e_p^*\right)=p_H,\;\mu\left(\theta_L|e_p^*\right)=1-p_H$$

2.
$$\mu_p^*(\theta_H|e) = \begin{cases} p_H, & e = e_p^* \\ 0, & e \neq e_p^* \end{cases}$$

3.
$$w_p^*(e) = \begin{cases} 1 + 2p_H, & e = e_p^* \\ 1, & e \neq e_p^* \end{cases}$$

4.
$$e_p^* \le 2p_h$$
 (*)

5.
$$e_p^* \le 6p_h$$
 (**) binds less than (*).

6.
$$\{e_p^* \in [0, 2p_H], w_p^*(e), \mu_p^*(\theta_H|e)\}$$

7. The efficient PBE is for
$$e_p^* = 0$$
.

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_L = e_H = e_o^*$.
- Step 2: Specify off-equilibrium path beliefs, believing any deviation is by θ_L .
- Step 3: Write up the wage function under competition (implied by the beliefs).
- Step 4: Find e_p^* where the optimal deviation e'=0 isn't profitable for θ_L (ICC Incentive Compatibility Constraint).
- Step 5: Find e_p^* such that ICC holds for θ_H :
- Step 6: Write up the pooling PBE.
- Step 7: Which e_p^* is cost-minimizing?
- Step 8: Explain: Which 2 assumptions are necessary for this PBE where both high-ability and low-ability workers take zero education?

Types:
$$\theta \in \{\theta_L, \theta_H\}$$
, $\theta_H = 3$ and $\theta_L = 1$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost:
$$c_{\theta}(e) = e/\theta$$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_H|e_p^*\right) = p_H, \ \mu\left(\theta_L|e_p^*\right) = 1 - p_H$$

2.
$$\mu_p^*(\theta_H|e) = \begin{cases} p_H, & e = e_p^* \\ 0, & e \neq e_p^* \end{cases}$$

3.
$$w_p^*(e) = \begin{cases} 1 + 2p_H, & e = e_p^* \\ 1, & e \neq e_p^* \end{cases}$$

- 4. $e_p^* \le 2p_h$ (*)
- 5. $e_p^* \le 6p_h$ (**) binds less than (*).
- 6. $\{e_p^* \in [0, 2p_H], w_p^*(e), \mu_p^*(\theta_H|e)\}$
- 7. The efficient PBE is for $e_p^* = 0$.

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_L = e_H = e_o^*$.
- Step 8: Explain: Which 2 assumptions are necessary for this PBE where both high-ability and low-ability workers take zero education?
 - 8.i Education is unproductive, thus, it only affects the wage in terms of being a signal of one's type.
 - The firm believes that any deviation from the pooling eq. would be by a low ability type.

[Bonus] Can a pooling PBE exist with beliefs that a certain deviation e'' is believed to be by a high type θ_H ?

Types:
$$\theta \in \{\theta_L, \theta_H\}$$
, $\theta_H = 3$ and $\theta_L = 1$

Prob.:
$$p_H = \mathbb{P}[\theta = \theta_H]$$
 and $p_L = 1 - p_H$

Wage:
$$w(e) = \mathbb{E}[\theta|e]$$

Cost:
$$c_{\theta}(e) = e/\theta$$

Utility:
$$u_{\theta}(e) = w(e) - c_{\theta}(e)$$

1.
$$\mu\left(\theta_{H}|e_{p}^{*}\right)=p_{H},\;\mu\left(\theta_{L}|e_{p}^{*}\right)=1-p_{H}$$

2.
$$\mu_p^*(\theta_H|e) = \begin{cases} p_H, & e = e_p^* \\ 0, & e \neq e_p^* \end{cases}$$

3.
$$w_p^*(e) = \begin{cases} 1 + 2p_H, & e = e_p^* \\ 1, & e \neq e_p^* \end{cases}$$

4.
$$e_p^* \leq 2p_h$$
 (*)

5.
$$e_p^* \leq 6p_h$$
 (**) binds less than (*).

6.
$$\{e_p^* \in [0, 2p_H], w_p^*(e), \mu_p^*(\theta_H|e)\}$$

7. The efficient PBE is for
$$e_p^* = 0$$
.

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_L=e_H=e_p^*$.
- Step 8: Explain: Which 2 assumptions are necessary for this PBE where both type θ_H and θ_L take zero education?

[Bonus] Can a pooling PBE exist with beliefs that a certain deviation e'' is believed to be by a high type θ_H ?

Step 9: Specify off-equilibrium path beliefs and the wage function.

1.
$$\mu\left(\theta_{H}|e_{p}^{*}\right)=p_{H},\ \mu\left(\theta_{L}|e_{p}^{*}\right)=1-p_{H}$$

- 4. $e_p^* \le 2p_h$ (*)
- 5. $e_p^* \le 6p_h$ (**) binds less than (*).
- 6. $\{e_p^* \in [0, 2p_H], w_p^*(e), \mu_p^*(\theta_H|e)\}$
 - Education is unproductive, thus, it only affects the wage in terms of being a signal of one's type.
 - 8.ii The firm believes that any deviation from the pooling eq. would be by a low ability type.

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_L = e_H = e_p^*$.
- Step 8: Explain: Which 2 assumptions are necessary for this PBE where both type θ_H and θ_L take zero education?

[Bonus] Can a pooling PBE exist with beliefs that a certain deviation e'' is believed to be by a high type θ_H ?

Step 9: Specify off-equilibrium path beliefs.

Step 10: Write up the implied wage function.

1.
$$\mu\left(\theta_{H}|e_{p}^{*}\right)=p_{H},\ \mu\left(\theta_{L}|e_{p}^{*}\right)=1-p_{H}$$

- 4. $e_p^* \leq 2p_h$ (*)
- 5. $e_p^* \leq 6p_h$ (**) binds less than (*).
- 6. $\{e_p^* \in [0, 2p_H], w_p^*(e), \mu_p^*(\theta_H|e)\}$
 - Education is unproductive, thus, it only affects the wage in terms of being a signal of one's type.
 - 8.ii The firm believes that any deviation from the pooling eq. would be by a low ability type.

9.
$$\mu_p^{**}(\theta_H) = \begin{cases} 1, & e = e'' \\ p_H, & e = e_p^{**} \\ 0, & e \notin \{e_p^{**}, e''\} \end{cases}$$

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_I = e_H = e_n^*$.
- Step 8: Explain: Which 2 assumptions are necessary for this PBE where both type θ_H and θ_L take zero education?

[Bonus] Can a pooling PBE exist with beliefs that a certain deviation $e^{\prime\prime}$ is believed to be by a high type θ_H ?

- Step 9: Specify off-equilibrium path beliefs.
- Step 10: Write up the implied wage function.
- Step 11: While the ICCs (*), (**) still hold, find e_p^{**}, e'' such that it's not profitable for θ_L to deviate to e''.

1.
$$\mu\left(\theta_{H}|e_{p}^{*}\right) = p_{H}, \ \mu\left(\theta_{L}|e_{p}^{*}\right) = 1 - p_{H}$$

- 4. $e_p^* \le 2p_h$ (*)
- 5. $e_p^* \le 6p_h$ (**) binds less than (*).
- 6. $\{e_p^* \in [0, 2p_H], w_p^*(e), \mu_p^*(\theta_H|e)\}$
 - 8.i Education is unproductive, thus, it only affects the wage in terms of being a signal of one's type.
 - 8.ii The firm believes that any deviation from the pooling eq. would be by a low ability type.

$$9. \ \mu_p^{**}(\theta_H) = \begin{cases} 1, & e = e'' \\ p_H, & e = e_p^{**} \\ 0, & e \notin \{e_p^{**}, e''\} \end{cases}$$

10.
$$w_p^{**} = \begin{cases} 3, & e = e'' \\ 1 + 2p_H, & e = e_p^{**} \\ 1, & e \notin \{e_p^{**}, e''\} \end{cases}$$

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_I = e_H = e_n^*$.
- Step 8: Explain: Which 2 assumptions are necessary for this PBE where both type θ_H and θ_L take zero education?

[Bonus] Can a pooling PBE exist with beliefs that a certain deviation e'' is believed to be by a high type θ_H ?

Step 9: Specify off-equilibrium path beliefs.

Step 10: Write up the implied wage function.

Step 11: While the ICCs (*), (**) still hold, find e_p^{**} , e'' such that it's not profitable for θ_L to deviate to e'': (**)

$$w(e_p^{**}) - c_{\theta_L}(e_p^{**}) \ge w(e'') - c_{\theta_L}(e'')$$

$$1 + 2p_H - \frac{e_p^{**}}{1} \ge 3 - \frac{e''}{1}$$

$$2p_H - e_p^{**} \ge 2 - e''$$

$$e'' \ge 2 - 2p_H + e_p^{**}$$

Step 12: Also, θ_H must not deviate to e''.

1.
$$\mu\left(\theta_{H}|e_{p}^{*}\right)=p_{H},\ \mu\left(\theta_{L}|e_{p}^{*}\right)=1-p_{H}$$

4.
$$e_p^* \leq 2p_h$$
 (*)

5.
$$e_p^* \leq 6p_h$$
 (**) binds less than (*).

6.
$$\{e_p^* \in [0, 2p_H], w_p^*(e), \mu_p^*(\theta_H|e)\}$$

- 8.i Education is unproductive, thus, it only affects the wage in terms of being a signal of one's type.
- The firm believes that any deviation from the pooling eq. would be by a low ability type.

9.
$$\mu_p^{**}(\theta_H) = \begin{cases} 1, & e = e'' \\ p_H, & e = e_p^{**} \\ 0, & e \notin \{e_p^{**}, e''\} \end{cases}$$

$$10. \ \, w_{\rho}^{**} \! = \! \left\{ \begin{array}{rl} 3, & e = e'' \\ 1 + 2p_{H}, & e = e_{\rho}^{**} \\ 1, & e \notin \{e_{\rho}^{**}, e''\} \end{array} \right.$$

11.
$$e'' \ge 2 - 2p_H + e_p^{**}$$
 (†)

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_I = e_H = e_n^*$.
- Step 8: Explain: Which 2 assumptions are necessary for this PBE where both type θ_H and θ_L take zero education? [Bonus] Can a pooling PBE exist with

beliefs that a certain deviation e'' is believed to be by a high type θ_H ?

- Step 9: Specify off-equilibrium path beliefs. Step 10: Write up the implied wage function.
- Step 11: While the ICCs (*), (**) still hold, find e_p^{**} , e'' such that it's not profitable for θ_I to deviate to e''.

Step 12: Also, θ_H must not deviate to $e^{\prime\prime}$:

$$\begin{split} w(e_{p}^{**}) - c_{\theta_{H}}(e_{p}^{**}) &\geq w(e'') - c_{\theta_{H}}(e'') \\ 1 + 2p_{H} - \frac{e_{p}^{**}}{3} &\geq 3 - \frac{e''}{3} \\ \frac{e''}{3} &\geq 2 - 2p_{H} + \frac{e_{p}^{**}}{3} \\ e'' &\geq 6 - 6p_{H} + e_{p}^{**} \end{split}$$

1.
$$\mu\left(\dot{\theta}_{H}|e_{p}^{*}\right) = p_{H}, \ \mu\left(\theta_{L}|e_{p}^{*}\right) = 1 - p_{H}$$

4.
$$e_p^* \le 2p_h$$
 (*)

5.
$$e_p^* \le 6p_h$$
 (**) binds less than (*).

6.
$$\{e_p^* \in [0, 2p_H], w_p^*(e), \mu_p^*(\theta_H|e)\}$$

- 8.i Education is unproductive, thus, it only affects the wage in terms of being a signal of one's type.
- 8.ii The firm believes that any deviation from the pooling eq. would be by a low ability type.

9.
$$\mu_p^{**}(\theta_H) = \begin{cases} 1, & e = e'' \\ p_H, & e = e_p^{**} \\ 0, & e \notin \{e_p^{**}, e''\} \end{cases}$$

$$10. \ \, w_p^{**} \! = \! \left\{ \begin{array}{rl} 3, & e = e'' \\ 1 + 2p_H, & e = e_p^{**} \\ 1, & e \notin \{e_p^{**}, e''\} \end{array} \right.$$

11.
$$e'' \ge 2 - 2p_H + e_p^{**}$$
 (†)

12.
$$e'' \ge 6 - 6p_H + e_p^{**}$$
 (‡) binds more.

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_l = e_H = e_n^*$.
- Step 8: Explain: Which 2 assumptions are necessary for this PBE where both type θ_H and θ_L take zero education?

[Bonus] Can a pooling PBE exist with beliefs that a certain deviation e'' is believed to be by a high type θ_H ?

- Step 9: Specify off-equilibrium path beliefs.
- Step 10: Write up the implied wage function.
- Step 11: While the ICCs (*), (**) still hold, find e_p^{**}, e'' such that it's not profitable for θ_L to deviate to e''.
- Step 12: Also, θ_H must not deviate to e''.
- Step 13: Write up the PBE conditional on (‡).

1.
$$\mu\left(\theta_{H}|\mathbf{e}_{p}^{*}\right)=p_{H},\;\mu\left(\theta_{L}|\mathbf{e}_{p}^{*}\right)=1-p_{H}$$

- 4. $e_p^* \le 2p_h$ (*)
- 5. $e_p^* \leq 6p_h$ (**) binds less than (*).
- 6. $\{e_p^* \in [0, 2p_H], w_p^*(e), \mu_p^*(\theta_H|e)\}$
 - 8.i Education is unproductive, thus, it only affects the wage in terms of being a signal of one's type.
 - The firm believes that any deviation from the pooling eq. would be by a low ability type.

9.
$$\mu_p^{**}(\theta_H) = \begin{cases} 1, & e = e'' \\ p_H, & e = e_p^{**} \\ 0, & e \notin \{e_p^{**}, e''\} \end{cases}$$

10.
$$w_p^{**} = \begin{cases} 3, & e = e'' \\ 1 + 2p_H, & e = e_p^{**} \\ 1, & e \notin \{e_p^{**}, e''\} \end{cases}$$

- 11. $e'' \ge 2 2p_H + e_p^{**}$ (†)
- 12. $e'' \ge 6 6p_H + e_p^{**}$ (‡) binds more.

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_L = e_H = e_p^*$.
- Step 8: Explain: Which 2 assumptions are necessary for this PBE where both type θ_H and θ_L take zero education?

[Bonus] Can a pooling PBE exist with beliefs that a certain deviation e'' is believed to be by a high type θ_H ?

- Step 9: Specify off-equilibrium path beliefs.
- Step 10: Write up the implied wage function.
- Step 11: While the ICCs (*), (**) still hold, find $e_p^{**}, e^{\prime\prime}$ such that it's not profitable for θ_L to deviate to $e^{\prime\prime}$.
- Step 12: Also, θ_H must not deviate to e''.
- Step 13: Write up the PBE conditional on (\ddagger) :

$$\{e_L = e_H = e_p^{**} \in [0, 2p_H], w_p^{**}(e), \mu_p^{**}(\theta_H|e)\}$$

Step 14: Why would θ_H not deviate to e''?

1.
$$\mu\left(\dot{\theta}_{H}|e_{p}^{*}\right)=p_{H},\ \mu\left(\theta_{L}|e_{p}^{*}\right)=1-p_{H}$$

4.
$$e_p^* \le 2p_h$$
 (*)

- 5. $e_p^* \le 6p_h$ (**) binds less than (*).
- 6. $\{e_p^* \in [0, 2p_H], w_p^*(e), \mu_p^*(\theta_H|e)\}$
 - 8.i Education is unproductive, thus, it only affects the wage in terms of being a signal of one's type.
 - 8.ii The firm believes that any deviation from the pooling eq. would be by a low ability type.

9.
$$\mu_p^{**}(\theta_H) = \begin{cases} 1, & e = e'' \\ p_H, & e = e_p^{**} \\ 0, & e \notin \{e_p^{**}, e''\} \end{cases}$$

$$\begin{array}{ccc}
10. & w_p^{**} = \begin{cases} & 3, & e = e'' \\ & 1 + 2p_H, & e = e_p^{**} \\ & 1, & e \notin \{e_p^{**}, e''\} \end{cases}
\end{array}$$

11.
$$e'' \ge 2 - 2p_H + e_p^{**} (\dagger)$$

12.
$$e'' \ge 6 - 6p_H + e_p^{**}$$
 (‡) binds more.

- (b) Find a pooling pure strategy Perfect Bayesian Equilibrium.
- Step 1: Specify on-equilibrium path beliefs (determined by Bayes' rule) for the pooling PBE where $e_I = e_H = e_n^*$.
- Step 8: Explain: Which 2 assumptions are necessary for this PBE where both type θ_H and θ_L take zero education?

[Bonus] Can a pooling PBE exist with beliefs that a certain deviation e'' is believed to be by a high type θ_H ?

- Step 9: Specify off-equilibrium path beliefs.
- Step 10: Write up the implied wage function.
- Step 11: While the ICCs (*), (**) still hold, find e_p^{**} , e'' such that it's not profitable for θ_L to deviate to e''.
- Step 12: Also, θ_H must not deviate to e''.
- Step 13: Write up the PBE conditional on (\ddagger) :

$$\{e_L = e_H = e_p^{**} \in [0, 2p_H], w_p^{**}(e), \mu_p^{**}(\theta_H|e)\}$$

Step 14: Why would θ_H not deviate to e''? The firm requires an inefficiently high e'' in order to believe the worker is type θ_H .

1.
$$\mu\left(\theta_{H}|\mathbf{e}_{p}^{*}\right)=p_{H},\ \mu\left(\theta_{L}|\mathbf{e}_{p}^{*}\right)=1-p_{H}$$

4.
$$e_p^* \le 2p_h$$
 (*)

5.
$$e_p^* \leq 6p_h$$
 (**) binds less than (*).

6.
$$\{e_p^* \in [0, 2p_H], w_p^*(e), \mu_p^*(\theta_H|e)\}$$

- 8.i Education is unproductive, thus, it only affects the wage in terms of being a signal of one's type.
- The firm believes that any deviation from the pooling eq. would be by a low ability type.

$$9. \ \mu_p^{**}(\theta_H) = \begin{cases} 1, & e = e'' \\ p_H, & e = e_p^{**} \\ 0, & e \notin \{e_p^{**}, e''\} \end{cases}$$

$$\begin{array}{ccc}
10. & w_p^{**} = \begin{cases}
3, & e = e'' \\
1 + 2p_H, & e = e_p^{**} \\
1, & e \notin \{e_p^{**}, e''\}
\end{array}$$

11.
$$e'' \ge 2 - 2p_H + e_p^{**}$$
 (†)

12. $e'' \ge 6 - 6p_H + e_p^{**}$ (‡) binds more.