

Summary

Audit Report prepared by Solidified covering a subset of the Animoca smart contracts.

Process and Delivery

Three (3) independent Solidified experts performed an unbiased and isolated audit of the code. The debrief on 5 July 2021.

Audited Files

The source code has been supplied in the form of specific commits in three GitHub repositories:

https://github.com/wighawag/universal-forwarder/tree/0ac0b2ece2feaee7ce0e5401480eca4016835b9c

Scope limited to the following files:

```
src/

ForwarderRegistry.sol

Test

Test

TestSpecificForwarderReceiver.sol

TestUniversalForwardingReceiver.sol

UniversalForwarder.sol

Solc_0.7

ERC2771

IERC2771.sol

IForwarderRegistry.sol

UsingAppendedCallData.sol

UsingSpecificForwarder.sol
```

https://github.com/animoca/ethereum-contracts-assets/tree/c999ebac8bf5a2e7df3273363cf13f74ab9e2dba

Socpe limited to the following files:

```
contracts

bridging

ChildERC20Base.sol

ERC20BasePredicate.sol

ERC20EscrowPredicate.sol

ERC20MintBurnPredicate.sol

mocks

token

ERC20

ChildERC20BurnableMock.sol
```



```
ChildERC20Mock.sol
ERC20BurnableMock.sol
ERC20Mock.sol
ERC20ReceiverMock.sol
ERC20
ChildERC20.sol
ChildERC20Burnable.sol
ERC20.sol
ERC20Burnable.sol
ERC20Burnable.sol
IERC20Burnable.sol
IERC20Burnable.sol
IERC20Mock.sol
IERC20Mock.sol
IERC20.sol
IERC20Mock.sol
IERC20Mock.sol
IERC20Mock.sol
IERC20Mock.sol
IERC20Mock.sol
IERC20Mock.sol
IERC20Burnable.sol
IERC20Burnable.sol
IERC20Burnable.sol
IERC20Mock.sol
IERC20Mock.sol
```

https://github.com/animoca/ethereum-contracts-core/tree/11dbb82b12b2e910d7746933b91ef28 4366ac20d

Scope limited to the following files:

```
/contracts/access/MinterRole.sol
/contracts/access/Ownable.sol
/contracts/algo/EnumMap.sol
/contracts/bridging/IChildToken.sol
/contracts/bridging/ITokenPredicate.sol
/contracts/introspection/IERC165.sol
/contracts/lifecycle/Pausable.sol
/contracts/metatx/ManagedIdentity.sol
/contracts/utils/Recoverable.sol
/contracts/utils/RLPReader.sol
/contracts/utils/types/AddressIsContract.sol
/contracts/utils/types/UInt256ToDecimalString.sol
```

https://github.com/animoca/revv-ethereum-contracts/tree/55bbb69372d10acccadc4ce2379ba1d0474a0cf0

Scope limited to the following files:

/contracts/token/ERC20/PolygonREVV.sol

Intended Behavior

The smart contracts implement an ERC-20 token that can be bridged to a L2 chain and the related bridge contracts.



Code Complexity and Test Coverage

Smart contract audits are an important step to improve the security of smart contracts and can find many issues. However, auditing complex codebases has its limits and a remaining risk is present (see disclaimer).

Users of a smart contract system should exercise caution. In order to help with the evaluation of the remaining risk, we provide a measure of the following key indicators: **code complexity**, **code readability**, **level of documentation**, and **test coverage**.

Note, that high complexity or lower test coverage does equate to a higher risk. Certain bugs are more easily detected in unit testing than a security audit and vice versa. It is, therefore, more likely that undetected issues remain if the test coverage is low or non-existent.

Criteria	Status	Comment
Code complexity	Medium	-
Code readability and clarity	Medium	-
Level of Documentation	Low	-
Test Coverage	High	-



Issues Found

Solidified found that the Animoca contracts contain no critical issues, 2 major issues, 2 minor issues, in addition to 4 informational notes.

We recommend all issues are amended, while the notes are up to the team's discretion, as they refer to best practices.

Issue #	Description	Severity	Status
1	Multiple contracts: The function onERC20Received() can be called by anyone	Major	Resolved
2	ERC20.sol: The function _batchBurnFrom() incorrectly updates _totalSupply	Major	Resolved
3	Multiple Contracts: The function recoverERC20s() might fail to recover certain ERC-20 tokens	Minor	Resolved
4	Bridging contracts: centralized design, the manager role can perform any actions	Minor	Resolved
5	/contracts/metatx/ManagedIdentity.sol: Outdated compiler warning suppression	Note	Resolved
6	ERC20EscrowPredicate.sol: The contract expects that ERC-20 token contract transfer() and transferFrom() functions return true on successful transfer	Note	Resolved



Critical Issues

No critical issues have been found.

Major Issues

1. Multiple contracts: The function on ERC20Received() can be called by anyone

The message sender is never checked in any of the function onERC20Received()
implementation.

Affected contracts:

ChildERC20.sol - Withdrawn event will be emitted.

ChilderC20Burnable.sol - anyone can burn tokens belonging to the contract.

PolygonREVV.sol - escrowed amount can be arbitrarily increased by anyone.

Furthermore, the mock contracts contain similar implementation.

ChilderC20Mock.sol - _inEscrow amount can be artificially increased by anyone.

ERC20ReceiverMock.sol - ERC20Received event will be emitted.

Recommendation

Consider checking that msg.sender is a valid (expected) token contract.

2. ERC20.sol: The function _batchBurnFrom() incorrectly updates _totalSupply

The function _batchBurnFrom() reduces _totalSupply supply multiple times by the amount burned so far while executing the loop.

Recommendation

Consider moving the totalSupply updating code outside of the for loop.



Minor Issues

3. Multiple Contracts: The function recoverERC20s() might fail to recover certain ERC-20 tokens

The function recoverERC20s() will not transfer ERC20 tokens which transfer() function does not return true.

Contracts affected:
ChildERC20Mock.sol
Recoverable.sol
PolygonREVV.sol

Recommendation

Consider using the SafeERC20 library.

4. Bridging contracts: centralized design, the manager role can perform any actions

The bridging contracts are controlled by one address. This centralization allows the address to withdraw the escrow funds anytime by providing a custom log input.

Furthermore, an address controlled by one user or private key comes with the risk of getting stolen or lost.

Recommendation

We recommend explicitly inform the users with associated risks. We also suggest extra care with offline key management for this account and getting a full-stack audit for the off-chain key management code.



Informational Notes

5. /contracts/metatx/ManagedIdentity.sol: Outdated compiler warning suppression

The function _msgData() uses the this; statement to suppress a compiler warning. This trick is not necessary anymore with current compiler versions.

Recommendation

Simplify function for code clarity.

6. ERC20EscrowPredicate.sol: The contract expects that ERC-20 token contract transfer() and transferFrom() functions return true on successful transfer

The function exitTokens() will fail if ERC20 transfer() does not return true The function lockTokens() will fail if ERC20 transferFrom() does not return true This could result in locked tokens.

Recommendation

Consider using the SafeERC20 library.



Disclaimer

Solidified audit is not a security warranty, investment advice, or an endorsement of Animoca or its products. This audit does not provide a security or correctness guarantee of the audited smart contract. Securing smart contracts is a multistep process, therefore running a bug bounty program as a complement to this audit is strongly recommended.

The individual audit reports are anonymized and combined during a debrief process, in order to provide an unbiased delivery and protect the auditors of Solidified platform from legal and financial liability.

Solidified Technologies Inc.