

Discretionary Note

Anish Krishna Lakkapragada

IF YOU USE THIS FILE TO CHEAT, YOU ARE NOT ONLY STUPID BUT YOU ARE CHEATING YOURSELF OUT OF THE ABILITY TO FALL IN LOVE WITH MATH. Furthermore, I am not smarter than you and my solutions did not always get a perfect score.

CONTENT STARTS ON NEXT PAGE.

To access the general instructions for this repository head [here](#).

Math 244 - Problem Set 2

due Monday, February 3, 2025, at 11:59pm

Section 1.5

5. Prove the associativity of composing relations: if R, S, T are relations such that $(R \circ S) \circ T$ is well-defined, then $R \circ (S \circ T)$ is also well-defined and equals $(R \circ S) \circ T$.

Section 1.6

3. Prove that a relation R is transitive if and only if $R \circ R \subseteq R$.
6. Describe all relations on a set X that are equivalences and orderings at the same time.

Section 2.1

4. Let $(X, \leq), (Y, \preceq)$ be ordered sets. We say that they are *isomorphic* (meaning that they “look the same” from the point of view of ordering) if there exists a bijection $f : X \rightarrow Y$ such that for every $x, y \in X$, we have $x \leq y$ if and only if $f(x) \preceq f(y)$. *Note from Prof. Hall: In the book this problem has four parts, but you are only being asked to do parts (a) and (b).*
 - (a) Draw Hasse diagrams for all non-isomorphic 3-element posets.
 - (b) Prove that any two n -element linearly ordered sets are isomorphic. *The textbook has a hint to this problem in the back.*

Section 2.2

2. (a) Consider the set $\{1, 2, \dots, n\}$ ordered by the divisibility relation $|$ (see Example 2.1.2). What is the maximum possible number of elements of a set $X \subseteq \{1, 2, \dots, n\}$ that is ordered linearly by the relation $|$ (such a set X is called a *chain*)?
(b) Solve the same question for the set $2^{\{1, 2, \dots, n\}}$ ordered by the relation \subseteq (see Example 2.1.3).
3. (optional bonus problem) Let $\text{le}(X, \preceq)$ denote the number of linear extensions of a partially ordered set (X, \preceq) . Prove:
 - (a) $\text{le}(X, \preceq) = 1$ if and only if (X, \preceq) is a linear ordering;
 - (b) $\text{le}(X, \preceq) \leq n!$, where $n = |X|$ (you may want to read Chapter 3 first).