

Discretionary Note

Anish Krishna Lakkapragada

IF YOU USE THIS FILE TO CHEAT, YOU ARE NOT ONLY STUPID BUT YOU ARE CHEATING YOURSELF OUT OF THE ABILITY TO FALL IN LOVE WITH MATH. Furthermore, I am not smarter than you and my solutions did not always get a perfect score.

CONTENT STARTS ON NEXT PAGE.

To access the general instructions for this repository head [here](#).

Problem set 4
Due Sunday February 16 at 11pm

Exercise 4.1 (10 points). Let X be any set, let $d : X \times X \rightarrow \mathbb{R}$ be the discrete metric, defined by

$$d(x, y) = \begin{cases} 0 & x = y \\ 1 & x \neq y \end{cases}$$

for all $x, y \in X$.

(1) Prove that, with this distance function, X is a metric space.

(2) For any $x \in X$, what is $N_\epsilon(x)$ when $\epsilon = \frac{1}{2}$, 1, and 2?

(3) Which subsets of X are open? Which are closed?

Exercise 4.2 (6 points; Rudin 2.5). Construct a bounded set of real numbers with exactly three limit points (using the standard metric on \mathbb{R}). (You need not prove carefully what the limit points are; it is sufficient to give the set, give bounds for the set, and state what are the limit points.)

Exercise 4.3 (24 points; Rudin 2.9). Let E be a subset of a metric space. Define the *interior* of E , denoted E° , to be the set of all interior points of E .

(1) Prove that E° is always open.

(2) Prove that E is open if and only if $E^\circ = E$.

(3) Prove that, if G is an open subset of E , then $G \subset E^\circ$.

(4) Prove that the complement of E° is the closure of the complement of E .

(5) Do E and \bar{E} always have the same interiors?

(6) Do E and E° always have the same closures?