1

ASSIGNMENT 2

Anjana V AI20MTECH14010

 $\begin{subarray}{c} Abstract — This document examines the consistency of equations. \end{subarray}$

Download all python codes from

https://github.com/anjanavasudevan/ grad_schoolwork/tree/master/EE5609/ Assignment2

and latex-tikz codes from

https://github.com/anjanavasudevan/ grad_schoolwork/tree/master/EE5609/ Assignment2/latex

1 Question No. 55

Examine the consistency of the system of given equations:

$$x + y + z = 1 \tag{1.0.1}$$

$$2x + 3y + 2z = 2 \tag{1.0.2}$$

$$ax + ay + 2az = 4$$
 (1.0.3)

2 Answer

Assume that a is any real number. The above system of equations can be expressed in the form of matrix:

$$\begin{pmatrix} 1 & 1 & 1 \\ 2 & 3 & 2 \\ a & a & 2a \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 1 \\ 2 \\ 4 \end{pmatrix}$$
 (2.0.1)

This is in the form of:

$$\mathbf{A}\mathbf{x} = \mathbf{B} \tag{2.0.2}$$

The system defined above is consistent and has a solution only when

$$rank(\mathbf{A}|\mathbf{B}) = rank(\mathbf{A}) = dim(\mathbf{A})$$
 (2.0.3)

Reducing the augmented matrix to row echelon form, we get:

$$\begin{pmatrix} 1 & 1 & 1 & 1 \\ 2 & 3 & 2 & 2 \\ a & a & 2a & 4 \end{pmatrix} \xrightarrow{R_2 \to R_2 - 2R_1} \begin{pmatrix} 1 & 1 & 1 & 1 \\ 0 & 1 & 0 & 0 \\ a & a & 2a & 4 \end{pmatrix} (2.0.4)$$

$$\begin{pmatrix} 1 & 1 & 1 & 1 \\ 0 & 1 & 0 & 0 \\ a & a & 2a & 4 \end{pmatrix} \xrightarrow{R_3 \to R_3 - aR_1} \begin{pmatrix} 1 & 1 & 1 & 1 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & a & 4 - a \end{pmatrix} (2.0.5)$$

$$\implies rank(\mathbf{A}) = rank(\mathbf{A}|\mathbf{B}) = dim(\mathbf{A}) (2.0.6)$$

The system of equations is consistent and has a unique solution except at a = 0.

Back-solving the above set of equations, we get:

$$\mathbf{x} = \begin{pmatrix} \frac{2(a-2)}{a} \\ 0 \\ \frac{4-a}{a} \end{pmatrix} \tag{2.0.7}$$