

Manoj Kumar

GATE AIR - 13

M.Tech in Data Science From IIT Guwahati



Gate DSAI - **Manoj Kumar**



Linear Algebra Practice - III

Q 1 [MSQ]

Consider the equation $Ax = b$, where A is a real matrix, and select all correct statements based on the following scenarios:

- (a) If $Ax = b$ is solvable for every b , A could be a 3×10 matrix with rank 3.
- (b) If $Ax = b$ is solvable for every b , A could be a 10×3 matrix with rank 3.
- (c) If $Ax = b$ has a unique solution for some b , A could be a 10×3 matrix with rank 3.
- (d) If $Ax = b$ has a unique solution for some b , A could be a 3×10 matrix with rank 3.

Q 2 [MSQ]

For a matrix A of size $m \times n$, in which of the following cases is it **possible** for A to have **no free variables**?

- (a) $m = n$.
- (b) $m > n$.
- (c) $n > m$.
- (d) When $Ax = b$ has no solution.

LA BY Manoj Kumar

Q 3 [MSQ]

Consider a system $Ax = b$, where $x_1 = \begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix}$ and $x_2 = \begin{pmatrix} 4 \\ 5 \\ 6 \end{pmatrix}$ are two solutions. Based on this information, select all the correct statements:

- (a) Matrix A has 3 rows.
- (b) Matrix A has 3 columns.
- (c) The rank of A can be 3.
- (d) The rank of A can be 2.

Q 4 [MSQ]

Which of the following solutions for $Ax = \begin{pmatrix} 1 \\ 2 \\ 3 \end{pmatrix}$ are possible?

(a) $x = \begin{pmatrix} 1 \\ 2 \\ 3 \\ 4 \end{pmatrix}$.

(b) $x = \begin{pmatrix} 1 \\ 2 \\ 3 \\ 4 \end{pmatrix} + \alpha_1 \begin{pmatrix} -1 \\ 5 \\ 17 \\ 0 \end{pmatrix} + \alpha_2 \begin{pmatrix} 1 \\ 0 \\ 0 \\ 1 \end{pmatrix}$, for all $\alpha_1, \alpha_2 \in \mathbb{R}$.

(c) $x = \begin{pmatrix} 1 \\ 2 \end{pmatrix} + \alpha \begin{pmatrix} 1 \\ 2 \end{pmatrix}$, for all $\alpha \in \mathbb{R}$.

(d) $x = \begin{pmatrix} 1 \\ 2 \end{pmatrix} + \alpha \begin{pmatrix} 1 \\ -1 \end{pmatrix}$, for all $\alpha \in \mathbb{R}$.

(e) $x = \begin{pmatrix} 1 \\ 2 \end{pmatrix} + \alpha_1 \begin{pmatrix} 1 \\ -1 \end{pmatrix} + \alpha_2 \begin{pmatrix} 1 \\ -1 \end{pmatrix}$, for all $\alpha_1, \alpha_2 \in \mathbb{R}$.

Q 5 [MSQ]

The nullspace $N(A)$ of the real matrix A is spanned by the vector $v = \begin{pmatrix} 1 \\ 2 \\ 3 \\ 4 \end{pmatrix}$. Based on this information, determine which of the following statements are correct:

- (a) Matrix A can have 5 rows.
- (b) Matrix A can have 5 columns.
- (c) Matrix A has exactly rank 3.
- (d) Matrix A has exactly rank 4.

Q 6

Consider the complete solution to $Ax = b$ given by:

$$x = \begin{pmatrix} 1 \\ 0 \\ -1 \\ 0 \end{pmatrix} + c \begin{pmatrix} 1 \\ 0 \\ 0 \\ 1 \end{pmatrix} + d \begin{pmatrix} -2 \\ 1 \\ 1 \\ 0 \end{pmatrix},$$

for arbitrary constants c and d .

Based on this information, determine the answers to the following:

- (a) What is the number of columns (n) of matrix A ?
- (b) What is the rank (r) of matrix A ?
- (c) What is the nullity of matrix A ?
- (d) What is the minimum number of rows (m) matrix A must have?
- (e) Could A have more rows than columns?

Q 7 [MSQ]

Which of the following statements about matrix A are true?

- (a) If column 4 of a 3×5 matrix A is all zeros, then column 4 is certainly a pivot column.
- (b) If two rows in a 5×3 matrix A become completely zero after row reduction to row echelon form, then there are no free variables in A .
- (c) If column 1 + column 3 + column 5 = 0 in a 4×5 matrix A with four pivot columns, then column 5 does not have a pivot.
- (d) The null space of a 5×5 matrix A contains only $x = 0$ if A has exactly 5 pivot columns.

Q 8 [MSQ]

For which matrix size A , the dimension of the null space and the column space cannot be equal?

- (a) 2×2
- (b) 3×3
- (c) 4×4
- (d) Not equal for all possible matrix dimensions.

LA BY Manoj Kumar

Q 9 [MSQ]

Consider the following system of equations $Ax = b$, where:

$$A = \begin{bmatrix} 1 & 1 \\ 1 & 2 \\ -2 & -3 \end{bmatrix}, \quad b = \begin{bmatrix} b_1 \\ b_2 \\ b_3 \end{bmatrix}.$$

Which of the following statements is/are **not correct**?

- (a) A solution always exists for any vector b .
- (b) The column space of matrix A is a subspace of \mathbb{R}^2 .
- (c) The null space of matrix A is a subspace of \mathbb{R}^2 .
- (d) There exists a vector b such that the system has infinitely many solutions.
- (e) There exists a vector b such that the system has a unique solution.

Q 10 [MSQ]

Consider the system of equations $Ax = b$. Which of the following statements is/are correct?

- (a) Any solution to $Ax = b$ is any linear combination of a particular solution x_p and a solution in the null space.
- (b) The set of solutions to $Ax = b$ forms a subspace.
- (c) If A has full column rank, then there will exist a solution x_n in the null space.
- (d) For any square matrix A , if the solution is unique, then A must have a zero determinant.

Q 11 [MSQ]

All solutions to the system $Ax = b$ have the form:

$$x = \begin{bmatrix} 2 \\ 1 \end{bmatrix} + c \begin{bmatrix} 1 \\ 1 \end{bmatrix}, \text{ for some scalar } c.$$

Which of the following statements is/are correct?

- (a) Matrix A can have full column rank.
- (b) The row rank of matrix A is 1.
- (c) The vector b lies in the space spanned by the first column of matrix A .
- (d) The vector b lies in the space spanned by all columns of matrix A .
- (e) Matrix A must have 2 rows.

Q 12 [MSQ]

Consider a square matrix A and the system $Ax = b$. Which of the following statements are correct?

- (a) For the same matrix A , there can be two different vectors b such that one results in a unique solution, while the other has no solution.
- (b) For the same matrix A , there can be two different vectors b such that one results in a unique solution, while the other leads to infinitely many solutions.
- (c) For the same matrix A , there can be two different vectors b such that one results in infinitely many solutions, while the other has no solution.
- (d) If the vector b lies in the column space of A , the system $Ax = b$ will always have a unique solution.

Q 13 [MSQ]

Consider the matrix

$$A = \begin{bmatrix} 1 & 2 & 1 & 2 \\ 2 & 4 & 2 & 5 \\ 1 & 2 & 1 & 1 \end{bmatrix}.$$

(a) Determine the **basis for the null space** $N(A)$ of the given matrix A . Also, find the **rank** and **nullity** of A .

(b) For what value or values (if any) of α , does $Ax = \begin{bmatrix} 1 \\ 2\alpha \\ \alpha \end{bmatrix}$ have any solution x ?

Q 14 [MSQ]

Consider the matrix $B = \begin{bmatrix} 1 & 1 & 5 \\ 2 & 0 & 4 \\ 3 & 1 & 9 \end{bmatrix}$. Which of the following options correctly represent the **basis vectors** for the column space of B ?

(a) $\begin{bmatrix} 1 \\ 0 \\ 0 \end{bmatrix}$, $\begin{bmatrix} 0 \\ 1 \\ 0 \end{bmatrix}$, $\begin{bmatrix} 0 \\ 0 \\ 1 \end{bmatrix}$

(b) $\begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix}$, $\begin{bmatrix} 1 \\ 0 \\ 1 \end{bmatrix}$

(c) $\begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix}$, $\begin{bmatrix} 1 \\ 0 \\ 1 \end{bmatrix}$, $\begin{bmatrix} 5 \\ 4 \\ 9 \end{bmatrix}$

(d) $\begin{bmatrix} 1 \\ 2 \\ 3 \end{bmatrix}$, $\begin{bmatrix} 5 \\ 4 \\ 9 \end{bmatrix}$

(e) $\begin{bmatrix} 1 \\ 0 \\ 1 \end{bmatrix}$, $\begin{bmatrix} 5 \\ 4 \\ 9 \end{bmatrix}$

GATE DA 2024

Which of the following statements is/are TRUE?

Note: \mathbb{R} denotes the set of real numbers.

Options:

- (A) There exist $M \in \mathbb{R}^{3 \times 3}$, $\mathbf{p} \in \mathbb{R}^3$, and $\mathbf{q} \in \mathbb{R}^3$ such that $M\mathbf{x} = \mathbf{p}$ has a unique solution and $M\mathbf{x} = \mathbf{q}$ has infinite solutions.
- (B) There exist $M \in \mathbb{R}^{3 \times 3}$, $\mathbf{p} \in \mathbb{R}^3$, and $\mathbf{q} \in \mathbb{R}^3$ such that $M\mathbf{x} = \mathbf{p}$ has no solutions and $M\mathbf{x} = \mathbf{q}$ has infinite solutions.
- (C) There exist $M \in \mathbb{R}^{2 \times 3}$, $\mathbf{p} \in \mathbb{R}^2$, and $\mathbf{q} \in \mathbb{R}^2$ such that $M\mathbf{x} = \mathbf{p}$ has a unique solution and $M\mathbf{x} = \mathbf{q}$ has infinite solutions.
- (D) There exist $M \in \mathbb{R}^{3 \times 2}$, $\mathbf{p} \in \mathbb{R}^3$, and $\mathbf{q} \in \mathbb{R}^3$ such that $M\mathbf{x} = \mathbf{p}$ has a unique solution and $M\mathbf{x} = \mathbf{q}$ has no solutions.

GATE CE 2020 [2 Marks]

[NAT]

Consider the system of equations:

$$\begin{bmatrix} 1 & 3 & 2 \\ 2 & 2 & -3 \\ 4 & 4 & -6 \\ 2 & 5 & 2 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \end{bmatrix} = \begin{bmatrix} 1 \\ 1 \\ 2 \\ 1 \end{bmatrix}.$$

The value of x_3 (round off to the nearest integer) is _____.

