


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
Create Plant Supply Order in SF using this Script	2 m 42.549 s	12	10	2	0	67	54	2	11

FAIL & SKIP SCENARIOS -- 3 --

#	Feature Name	Scenario Name
1	Create Plant Supply Order in SF using this Script	User mark the Supply Check for the order
2		User creates an order, captures the subtotal, and order number


TAG	Scenario				Fea	ture		
Name	T	P	F	S	T	P	F	S
@plant	12	10	2	0	1	0	1	0
@regression	12	10	2	0	1	0	1	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	Create Plant Supply Order in SF using this Script	12	10	2	0	2 m 42.549 s


SCENARIOS SUMMARY



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Create Plant Supply Order in SF using this Script	Setting up enviroment for the the project	2	2	0	0	2.662 s
2		User logs in to Salesforce	4	4	0	0	9.075 s
3		User navigates to a specific account from the homepage	3	3	0	0	2.181 s
4		User creates an opportunity with a specific product and quantity	9	9	0	0	10.531 s
5		User processes an opportunity to the sales team and fills required documents	12	12	0	0	13.633 s
6		User sends the file to pricing to the category team	4	4	0	0	7.391 s
7		User updates the customer-accepted price after receiving pricing from the category	8	8	0	0	9.788 s
8		User accepted all SKU's	2	2	0	0	14.500 s
9		User check the TDC and completes TDC validations	4	4	0	0	1.967 s


#	# Feature Name	Scenario Name	T	P	F	S	Duration
1	0	User mark the Supply Check for the order	8	1	1	6	43.398 s

SCENARIOS SUMMARY -- 8 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
11	Create Plant Supply Order in SF using this Script	User request PI to Seller team	4	4	0	0	5.062 s
12		User creates an order, captures the subtotal, and order number	7	1	1	5	42.037 s

Create Plant Supply Order in SF using this Script




Setting up enviroment for the the project




#	Step / Hook Details	Status	Duration
1	Given Set the browser and driver for the automation "chrome"	PASSED	2.485 s
2	And User passes driver to the other pages and files	PASSED	0.078 s

User logs in to Salesforce



#	Step / Hook Details	Status	Duration
1	Given the user navigates to the Salesforce login page "https://jswoneplatformsuat.sandbox.lightning.force.	PASSED	2.945 s
	com/lightning/page/home"		
2	When the user enters the username "ankit.sharma@jsw.in.uat"	PASSED	0.191 s
3	And the user enters the password "@Bhuvi176"	PASSED	0.231 s
4	And the user clicks on the login button	PASSED	5.698 s

User navigates to a specific account from the homepage



#	Step / Hook Details	Status	Duration
1	When the user searches for the item "OBEROI REALTY LTD"	PASSED	0.403 s
2	And the user clicks on the search result for "OBEROI REALTY LTD" accounts	PASSED	0.685 s
3	And the user opens the account "OBEROI REALTY LTD"	PASSED	1.085 s


User creates an opportunity with a specific product and quantity

PASSED DURATION - 10.531 s	6 Steps	
/ 6:17:35.745 PM // 6:17:46.276 PM /		
/ 0.17.33.743 FWI // 0.17.40.270 FWI /	Pass - 9	
Create Plant Supply Order in SF using this Script	2	9
	Skip - 0	
@plant @regression	0-1	
	1 2 3 4 5 6 7 8 9	

#	Step / Hook Details	Status	Duration
1	Given the user is on the account page	PASSED	0.001 s
2	When the user creates a quick opportunity	PASSED	5.413 s


#	Step / Hook Details	Status	Duration
3	And the user adds a new opportunity	PASSED	1.755 s
4	And the user searches for the product "MS HR Coil 2062:2011 E250A"	PASSED	0.966 s
5	And the user selects the product "MS HR Coil 2062:2011 E250A"	PASSED	1.442 s
6	And the user sets the quantity to "5"	PASSED	0.150 s
7	And the user sets the thickness to "10"	PASSED	0.231 s
8	And the user selects the width as "1500"	PASSED	0.063 s
9	And the user saves the opportunity	PASSED	0.494 s

User processes an opportunity to the sales team and fills required documents




#	Step / Hook Details	Status	Duration
1	Given the user is on the opportunity processing page	PASSED	0.002 s
2	When the user clicks on the process opportunity button	PASSED	7.442 s
3	And the user selects to edit the opportunity	PASSED	2.018 s
4	And the user edits the delivery type to "Self pickup"	PASSED	0.319 s
5	And the user selected the Delivery address "A-104507"	PASSED	1.058 s
6	And the user edits the delivery time to "2" days	PASSED	0.256 s
7	And the user edits the special message to "Urgent delivery needed"	PASSED	0.226 s
8	When the user searches for the source seller "tuka rajat seller"	PASSED	0.186 s
9	And the user selects the source seller "tuka rajat seller"	PASSED	0.987 s
10	And the user Selects the source seller type "Marketplace"	PASSED	0.495 s
11	And the user edits the cost price to "100"	PASSED	0.142 s
12	And the user saves the opportunity	PASSED	0.484 s

User sends the file to pricing to the category team



#	Step / Hook Details	Status	Duration
1	When Sales team clicks on the price awaiting section	PASSED	3.121 s
2	And the user selected the category user "Mfg Category"	PASSED	2.653 s
3	And the user saves the category	PASSED	0.089 s
4	And the user saves the opportunity	PASSED	1.521 s

User updates the customer-accepted price after receiving pricing from the category



#	Step / Hook Details	Status	Duration
1	Given the user clicks on the process opportunity button for pricing	PASSED	1.313 s
2	And User click on Override prices button as True	PASSED	2.068 s
3	And User selects the Reason for override "Price not available"	PASSED	0.394 s
4	When the user selects the category price as "110"	PASSED	0.207 s
5	When user sets the customer-accepted price to "120"	PASSED	0.214 s
6	And the user saves the opportunity for pricing	PASSED	0.447 s
7	And the user verifies the customer-accepted price	PASSED	3.555 s
8	And the user saves the opportunity for pricing	PASSED	1.574 s


DETAILED SECTION -- 13 --

User accepted all SKU's

PASSED	DURATION - 14.500 s	10		ĮF	 -			-	_		-	-	1		_	-	-	-	-	-	_	_		-	-	_	_		 -	_			-	_		-	-	St	eps							
/ 6:10:17 152 D	M // 6:18:31.652 PM /	8	-	╬	-		-		-	-	-	-	-	ı	-	-	-	-	-	-	-	-	-	-	-	-	-	-	 +	-	-	-	-	-	-	-	- 1	То	tal -	2		/	T			
7 0.10.17.132 PI	W// 0.18.31.032 FW//	6	-	╬	 -	-	-	-	-	-	-	-	-	ı	-	-	-	-	-	-	-	-	-	-	-	-	-	-	 +	-	-	-	-	-	-	-	- 1	Pa	SS -	2	1				١	
Create Plant Su	upply Order in SF using this Script	4	+	╂	 -	-	-	-	-	-		-	-	ı	-	-	-	-	-	-	-	-	-	-	-	-	-	-	 Ė	ľ	-	-	-	-	-		-				ı		2		ı	
	, , , , , , , , , , , , , , , , , , ,	2	-	╁	 -	-	-	-	-	-	-	-	-	ı	-	-	-	-	-	-	-	-	-	-	-	-	-	-		ŀ	-	-	-	-	-	-	-	Sk	ip -	0	١	e		1	1	
@plant @regres	ssion	0	7	1	 	_	_	_						-		-	_	-	-	-	-	-			-	-	-		 -	_			-	-			_					1				
														1															2																	


#	Step / Hook Details	Status	Duration
1	When user accepted All SKUs	PASSED	10.314 s
2	And user click on proceed button	PASSED	4.177 s

User check the TDC and completes TDC validations



#	Step / Hook Details	Status	Duration
1	Given User click edit button to edit for TDC upload	PASSED	1.450 s
2	And User checked the TDC uploaded	PASSED	0.077 s
3	And User checked PO Uploaded	PASSED	0.095 s
4	Then user saved the changes in Opportunity page	PASSED	0.335 s

User mark the Supply Check for the order




#	Step / Hook Details	Status	Duration
1	Given User click edit button to edit for supply	PASSED	2.609 s
2	And User check the TDC sent to customer	FAILED	40.616 s
2	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for presence of element located by: By.xpath: //input[@name = TDC_Sent_to_Customer_c] (fried for 30 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at Utils.Functionalities.waitFor/Presence(Functionalities.java:154) at Pages.OpportunityPage.TDCsent2Customer(OpportunityPage.java:103) at Stepdefination.Plant.OpprtunityPageSteps.checkTDC2Customer(OpportunityPageSteps.java:40) at ?.User check the TDC sent to customer(file://IC:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/ SF_Op53_43/src/test/resources/features/plantOrder.feature:102) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath";*selector":"//input[@name =TDC_Sent_to_Customer_cf]*) (Session info: chrome=131.0.6778.86) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors/mo-such-element-exception Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b5b24f52180e4b588264d68c01304c46, findElement (value=//input[@name ="TDC_Sent_to_Customer_cf], using-xpath]} Capabilities {acceptinsecureCerts: false, horsen/mame: chrome, browser/version: 131.06778.86, chrome: (chromedriverVersion: 131.0.6778.86, chrome: (chromedriverVersion: 131.0.6778.86, chrome: (chromeDriver Command: [b5b24f52180e4b588264d68c01304c46, findElement (value=//input[@name ="TDC_Sent_to_Customer_cf], using-xpath]} Capabilities {acceptinsecureCerts: false, horsen/mame: chrome, browser/version: 131.06778.86, chrome: (chromedriverVersion: 131.0.6778.86, chrome: (chromedriverVersion: 131.0.6778.86, chrome: (chromedriverVersion: 131.0.6778.86, chrome: (chromedriverVe	FAILED	40.616 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:519)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:356)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:350)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:171)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$6.apply(ExpectedConditions.java:168)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)		
	at Utils.Functionalities.waitForPresence(Functionalities.java:154)		
	at Pages.OpportunityPage.TDCsent2Customer(OpportunityPage.java:103)		
	at Stepdefination.Plant.OpprtunityPageSteps.checkTDC2Customer(OpprtunityPageSteps.java:40)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:580)		
	at io.cucumber.java.lnvoker.dolnvoke(lnvoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:62)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:81)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:53)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:84)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.lambda\$run\$0(PickleRunners.java:151)		
	at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:136)		
	at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:136)		
	at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:144)		
	at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28)		
	at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331)		
	at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79)		
	at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329)		
	at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:66)		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306)		
	at org.junit.runners.ParentRunner.run(ParentRunner.java:413)		
	at io.cucumber.junit.FeatureRunner.run(FeatureRunner.java:137)		

DETAILED SECTION -- 16 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.junit.Cucumber.runChild(Cucumber.java:199) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:89) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:147) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:142) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:145) at io.cucumber.junit.Cucumber\$StartAndFinishTestRun.evaluate(Cucumber.java:229) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at org.junit.runners.DunitCore.run(JUnitCore.java:137) at com.intellij.rt.junit.JuhitCore.run(JUnitCore.java:141.execute(IdeaTestRunner.java:38) at com.intellij.rt.junit.IdeaTestRunner\$Repeater\$1.execute(IdeaTestRunner.java:38) at com.intellij.rt.execution.junit.TestSRepeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.IdeaTestRunner\$Repeater.startRunnerWithArgs(IdeaTestRunner.java:35) at com.intellij.rt.junit.JUnitStarter.prepareStreamsAndStart(JUnitStarter.java:232) at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) * Not displayable characters are replaced by '?'.		
3	And User check the TDC sent to Plant	SKIPPED	0.003 s
4	And User check the TDC validation	SKIPPED	0.001 s
5	When Check the feasibility of the order	SKIPPED	0.000 s
6	When Choose yes for the feasibility	SKIPPED	0.000 s
7	And Then User filled the advance % "40"	SKIPPED	0.001 s
8	Then user saved the changes in Opportunity page	SKIPPED	0.000 s
	AFTER - AppHoocks.ApplicationsHoocks.takeScraenshotOnFailure(io.cucumber.java.Scenario) User mark the Supply Check for the order	PASSED	0.156 s

User request PI to Seller team



#	Step / Hook Details	Status	Duration
1	When the user clicks on the process opportunity button	PASSED	0.212 s
2	When the user saves the opportunity	PASSED	1.730 s
3	Then the user requests PI to the seller	PASSED	1.686 s
4	And the user saves the final order	PASSED	1.426 s

User creates an order, captures the subtotal, and order number

FAILED DURA	ATION - 42.037 s	40 -			+					Steps		
/ 6:19:22.157 PM // 6:2	∩:∩4 194 PM /	30 -	+		-					Total - 7		
7 0.13.22.137 7 1077 0.2	0.04.134 T W/	20 -								Pass - 1	-	, 🚹
Create Plant Supply O	rder in SF using this Script	10 -			ļ		i			Fail - 1	🖊 ′	
@plant @regression		0 -			<u> </u>		<u> </u>	<u></u>	<u> </u>	Skip - 5		
@plant @regression			1	2	3	4	5	6	7			

#	Step / Hook Details	Status	Duration
1	Given the user is on the account page for order creation	PASSED	1.254 s
2	When the user clicks on the create order button	FAILED	40.630 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of element located by By.xpath: //button[text()='Create Order'] (tried for 30 second(s) with 500 milliseconds interval) Build info: version: '4.18.1', revision: 'b1d3319b48' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '22.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 131.0.6778.86, chrome: {chromedriverVersion: 131.0.6778.108 (3b014839fbc, userDataDir: C:\Users\V_ANKI~1.SHA\AppDa}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:64009}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:64009/devtoo, se:cdpVersion: 131.0.6778.86, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators:		

DETAILED SECTION -- 18 --

#	Step / Hook Details	Status	Duration
	true} Session ID: b5b24f52180e4b588264d68c01304c46 at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:84) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:228) at Utils.Functionalities.waitLocatedXpath(Functionalities.java:149) at Pages.AccountPage.createOrderButton(AccountPage.java:150) at Stepdefination.Ordercreation.CreateOrderPageSteps.userClicksOnCreateOrderButton(CreateOrderPageSteps.java:47) at ?.the user clicks on the create order button(file:///C:/Users/V_Ankit.Sharma/Downloads/erp-flow-checker-QA-3-cash_and_carry_portal/ SF_Op53_43/src/test/resources/features/plantOrder.feature:132) * Not displayable characters are replaced by '?'.		
3	And the user captures the subtotal for the order	SKIPPED	0.001 s
4	Then the user prints the subtotal and indicates it as the total value for the order	SKIPPED	0.000 s
5	And the user clicks on the button to create an order for coils	SKIPPED	0.000 s
6	And the user captures the order number	SKIPPED	0.001 s
7	Then the user prints the order number	SKIPPED	0.001 s
	AFTER - AppHoocks.ApplicationsHoocks.takeScraenshotOnFailure(io.cucumber.java.Scenario)	PASSED	0.140 s
	User creates an order, captures the subtotal, and order number Compared Compared		