# Ansible in a Devcontainer

Entire arista.avd ecosystem in a sealed bottle

Petr Ankudinov Patrick Mathy

2023



### \$ whoami

- Petr Ankudinov github.com/ankudinov
  - Advanced Services Engineer at Arista Networks
  - Over 20 years of experience in IT with a bit of everything
  - ACE: L5, CCIE 37521
  - Passionate DC and network automation engineer
  - Daily (and nightly) user of Ansible, VSCode and more
- Patrick Mathy
  - Arista Systems Engineering at Arista Networks
  - Networking around since 2016
  - ACE: L5, CCIE 57751
  - R&S, DC, Python, Ansible, Terraform, DevNet







# Agenda

- Ansible AVD collection overview
- Common challenges when building Ansible environment for network automation
- Why devcontainers?
- Pre-building a devcontainer with arista.avd, docker-in-docker and Containerlab using Github devcontainers/ci@v0.3 action.
- How to run the container on any machine (with docker run or as devcontainer) or Github Codespaces





#### **Credits and References**

This repository is based on many awesome open source repositories and some free/commercial Github features:


- VS Code
- DevContainers
- Marp
- Excalidraw VS Code Plugin
- Github Actions
- Github Pages
- Github Codespaces
- Carbon
- And many more...

All photos are taken from Pexels and Unsplash. Excellent free stock photos resources. It's not possible to reference every author individually, but their work is highly appreciated.



#### What is Ansible AVD?

- AVD stands for Arista Validated Design as it was based on the EVPN Deployment Guide
- A very successful community project used to deploy EVPN based Data Center fabrics
  - Over 200 stars on Github and 79 contributors as of Sep 2023
  - The most active Arista collection on Ansible Galaxy
- High level workflow:
  - Define abstracted group/host vars using AVD data model
  - Generate low level device specific variables (aka structured configs)
  - Parse templates, build plain text configs
  - Deliver configs to network devices using Ansible arista.eos.eos\_config





## **Running Ansible in a Container**

- The old story of "it works on my machine":
  - Different versions of Python and Ansible
  - Dependencies
  - Interpreter path issues
  - The famous very-very-very-VERY verbose only to find out that:

```
The error appears to be, but may be elsewhere (c) Ansible 😅
```

The error handling and input validation is a very significant part of the ansible.avd collection.

 Containers help to solve the issues above. But bring new challenges and not always easy to build and use.



