

R - Matrices

Matrices are the R objects in which the elements are arranged in a two-dimensional rectangular layout. They contain elements of the same atomic types. Though we can create a matrix containing only characters or only logical values, they are not of much use. We use matrices containing numeric elements to be used in mathematical calculations.

A Matrix is created using the **matrix()** function.

Syntax

The basic syntax for creating a matrix in R is –

```
matrix(data, nrow, ncol, byrow, dimnames)
```

Following is the description of the parameters used –

- **data** is the input vector which becomes the data elements of the matrix.
- **nrow** is the number of rows to be created.
- **ncol** is the number of columns to be created.
- **byrow** is a logical clue. If TRUE then the input vector elements are arranged by row.
- **dimname** is the names assigned to the rows and columns.

Example

Create a matrix taking a vector of numbers as input.

```
# Elements are arranged sequentially by row.
```

```
M <- matrix(c(3:14), nrow = 4, byrow = TRUE)
```

```
print(M)
```

```
# Elements are arranged sequentially by column.
```

```
N <- matrix(c(3:14), nrow = 4, byrow = FALSE)
```

```
print(N)
```

```
# Define the column and row names.
```

```
rownames = c("row1", "row2", "row3", "row4")
```

```
colnames = c("col1", "col2", "col3")
```

```
P <- matrix(c(3:14), nrow = 4, byrow = TRUE, dimnames = list(rownames, colnames))
```

```
print(P)
```

When we execute the above code, it produces the following result –

```
      [,1] [,2] [,3]
[1,]   3   4   5
[2,]   6   7   8
[3,]   9  10  11
[4,]  12  13  14
      [,1] [,2] [,3]
[1,]   3   7  11
[2,]   4   8  12
[3,]   5   9  13
[4,]   6  10  14
      col1 col2 col3
row1     3     4     5
row2     6     7     8
row3     9    10    11
row4    12    13    14
```

Accessing Elements of a Matrix

Elements of a matrix can be accessed by using the column and row index of the element. We consider the matrix P above to find the specific elements below.

```
# Define the column and row names.
```

```
rownames = c("row1", "row2", "row3", "row4")
```

```
colnames = c("col1", "col2", "col3")
```

```
# Create the matrix.
```

```
P <- matrix(c(3:14), nrow = 4, byrow = TRUE, dimnames = list(rownames, colnames))
```

```
# Access the element at 3rd column and 1st row.
```

```
print(P[1,3])
```

```
# Access the element at 2nd column and 4th row.
```

```
print(P[4,2])
```

```
# Access only the 2nd row.
```

```
print(P[2,])
```

```
# Access only the 3rd column.
```

```
print(P[,3])
```

When we execute the above code, it produces the following result –

```
[1] 5  
[1] 13  
col1 col2 col3  
 6   7   8  
row1 row2 row3 row4  
 5   8  11  14
```

Matrix Computations

Various mathematical operations are performed on the matrices using the R operators. The result of the operation is also a matrix.

The dimensions (number of rows and columns) should be same for the matrices involved in the operation.

Matrix Addition & Subtraction

```
# Create two 2x3 matrices.
```

```
matrix1 <- matrix(c(3, 9, -1, 4, 2, 6), nrow = 2)
```

```
print(matrix1)
```

```
matrix2 <- matrix(c(5, 2, 0, 9, 3, 4), nrow = 2)
```

```
print(matrix2)
```

```
# Add the matrices.
```

```

result <- matrix1 + matrix2

cat("Result of addition","\n")

print(result)

# Subtract the matrices

result <- matrix1 - matrix2

cat("Result of subtraction","\n")

print(result)

```

When we execute the above code, it produces the following result –

```

      [,1] [,2] [,3]
[1,]   3  -1   2
[2,]   9   4   6
      [,1] [,2] [,3]
[1,]   5   0   3
[2,]   2   9   4
Result of addition
      [,1] [,2] [,3]
[1,]   8  -1   5
[2,]  11  13  10
Result of subtraction
      [,1] [,2] [,3]
[1,]  -2  -1  -1
[2,]   7  -5   2

```

Matrix Multiplication & Division

```

# Create two 2x3 matrices.

matrix1 <- matrix(c(3, 9, -1, 4, 2, 6), nrow = 2)

print(matrix1)

matrix2 <- matrix(c(5, 2, 0, 9, 3, 4), nrow = 2)

print(matrix2)

# Multiply the matrices.

```

```

result <- matrix1 * matrix2

cat("Result of multiplication","\n")

print(result)

# Divide the matrices

result <- matrix1 / matrix2

cat("Result of division","\n")

print(result)

```

When we execute the above code, it produces the following result –

```

      [,1] [,2] [,3]
[1,]   3  -1   2
[2,]   9   4   6
      [,1] [,2] [,3]
[1,]   5   0   3
[2,]   2   9   4
Result of multiplication
      [,1] [,2] [,3]
[1,]  15   0   6
[2,]  18  36  24
Result of division
      [,1]  [,2]  [,3]
[1,]  0.6   -Inf 0.6666667
[2,]  4.5 0.4444444 1.5000000

```