ICPSR | INTER-UNIVERSITY CONSORTIUM FOR POLITICAL AND SOCIAL RESEARCH

ICPSR 39038

Hispanic Established Populations for the Epidemiologic Study of the Elderly (HEPESE) Wave 9, 2016 [Arizona, California, Colorado, New Mexico, and Texas]

ICPSR Codebook for Informant Wave 9

Hispanic Established Populations for the Epidemiologic Study of the Elderly (HEPESE) Wave 9, 2016 [Arizona, California, Colorado, New Mexico, and Texas]

Kyriakos S. Markides
The University of Texas Medical Branch at Galveston, Texas

Soham Al Snih
The University of Texas Medical Branch at Galveston, Texas

Phillip A. Cantu
The University of Texas Medical Branch at Galveston, Texas

Jacqueline L. Angel
University of Texas-Austin

Raymond F. Palmer
The University of Texas Health Science Center at San Antonio

Ioannis Malagaris
The University of Texas Medical Branch at Galveston, Texas

Terms of Use

The terms of use for this study can be found at:
http://www.icpsr.umich.edu/web/ICPSR/studies/39038/terms

Information about Copyrighted Content

Some instruments administered for studies archived with ICPSR may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

1.   **Linking Variable:** Data from the informant interviews are linkable to the respondent data in the HEPESE waves via a unique ID variable **Q_NO** shared by each respondent-informant pair.

ICPSR 39038

Hispanic Established Populations for the Epidemiologic Study of the Elderly (HEPESE) Wave 9, 2016 [Arizona, California, Colorado, New Mexico, and Texas]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, arithmetic mean, median, mode, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Informant Wave 9

Q_NO: Informant's ID number

Subject ID Number

Value	Label	Unweighted Frequency	%
10002	-	1	0.2 %
10019	-	1	0.2 %
10025	-	1	0.2 %
10052	-	1	0.2 %
10062	-	1	0.2 %
10066	-	1	0.2 %
10085	-	1	0.2 %
10089	-	1	0.2 %
10090	-	1	0.2 %
10092	-	1	0.2 %
10106	-	1	0.2 %
10107	-	1	0.2 %
10109	-	1	0.2 %
10117	-	1	0.2 %
10161	-	1	0.2 %
10182	-	1	0.2 %
10198	-	1	0.2 %
10200	-	1	0.2 %
10202	-	1	0.2 %
10209	-	1	0.2 %
10215	-	1	0.2 %
10230	-	1	0.2 %
10231	-	1	0.2 %
10312	-	1	0.2 %
10315	-	1	0.2 %
10321	-	1	0.2 %
10343	-	1	0.2 %
10349	-	1	0.2 %
10360	-	1	0.2 %
10371	-	1	0.2 %
10377	-	1	0.2 %
10391	-	1	0.2 %
10403	-	1	0.2 %

Value	Label	Unweighted Frequency	%
10404	-	1	0.2 %
10411	-	1	0.2 %
10430	-	1	0.2 %
10432	-	1	0.2 %
10442	-	1	0.2 %
10480	-	1	0.2 %
10492	-	1	0.2 %
10499	-	1	0.2 %
10528	-	1	0.2 %
10533	-	1	0.2 %
10571	-	1	0.2 %
10630	-	1	0.2 %
10640	-	1	0.2 %
10649	-	1	0.2 %
10650	-	1	0.2 %
10652	-	1	0.2 %
10655	-	1	0.2 %
	Total	**460**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 460 valid cases out of 460 total cases.

- Mean: 19747.39
- Minimum: 10002.00
- Maximum: 30919.00
- Standard Deviation: 9145.14

Location: 1-5 (width: 5; decimal: 0)
Variable Type: numeric

SAME: Same Informant as Wave 7

Same informant as Wave 7

Value	Label	Unweighted Frequency	%
1	Yes	218	47.4 %
2	No	242	52.6 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 6-6 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

YEAR9: Informant's year of interview

Informant's year of interview

Value	Label	Unweighted Frequency	%
2016	-	460	100.0 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Mean: 2016.00
- Median: 2016.00
- Mode: 2016.00
- Minimum: 2016.00
- Maximum: 2016.00
- Standard Deviation: 0.00

Location: 7-10 (width: 4; decimal: 0)
Variable Type: numeric

AGE9I: Informant's age

Informant's age

Value	Label	Unweighted Frequency	%
18	-	1	0.2 %
19	-	2	0.4 %
20	-	1	0.2 %
23	-	2	0.4 %
25	-	1	0.2 %
26	-	1	0.2 %
28	-	1	0.2 %
29	-	3	0.7 %
30	-	1	0.2 %
31	-	1	0.2 %
32	-	1	0.2 %
33	-	1	0.2 %
34	-	2	0.4 %
35	-	4	0.9 %
36	-	1	0.2 %
37	-	4	0.9 %
38	-	3	0.7 %

Value	Label	Unweighted Frequency	%
39	-	6	1.3 %
40	-	3	0.7 %
41	-	1	0.2 %
42	-	2	0.4 %
43	-	5	1.1 %
44	-	6	1.3 %
45	-	5	1.1 %
46	-	5	1.1 %
47	-	9	2.0 %
48	-	5	1.1 %
49	-	6	1.3 %
50	-	9	2.0 %
51	-	9	2.0 %
52	-	10	2.2 %
53	-	12	2.6 %
54	-	10	2.2 %
55	-	17	3.7 %
56	-	18	3.9 %
57	-	15	3.3 %
58	-	19	4.1 %
59	-	15	3.3 %
60	-	16	3.5 %
61	-	20	4.3 %
62	-	18	3.9 %
63	-	10	2.2 %
64	-	16	3.5 %
65	-	14	3.0 %
66	-	16	3.5 %
67	-	10	2.2 %
68	-	11	2.4 %
69	-	17	3.7 %
70	-	10	2.2 %
71	-	5	1.1 %
Missing Data			
.	-	7	1.5 %
	Total	**460**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 453 valid cases out of 460 total cases.

- Mean: 59.70
- Median: 60.00
- Mode: 61.00
- Minimum: 18.00
- Maximum: 95.00
- Standard Deviation: 13.26

Location: 11-12 (width: 2; decimal: 0)
Variable Type: numeric

RELSUB9I: Informant's relationship to respondent

Informant's relationship to respondent

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	43	9.3 %
3	Son/daughter	285	62.0 %
4	Son/daughter-in-law	26	5.7 %
5	Grandchild	28	6.1 %
6	Parent	0	0.0 %
7	Brother/sister	5	1.1 %
8	Nephew/niece	11	2.4 %
9	Cousin	1	0.2 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	1	0.2 %
12	Other	1	0.2 %
13	Friend	13	2.8 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	42	9.1 %
16	All others	2	0.4 %
17	Sister/brother-in-law	2	0.4 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 2.00
- Maximum: 17.00

Location: 13-15 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888

SEX9I: Informant's sex

Informant Gender

Value	Label	Unweighted Frequency	%
1	Male	103	22.4 %
2	Female	357	77.6 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 16-16 (width: 1; decimal: 0)
Variable Type: numeric

NHOUSE9I: Number of people living informant's house

B1. How many people live in this respondent household?

Value	Label	Unweighted Frequency	%
1	-	123	26.7 %
2	-	164	35.7 %
3	-	86	18.7 %
4	-	38	8.3 %
5	-	21	4.6 %
6	-	14	3.0 %
7	-	5	1.1 %
8	-	2	0.4 %
13	-	1	0.2 %
	Missing Data		
.	-	6	1.3 %
	Total	**460**	**100%**

Based upon 454 valid cases out of 460 total cases.

- Mean: 2.45
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 13.00
- Standard Deviation: 1.48

Location: 17-18 (width: 2; decimal: 0)
Variable Type: numeric

DKNHSE9I: Don't know or refused to give number of people in house

Don't know or refused to give number of people in house

Value	Label	Unweighted Frequency	%
	Missing Data		
888	Do not know	3	0.7 %
999	Refused	3	0.7 %
.	-	454	98.7 %
	Total	**460**	**100%**

Based upon 0 valid cases out of 460 total cases.

Location: 19-21 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888 , 999 , .

HHREAL9I: Informant's relationship to head of household

B2. Who is the head of this respondent household, what is their relationship to you?

Value	Label	Unweighted Frequency	%
1	Respondent is head	84	18.3 %
2	Spouse	57	12.4 %
3	Son/daughter	204	44.3 %
4	Son/daughter-in-law	23	5.0 %
5	Grandchild	14	3.0 %
6	Parent	7	1.5 %
7	Brother/sister	5	1.1 %
8	Nephew/niece	8	1.7 %
9	Cousin	1	0.2 %
10	Aunt/uncle	3	0.7 %
11	Great grandchild	0	0.0 %
12	Other	1	0.2 %
13	Friend	10	2.2 %
14	Boarder/roomer	1	0.2 %
15	Paid employee	37	8.0 %
16	All others	4	0.9 %
17	Sister/brother-in-law	1	0.2 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 17.00

Location: 22-24 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888

SLIVE9I: Informant lives with respondent

B3N. Do you and respondent live in the same house?

Value	Label	Unweighted Frequency	%
1	Yes	234	50.9 %
2	No	225	48.9 %
	Missing Data		
8	Do not know	1	0.2 %
	Total	**460**	**100%**

Based upon 459 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 25-25 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

NSLIVE9I: Number of people living in informant's household

B4N. How many people live in the house that you live in?

Value	Label	Unweighted Frequency	%
1	-	40	8.7 %
2	-	63	13.7 %
3	-	42	9.1 %
4	-	31	6.7 %
5	-	21	4.6 %
6	-	12	2.6 %
7	-	9	2.0 %
8	-	1	0.2 %
9	-	1	0.2 %
	Missing Data		
.	-	240	52.2 %
	Total	**460**	**100%**

Based upon 220 valid cases out of 460 total cases.

- Mean: 3.06
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 9.00
- Standard Deviation: 1.72

Location: 26-26 (width: 1; decimal: 0)
Variable Type: numeric

DKNSLE9I: Don't know number of people living in informant's household

Don't know number of people living in informant's household

Value	Label	Unweighted Frequency	%
	Missing Data		
888	Do not know	2	0.4 %
999	Refused	3	0.7 %
.	-	455	98.9 %
	Total	**460**	**100%**

Based upon 0 valid cases out of 460 total cases.

Location: 27-29 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888 , 999 , .

NYOUNG9I: Number of children under age 18 living in informant's homes

B5N. How many children (persons under the age of 18) live in the house you live in?

Value	Label	Unweighted Frequency	%
0	-	339	73.7 %
1	-	47	10.2 %
2	-	43	9.3 %
3	-	15	3.3 %
4	-	11	2.4 %
5	-	2	0.4 %
27	-	1	0.2 %
	Missing Data		
.	-	2	0.4 %
	Total	**460**	**100%**

Based upon 458 valid cases out of 460 total cases.

- Mean: 0.57
- Median: 0.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 27.00
- Standard Deviation: 1.59

Location: 30-31 (width: 2; decimal: 0)
Variable Type: numeric

DKNYNG9I: Don't know number of children under 18 living in informant's household

Don't know number of children under 18 living in informant's household

Value	Label	Unweighted Frequency	%
	Missing Data		
888	Do not know	1	0.2 %
999	Refused	1	0.2 %
.	-	458	99.6 %
	Total	**460**	**100%**

Based upon 0 valid cases out of 460 total cases.

Location: 32-34 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888 , 999 , .

NBROS9I: Number of surviving brothers (asked only if informant is a child of respondent)

D1a. How many surviving brothers do you have?

Value	Label	Unweighted Frequency	%
0	-	55	12.0 %
1	-	56	12.2 %
2	-	66	14.3 %
3	-	40	8.7 %
4	-	35	7.6 %
5	-	16	3.5 %
6	-	7	1.5 %
7	-	4	0.9 %
8	-	2	0.4 %
9	-	1	0.2 %
	Missing Data		
.	-	178	38.7 %
	Total	**460**	**100%**

Based upon 282 valid cases out of 460 total cases.

- Mean: 2.21
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.81

Location: 35-35 (width: 1; decimal: 0)
Variable Type: numeric

DKNBS9I: DK: Number of surviving brothers (asked only if informant is a child of respondent)

DK: Number of surviving brothers (asked only if informant is a child of respondent)

Value	Label	Unweighted Frequency	%
	Missing Data		
999	Refused	3	0.7 %
.	-	457	99.3 %
	Total	**460**	**100%**

Based upon 0 valid cases out of 460 total cases.

Location: 36-38 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888 , 999 , .

NSIS9I: Number of surviving sisters (asked only if informant is a child of respondent)

D1a. How many surviving sisters do you have?

Value	Label	Unweighted Frequency	%
0	-	56	12.2 %
1	-	63	13.7 %
2	-	68	14.8 %
3	-	28	6.1 %
4	-	28	6.1 %
5	-	21	4.6 %
6	-	7	1.5 %
7	-	8	1.7 %
8	-	3	0.7 %
	Missing Data		
.	-	178	38.7 %
	Total	**460**	**100%**

Based upon 282 valid cases out of 460 total cases.

- Mean: 2.21
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 8.00
- Standard Deviation: 1.91

Location: 39-39 (width: 1; decimal: 0)
Variable Type: numeric

DKNSS9I: DK: Number of surviving sisters (asked only if informant is a child of respondent)

DK: Number of surviving sisters (asked only if informant is a child of respondent)

Value	Label	Unweighted Frequency	%
	Missing Data		
999	Refused	3	0.7 %
.	-	457	99.3 %
	Total	**460**	**100%**

Based upon 0 valid cases out of 460 total cases.

Location: 40-42 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888 , 999 , .

SNKIDS9I: Number of living children for respondent (asked only if informant is a child of respondent)

D1b. Now I would like to know how many living children (NAME OF SUBJECT) has.

Value	Label	Unweighted Frequency	%
0	-	25	5.4 %
1	-	30	6.5 %
2	-	53	11.5 %
3	-	54	11.7 %
4	-	57	12.4 %
5	-	64	13.9 %
6	-	37	8.0 %
7	-	33	7.2 %
8	-	38	8.3 %
9	-	20	4.3 %
10	-	11	2.4 %
11	-	16	3.5 %
12	-	6	1.3 %
13	-	3	0.7 %
14	-	1	0.2 %
15	-	2	0.4 %
	Missing Data		
.	-	10	2.2 %
	Total	**460**	**100%**

Based upon 450 valid cases out of 460 total cases.

• Mean: 4.94
• Median: 5.00

- Mode: 5.00
- Minimum: 0.00
- Maximum: 15.00
- Standard Deviation: 3.10

Location: 43-44 (width: 2; decimal: 0)
Variable Type: numeric

DKNKID9I: Don't know number of surviving siblings (asked only if informant is a child of respondent)

Don't know number of surviving siblings (asked only if informant is a child of respondent)

Value	Label	Unweighted Frequency	%
	Missing Data		
888	Do not know	6	1.3 %
999	Refused	4	0.9 %
.	-	450	97.8 %
	Total	**460**	**100%**

Based upon 0 valid cases out of 460 total cases.

Location: 45-47 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888 , 999 , .

EDUC9I: Informant Years of education

We would like to ask you some things about you. What are your years of education?

Value	Label	Unweighted Frequency	%
0	-	12	2.6 %
1	-	4	0.9 %
2	-	6	1.3 %
3	-	18	3.9 %
4	-	11	2.4 %
5	-	9	2.0 %
6	-	43	9.3 %
7	-	10	2.2 %
8	-	21	4.6 %
9	-	12	2.6 %
10	-	18	3.9 %
11	-	12	2.6 %
12	-	142	30.9 %
13	-	26	5.7 %
14	-	42	9.1 %

Value	Label	Unweighted Frequency	%
15	-	16	3.5 %
16	-	33	7.2 %
17	-	6	1.3 %
18	-	12	2.6 %
19	-	4	0.9 %
20	-	1	0.2 %
30	-	2	0.4 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Mean: 10.75
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 30.00
- Standard Deviation: 4.52

Location: 48-49 (width: 2; decimal: 0)
Variable Type: numeric

MARSTAT9I: Informant Marital Status

What is your marital status?

Value	Label	Unweighted Frequency	%
1	Married	244	53.0 %
2	Separated	28	6.1 %
3	Divorced	81	17.6 %
4	Widowed	40	8.7 %
5	Never married	62	13.5 %
	Missing Data		
9	Refused	5	1.1 %
	Total	**460**	**100%**

Based upon 455 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 50-50 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 9

LIVES9I: Distance informant lives from respondent

What is your geographical proximity to respondent?

Value	Label	Unweighted Frequency	%
1	With Respondent	231	50.2 %
2	Within 2 Blocks	39	8.5 %
3	3-8 Blocks	29	6.3 %
4	8 Blocks to a mile	42	9.1 %
5	In another city	59	12.8 %
7	In Mexico	4	0.9 %
8	Same city more than a mile	52	11.3 %
9	Other	4	0.9 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 51-51 (width: 1; decimal: 0)
Variable Type: numeric

NATIVITY9I: Informant Nativity

What country were you born in?

Value	Label	Unweighted Frequency	%
1	US Born	260	56.5 %
2	Mexico Born	195	42.4 %
3	Other	5	1.1 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 52-52 (width: 1; decimal: 0)
Variable Type: numeric

RR1A9I: Respondent needs help with walking across a small room (per informant)

RR1. Now I'm going to ask you some questions about the kind of help (NAME OF SUBJECT) needs to do things. At the present time, do they need help from you or another person to walk across a small room?

Value	Label	Unweighted Frequency	%
1	Needs Help	199	43.3 %
2	Does not need help	222	48.3 %

Value	Label	Unweighted Frequency	%
3	Unable to do	39	8.5 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 53-53 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8

RR1A_29I: Respondent needs help with this type of equipment to walk across room (per informant)

At the present time, do they need help from special equipment or a device to walk across a small room?

Value	Label	Unweighted Frequency	%
1	Personal assistance	14	3.0 %
2	Equipment only	137	29.8 %
3	Both personal and equipment	48	10.4 %
	Missing Data		
.	-	261	56.7 %
	Total	**460**	**100%**

Based upon 199 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 54-54 (width: 1; decimal: 0)
Variable Type: numeric

RR1B9I: Respondent needs help with bathing (per informant)

At the present time, do they need help bathing (either a sponge bath, tub bath, or shower)?

Value	Label	Unweighted Frequency	%
1	Needs Help	230	50.0 %
2	Does not need help	226	49.1 %
3	Unable to do	4	0.9 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00

• Maximum: 3.00

Location: 55-55 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8

RR1B_29I: Respondent needs help with this type of equipment to bathe (per informant)

At the present time, do they need help with this type of equipment to bathe?

Value	Label	Unweighted Frequency	%
1	Personal assistance	167	36.3 %
2	Equipment only	10	2.2 %
3	Both personal and equipment	53	11.5 %
	Missing Data		
.	-	230	50.0 %
	Total	**460**	**100%**

Based upon 230 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 3.00

Location: 56-56 (width: 1; decimal: 0)
Variable Type: numeric

RR1C9I: Respondent needs help with personal grooming (per informant)

At the present time, do they need help with personal grooming (like brushing hair, brushing teeth, or washing face)?

Value	Label	Unweighted Frequency	%
1	Needs Help	160	34.8 %
2	Does not need help	295	64.1 %
3	Unable to do	5	1.1 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 3.00

Location: 57-57 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8

RR1C_29I: Respondent needs help with this type of equipment for personal grooming (per informant)

At the present time, do they need help with this type of equipment for personal grooming?

Value	Label	Unweighted Frequency	%
1	Personal assistance	147	32.0 %
2	Equipment only	2	0.4 %
3	Both personal and equipment	11	2.4 %
	Missing Data		
.	-	300	65.2 %
	Total	**460**	**100%**

Based upon 160 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 58-58 (width: 1; decimal: 0)
Variable Type: numeric

RR1D9I: Respondent needs help with dressing (per informant)

At the present time, do they need help dressing (like putting on a shirt, buttoning or zipping, or putting on shoes)?

Value	Label	Unweighted Frequency	%
1	Needs Help	187	40.7 %
2	Does not need help	268	58.3 %
3	Unable to do	5	1.1 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 59-59 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8

RR1D_29I: Respondent needs help with this type of equipment to dress (per informant)

At the present time, do they need help with this type of equipment to dress?

Value	Label	Unweighted Frequency	%
1	Personal assistance	177	38.5 %
2	Equipment only	1	0.2 %
3	Both personal and equipment	9	2.0 %
	Missing Data		
.	-	273	59.3 %
	Total	**460**	**100%**

Based upon 187 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 60-60 (width: 1; decimal: 0)
Variable Type: numeric

RR1E9I: Respondent needs help with eating (per informant)

At the present time, do they need help eating (like holding a fork, cutting food, or drinking from a glass)

Value	Label	Unweighted Frequency	%
1	Needs Help	66	14.3 %
2	Does not need help	389	84.6 %
3	Unable to do	5	1.1 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 61-61 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8

RR1E_29I: Respondent needs help with this type of equipment to eat (per informant)

At the present time, do they need help with this type of equipment to eat?

Value	Label	Unweighted Frequency	%
1	Personal assistance	62	13.5 %
2	Equipment only	0	0.0 %
3	Both personal and equipment	4	0.9 %
	Missing Data		
.	-	394	85.7 %
	Total	**460**	**100%**

Based upon 66 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 62-62 (width: 1; decimal: 0)
Variable Type: numeric

RR1F9I: Respondent needs help with getting from a bed to a chair (per informant)

At the present time, do they need help getting from a bed to a chair?

Value	Label	Unweighted Frequency	%
1	Needs Help	174	37.8 %
2	Does not need help	265	57.6 %
3	Unable to do	20	4.3 %
	Missing Data		
8	Do not know	1	0.2 %
	Total	**460**	**100%**

Based upon 459 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 3.00

Location: 63-63 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8

RR1F_29I: Respondent needs help with this type of equipment to get from bet to chair (per informant)

At the present time, do they need help with this type of equipment to get from a bed to a chair?

Value	Label	Unweighted Frequency	%
1	Personal assistance	53	11.5 %
2	Equipment only	70	15.2 %
3	Both personal and equipment	51	11.1 %
	Missing Data		
.	-	286	62.2 %
	Total	**460**	**100%**

Based upon 174 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 3.00

Location: 64-64 (width: 1; decimal: 0)
Variable Type: numeric

RR1G9I: Respondent needs help with using a toilet (per informant)

At the present time, do they need help using a toilet?

Value	Label	Unweighted Frequency	%
1	Needs Help	123	26.7 %
2	Does not need help	313	68.0 %

Value	Label	Unweighted Frequency	%
3	Unable to do	23	5.0 %
	Missing Data		
8	Do not know	1	0.2 %
	Total	**460**	**100%**

Based upon 459 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 65-65 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8

RR1G_29I: Respondent needs help with this type of equipment to use a toilet (per informant)

At the present time, do they need help with this type of equipment to use a toilet?

Value	Label	Unweighted Frequency	%
1	Personal assistance	66	14.3 %
2	Equipment only	26	5.7 %
3	Both personal and equipment	31	6.7 %
	Missing Data		
.	-	337	73.3 %
	Total	**460**	**100%**

Based upon 123 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 66-66 (width: 1; decimal: 0)
Variable Type: numeric

RR2A9I_N1: Respondent is most responsible for personal care (per informant)

RR2. I am now going to ask you questions about who is responsible for (NAME OF SUBJECT's) personal care, household tasks, financial affairs, and medical care. Subject is most responsible for personal care

Value	Label	Unweighted Frequency	%
0	No	186	40.4 %
1	Yes	274	59.6 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 67-67 (width: 1; decimal: 0)
Variable Type: numeric

RR2A9I_N2: Informant is most responsible for personal care (per informant)

Informant is most responsible for personal care

Value	Label	Unweighted Frequency	%
0	No	258	56.1 %
1	Yes	202	43.9 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 68-68 (width: 1; decimal: 0)
Variable Type: numeric

RR2A9I_N3: Other Person 1 is most responsible for personal care (per informant)

Other Person 1 is most responsible for personal care

Value	Label	Unweighted Frequency	%
0	No	352	76.5 %
1	Yes	108	23.5 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 69-69 (width: 1; decimal: 0)
Variable Type: numeric

RR2A9I_N4: Other person 2 is most responsible for personal care (per informant)

Other person 2 is most responsible for personal care

Value	Label	Unweighted Frequency	%
0	No	443	96.3 %
1	Yes	17	3.7 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 70-70 (width: 1; decimal: 0)
Variable Type: numeric

RR2A9I_N5: DK: Personal Care

DK: Personal Care

Value	Label	Unweighted Frequency	%
0	No	459	99.8 %
1	Yes	1	0.2 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 71-71 (width: 1; decimal: 0)
Variable Type: numeric

RR2A9I_N6: Refused: Personal Care

Refused: Personal Care

Value	Label	Unweighted Frequency	%
0	No	460	100.0 %
1	Yes	0	0.0 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 72-72 (width: 1; decimal: 0)
Variable Type: numeric

RR2AN2_39I: In the past month how often did informant help with personal care

If "yes" informant helps, ask: In the last month how often did you help [SUBJECT] with personal care?

Value	Label	Unweighted Frequency	%
1	Everyday	119	25.9 %
2	Most days	49	10.7 %

Value	Label	Unweighted Frequency	%
3	Some days	24	5.2 %
4	Rarely	6	1.3 %
5	Never	4	0.9 %
	Missing Data		
.	-	258	56.1 %
	Total	**460**	**100%**

Based upon 202 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 73-73 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR2AN2_49I: How many hours per week did informant help with personal care

Approximately how many hours per week do you usually provide help with personal care?

Value	Label	Unweighted Frequency	%
1	-	15	3.3 %
2	-	5	1.1 %
3	-	10	2.2 %
4	-	9	2.0 %
5	-	16	3.5 %
6	-	6	1.3 %
7	-	28	6.1 %
8	-	4	0.9 %
9	-	1	0.2 %
10	-	20	4.3 %
12	-	2	0.4 %
14	-	7	1.5 %
15	-	16	3.5 %
16	-	1	0.2 %
17	-	1	0.2 %
18	-	1	0.2 %
20	-	18	3.9 %
21	-	11	2.4 %
23	-	1	0.2 %
24	-	5	1.1 %
25	-	1	0.2 %

Value	Label	Unweighted Frequency	%
28	-	3	0.7 %
30	-	4	0.9 %
40	-	2	0.4 %
42	-	1	0.2 %
50	-	2	0.4 %
56	-	3	0.7 %
57	-	1	0.2 %
60	-	1	0.2 %
70	-	2	0.4 %
168	-	1	0.2 %
	Missing Data		
.	-	262	57.0 %
	Total	**460**	**100%**

Based upon 198 valid cases out of 460 total cases.

- Mean: 14.32
- Median: 10.00
- Mode: 7.00
- Minimum: 1.00
- Maximum: 168.00
- Standard Deviation: 16.92

Location: 74-76 (width: 3; decimal: 0)
Variable Type: numeric

RR2AN3_R9I: Relationship of other person 1 who helps with personal care

If "yes" other person helps, ask: You mentioned that another person helps with respondent's personal care. What is their relationship to you?

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	3	0.7 %
3	Son/daughter	22	4.8 %
4	Son/daughter-in-law	3	0.7 %
5	Grandchild	2	0.4 %
6	Parent	1	0.2 %
7	Brother/sister	2	0.4 %
8	Nephew/niece	0	0.0 %
9	Cousin	0	0.0 %
10	Aunt/uncle	1	0.2 %
11	Great grandchild	2	0.4 %

Value	Label	Unweighted Frequency	%
12	Other	0	0.0 %
13	Friend	3	0.7 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	67	14.6 %
16	All others	1	0.2 %
17	Sister/brother-in-law	1	0.2 %
	Missing Data		
.	-	352	76.5 %
	Total	**460**	**100%**

Based upon 108 valid cases out of 460 total cases.

- Minimum: 2.00
- Maximum: 17.00

Location: 77-79 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888 , .

RR2AN3_39I: In the past month how often did other person 1 help with personal care

In the last month how often did they help with personal care?

Value	Label	Unweighted Frequency	%
1	Everyday	48	10.4 %
2	Most days	44	9.6 %
3	Some days	15	3.3 %
4	Rarely	1	0.2 %
5	Never	0	0.0 %
	Missing Data		
.	-	352	76.5 %
	Total	**460**	**100%**

Based upon 108 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 80-80 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR2AN3_49I: How many hours per week did other person 1 help with personal care

Approximately how many hours per week did they usually provide help with personal care?

Value	Label	Unweighted Frequency	%
1	-	7	1.5 %
2	-	4	0.9 %
3	-	3	0.7 %
4	-	2	0.4 %
5	-	9	2.0 %
6	-	2	0.4 %
7	-	6	1.3 %
8	-	1	0.2 %
10	-	8	1.7 %
12	-	7	1.5 %
14	-	2	0.4 %
15	-	10	2.2 %
20	-	12	2.6 %
21	-	4	0.9 %
24	-	1	0.2 %
28	-	2	0.4 %
30	-	5	1.1 %
35	-	2	0.4 %
40	-	5	1.1 %
42	-	3	0.7 %
43	-	1	0.2 %
56	-	1	0.2 %
60	-	1	0.2 %
70	-	2	0.4 %
168	-	1	0.2 %
	Missing Data		
.	-	359	78.0 %
	Total	**460**	**100%**

Based upon 101 valid cases out of 460 total cases.

- Mean: 18.79
- Median: 14.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 168.00
- Standard Deviation: 21.23

Location: 81-83 (width: 3; decimal: 0)
Variable Type: numeric

RR2AN4_R9I: Relationship of other person 2 who helps with personal care

You mentioned that another person helps with respondent's personal care. What is their relationship to you?

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter	2	0.4 %
4	Son/daughter-in-law	0	0.0 %
5	Grandchild	1	0.2 %
6	Parent	0	0.0 %
7	Brother/sister	1	0.2 %
8	Nephew/niece	0	0.0 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	12	2.6 %
16	All others	1	0.2 %
17	Sister/brother-in-law	0	0.0 %
	Missing Data		
.	-	443	96.3 %
	Total	**460**	**100%**

Based upon 17 valid cases out of 460 total cases.

- Minimum: 3.00
- Maximum: 16.00

Location: 84-86 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888 , .

RR2AN4_39I: In the past month how often did other person 2 help with personal care

In the past month how often did other person 2 help with personal care?

Value	Label	Unweighted Frequency	%
1	Everyday	4	0.9 %
2	Most days	7	1.5 %
3	Some days	6	1.3 %
4	Rarely	0	0.0 %
5	Never	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	443	96.3 %
	Total	**460**	**100%**

Based upon 17 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 87-87 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR2AN4_49I: How many hours per week did other person 2 help with personal care

How many hours per week did other person 2 help with personal care?

Value	Label	Unweighted Frequency	%
1	-	1	0.2 %
5	-	2	0.4 %
7	-	1	0.2 %
10	-	2	0.4 %
12	-	3	0.7 %
15	-	2	0.4 %
16	-	1	0.2 %
28	-	1	0.2 %
30	-	2	0.4 %
40	-	1	0.2 %
	Missing Data		
.	-	444	96.5 %
	Total	**460**	**100%**

Based upon 16 valid cases out of 460 total cases.

- Mean: 15.50
- Median: 12.00
- Mode: 12.00
- Minimum: 1.00
- Maximum: 40.00
- Standard Deviation: 10.89

Location: 88-89 (width: 2; decimal: 0)
Variable Type: numeric

RR2B9I_N1: Respondent is person most responsible for household tasks (per informant)

Respondent is person most responsible for household tasks

Value	Label	Unweighted Frequency	%
0	No	332	72.2 %
1	Yes	128	27.8 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 90-90 (width: 1; decimal: 0)
Variable Type: numeric

RR2B9I_N2: Informant is person most responsible for household tasks (per informant)

Informant is person most responsible for household tasks

Value	Label	Unweighted Frequency	%
0	No	152	33.0 %
1	Yes	308	67.0 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 91-91 (width: 1; decimal: 0)
Variable Type: numeric

RR2B9I_N3: Other person 1 most responsible for household tasks (per informant)

Other person 1 most responsible for household tasks

Value	Label	Unweighted Frequency	%
0	No	326	70.9 %
1	Yes	134	29.1 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 92-92 (width: 1; decimal: 0)
Variable Type: numeric

RR2B9I_N4: Other person 2 is most responsible for household task (per informant)

Other person 2 is most responsible for household tasks

Value	Label	Unweighted Frequency	%
0	No	446	97.0 %
1	Yes	14	3.0 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 93-93 (width: 1; decimal: 0)
Variable Type: numeric

RR2B9I_N5: DK: Household Tasks

DK: Household tasks

Value	Label	Unweighted Frequency	%
0	No	457	99.3 %
1	Yes	3	0.7 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 94-94 (width: 1; decimal: 0)
Variable Type: numeric

RR2B9I_N6: Refused: Household Tasks

Refused: Household Tasks

Value	Label	Unweighted Frequency	%
0	No	460	100.0 %
1	Yes	0	0.0 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

• Minimum: 0.00
• Maximum: 0.00

Location: 95-95 (width: 1; decimal: 0)
Variable Type: numeric

RR2BN2_39I: In the past month how often did informant help with household tasks

In the past month how often did informant help with household tasks?

Value	Label	Unweighted Frequency	%
1	Everyday	205	44.6 %
2	Most days	72	15.7 %
3	Some days	25	5.4 %
4	Rarely	6	1.3 %
5	Never	0	0.0 %
	Missing Data		
.	-	152	33.0 %
	Total	**460**	**100%**

Based upon 308 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 4.00

Location: 96-96 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR2BN2_49I: How many hours per week did informant help with household tasks

How many hours per week did informant help with household tasks?

Value	Label	Unweighted Frequency	%
1	-	9	2.0 %
2	-	8	1.7 %
3	-	12	2.6 %
4	-	4	0.9 %
5	-	29	6.3 %
6	-	8	1.7 %
7	-	19	4.1 %
8	-	6	1.3 %
9	-	2	0.4 %
10	-	32	7.0 %
12	-	5	1.1 %
14	-	12	2.6 %
15	-	31	6.7 %
16	-	3	0.7 %
17	-	2	0.4 %
18	-	1	0.2 %

Value	Label	Unweighted Frequency	%
20	-	40	8.7 %
21	-	27	5.9 %
23	-	1	0.2 %
24	-	2	0.4 %
25	-	7	1.5 %
27	-	1	0.2 %
28	-	2	0.4 %
30	-	8	1.7 %
33	-	1	0.2 %
35	-	5	1.1 %
40	-	14	3.0 %
45	-	2	0.4 %
47	-	1	0.2 %
49	-	1	0.2 %
50	-	1	0.2 %
56	-	2	0.4 %
60	-	1	0.2 %
70	-	1	0.2 %
72	-	1	0.2 %
168	-	1	0.2 %
	Missing Data		
.	-	158	34.3 %
	Total	**460**	**100%**

Based upon 302 valid cases out of 460 total cases.

- Mean: 16.57
- Median: 15.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 168.00
- Standard Deviation: 14.93

Location: 97-99 (width: 3; decimal: 0)
Variable Type: numeric

RR2BN3_R9I: Relationship of other person 1 who helps with household tasks

Relationship of other person 1 who helps with household tasks

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	5	1.1 %

Value	Label	Unweighted Frequency	%
3	Son/daughter	35	7.6 %
4	Son/daughter-in-law	3	0.7 %
5	Grandchild	6	1.3 %
6	Parent	2	0.4 %
7	Brother/sister	5	1.1 %
8	Nephew/niece	0	0.0 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	2	0.4 %
13	Friend	2	0.4 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	70	15.2 %
16	All others	3	0.7 %
17	Sister/brother-in-law	1	0.2 %
	Missing Data		
.	-	326	70.9 %
	Total	**460**	**100%**

Based upon 134 valid cases out of 460 total cases.

- Minimum: 2.00
- Maximum: 17.00

Location: 100-102 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888 , .

RR2BN3_39I: In the past month how often did other person 1 help with household tasks

In the past month how often did other person 1 help with household tasks?

Value	Label	Unweighted Frequency	%
1	Everyday	60	13.0 %
2	Most days	56	12.2 %
3	Some days	16	3.5 %
4	Rarely	1	0.2 %
5	Never	0	0.0 %
	Missing Data		
8	Do not know	1	0.2 %
.	-	326	70.9 %
	Total	**460**	**100%**

Based upon 133 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 103-103 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR2BN3_49I: How many hours per week did other person 1 help with household tasks

How many hours per week did other person 1 help with household tasks?

Value	Label	Unweighted Frequency	%
1	-	8	1.7 %
2	-	1	0.2 %
3	-	4	0.9 %
5	-	6	1.3 %
6	-	7	1.5 %
7	-	8	1.7 %
8	-	3	0.7 %
9	-	1	0.2 %
10	-	12	2.6 %
12	-	3	0.7 %
14	-	1	0.2 %
15	-	17	3.7 %
17	-	1	0.2 %
20	-	20	4.3 %
21	-	16	3.5 %
22	-	1	0.2 %
24	-	3	0.7 %
25	-	2	0.4 %
26	-	1	0.2 %
28	-	2	0.4 %
30	-	2	0.4 %
34	-	1	0.2 %
35	-	3	0.7 %
40	-	1	0.2 %
100	-	1	0.2 %
	Missing Data		
.	-	335	72.8 %
	Total	**460**	**100%**

Based upon 125 valid cases out of 460 total cases.

- Mean: 15.41
- Median: 15.00
- Mode: 20.00
- Minimum: 1.00
- Maximum: 100.00
- Standard Deviation: 11.49

Location: 104-106 (width: 3; decimal: 0)
Variable Type: numeric

RR2BN4_R9I: Relationship of other person 2 who helps with household tasks

Relationship of other person 2 who helps with household tasks

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter	5	1.1 %
4	Son/daughter-in-law	1	0.2 %
5	Grandchild	0	0.0 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	0	0.0 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	8	1.7 %
16	All others	0	0.0 %
17	Sister/brother-in-law	0	0.0 %
	Missing Data		
.	-	446	97.0 %
	Total	**460**	**100%**

Based upon 14 valid cases out of 460 total cases.

- Minimum: 3.00
- Maximum: 15.00

Location: 107-109 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888 , .

RR2BN4_39I: In the past month how often did other person 2 help with household tasks

In the past month how often did other person 2 help with household tasks?

Value	Label	Unweighted Frequency	%
1	Everyday	5	1.1 %
2	Most days	8	1.7 %
3	Some days	1	0.2 %
4	Rarely	0	0.0 %
5	Never	0	0.0 %
	Missing Data		
.	-	446	97.0 %
	Total	**460**	**100%**

Based upon 14 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 110-110 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR2BN4_49I: How many hours per week did other person 2 help with household tasks

How many hours per week did other person 2 help with household tasks?

Value	Label	Unweighted Frequency	%
1	-	2	0.4 %
4	-	1	0.2 %
5	-	2	0.4 %
10	-	1	0.2 %
12	-	1	0.2 %
15	-	1	0.2 %
18	-	1	0.2 %
20	-	1	0.2 %
21	-	2	0.4 %
40	-	1	0.2 %
	Missing Data		
.	-	447	97.2 %
	Total	**460**	**100%**

Based upon 13 valid cases out of 460 total cases.

- Mean: 13.31
- Median: 12.00
- Minimum: 1.00
- Maximum: 40.00

- Standard Deviation: 10.96

Location: 111-112 (width: 2; decimal: 0)
Variable Type: numeric

RR2C9I_N1: Respondent is most responsible of financial affairs (per informant)

Respondent is most responsible of financial affairs

Value	Label	Unweighted Frequency	%
0	No	288	62.6 %
1	Yes	172	37.4 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 113-113 (width: 1; decimal: 0)
Variable Type: numeric

RR2C9I_N2: Informant is most responsible of financial affairs (per informant)

Informant is most responsible of financial affairs

Value	Label	Unweighted Frequency	%
0	No	242	52.6 %
1	Yes	218	47.4 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 114-114 (width: 1; decimal: 0)
Variable Type: numeric

RR2C9I_N3: Other person 1 most responsible of financial affairs (per informant)

Other person 1 most responsible of financial affairs

Value	Label	Unweighted Frequency	%
0	No	360	78.3 %
1	Yes	100	21.7 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 115-115 (width: 1; decimal: 0)
Variable Type: numeric

RR2C9I_N4: Other person 2 is most responsible of financial affairs (per informant)

Other person 2 is most responsible of financial affairs

Value	Label	Unweighted Frequency	%
0	No	455	98.9 %
1	Yes	5	1.1 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 116-116 (width: 1; decimal: 0)
Variable Type: numeric

RR2C9I_N5: DK: Financial Affairs

DK: Financial affairs

Value	Label	Unweighted Frequency	%
0	No	455	98.9 %
1	Yes	5	1.1 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 117-117 (width: 1; decimal: 0)
Variable Type: numeric

RR2C9I_N6: Refused: Financial Affairs

Refused: Financial affairs

Value	Label	Unweighted Frequency	%
0	No	460	100.0 %
1	Yes	0	0.0 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 118-118 (width: 1; decimal: 0)
Variable Type: numeric

RR2CN2_39I: In the past month how often did informant help with financial affairs

In the past month how often did informant help with financial affairs?

Value	Label	Unweighted Frequency	%
1	Everyday	25	5.4 %
2	Most days	36	7.8 %
3	Some days	133	28.9 %
4	Rarely	22	4.8 %
5	Never	0	0.0 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	1	0.2 %
.	-	242	52.6 %
	Total	**460**	**100%**

Based upon 216 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 119-119 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR2CN2_49I: How many hours per week did informant help with financial affairs

How many hours per week did informant help with financial affairs?

Value	Label	Unweighted Frequency	%
1	-	51	11.1 %
2	-	50	10.9 %
3	-	43	9.3 %
4	-	8	1.7 %
5	-	39	8.5 %
6	-	1	0.2 %
7	-	4	0.9 %
8	-	1	0.2 %

Value	Label	Unweighted Frequency	%
10	-	2	0.4 %
14	-	1	0.2 %
24	-	2	0.4 %
30	-	1	0.2 %
	Missing Data		
.	-	257	55.9 %
	Total	**460**	**100%**

Based upon 203 valid cases out of 460 total cases.

- Mean: 3.26
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 30.00
- Standard Deviation: 3.40

Location: 120-121 (width: 2; decimal: 0)
Variable Type: numeric

RR2CN3_R9I: Relationship of other person 1 who helps with financial affairs

Relationship of other person 1 who helps with financial affairs

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	9	2.0 %
3	Son/daughter	68	14.8 %
4	Son/daughter-in-law	1	0.2 %
5	Grandchild	5	1.1 %
6	Parent	1	0.2 %
7	Brother/sister	5	1.1 %
8	Nephew/niece	3	0.7 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	3	0.7 %
16	All others	2	0.4 %
17	Sister/brother-in-law	2	0.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
888	DK	1	0.2 %
.	-	360	78.3 %
	Total	**460**	**100%**

Based upon 99 valid cases out of 460 total cases.

• Minimum: 2.00
• Maximum: 17.00

Location: 122-124 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888 , .

RR2CN3_39I: In the past month how often did other person 1 help with financial affairs

In the past month how often did other person 1 help with financial affairs?

Value	Label	Unweighted Frequency	%
1	Everyday	7	1.5 %
2	Most days	17	3.7 %
3	Some days	58	12.6 %
4	Rarely	11	2.4 %
5	Never	0	0.0 %
	Missing Data		
8	Do not know	7	1.5 %
.	-	360	78.3 %
	Total	**460**	**100%**

Based upon 93 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 4.00

Location: 125-125 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR2CN3_49I: How many hours per week did other person 1 help with financial affairs

How many hours per week did other person 1 help with financial affairs?

Value	Label	Unweighted Frequency	%
1	-	20	4.3 %
2	-	17	3.7 %
3	-	19	4.1 %
4	-	2	0.4 %

Value	Label	Unweighted Frequency	%
5	-	20	4.3 %
6	-	2	0.4 %
7	-	1	0.2 %
8	-	1	0.2 %
10	-	1	0.2 %
15	-	1	0.2 %
	Missing Data		
.	-	376	81.7 %
	Total	**460**	**100%**

Based upon 84 valid cases out of 460 total cases.

- Mean: 3.23
- Median: 3.00
- Minimum: 1.00
- Maximum: 15.00
- Standard Deviation: 2.27

Location: 126-127 (width: 2; decimal: 0)
Variable Type: numeric

RR2CN4_R9I: Relationship of other person 2 who helps with financial affairs

Relationship of other person 2 who helps with financial affairs

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	1	0.2 %
3	Son/daughter	3	0.7 %
4	Son/daughter-in-law	0	0.0 %
5	Grandchild	0	0.0 %
6	Parent	0	0.0 %
7	Brother/sister	1	0.2 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother-in-law	0	0.0 %
	Missing Data		
.	-	455	98.9 %

Value	Label	Unweighted Frequency	%
	Total	**460**	**100%**

Based upon 5 valid cases out of 460 total cases.

- Minimum: 2.00
- Maximum: 7.00

Location: 128-130 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , 888 , .

RR2CN4_39I: In the past month how often did other person 2 help with financial affairs

In the past month how often did other person 2 help with financial affairs?

Value	Label	Unweighted Frequency	%
1	Everyday	1	0.2 %
2	Most days	2	0.4 %
3	Some days	2	0.4 %
4	Rarely	0	0.0 %
5	Never	0	0.0 %
	Missing Data		
.	-	455	98.9 %
	Total	**460**	**100%**

Based upon 5 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 131-131 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR2CN4_49I: How many hours per week did other person 2 help with financial affairs

How many hours per week did other person 2 help with financial affairs?

Value	Label	Unweighted Frequency	%
1	-	4	0.9 %
2	-	1	0.2 %
	Missing Data		
.	-	455	98.9 %
	Total	**460**	**100%**

Based upon 5 valid cases out of 460 total cases.

- Mean: 1.20
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.45

Location: 132-132 (width: 1; decimal: 0)
Variable Type: numeric

RR2D9I_N1: Respondent is most responsible for medical care (per informant)

Respondent is most responsible for medical care

Value	Label	Unweighted Frequency	%
0	No	320	69.6 %
1	Yes	140	30.4 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 133-133 (width: 1; decimal: 0)
Variable Type: numeric

RR2D9I_N2: Informant is most responsible for medical care (per informant)

Informant is most responsible for medical care

Value	Label	Unweighted Frequency	%
0	No	241	52.4 %
1	Yes	219	47.6 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 134-134 (width: 1; decimal: 0)
Variable Type: numeric

RR2D9I_N3: Other Person 1 is most responsible for medical care (per informant)

Other Person 1 is most responsible for medical care

Value	Label	Unweighted Frequency	%
0	No	366	79.6 %

Value	Label	Unweighted Frequency	%
1	Yes	94	20.4 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 135-135 (width: 1; decimal: 0)
Variable Type: numeric

RR2D9I_N4: Other person 2 is most responsible for medical care (per informant)

Other person 2 is most responsible for medical care

Value	Label	Unweighted Frequency	%
0	No	452	98.3 %
1	Yes	8	1.7 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 136-136 (width: 1; decimal: 0)
Variable Type: numeric

RR2D9I_N5: DK: Medical Care

DK: Medical care

Value	Label	Unweighted Frequency	%
0	No	421	91.5 %
1	Yes	39	8.5 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 137-137 (width: 1; decimal: 0)
Variable Type: numeric

RR2D9I_N6: Refused: Medical Care

Refused: medical care

Value	Label	Unweighted Frequency	%
0	No	460	100.0 %
1	Yes	0	0.0 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 138-138 (width: 1; decimal: 0)
Variable Type: numeric

RR2DN2_39I: In the past month how often did informant help with medical care

In the past month how often did informant help with medical care?

Value	Label	Unweighted Frequency	%
1	Everyday	84	18.3 %
2	Most days	45	9.8 %
3	Some days	57	12.4 %
4	Rarely	27	5.9 %
5	Never	6	1.3 %
	Missing Data		
.	-	241	52.4 %
	Total	**460**	**100%**

Based upon 219 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 139-139 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR2DN2_49I: How many hours per week did informant help with medical care

How many hours per week did informant help with medical care?

Value	Label	Unweighted Frequency	%
1	-	47	10.2 %
2	-	35	7.6 %
3	-	32	7.0 %
4	-	8	1.7 %
5	-	37	8.0 %

Value	Label	Unweighted Frequency	%
6	-	4	0.9 %
7	-	16	3.5 %
8	-	1	0.2 %
9	-	1	0.2 %
10	-	15	3.3 %
14	-	2	0.4 %
15	-	1	0.2 %
16	-	1	0.2 %
20	-	1	0.2 %
23	-	1	0.2 %
25	-	2	0.4 %
27	-	1	0.2 %
30	-	1	0.2 %
35	-	1	0.2 %
50	-	1	0.2 %
60	-	1	0.2 %
168	-	1	0.2 %
	Missing Data		
.	-	250	54.3 %
	Total	**460**	**100%**

Based upon 210 valid cases out of 460 total cases.

- Mean: 5.98
- Median: 3.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 168.00
- Standard Deviation: 13.27

Location: 140-142 (width: 3; decimal: 0)
Variable Type: numeric

RR2DN3_R9I: Relationship of other person 1 who helps with medical care

Relationship of other person 1 who helps with medical care

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %
2	Spouse	6	1.3 %
3	Son/daughter	41	8.9 %
4	Son/daughter-in-law	2	0.4 %
5	Grandchild	2	0.4 %

Value	Label	Unweighted Frequency	%
6	Parent	1	0.2 %
7	Brother/sister	4	0.9 %
8	Nephew/niece	1	0.2 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	32	7.0 %
16	All others	3	0.7 %
17	Sister/brother-in-law	0	0.0 %
	Missing Data		
888	DK	2	0.4 %
.	-	366	79.6 %
	Total	**460**	**100%**

Based upon 92 valid cases out of 460 total cases.

- Minimum: 2.00
- Maximum: 16.00

Location: 143-145 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888 , .

RR2DN3_39I: In the past month how often did other person 1 help with medical care

In the past month how often did other person 1 help with medical care?

Value	Label	Unweighted Frequency	%
1	Everyday	21	4.6 %
2	Most days	30	6.5 %
3	Some days	28	6.1 %
4	Rarely	8	1.7 %
5	Never	1	0.2 %
	Missing Data		
8	Do not know	6	1.3 %
.	-	366	79.6 %
	Total	**460**	**100%**

Based upon 88 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 146-146 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR2DN3_49I: How many hours per week did other person 1 help with medical care

How many hours per week did other person 1 help with medical care

Value	Label	Unweighted Frequency	%
1	-	11	2.4 %
2	-	13	2.8 %
3	-	11	2.4 %
4	-	3	0.7 %
5	-	19	4.1 %
6	-	2	0.4 %
7	-	1	0.2 %
10	-	13	2.8 %
14	-	2	0.4 %
15	-	1	0.2 %
20	-	1	0.2 %
21	-	1	0.2 %
112	-	1	0.2 %
	Missing Data		
.	-	381	82.8 %
	Total	**460**	**100%**

Based upon 79 valid cases out of 460 total cases.

- Mean: 6.61
- Median: 5.00
- Mode: 5.00
- Minimum: 1.00
- Maximum: 112.00
- Standard Deviation: 12.74

Location: 147-149 (width: 3; decimal: 0)
Variable Type: numeric

RR2DN4_R9I: Relationship of other person 2 who helps with medical care

Relationship of other person 2 who helps with medical care

Value	Label	Unweighted Frequency	%
1	Respondent is head	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Spouse	0	0.0 %
3	Son/daughter	4	0.9 %
4	Son/daughter-in-law	0	0.0 %
5	Grandchild	0	0.0 %
6	Parent	0	0.0 %
7	Brother/sister	3	0.7 %
8	Nephew/niece	0	0.0 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	1	0.2 %
16	All others	0	0.0 %
17	Sister/brother-in-law	0	0.0 %
	Missing Data		
.	-	452	98.3 %
	Total	**460**	**100%**

Based upon 8 valid cases out of 460 total cases.

- Minimum: 3.00
- Maximum: 15.00

Location: 150-152 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888 , .

RR2DN4_39I: In the past month how often did other person 2 help with medical care

In the past month how often did other person 2 help with medical care?

Value	Label	Unweighted Frequency	%
1	Everyday	0	0.0 %
2	Most days	5	1.1 %
3	Some days	3	0.7 %
4	Rarely	0	0.0 %
5	Never	0	0.0 %
	Missing Data		
.	-	452	98.3 %
	Total	**460**	**100%**

Based upon 8 valid cases out of 460 total cases.

- Minimum: 2.00
- Maximum: 3.00

Location: 153-153 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR2DN4_49I: How many hours per week did other person 2 help with medical care

How many hours per week did other person 2 help with medical care?

Value	Label	Unweighted Frequency	%
1	-	3	0.7 %
2	-	1	0.2 %
3	-	1	0.2 %
4	-	1	0.2 %
	Missing Data		
.	-	454	98.7 %
	Total	**460**	**100%**

Based upon 6 valid cases out of 460 total cases.

- Mean: 2.00
- Median: 1.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 4.00
- Standard Deviation: 1.26

Location: 154-154 (width: 1; decimal: 0)
Variable Type: numeric

RR4A9I: Respondent can use telephone without assistance (per informant)

Respondent can use telephone without assistance

Value	Label	Unweighted Frequency	%
1	Yes	269	58.5 %
2	No	191	41.5 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 155-155 (width: 1; decimal: 0)
Variable Type: numeric

RR4B9I: Respondent can travel alone (per informant)

Respondent can travel alone

Value	Label	Unweighted Frequency	%
1	Yes	100	21.7 %
2	No	360	78.3 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 156-156 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

RR4C9I: Respondent can go shopping without assistance (per informant)

Respondent can go shopping without assistance

Value	Label	Unweighted Frequency	%
1	Yes	123	26.7 %
2	No	337	73.3 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 157-157 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

RR4D9I: Respondent can prepare meals without assistance (per informant)

Respondent can prepare meals without assistance

Value	Label	Unweighted Frequency	%
1	Yes	166	36.1 %
2	No	293	63.7 %
	Missing Data		
8	Do not know	1	0.2 %
	Total	**460**	**100%**

Based upon 459 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 158-158 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

RR4E9I: Respondent can do light housework without assistance (per informant)

Respondent can do light housework without assistance

Value	Label	Unweighted Frequency	%
1	Yes	177	38.5 %
2	No	283	61.5 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 159-159 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

RR4F9I: Respondent can take medicine without assistance (per informant)

Respondent can take medicine without assistance

Value	Label	Unweighted Frequency	%
1	Yes	210	45.7 %
2	No	248	53.9 %
	Missing Data		
8	Do not know	2	0.4 %
	Total	**460**	**100%**

Based upon 458 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 160-160 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

RR4G9I: Respondent can handle money without assistance (per informant)

Respondent can handle money without assistance

Value	Label	Unweighted Frequency	%
1	Yes	193	42.0 %
2	No	264	57.4 %
	Missing Data		
8	Do not know	3	0.7 %
	Total	**460**	**100%**

Based upon 457 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 161-161 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

RR4H9I: Respondent can do heavy work around house without assistance (per informant)

Respondent can do heavy work around house without assistance

Value	Label	Unweighted Frequency	%
1	Yes	36	7.8 %
2	No	423	92.0 %
	Missing Data		
8	Do not know	1	0.2 %
	Total	**460**	**100%**

Based upon 459 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 162-162 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

RR4I9I: Respondent can walk up and down stairs without assistance (per informant)

Respondent can walk up and down stairs without assistance

Value	Label	Unweighted Frequency	%
1	Yes	84	18.3 %
2	No	370	80.4 %
	Missing Data		
8	Do not know	6	1.3 %
	Total	**460**	**100%**

Based upon 454 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 163-163 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

RR4J9I: Respondent can walk half a mile without (per informant)

Respondent can walk half a mile without

Value	Label	Unweighted Frequency	%
1	Yes	76	16.5 %
2	No	377	82.0 %
	Missing Data		
8	Do not know	7	1.5 %
	Total	**460**	**100%**

Based upon 453 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 164-164 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

RR6MIC9I: Informant provides care because respondent has Alzheimer's

Informant provides care because respondent has Alzheimer's

Value	Label	Unweighted Frequency	%
1	Yes	141	30.7 %
2	No	271	58.9 %
	Missing Data		
.	-	48	10.4 %
	Total	**460**	**100%**

Based upon 412 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 165-165 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR6DRG9I: Informant provides care because respondent has mental, alcohol, drug problems

Informant provides care because respondent has mental, alcohol, drug problems

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	411	89.3 %
	Missing Data		
8	Do not know	1	0.2 %
.	-	48	10.4 %
	Total	**460**	**100%**

Based upon 411 valid cases out of 460 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 166-166 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR6NPHY9I: Informant provides care because respondent is no longer physically capable of taking care of themselves

Informant provides care because respondent is no longer physically capable of taking care of themselves

Value	Label	Unweighted Frequency	%
1	Yes	304	66.1 %
2	No	108	23.5 %
	Missing Data		
.	-	48	10.4 %
	Total	**460**	**100%**

Based upon 412 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 167-167 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR6NALN9I: Informant provides care because informant is afraid to let respondent live alone

Informant provides care because informant is afraid to let respondent live alone

Value	Label	Unweighted Frequency	%
1	Yes	313	68.0 %
2	No	98	21.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8	Do not know	1	0.2 %
.	-	48	10.4 %
	Total	**460**	**100%**

Based upon 411 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 168-168 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR7START9I: How long ago did respondent begin receiving help?

How long ago did respondent begin receiving help?

Value	Label	Unweighted Frequency	%
1	Less than 6 months ago	27	5.9 %
2	6-12 months ago	21	4.6 %
3	1-2 years ago	97	21.1 %
4	3-5 years ago	103	22.4 %
5	6-10 years ago	83	18.0 %
6	11 years ago	68	14.8 %
7	other	5	1.1 %
	Missing Data		
8	Do not know	7	1.5 %
9	Refused	1	0.2 %
.	-	48	10.4 %
	Total	**460**	**100%**

Based upon 404 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 169-169 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

RR8HELPB9I: Does the informant get care from neighbor, church, or senior services?

Does the informant get care from neighbor, church, or senior services?

Value	Label	Unweighted Frequency	%
1	Yes	162	35.2 %
2	No	297	64.6 %
	Missing Data		
8	Do not know	1	0.2 %
	Total	**460**	**100%**

Based upon 459 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 170-170 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

QQ1AI9: Transport services

Now I am going to ask you about formal programs and social services for persons 65 and older that (NAME OF SUBJECT) may have used recently. In the past 12 months did (NAME OF SUBJECT)... QQN1_a. Use transportation for the elderly?

Value	Label	Unweighted Frequency	%
1	Yes	50	10.9 %
2	No	407	88.5 %
	Missing Data		
8	Do not know	3	0.7 %
	Total	**460**	**100%**

Based upon 457 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 171-171 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

QQ1BI9: Day activity center

QQN1_b. Use a day activity center (senior center/ church, adult day care)?

Value	Label	Unweighted Frequency	%
1	Yes	49	10.7 %
2	No	411	89.3 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 172-172 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

QQ1CI9: Home delivered meals

QQN1_c. Have home delivered meals (meal on wheels)?

Value	Label	Unweighted Frequency	%
1	Yes	39	8.5 %
2	No	420	91.3 %
	Missing Data		
8	Do not know	1	0.2 %
	Total	**460**	**100%**

Based upon 459 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 173-173 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

QQ1DI9: Personal Assistance (Dressing, grooming, chores)

QQN1_d. Receive personal assistance (service that assists with such tasks as: dressing, grooming or household chores)?

Value	Label	Unweighted Frequency	%
1	Yes	90	19.6 %
2	No	370	80.4 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 174-174 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

QQ1EI9: Home health services

QQN1_e. Use home health services (visiting nurse/ aide, physical therapist)?

Value	Label	Unweighted Frequency	%
1	Yes	106	23.0 %
2	No	354	77.0 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 175-175 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

QQ1FI9: SNAP or SSI

QQN1_f. Receive food stamps (SNAP) or coupons (SSI)?

Value	Label	Unweighted Frequency	%
1	Yes	90	19.6 %
2	No	361	78.5 %
	Missing Data		
8	Do not know	9	2.0 %
	Total	**460**	**100%**

Based upon 451 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 176-176 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

QQ1GI9: Use an emergency response service (panic button)

QQN1_g. Use an emergency response service (a monitor hooked to your phone line, or a "panic button")?

Value	Label	Unweighted Frequency	%
1	Yes	32	7.0 %
2	No	427	92.8 %
	Missing Data		
8	Do not know	1	0.2 %
	Total	**460**	**100%**

Based upon 459 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 177-177 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

QQ1HI9: Legal Services

QQN1_h. Use legal services for the elderly (wills and trusts, advanced directive, durable power of attorney)

Value	Label	Unweighted Frequency	%
1	Yes	40	8.7 %
2	No	401	87.2 %
	Missing Data		
8	Do not know	19	4.1 %
	Total	**460**	**100%**

Based upon 441 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 178-178 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

QQ1II9: Receive care from a neighbor

QQN1_i. Spend time receiving care from a neighbor

Value	Label	Unweighted Frequency	%
1	Yes	13	2.8 %
2	No	446	97.0 %
	Missing Data		
8	Do not know	1	0.2 %
	Total	**460**	**100%**

Based upon 459 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 179-179 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

PPN1I9: Familism: Knowing your family ancestry or lineage, that is, your family tree is an important part of family life.

These next questions are about family life - the way that families are organized and the way that members of a family work with one another. Your answers to each of these questions should be based on your own views and opinions.

Do you feel that...

PPN_1. Knowing your family ancestry or lineage, that is, your family tree is an important part of family life.

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	26	5.7 %
2	Disagree	13	2.8 %
3	Agree	230	50.0 %
4	Strongly Agree	176	38.3 %
	Missing Data		
8	Do not know	8	1.7 %
9	Refused	7	1.5 %
	Total	**460**	**100%**

Based upon 445 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 4.00

Location: 180-180 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

PPN2l9: Familism: It is important to know your cousins, aunts, and uncles, and to have a close relationship to them.

PPN_2. It is important to know your cousins, aunts, and uncles, and to have a close relationship to them.

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	21	4.6 %
2	Disagree	19	4.1 %
3	Agree	231	50.2 %
4	Strongly Agree	177	38.5 %
	Missing Data		
8	Do not know	4	0.9 %
9	Refused	8	1.7 %
	Total	**460**	**100%**

Based upon 448 valid cases out of 460 total cases.

• Minimum: 1.00

• Maximum: 4.00

Location: 181-181 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

PPN3I9: Familism: Brothers have a responsibility to protect their sisters while they are growing up

PPN_3. Brothers have a responsibility to protect their sisters while they are growing up

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	8	1.7 %
2	Disagree	22	4.8 %
3	Agree	298	64.8 %
4	Strongly Agree	115	25.0 %
	Missing Data		
8	Do not know	8	1.7 %
9	Refused	9	2.0 %
	Total	**460**	**100%**

Based upon 443 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 4.00

Location: 182-182 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

PPN4I9: Familism: A person should remember other family members who have passed away on the anniversary of their death/All Souls Day/other special occasion.

PPN_4. A person should remember other family members who have passed away on the anniversary of their death, All Souls Day, or other special occasion.

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	28	6.1 %
2	Disagree	14	3.0 %
3	Agree	251	54.6 %
4	Strongly Agree	149	32.4 %
	Missing Data		
8	Do not know	9	2.0 %
9	Refused	9	2.0 %
	Total	**460**	**100%**

Based upon 442 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 183-183 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

PPN5l9: Familism: In the absence of the father, the most important decisions should be made by the eldest son rather than the mother, if the son is old enough.

PPN_5. In the absence of the father, the most important decisions should be made by the eldest son rather than the mother, if the son is old enough.

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	29	6.3 %
2	Disagree	207	45.0 %
3	Agree	142	30.9 %
4	Strongly Agree	54	11.7 %
	Missing Data		
8	Do not know	19	4.1 %
9	Refused	9	2.0 %
	Total	**460**	**100%**

Based upon 432 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 184-184 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

PPN6l9: Familism: If they could live anywhere they wanted to, married children should live close to their parents so that they can help each other.

PPN_6. If they could live anywhere they wanted to, married children should live close to their parents so that they can help each other.

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	44	9.6 %
2	Disagree	67	14.6 %
3	Agree	222	48.3 %
4	Strongly Agree	114	24.8 %
	Missing Data		
8	Do not know	4	0.9 %
9	Refused	9	2.0 %
	Total	**460**	**100%**

Based upon 447 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 185-185 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

PPN7I9: Familism: While they are growing up, sisters have an obligation to respect their brothers' authority.

PPN_7. While they are growing up, sisters have an obligation to respect their brothers' authority.

Value	Label	Unweighted Frequency	%
1	Strongly Disagree	18	3.9 %
2	Disagree	147	32.0 %
3	Agree	233	50.7 %
4	Strongly Agree	46	10.0 %
	Missing Data		
8	Do not know	7	1.5 %
9	Refused	9	2.0 %
	Total	**460**	**100%**

Based upon 444 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 186-186 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

HHN3I9: Care Help: Respite care (in the past year used any service that took care of respondent so informant could take some time away from helping)

Now I want to ask you questions about the type of support or assistance that you have received within the past year that may have helped you provide care or assistance for respondent.

HH3_N. In the last year, have you used any service that took care of respondent so that you could take some time away from helping?

Value	Label	Unweighted Frequency	%
1	Yes	58	12.6 %
2	No	400	87.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
9	Refused	2	0.4 %
	Total	**460**	**100%**

Based upon 458 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 187-187 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

HHN4I9: Care Help: Training (last year received any training to help informant take care of respondent)

HH4_N. In the last year, have you received any training to help you take care of respondent?

Value	Label	Unweighted Frequency	%
1	Yes	29	6.3 %
2	No	429	93.3 %
	Missing Data		
9	Refused	2	0.4 %
	Total	**460**	**100%**

Based upon 458 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 188-188 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

HHN5I9: Care Help: Programs (last year consulted with someone that helped you find services that you qualified for because you provide care to respondent)

HH5_N. In the last year, have you consulted with someone from a program, organization or group that helped you find services that you qualified for because you provide care to respondent

Value	Label	Unweighted Frequency	%
1	Yes	35	7.6 %
2	No	422	91.7 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	2	0.4 %
	Total	**460**	**100%**

Based upon 457 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 189-189 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

HHN6I9: Care Help: Housing Assistance (last year consulted with someone from a program, organization or group that helped you find housing assistance)

HH6. In the last year, have you consulted with someone from a program, organization or group that helped you find housing assistance

Value	Label	Unweighted Frequency	%
1	Yes	9	2.0 %
2	No	447	97.2 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	2	0.4 %
	Total	**460**	**100%**

Based upon 456 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 190-190 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

HHN7I9: Care Help: Medication Management (last year consulted with someone from a program, organization or group that helped you with medication management?)

HH7. In the last year, have you consulted with someone from a program, organization or group that helped you with medication management?

Value	Label	Unweighted Frequency	%
1	Yes	17	3.7 %
2	No	440	95.7 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	2	0.4 %
	Total	**460**	**100%**

Based upon 457 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 191-191 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

SS5I9: Relationship quality: How well do respondent and informant get along? (per informant)

Now I am going to ask you questions about your relationship with (NAME OF SUBJECT).
These questions are about your feelings toward (NAME OF SUBJECT)

SS5. Generally, how well do you and (NAME OF SUBJECT) get along together?

Value	Label	Unweighted Frequency	%
2	Not too well	2	0.4 %
3	Somewhat	11	2.4 %
4	Well	82	17.8 %
5	Very well	219	47.6 %
6	Extremely well	144	31.3 %
	Missing Data		
9	Refused	2	0.4 %
	Total	**460**	**100%**

Based upon 458 valid cases out of 460 total cases.

- Minimum: 2.00
- Maximum: 6.00

Location: 192-192 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 9

SSN6I9: Relationship quality: How much does informant enjoy being with respondent

SS6_N. How much do you enjoy being with (NAME OF SUBJECT)? Would you say?

Value	Label	Unweighted Frequency	%
1	A lot	393	85.4 %
2	Some	53	11.5 %
3	A little	8	1.7 %
4	Not at all	1	0.2 %
	Missing Data		
9	Refused	5	1.1 %
	Total	**460**	**100%**

Based upon 455 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 193-193 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

SSN7I9: Relationship quality: How much does respondent argue with informant

SS7_N. How much does (NAME OF SUBJECT) argue with you? Would you say?

Value	Label	Unweighted Frequency	%
1	A lot	18	3.9 %
2	Some	95	20.7 %
3	A little	97	21.1 %
4	Not at all	246	53.5 %
	Missing Data		
9	Refused	4	0.9 %
	Total	**460**	**100%**

Based upon 456 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 194-194 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

SSN8I9: Relationship quality: How much does respondent appreciate informant's care

SS8_N. How much does (NAME OF SUBJECT) appreciate what you do for {him/her}? Would you say?

Value	Label	Unweighted Frequency	%
1	A lot	364	79.1 %
2	Some	54	11.7 %
3	A little	11	2.4 %
4	Not at all	7	1.5 %
	Missing Data		
8	Do not know	21	4.6 %
9	Refused	3	0.7 %
	Total	**460**	**100%**

Based upon 436 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 195-195 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

SSN9I9: Relationship quality: How often does respondent get on informant's nerves

SS9_N. How often does (NAME OF SUBJECT) get on your nerves? Would you say?

Value	Label	Unweighted Frequency	%
1	A lot	15	3.3 %
2	Some	79	17.2 %
3	A little	95	20.7 %
4	Not at all	266	57.8 %
	Missing Data		
9	Refused	5	1.1 %
	Total	**460**	**100%**

Based upon 455 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 196-196 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

STNA1I9: Social Support: How often Someone help you if you were confined to bed

STN_A1. Someone to help you if you were confined to bed

Value	Label	Unweighted Frequency	%
1	None of the time	38	8.3 %
2	Some of the time	132	28.7 %
3	All of the time	279	60.7 %
	Missing Data		
8	Do not know	7	1.5 %
9	Refused	4	0.9 %
	Total	**460**	**100%**

Based upon 449 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 197-197 (width: 1; decimal: 0)
Variable Type: numeric

STNA2I9: Social Support: How often Someone who shows you love and affection

STN_A2. Someone who shows you love and affection

Value	Label	Unweighted Frequency	%
1	None of the time	16	3.5 %
2	Some of the time	90	19.6 %
3	All of the time	350	76.1 %
	Missing Data		
9	Refused	4	0.9 %
	Total	**460**	**100%**

Based upon 456 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 198-198 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

STNA3I9: Social Support: How often Someone to take you to the doctor if you needed it

STN_A3. Someone to take you to the doctor if you needed it

Value	Label	Unweighted Frequency	%
1	None of the time	24	5.2 %
2	Some of the time	88	19.1 %
3	All of the time	342	74.3 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	5	1.1 %
	Total	**460**	**100%**

Based upon 454 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 199-199 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

STNA4I9: Social Support: How often Someone to confide in or talk about yourself or your problems

STN_A4. Someone to confide in or talk about yourself or your problems

Value	Label	Unweighted Frequency	%
1	None of the time	19	4.1 %
2	Some of the time	102	22.2 %
3	All of the time	333	72.4 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	5	1.1 %
	Total	**460**	**100%**

Based upon 454 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 200-200 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

STNA5I9: Social Support: How often Someone who hugs you

STN_A5. Someone who hugs you

Value	Label	Unweighted Frequency	%
1	None of the time	12	2.6 %
2	Some of the time	81	17.6 %
3	All of the time	360	78.3 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	5	1.1 %
	Total	**460**	**100%**

Based upon 453 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 201-201 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

STNA6I9: Social Support: How often Someone to get together with for relaxation

STN_A6. Someone to get together with for relaxation

Value	Label	Unweighted Frequency	%
1	None of the time	16	3.5 %
2	Some of the time	143	31.1 %
3	All of the time	294	63.9 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	5	1.1 %
	Total	**460**	**100%**

Based upon 453 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 202-202 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

STNA7I9: Social Support: How often Someone to help with daily chores if you were sick

STN_A7. Someone to help with daily chores if you were sick

Value	Label	Unweighted Frequency	%
1	None of the time	34	7.4 %
2	Some of the time	162	35.2 %
3	All of the time	255	55.4 %
	Missing Data		
8	Do not know	4	0.9 %
9	Refused	5	1.1 %
	Total	**460**	**100%**

Based upon 451 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 203-203 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

STNA8I9: Social Support: How often Someone to turn to for suggestions about how to deal with a personal problem

STN_A8. Someone to turn to for suggestions about how to deal with a personal problem

Value	Label	Unweighted Frequency	%
1	None of the time	21	4.6 %

Value	Label	Unweighted Frequency	%
2	Some of the time	136	29.6 %
3	All of the time	296	64.3 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	5	1.1 %
	Total	**460**	**100%**

Based upon 453 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 3.00

Location: 204-204 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

STNA9I9: Social Support: How often Someone to love and make you feel wanted

STN_A9. Someone to love and make you feel wanted

Value	Label	Unweighted Frequency	%
1	None of the time	9	2.0 %
2	Some of the time	84	18.3 %
3	All of the time	356	77.4 %
	Missing Data		
8	Do not know	6	1.3 %
9	Refused	5	1.1 %
	Total	**460**	**100%**

Based upon 449 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 3.00

Location: 205-205 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

STNB1I9: Negative Interaction Family: How often Make too many demands on you

STN_B1. Make too many demands on you

Value	Label	Unweighted Frequency	%
1	Very often	41	8.9 %
2	Fairly often	42	9.1 %
3	Not too often	145	31.5 %

Value	Label	Unweighted Frequency	%
4	Never	222	48.3 %
	Missing Data		
8	Do not know	4	0.9 %
9	Refused	6	1.3 %
	Total	**460**	**100%**

Based upon 450 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 206-206 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

STNB2I9: Negative Interaction Family: How often Criticize you and the things you do

STN_B2. Criticize you and the things you do

Value	Label	Unweighted Frequency	%
1	Very often	18	3.9 %
2	Fairly often	37	8.0 %
3	Not too often	116	25.2 %
4	Never	269	58.5 %
	Missing Data		
8	Do not know	13	2.8 %
9	Refused	7	1.5 %
	Total	**460**	**100%**

Based upon 440 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 207-207 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

STNB3I9: Negative Interaction Family: How often Try to take advantage of you

STN_B3. Try to take advantage of you

Value	Label	Unweighted Frequency	%
1	Very often	16	3.5 %
2	Fairly often	34	7.4 %
3	Not too often	81	17.6 %

Value	Label	Unweighted Frequency	%
4	Never	318	69.1 %
	Missing Data		
8	Do not know	4	0.9 %
9	Refused	7	1.5 %
	Total	**460**	**100%**

Based upon 449 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 208-208 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

STND1I9: Social Support: How often in times of trouble; can you count on at least some of your family or friends

STN_D: SOCIAL SUPPORT In times of trouble; can you count on at least some of your family or friends most of the time, some of the time, or hardly ever?

Value	Label	Unweighted Frequency	%
1	Most of the time	301	65.4 %
2	Some of the time	123	26.7 %
3	Hardly ever	27	5.9 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	7	1.5 %
	Total	**460**	**100%**

Based upon 451 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 209-209 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

STNE1I9: Social Support: How often Can you talk about your deepest problems with at least some of your family or friends

STN_ E: EMOTIONAL SUPPORT Can you talk about your deepest problems with at least some of your family or friends most of the time, some of the time, or hardly ever?

Value	Label	Unweighted Frequency	%
1	Most of the time	285	62.0 %

Value	Label	Unweighted Frequency	%
2	Some of the time	134	29.1 %
3	Hardly ever	33	7.2 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	7	1.5 %
	Total	**460**	**100%**

Based upon 452 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 3.00

Location: 210-210 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

TT19I: Does respondent own home? (per informant)

TT1. Does (NAME OF SUBJECT) own their own home?

Value	Label	Unweighted Frequency	%
1	Yes	261	56.7 %
2	No	195	42.4 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	2	0.4 %
	Total	**460**	**100%**

Based upon 456 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 211-211 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

TT1NA1I9: Does informant expect to inherit the home?

TT1N_a. Do you expect to inherit the house?

Value	Label	Unweighted Frequency	%
1	Yes	145	31.5 %
2	No	83	18.0 %
	Missing Data		
8	Do not know	31	6.7 %

Value	Label	Unweighted Frequency	%
9	Refused	2	0.4 %
.	-	199	43.3 %
	Total	**460**	**100%**

Based upon 228 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 212-212 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

TT1NB1I9: Does the informant own a home?

TT1N_b. Do you own your home?

Value	Label	Unweighted Frequency	%
1	Yes	249	54.1 %
2	No	205	44.6 %
	Missing Data		
9	Refused	6	1.3 %
	Total	**460**	**100%**

Based upon 454 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 213-213 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

TT2AI9: Respondent receives income from any source (per informant)

TT2. Does (NAME OF SUBJECT) receive income from any sources?

Value	Label	Unweighted Frequency	%
1	Yes	430	93.5 %
2	No	19	4.1 %
	Missing Data		
8	Do not know	9	2.0 %
9	Refused	2	0.4 %
	Total	**460**	**100%**

Based upon 449 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 214-214 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

TT2BI9: Respondent receives income from social security (per informant)

TT4_N: Do you provide financial support to [NAME OF SUBJECT] (e.g. rent, paying bills, groceries)?

Value	Label	Unweighted Frequency	%
1	Yes	420	91.3 %
2	No	11	2.4 %
	Missing Data		
8	Do not know	7	1.5 %
9	Refused	3	0.7 %
.	-	19	4.1 %
	Total	**460**	**100%**

Based upon 431 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 215-215 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

TT2CI9: Respondent receives income from private pension (per informant)

TT5_b. Have you in the past year used your own money to help pay for (NAME OF SUBJECT) expenses such as medication, insurance, assistive devices, or in home care.

Value	Label	Unweighted Frequency	%
1	Yes	87	18.9 %
2	No	336	73.0 %
	Missing Data		
8	Do not know	15	3.3 %
9	Refused	3	0.7 %
.	-	19	4.1 %
	Total	**460**	**100%**

Based upon 423 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 216-216 (width: 1; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

TT2DI9: Respondent receives income from SSI (per informant)

TT5_c_N: Is the financial support being provided to [NAME OF SUBJECT] causing you financial hardship?

Value	Label	Unweighted Frequency	%
1	Yes	102	22.2 %
2	No	314	68.3 %
	Missing Data		
8	Do not know	22	4.8 %
9	Refused	3	0.7 %
.	-	19	4.1 %
	Total	**460**	**100%**

Based upon 416 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 217-217 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

TT2EI9: Respondent receives income from children (per informant)

TT6. Do you expect to continue contributing at this same level?

Value	Label	Unweighted Frequency	%
1	Yes	164	35.7 %
2	No	255	55.4 %
	Missing Data		
8	Do not know	19	4.1 %
9	Refused	3	0.7 %
.	-	19	4.1 %
	Total	**460**	**100%**

Based upon 419 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 218-218 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

TT2FI9: Respondent receives income from RR or military pension (per informant)

Respondent receives income from RR or military pension (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	17	3.7 %
2	No	409	88.9 %
	Missing Data		
8	Do not know	12	2.6 %
9	Refused	3	0.7 %
.	-	19	4.1 %
	Total	**460**	**100%**

Based upon 426 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 219-219 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

TT2GI9: Respondent receives income from stocks/bonds (per informant)

Respondent receives income from stocks/bonds (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	7	1.5 %
2	No	418	90.9 %
	Missing Data		
8	Do not know	13	2.8 %
9	Refused	3	0.7 %
.	-	19	4.1 %
	Total	**460**	**100%**

Based upon 425 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 220-220 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

TT2HI9: Respondent receives income from other source

Respondent receives income from other source

Value	Label	Unweighted Frequency	%
1	Yes	6	1.3 %
2	No	421	91.5 %
	Missing Data		
8	Do not know	11	2.4 %
9	Refused	3	0.7 %
.	-	19	4.1 %
	Total	**460**	**100%**

Based upon 427 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 221-221 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

TT2II9: Respondent receives income from other source detail

Respondent receives income from other source detail

Value	Label	Unweighted Frequency	%
1	Yes	4	0.9 %
2	No	421	91.5 %
	Missing Data		
8	Do not know	13	2.8 %
9	Refused	3	0.7 %
.	-	19	4.1 %
	Total	**460**	**100%**

Based upon 425 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 222-222 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

TT4N1I9: In the past year informant has provided financial support

In the past year informant has provided financial support

Value	Label	Unweighted Frequency	%
1	Yes	212	46.1 %
2	No	242	52.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	5	1.1 %
	Total	**460**	**100%**

Based upon 454 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 223-223 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

TT5B1I9: In the past year informant has provided financial support for medication, insurance assistive devices or in home care

In the past year informant has provided financial support for medication, insurance assistive devices or in home care

Value	Label	Unweighted Frequency	%
1	Yes	194	42.2 %
2	No	263	57.2 %
	Missing Data		
9	Refused	3	0.7 %
	Total	**460**	**100%**

Based upon 457 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 224-224 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

TT5CN1I9: Informant experiences financial hardship from supporting respondent

Informant experiences financial hardship from supporting respondent

Value	Label	Unweighted Frequency	%
1	Yes	20	4.3 %
2	No	192	41.7 %
	Missing Data		
.	-	248	53.9 %
	Total	**460**	**100%**

Based upon 212 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 225-225 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

TT69I: Will informant continue contributing at this same level? (per informant)

Will informant continue contributing at this same level? (per informant)

Value	Label	Unweighted Frequency	%
1	No	8	1.7 %
2	Yes for the foreseeable future	200	43.5 %
	Missing Data		
8	Don't know	4	0.9 %
.	-	248	53.9 %
	Total	**460**	**100%**

Based upon 208 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 226-226 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

MM10I9: Respondent has made legal arrangements for medical care decision (durable power of attorney for health care)

Now I am going to ask you questions about end of life planning for
[NAME OF SUBJECT] and the types of arrangements he/she has made about the
type of medical care they want to receive.

MM10Na1. Has (NAME OF SUBJECT) made legal arrangements for someone to make
decisions about their medical care if they become unable to make those decisions
for themselves? This is sometimes called a durable power of attorney for health care

Value	Label	Unweighted Frequency	%
1	Yes	181	39.3 %
2	No	219	47.6 %
	Missing Data		
8	Do not know	57	12.4 %
9	Refused	3	0.7 %

Value	Label	Unweighted Frequency	%
	Total	**460**	**100%**

Based upon 400 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 227-227 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

R_HEALTH9I: Respondent's overall health rating (per informant)

G1. Overall, how would you rate [NAME OF SUBJECT] health?

Value	Label	Unweighted Frequency	%
1	Excellent	46	10.0 %
2	Good	123	26.7 %
3	Fair	222	48.3 %
4	Poor	69	15.0 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 228-228 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 9

R_ARTHRHEU9I: Respondent has been told he/she has arthritis (per informant)

U3. Has a doctor or other health care professional ever told (NAME OF SUBJECT)
that he/she had any of the following conditions (READ EACH ITEM)?

Respondent has been told he/she has arthritis (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	298	64.8 %
2	No	154	33.5 %
	Missing Data		
8	Do not know	7	1.5 %
9	Refused	1	0.2 %
	Total	**460**	**100%**

Based upon 452 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 229-229 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

R_LCANCR91I: Respondent has been told he/she has cancer (per informant)

Respondent has been told he/she has cancer (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	49	10.7 %
2	No	407	88.5 %
	Missing Data		
8	Do not know	3	0.7 %
9	Refused	1	0.2 %
	Total	**460**	**100%**

Based upon 456 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 230-230 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

R_ICARDI91I: Respondent has been told he/she has heart attack (per informant)

Respondent has been told he/she has heart attack (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	52	11.3 %
2	No	403	87.6 %
	Missing Data		
8	Do not know	4	0.9 %
9	Refused	1	0.2 %
	Total	**460**	**100%**

Based upon 455 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 231-231 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

R_ICARDI95I: Respondent went to hospital from heart attack (per informant)

Respondent went to hospital from heart attack (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	49	10.7 %
2	No	2	0.4 %
	Missing Data		
8	Do not know	1	0.2 %
.	-	408	88.7 %
	Total	**460**	**100%**

Based upon 51 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 232-232 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

R_JSTROK91I: Respondent has been told he/she had stroke (per informant)

Respondent has been told he/she had stroke (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	45	9.8 %
2	No	410	89.1 %
	Missing Data		
8	Do not know	4	0.9 %
9	Refused	1	0.2 %
	Total	**460**	**100%**

Based upon 455 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 233-233 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

R_JSTROK95I: Respondent went to hospital from stoke (per informant)

Respondent went to hospital from stoke (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	38	8.3 %
2	No	6	1.3 %
	Missing Data		
8	Do not know	1	0.2 %
.	-	415	90.2 %
	Total	**460**	**100%**

Based upon 44 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 234-234 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

R_KHYPER91I: Respondent has been told he/she has hypertension (per informant)

Respondent has been told he/she has hypertension (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	337	73.3 %
2	No	120	26.1 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	1	0.2 %
	Total	**460**	**100%**

Based upon 457 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 235-235 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

R_KHYPER94I: Respondent has been told he/she is currently taking medications for high BP (per informant)

Respondent has been told he/she is currently taking medications for high BP (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	322	70.0 %
2	No	11	2.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Do not know	4	0.9 %
.	-	123	26.7 %
	Total	**460**	**100%**

Based upon 333 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 236-236 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

R_MDIAB91I: Respondent has been told he/she has diabetes (per informant)

Respondent has been told he/she has diabetes (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	156	33.9 %
2	No	301	65.4 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	1	0.2 %
	Total	**460**	**100%**

Based upon 457 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 237-237 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

R_MDIAB93I: Respondent has been told he/she is currently taking medications for diabetes (per informant)

Respondent has been told he/she is currently taking medications for diabetes (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	133	28.9 %
2	No	22	4.8 %
	Missing Data		
8	Do not know	1	0.2 %
.	-	304	66.1 %
	Total	**460**	**100%**

Based upon 155 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 238-238 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

R_NFRAC91I: Respondent has been told he/she had a hip fracture since age 50 (per informant)

Respondent has been told he/she had a hip fracture since age 50 (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	46	10.0 %
2	No	406	88.3 %
	Missing Data		
8	Do not know	7	1.5 %
9	Refused	1	0.2 %
	Total	**460**	**100%**

Based upon 452 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 239-239 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

R_NFRAC95I: Respondent went to hospital from hip fracture (per informant)

Respondent went to hospital from hip fracture (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	42	9.1 %
2	No	3	0.7 %
	Missing Data		
8	Do not know	1	0.2 %
.	-	414	90.0 %
	Total	**460**	**100%**

Based upon 45 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 240-240 (width: 1; decimal: 0)
Variable Type: numeric

R_NFRAC93I: Respondent has been told he/she had other bone fracture (per informant)

Respondent has been told he/she had other bone fracture (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	102	22.2 %
2	No	348	75.7 %
	Missing Data		
8	Do not know	9	2.0 %
9	Refused	1	0.2 %
	Total	**460**	**100%**

Based upon 450 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 241-241 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

R_PARTH59I: Respondent notices pain when walking (per informant)

Respondent notices pain when walking (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	263	57.2 %
2	No	185	40.2 %
	Missing Data		
8	Do not know	10	2.2 %
9	Refused	2	0.4 %
	Total	**460**	**100%**

Based upon 448 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 242-242 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

P8FALLS9I: Respondent fell in past 12 months (per informant)

Respondent fell in past 12 months (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	171	37.2 %
2	No	283	61.5 %
	Missing Data		
8	Do not know	6	1.3 %
	Total	**460**	**100%**

Based upon 454 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 243-243 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

NFALLS9I: Respondent fell this number of times (per informant)

Respondent fell this number of times (per informant)

Value	Label	Unweighted Frequency	%
1	-	71	15.4 %
2	-	43	9.3 %
3	-	34	7.4 %
4	-	9	2.0 %
5	-	5	1.1 %
6	-	5	1.1 %
8	-	1	0.2 %
10	-	1	0.2 %
12	-	2	0.4 %
	Missing Data		
.	-	289	62.8 %
	Total	**460**	**100%**

Based upon 171 valid cases out of 460 total cases.

- Mean: 2.29
- Median: 2.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 12.00
- Standard Deviation: 1.80

Location: 244-245 (width: 2; decimal: 0)
Variable Type: numeric

P10FALLS9I: Respondent required medical treatment from fall (per informant)

Respondent required medical treatment from fall (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	54	11.7 %
2	No	116	25.2 %
	Missing Data		
9	Refused	1	0.2 %
.	-	289	62.8 %
	Total	**460**	**100%**

Based upon 170 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 246-246 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

R_HEAR91I: Respondent has been told he/she had hearing problems

Respondent has been told he/she had hearing problems

Value	Label	Unweighted Frequency	%
1	Yes	231	50.2 %
2	No	225	48.9 %
	Missing Data		
8	Do not know	4	0.9 %
	Total	**460**	**100%**

Based upon 456 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 247-247 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

R_SHEAR5A9I: Respondent can hear without hearing aid (per informant)

Respondent can hear without hearing aid (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	99	21.5 %
2	No	131	28.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Do not know	1	0.2 %
.	-	229	49.8 %
	Total	**460**	**100%**

Based upon 230 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 248-248 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

R_SHEAR5B9I: Respondent can hear with hearing aid (per informant)

Respondent can hear with hearing aid (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	77	16.7 %
2	No	143	31.1 %
	Missing Data		
8	Do not know	11	2.4 %
.	-	229	49.8 %
	Total	**460**	**100%**

Based upon 220 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 249-249 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

VVIS6A9I: Respondent can recognize know person from across the street (per informant)

Respondent can recognize know person from across the street (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	291	63.3 %
2	No	157	34.1 %
	Missing Data		
8	Do not know	12	2.6 %
	Total	**460**	**100%**

Based upon 448 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 250-250 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

VVIS6B9I: Respondent can recognize know person from across the room (per informant)

Respondent can recognize know person from across the room (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	389	84.6 %
2	No	66	14.3 %
	Missing Data		
8	Do not know	5	1.1 %
	Total	**460**	**100%**

Based upon 455 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 251-251 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

VVIS6C9I: Respondent can recognize know person at arms-length (per informant)

Respondent can recognize know person at arms-length (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	424	92.2 %
2	No	32	7.0 %
	Missing Data		
8	Do not know	4	0.9 %
	Total	**460**	**100%**

Based upon 456 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 252-252 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

U3N1I9: AD8: Respondent in the last years Problems with judgment (bad financial decisions, buys inappropriate gifts)

U3_N1: Problems with judgment (e.g. falls for scams, bad financial decisions, buys gifts inappropriate for recipients)

Value	Label	Unweighted Frequency	%
1	Yes, a change	157	34.1 %
2	No change	290	63.0 %
	Missing Data		
8	Do not know	10	2.2 %
9	Refused	3	0.7 %
	Total	**460**	**100%**

Based upon 447 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 253-253 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

U3N2I9: AD8: Respondent in the last years Reduced interest in hobbies/activities.

U3_N2: Reduced interest in hobbies/activities.

Value	Label	Unweighted Frequency	%
1	Yes, a change	198	43.0 %
2	No change	252	54.8 %
	Missing Data		
8	Do not know	7	1.5 %
9	Refused	3	0.7 %
	Total	**460**	**100%**

Based upon 450 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 254-254 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

U3N3I9: AD8: Respondent in the last years Repeats questions, stories, or statements

U3_N3: Repeats questions, stories, or statements

Value	Label	Unweighted Frequency	%
1	Yes, a change	212	46.1 %
2	No change	240	52.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8	Do not know	5	1.1 %
9	Refused	3	0.7 %
	Total	**460**	**100%**

Based upon 452 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 255-255 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

U3N4I9: AD8: Respondent in the last years Trouble learning how to use a tool, appliance, or gadget (VCR, computer, microwave)

U3_N4: Trouble learning how to use a tool, appliance, or gadget (e.g. VCR, computer, microwave, remote control)

Value	Label	Unweighted Frequency	%
1	Yes, a change	193	42.0 %
2	No change	246	53.5 %
	Missing Data		
8	Do not know	18	3.9 %
9	Refused	3	0.7 %
	Total	**460**	**100%**

Based upon 439 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 256-256 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

U3N5I9: AD8: Respondent in the last years Forgets correct month or year

U3_N5: Forgets correct month or year

Value	Label	Unweighted Frequency	%
1	Yes, a change	254	55.2 %
2	No change	198	43.0 %
	Missing Data		
8	Do not know	5	1.1 %
9	Refused	3	0.7 %

Value	Label	Unweighted Frequency	%
	Total	**460**	**100%**

Based upon 452 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 257-257 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

U3N6I9: AD8: Respondent in the last years Difficulty handling complicated financial affairs (balancing checkbook, taxes, bills)

U3_N6: Difficulty handling complicated financial affairs (e.g. balancing checkbook, income taxes, paying bills)

Value	Label	Unweighted Frequency	%
1	Yes, a change	215	46.7 %
2	No change	228	49.6 %
	Missing Data		
8	Do not know	14	3.0 %
9	Refused	3	0.7 %
	Total	**460**	**100%**

Based upon 443 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 258-258 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

U3N7I9: AD8: Respondent in the last years Difficulty remembering appointments

U3_N7: Difficulty remembering appointments

Value	Label	Unweighted Frequency	%
1	Yes, a change	250	54.3 %
2	No change	200	43.5 %
	Missing Data		
8	Do not know	7	1.5 %
9	Refused	3	0.7 %
	Total	**460**	**100%**

Based upon 450 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 259-259 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

U3N8I9: AD8: Respondent in the last years Consistent problems with thinking and/or memory

U3_N8: Consistent problems with thinking and/or memory

Value	Label	Unweighted Frequency	%
1	Yes, a change	229	49.8 %
2	No change	222	48.3 %
	Missing Data		
8	Do not know	6	1.3 %
9	Refused	3	0.7 %
	Total	**460**	**100%**

Based upon 451 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 260-260 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

U4NPIA1I9: Respondent fears people stealing from him/her (per informant)

Does [NAME OF SUBJECT] believe that others are stealing from him or her, or planning to harm him or her in some way?

Value	Label	Unweighted Frequency	%
0	No	420	91.3 %
1	Yes	40	8.7 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 261-261 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIA2I9: Severity of respondent's fear of people stealing from him/her (per informant)

Severity of respondent's fear of people stealing from him/her (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	19	4.1 %
2	Moderate	13	2.8 %
3	Severe	8	1.7 %
	Missing Data		
.	-	420	91.3 %
	Total	**460**	**100%**

Based upon 40 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 262-262 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIA3I9: Distress on informant due to respondent's fear of people stealing from him/her (per informant)

Distress on informant due to respondent's fear of people stealing from him/her (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	5	1.1 %
1	Minimal	17	3.7 %
2	Mild	8	1.7 %
3	Moderate	3	0.7 %
4	Severe	6	1.3 %
5	Extreme or Very Severe	1	0.2 %
	Missing Data		
.	-	420	91.3 %
	Total	**460**	**100%**

Based upon 40 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 263-263 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIB1I9: Respondent hears voices (per informant)

Does [NAME OF SUBJECT] act as if he or she hears voices?

Value	Label	Unweighted Frequency	%
0	No	414	90.0 %

Value	Label	Unweighted Frequency	%
1	Yes	46	10.0 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 264-264 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIB2I9: Severity of respondent's hearing of voices (per informant)

Severity of respondent's hearing of voices (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	28	6.1 %
2	Moderate	11	2.4 %
3	Severe	7	1.5 %
	Missing Data		
.	-	414	90.0 %
	Total	**460**	**100%**

Based upon 46 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 265-265 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIB3I9: Distress on informant due to respondent's hearing of voices (per informant)

Distress on informant due to respondent's hearing of voices (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	12	2.6 %
1	Minimal	11	2.4 %
2	Mild	9	2.0 %
3	Moderate	8	1.7 %
4	Severe	5	1.1 %
5	Extreme or Very Severe	1	0.2 %
	Missing Data		
.	-	414	90.0 %
	Total	**460**	**100%**

Based upon 46 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 266-266 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIC1I9: Respondent is stubborn and resistive (per informant)

Is [NAME OF SUBJECT] stubborn and resistive to help from others?

Value	Label	Unweighted Frequency	%
0	No	309	67.2 %
1	Yes	151	32.8 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 267-267 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIC2I9: Severity of respondent's stubbornness (per informant)

Severity of respondent"s stubbornness (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	73	15.9 %
2	Moderate	61	13.3 %
3	Severe	17	3.7 %
	Missing Data		
.	-	309	67.2 %
	Total	**460**	**100%**

Based upon 151 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 268-268 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIC3I9: Distress on informant due to respondent's stubbornness (per informant)

Distress on informant due to respondent's stubbornness (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	43	9.3 %
1	Minimal	40	8.7 %
2	Mild	27	5.9 %
3	Moderate	29	6.3 %
4	Severe	12	2.6 %
5	Extreme or Very Severe	0	0.0 %
	Missing Data		
.	-	309	67.2 %
	Total	**460**	**100%**

Based upon 151 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 269-269 (width: 1; decimal: 0)
Variable Type: numeric

U4NPID1I9: Respondent in low spirits (he/she cries) (per informant)

Does [NAME OF SUBJECT] act as if he or she is in low spirits? Does he or she cry?

Value	Label	Unweighted Frequency	%
0	No	331	72.0 %
1	Yes	129	28.0 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 270-270 (width: 1; decimal: 0)
Variable Type: numeric

U4NPID2I9: Severity of respondent's low spirits (he/she cries) (per informant)

Severity of respondent's low spirits (he/she cries) (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	78	17.0 %
2	Moderate	45	9.8 %
3	Severe	6	1.3 %
	Missing Data		
.	-	331	72.0 %

Value	Label	Unweighted Frequency	%
	Total	**460**	**100%**

Based upon 129 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 271-271 (width: 1; decimal: 0)
Variable Type: numeric

U4NPID3I9: Distress on informant due to respondent's low spirits (he/she cries) (per informant)

Distress on informant due to respondent's low spirits (he/she cries) (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	27	5.9 %
1	Minimal	43	9.3 %
2	Mild	20	4.3 %
3	Moderate	27	5.9 %
4	Severe	10	2.2 %
5	Extreme or Very Severe	2	0.4 %
	Missing Data		
.	-	331	72.0 %
	Total	**460**	**100%**

Based upon 129 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 272-272 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIE1I9: Respondent feels upset when separated from informant (per informant)

Does [NAME OF SUBJECT] become upset when separated from you? Does he or she have any other signs of nervousness, such as shortness of breath, sighing, being unable to relax, or feeling excessively tense?

Value	Label	Unweighted Frequency	%
0	No	363	78.9 %
1	Yes	97	21.1 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 273-273 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIE2I9: Severity of respondent's feeling upset when separated from informant (per informant)

Severity of respondent's feeling upset when separated from informant (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	50	10.9 %
2	Moderate	37	8.0 %
3	Severe	10	2.2 %
	Missing Data		
.	-	363	78.9 %
	Total	**460**	**100%**

Based upon 97 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 274-274 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIE3I9: Distress on informant due to respondent's feeling upset when separated from informant (per informant)

Distress on informant due to respondent's feeling upset when separated from informant (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	22	4.8 %
1	Minimal	27	5.9 %
2	Mild	21	4.6 %
3	Moderate	20	4.3 %
4	Severe	5	1.1 %
5	Extreme or Very Severe	2	0.4 %
	Missing Data		
.	-	363	78.9 %
	Total	**460**	**100%**

Based upon 97 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 5.00

U4NPIF1I9: Respondent excessively happy (per informant)

Does [NAME OF SUBJECT] appear to feel too good or act excessively happy?

Value	Label	Unweighted Frequency	%
0	No	428	93.0 %
1	Yes	32	7.0 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 276-276 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIF2I9: Severity of respondent's excessive happiness (per informant)

Severity of respondent's excessive happiness (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	18	3.9 %
2	Moderate	13	2.8 %
3	Severe	1	0.2 %
	Missing Data		
.	-	428	93.0 %
	Total	**460**	**100%**

Based upon 32 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 277-277 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIF3I9: Distress on informant due to respondent's excessive happiness (per informant)

Distress on informant due to respondent's excessive happiness (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	16	3.5 %
1	Minimal	5	1.1 %
2	Mild	5	1.1 %

Value	Label	Unweighted Frequency	%
3	Moderate	6	1.3 %
4	Severe	0	0.0 %
5	Extreme or Very Severe	0	0.0 %
	Missing Data		
.	-	428	93.0 %
	Total	**460**	**100%**

Based upon 32 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 278-278 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIG1I9: Respondent has lost interest in his/her usual activities (per informant)

Does [NAME OF SUBJECT] seem less interested in his or her usual activities and in the activities and plans of others?

Value	Label	Unweighted Frequency	%
0	No	299	65.0 %
1	Yes	161	35.0 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 279-279 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIG2I9: Severity of respondent's lost interest in his/her usual activities (per informant)

Severity of respondent's lost interest in his/her usual activities (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	97	21.1 %
2	Moderate	45	9.8 %
3	Severe	19	4.1 %
	Missing Data		
.	-	299	65.0 %
	Total	**460**	**100%**

Based upon 161 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 280-280 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIG3I9: Distress on informant due to respondent's lost interest in their usual activities (per informant)

Distress on informant due to respondent's lost interest in their usual activities (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	29	6.3 %
1	Minimal	55	12.0 %
2	Mild	40	8.7 %
3	Moderate	27	5.9 %
4	Severe	8	1.7 %
5	Extreme or Very Severe	2	0.4 %
	Missing Data		
.	-	299	65.0 %
	Total	**460**	**100%**

Based upon 161 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 281-281 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIH1I9: Respondent acts impulsively (per informant)

Does [NAME OF SUBJECT] seem to act impulsively? For example, does he or she talk to strangers as if he or she knows them, or does he or she say things that may hurt people's feelings?

Value	Label	Unweighted Frequency	%
0	No	391	85.0 %
1	Yes	69	15.0 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 282-282 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIH2I9: Severity of respondent's acting impulsively (per informant)

Severity of respondent's acting impulsively (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	44	9.6 %
2	Moderate	19	4.1 %
3	Severe	6	1.3 %
	Missing Data		
.	-	391	85.0 %
	Total	**460**	**100%**

Based upon 69 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 283-283 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIH3I9: Distress on informant due to respondent's acting impulsively (per informant)

Distress on informant due to respondent's acting impulsively (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	6	1.3 %
1	Minimal	29	6.3 %
2	Mild	16	3.5 %
3	Moderate	12	2.6 %
4	Severe	4	0.9 %
5	Extreme or Very Severe	2	0.4 %
	Missing Data		
.	-	391	85.0 %
	Total	**460**	**100%**

Based upon 69 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 284-284 (width: 1; decimal: 0)
Variable Type: numeric

U4NPII1I9: Respondent is impatient and cranky (per informant)

Is [NAME OF SUBJECT] impatient and cranky? Does he or she have difficulty coping with delays or waiting for planned activities?

Value	Label	Unweighted Frequency	%
0	No	329	71.5 %
1	Yes	131	28.5 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 285-285 (width: 1; decimal: 0)
Variable Type: numeric

U4NPII2I9: Severity of respondent being impatient and cranky (per informant)

Severity of respondent being impatient and cranky (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	76	16.5 %
2	Moderate	44	9.6 %
3	Severe	11	2.4 %
	Missing Data		
.	-	329	71.5 %
	Total	**460**	**100%**

Based upon 131 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 286-286 (width: 1; decimal: 0)
Variable Type: numeric

U4NPII3I9: Distress on informant due to respondent being impatient and cranky (per informant)

Distress on informant due to respondent being impatient and cranky (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	27	5.9 %
1	Minimal	46	10.0 %
2	Mild	32	7.0 %
3	Moderate	20	4.3 %
4	Severe	4	0.9 %
5	Extreme or Very Severe	2	0.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	329	71.5 %
	Total	**460**	**100%**

Based upon 131 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 287-287 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIJ1I9: Respondent engages in repetitive activities (per informant)

Does [NAME OF SUBJECT] engage in repetitive activities, such as pacing around the house, handling buttons, wrapping string, or doing other things repeatedly?

Value	Label	Unweighted Frequency	%
0	No	376	81.7 %
1	Yes	84	18.3 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 288-288 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIJ2I9: Severity of respondent's engaging in repetitive activities (per informant)

Severity of respondent's engaging in repetitive activities (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	53	11.5 %
2	Moderate	29	6.3 %
3	Severe	2	0.4 %
	Missing Data		
.	-	376	81.7 %
	Total	**460**	**100%**

Based upon 84 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 289-289 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIJ3I9: Distress on informant due to respondent's engaging in repetitive activities (per informant)

Distress on informant due to respondent's engaging in repetitive activities (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	15	3.3 %
1	Minimal	33	7.2 %
2	Mild	19	4.1 %
3	Moderate	16	3.5 %
4	Severe	1	0.2 %
5	Extreme or Very Severe	0	0.0 %
	Missing Data		
.	-	376	81.7 %
	Total	**460**	**100%**

Based upon 84 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 290-290 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIK1I9: Respondent wakes up during the night (per informant)

Does [NAME OF SUBJECT] awaken you during the night, rise too early in the morning, or take excessive naps during the day?

Value	Label	Unweighted Frequency	%
0	No	367	79.8 %
1	Yes	93	20.2 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 291-291 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIK2I9: Severity of respondent's waking up during the night (per informant)

Severity of respondent's waking up during the night (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	43	9.3 %

Value	Label	Unweighted Frequency	%
2	Moderate	42	9.1 %
3	Severe	8	1.7 %
	Missing Data		
.	-	367	79.8 %
	Total	**460**	**100%**

Based upon 93 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 292-292 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIK3I9: Distress on informant due to respondent's waking up during the night (per informant)

Distress on informant due to respondent's waking up during the night (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	28	6.1 %
1	Minimal	23	5.0 %
2	Mild	17	3.7 %
3	Moderate	18	3.9 %
4	Severe	6	1.3 %
5	Extreme or Very Severe	1	0.2 %
	Missing Data		
.	-	367	79.8 %
	Total	**460**	**100%**

Based upon 93 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 293-293 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIL1I9: Respondent losing or gaining weight (per informant)

Has [NAME OF SUBJECT] lost or gained weight, or had a change in the food he or she likes?

Value	Label	Unweighted Frequency	%
0	No	370	80.4 %
1	Yes	90	19.6 %

Value	Label	Unweighted Frequency	%
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

• Minimum: 0.00
• Maximum: 1.00

Location: 294-294 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIL2I9: Severity of respondent's losing or gaining weight (per informant)

Severity of respondent's losing or gaining weight (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	41	8.9 %
2	Moderate	43	9.3 %
3	Severe	6	1.3 %
	Missing Data		
.	-	370	80.4 %
	Total	**460**	**100%**

Based upon 90 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 3.00

Location: 295-295 (width: 1; decimal: 0)
Variable Type: numeric

U4NPIL3I9: Distress on informant due to respondent's losing or gaining weight (per informant)

Distress on informant due to respondent's losing or gaining weight (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	25	5.4 %
1	Minimal	22	4.8 %
2	Mild	13	2.8 %
3	Moderate	25	5.4 %
4	Severe	4	0.9 %
5	Extreme or Very Severe	1	0.2 %
	Missing Data		
.	-	370	80.4 %
	Total	**460**	**100%**

Based upon 90 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 296-296 (width: 1; decimal: 0)
Variable Type: numeric

I_HEALTH9I: Informant's self-rated health

GGG1. Overall, how would you rate your health - excellent, good, fair, or poor?

Value	Label	Unweighted Frequency	%
1	Excellent	53	11.5 %
2	Good	210	45.7 %
3	Fair	172	37.4 %
4	Poor	22	4.8 %
	Missing Data		
9	Refused	3	0.7 %
	Total	**460**	**100%**

Based upon 457 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 297-297 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 9

PSS1I9: Informant's frequency of feeling unable to control life

The questions in this scale ask you about your feelings and thoughts during the last month.
In each case, please tell me if you felt or thought that was never, almost never, sometimes,
fairly often, or very often.

In the last month,
How often have you felt that you were unable to control the important things in your life?

Value	Label	Unweighted Frequency	%
0	Never	187	40.7 %
1	Almost never	156	33.9 %
2	Sometimes	78	17.0 %
3	Fairly often	14	3.0 %
4	Very often	12	2.6 %
	Missing Data		
8	Do not know	3	0.7 %

Value	Label	Unweighted Frequency	%
9	Refused	10	2.2 %
	Total	**460**	**100%**

Based upon 447 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 298-298 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

PSS2I9: Informant's frequency of feeling confident to handle problems

How often have you felt confident about your ability to handle your personal problems?

Value	Label	Unweighted Frequency	%
0	Never	25	5.4 %
1	Almost never	20	4.3 %
2	Sometimes	34	7.4 %
3	Fairly often	160	34.8 %
4	Very often	208	45.2 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	11	2.4 %
	Total	**460**	**100%**

Based upon 447 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 299-299 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

PSS3I9: Informant's frequency of feeling things is going his/her way

How often have you felt that things were going your way?

Value	Label	Unweighted Frequency	%
0	Never	16	3.5 %
1	Almost never	13	2.8 %
2	Sometimes	69	15.0 %
3	Fairly often	216	47.0 %
4	Very often	133	28.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	12	2.6 %
	Total	**460**	**100%**

Based upon 447 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 300-300 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

PSS4I9: Informant's frequency of feeling unable to overcome difficulties

How often have you felt difficulties were piling up so high that you could not overcome them?

Value	Label	Unweighted Frequency	%
0	Never	134	29.1 %
1	Almost never	192	41.7 %
2	Sometimes	91	19.8 %
3	Fairly often	20	4.3 %
4	Very often	9	2.0 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	13	2.8 %
	Total	**460**	**100%**

Based upon 446 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 301-301 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

ALC9I: Informant has had alcohol in the past year

I now want to ask you some questions regarding your [INFORMANT] alcohol consumption during the past year.

ALC_N1. Have you had any beer, wine, or liquor (e.g. tequila) in the past year?

Value	Label	Unweighted Frequency	%
1	Yes	147	32.0 %
2	No	306	66.5 %
	Missing Data		
9	Refused	7	1.5 %
	Total	**460**	**100%**

Based upon 453 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 302-302 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

CAGE1I9: Informant has felt they ought to cut down on drinking

CAGE_N1. Have you ever felt you ought to cut down on your drinking?

Value	Label	Unweighted Frequency	%
1	Yes	17	3.7 %
2	No	128	27.8 %
	Missing Data		
9	Refused	2	0.4 %
.	-	313	68.0 %
	Total	**460**	**100%**

Based upon 145 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 303-303 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

CAGE2I9: Informant has been annoyed by people criticizing their drinking

CAGE_N2. Have people annoyed you by criticizing your drinking?

Value	Label	Unweighted Frequency	%
1	Yes	8	1.7 %
2	No	137	29.8 %
	Missing Data		
9	Refused	2	0.4 %
.	-	313	68.0 %

Value	Label	Unweighted Frequency	%
	Total	**460**	**100%**

Based upon 145 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 304-304 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

CAGE3I9: Informant has felt bad or guilty about drinking

CAGE_N3. Have you ever felt bad or guilty about your drinking?

Value	Label	Unweighted Frequency	%
1	Yes	10	2.2 %
2	No	135	29.3 %
	Missing Data		
9	Refused	2	0.4 %
.	-	313	68.0 %
	Total	**460**	**100%**

Based upon 145 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 305-305 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

CAGE4I9: Informant has had a drink first thing in the morning to steady nerves or get rid of a hangover

CAGE_N4. Have you had a drink first thing in the morning to steady your nerves or get rid of a hangover?

Value	Label	Unweighted Frequency	%
1	Yes	8	1.7 %
2	No	137	29.8 %
	Missing Data		
9	Refused	2	0.4 %
.	-	313	68.0 %
	Total	**460**	**100%**

Based upon 145 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 306-306 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

SMOKE1I9: Informant has smoked at least 100 cigarettes in their entire life

I now want to ask you questions about your [INFORMANT] smoking behavior

Smoke_N1.Have you ever smoked at least 100 cigarettes in your entire life?

Value	Label	Unweighted Frequency	%
1	Yes	77	16.7 %
2	No	376	81.7 %
	Missing Data		
9	Refused	7	1.5 %
	Total	**460**	**100%**

Based upon 453 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 307-307 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

SMOKE2I9: Informant age when first started smoking

Smoke_N2. About how old were you when you first started smoking cigarettes?

Value	Label	Unweighted Frequency	%
6	-	1	0.2 %
10	-	1	0.2 %
11	-	1	0.2 %
12	-	3	0.7 %
13	-	3	0.7 %
14	-	5	1.1 %
15	-	9	2.0 %
16	-	6	1.3 %
17	-	4	0.9 %
18	-	4	0.9 %
19	-	3	0.7 %

Value	Label	Unweighted Frequency	%
20	-	14	3.0 %
21	-	1	0.2 %
22	-	4	0.9 %
23	-	2	0.4 %
24	-	1	0.2 %
25	-	2	0.4 %
27	-	1	0.2 %
30	-	3	0.7 %
35	-	1	0.2 %
37	-	1	0.2 %
40	-	1	0.2 %
45	-	1	0.2 %
63	-	1	0.2 %
	Missing Data		
.	-	387	84.1 %
	Total	**460**	**100%**

Based upon 73 valid cases out of 460 total cases.

- Mean: 19.81
- Median: 18.00
- Mode: 20.00
- Minimum: 6.00
- Maximum: 63.00
- Standard Deviation: 8.42

Location: 308-309 (width: 2; decimal: 0)
Variable Type: numeric

SMOKE3I9: Informant currently smokes

Smoke_N3. Do you smoke cigarettes now?

Value	Label	Unweighted Frequency	%
1	Yes	30	6.5 %
2	No	47	10.2 %
	Missing Data		
.	-	383	83.3 %
	Total	**460**	**100%**

Based upon 77 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 310-310 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

SMOKE4I9: Informant years since the have smoked?

Smoke_N4. About how long has it been since you have smoked cigarettes?

Value	Label	Unweighted Frequency	%
1	-	5	1.1 %
2	-	3	0.7 %
3	-	2	0.4 %
4	-	1	0.2 %
5	-	3	0.7 %
8	-	1	0.2 %
10	-	3	0.7 %
11	-	1	0.2 %
13	-	1	0.2 %
15	-	2	0.4 %
16	-	1	0.2 %
18	-	1	0.2 %
20	-	3	0.7 %
25	-	1	0.2 %
26	-	1	0.2 %
29	-	1	0.2 %
30	-	5	1.1 %
31	-	2	0.4 %
34	-	1	0.2 %
35	-	3	0.7 %
40	-	8	1.7 %
60	-	1	0.2 %
67	-	1	0.2 %
	Missing Data		
.	-	409	88.9 %
	Total	**460**	**100%**

Based upon 51 valid cases out of 460 total cases.

- Mean: 21.57
- Median: 20.00
- Mode: 40.00
- Minimum: 1.00
- Maximum: 67.00
- Standard Deviation: 16.47

SMOKE5I9: Informant how may cigarettes per day

Smoke_N5. How many cigarettes do/did you smoke (when you last smoked regularly)?

Value	Label	Unweighted Frequency	%
1	-	2	0.4 %
2	-	10	2.2 %
3	-	15	3.3 %
4	-	6	1.3 %
5	-	9	2.0 %
6	-	4	0.9 %
7	-	3	0.7 %
8	-	3	0.7 %
10	-	7	1.5 %
15	-	1	0.2 %
20	-	5	1.1 %
24	-	1	0.2 %
40	-	1	0.2 %
60	-	3	0.7 %
	Missing Data		
.	-	390	84.8 %
	Total	**460**	**100%**

Based upon 70 valid cases out of 460 total cases.

- Mean: 9.06
- Median: 5.00
- Mode: 3.00
- Minimum: 1.00
- Maximum: 60.00
- Standard Deviation: 12.71

II1A: Height in Centimeters

II1a. Now we'd like to get your height and weight. Why don't you slip off your shoes and remove heavy jewelry or clothing. Now stand back against this door with your feet, heels together on the floor and with your heels, hips, back and head directly against the wall. Look straight ahead.

Value	Label	Unweighted Frequency	%
53.0	-	1	0.2 %

Value	Label	Unweighted Frequency	%
56.0	-	1	0.2 %
58.0	-	1	0.2 %
61.0	-	1	0.2 %
63.0	-	5	1.1 %
64.0	-	2	0.4 %
65.0	-	2	0.4 %
66.0	-	1	0.2 %
67.0	-	2	0.4 %
96.6	-	1	0.2 %
106.4	-	1	0.2 %
120.0	-	1	0.2 %
126.0	-	1	0.2 %
130.0	-	2	0.4 %
134.0	-	1	0.2 %
135.0	-	1	0.2 %
136.0	-	1	0.2 %
138.0	-	1	0.2 %
142.0	-	1	0.2 %
142.2	-	2	0.4 %
144.0	-	1	0.2 %
145.0	-	3	0.7 %
146.0	-	1	0.2 %
147.0	-	2	0.4 %
148.0	-	4	0.9 %
149.0	-	5	1.1 %
150.0	-	8	1.7 %
151.0	-	9	2.0 %
151.3	-	1	0.2 %
152.0	-	18	3.9 %
152.3	-	1	0.2 %
152.4	-	1	0.2 %
152.5	-	3	0.7 %
153.0	-	20	4.3 %
153.5	-	1	0.2 %
154.0	-	13	2.8 %
154.5	-	1	0.2 %
154.9	-	2	0.4 %
155.0	-	33	7.2 %
156.0	-	15	3.3 %

Value	Label	Unweighted Frequency	%
157.0	-	23	5.0 %
157.3	-	2	0.4 %
157.5	-	3	0.7 %
158.0	-	20	4.3 %
158.3	-	1	0.2 %
159.0	-	10	2.2 %
160.0	-	25	5.4 %
160.5	-	1	0.2 %
161.0	-	1	0.2 %
162.0	-	16	3.5 %
	Missing Data		
.	-	38	8.3 %
	Total	**460**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 422 valid cases out of 460 total cases.

- Mean: 156.03
- Median: 158.00
- Mode: 155.00
- Minimum: 53.00
- Maximum: 210.00
- Standard Deviation: 21.16

Location: 315-319 (width: 5; decimal: 1)
Variable Type: numeric

II1B: Weight in pounds

II1b. Now let's get your weight.

Value	Label	Unweighted Frequency	%
59	-	1	0.2 %
90	-	2	0.4 %
95	-	2	0.4 %
97	-	1	0.2 %
99	-	1	0.2 %
100	-	3	0.7 %
105	-	1	0.2 %
108	-	1	0.2 %
109	-	1	0.2 %
110	-	2	0.4 %

Value	Label	Unweighted Frequency	%
112	-	1	0.2 %
113	-	3	0.7 %
114	-	2	0.4 %
115	-	1	0.2 %
116	-	2	0.4 %
117	-	2	0.4 %
118	-	4	0.9 %
120	-	9	2.0 %
122	-	2	0.4 %
123	-	2	0.4 %
125	-	1	0.2 %
126	-	2	0.4 %
127	-	4	0.9 %
128	-	5	1.1 %
130	-	11	2.4 %
131	-	2	0.4 %
132	-	3	0.7 %
133	-	2	0.4 %
134	-	1	0.2 %
135	-	14	3.0 %
137	-	1	0.2 %
138	-	5	1.1 %
139	-	3	0.7 %
140	-	12	2.6 %
141	-	1	0.2 %
142	-	3	0.7 %
143	-	4	0.9 %
144	-	1	0.2 %
145	-	14	3.0 %
148	-	2	0.4 %
149	-	3	0.7 %
150	-	10	2.2 %
152	-	4	0.9 %
153	-	1	0.2 %
154	-	5	1.1 %
155	-	13	2.8 %
156	-	2	0.4 %
157	-	2	0.4 %
158	-	7	1.5 %

Value	Label	Unweighted Frequency	%
160	-	17	3.7 %
	Missing Data		
.	-	52	11.3 %
	Total	**460**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 408 valid cases out of 460 total cases.

- Mean: 169.07
- Median: 163.00
- Mode: 160.00
- Minimum: 59.00
- Maximum: 380.00
- Standard Deviation: 42.67

Location: 320-322 (width: 3; decimal: 0)
Variable Type: numeric

II1C: Floor Type II1D

II1c. (INTERVIEWER: TYPE OF SURFACE.)

Value	Label	Unweighted Frequency	%
1	Uncarpeted	357	77.6 %
2	Low Carpet	37	8.0 %
3	Other	4	0.9 %
4	Reported Weight	62	13.5 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 323-323 (width: 1; decimal: 0)
Variable Type: numeric

II1D: Self-reported weight

II1d. Can you please tell me how much you weigh?

Value	Label	Unweighted Frequency	%
120	-	1	0.2 %
125	-	2	0.4 %
130	-	2	0.4 %

Value	Label	Unweighted Frequency	%
132	-	2	0.4 %
134	-	1	0.2 %
135	-	1	0.2 %
138	-	1	0.2 %
144	-	1	0.2 %
145	-	1	0.2 %
150	-	2	0.4 %
160	-	3	0.7 %
167	-	1	0.2 %
168	-	1	0.2 %
170	-	2	0.4 %
172	-	1	0.2 %
173	-	1	0.2 %
174	-	1	0.2 %
175	-	2	0.4 %
178	-	1	0.2 %
179	-	1	0.2 %
180	-	2	0.4 %
188	-	1	0.2 %
190	-	1	0.2 %
210	-	1	0.2 %
275	-	1	0.2 %
285	-	1	0.2 %
290	-	1	0.2 %
291	-	1	0.2 %
314	-	1	0.2 %
320	-	1	0.2 %
337	-	1	0.2 %
	Missing Data		
.	-	420	91.3 %
	Total	**460**	**100%**

Based upon 40 valid cases out of 460 total cases.

- Mean: 183.28
- Median: 170.00
- Mode: 160.00
- Minimum: 120.00
- Maximum: 337.00
- Standard Deviation: 59.64

Location: 324-326 (width: 3; decimal: 0)
Variable Type: numeric

JJ1: Minimal Umbilicus Measurement 1

JJ1. Now I would like to measure your waist circumference. Measurement 1

Value	Label	Unweighted Frequency	%
30.0	-	1	0.2 %
35.0	-	3	0.7 %
36.0	-	1	0.2 %
38.0	-	3	0.7 %
40.0	-	1	0.2 %
41.0	-	2	0.4 %
43.0	-	2	0.4 %
44.0	-	2	0.4 %
49.0	-	1	0.2 %
52.0	-	1	0.2 %
58.0	-	1	0.2 %
59.0	-	1	0.2 %
64.0	-	3	0.7 %
67.0	-	6	1.3 %
68.0	-	1	0.2 %
73.0	-	1	0.2 %
74.0	-	2	0.4 %
75.0	-	1	0.2 %
76.0	-	8	1.7 %
77.0	-	3	0.7 %
78.0	-	6	1.3 %
79.0	-	2	0.4 %
80.0	-	6	1.3 %
81.0	-	4	0.9 %
82.0	-	8	1.7 %
83.0	-	1	0.2 %
83.8	-	1	0.2 %
84.0	-	9	2.0 %
85.0	-	2	0.4 %
85.3	-	1	0.2 %
86.0	-	9	2.0 %
86.3	-	1	0.2 %
86.4	-	1	0.2 %
87.0	-	8	1.7 %
87.3	-	1	0.2 %
88.0	-	3	0.7 %

Value	Label	Unweighted Frequency	%
88.8	-	1	0.2 %
88.9	-	1	0.2 %
89.0	-	4	0.9 %
90.0	-	6	1.3 %
90.2	-	1	0.2 %
90.3	-	1	0.2 %
91.0	-	8	1.7 %
91.4	-	2	0.4 %
91.5	-	3	0.7 %
92.0	-	13	2.8 %
93.0	-	8	1.7 %
93.6	-	1	0.2 %
94.0	-	12	2.6 %
95.0	-	5	1.1 %
	Missing Data		
.	-	49	10.7 %
	Total	**460**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 411 valid cases out of 460 total cases.

- Mean: 98.69
- Median: 98.00
- Minimum: 30.00
- Maximum: 175.00
- Standard Deviation: 21.33

Location: 327-331 (width: 5; decimal: 1)
Variable Type: numeric

JJ2: Minimal Umbilicus Measurement 2

JJ1. Now I would like to measure your waist circumference. Measurement 2

Value	Label	Unweighted Frequency	%
30.0	-	1	0.2 %
35.0	-	3	0.7 %
36.0	-	1	0.2 %
38.0	-	3	0.7 %
40.0	-	1	0.2 %
41.0	-	2	0.4 %
42.0	-	1	0.2 %

Value	Label	Unweighted Frequency	%
43.0	-	2	0.4 %
44.0	-	1	0.2 %
49.0	-	1	0.2 %
52.0	-	1	0.2 %
58.0	-	1	0.2 %
61.0	-	1	0.2 %
64.0	-	1	0.2 %
65.0	-	3	0.7 %
67.0	-	3	0.7 %
68.0	-	3	0.7 %
73.5	-	1	0.2 %
74.0	-	3	0.7 %
76.0	-	2	0.4 %
77.0	-	8	1.7 %
78.0	-	7	1.5 %
79.0	-	3	0.7 %
80.0	-	4	0.9 %
81.0	-	5	1.1 %
82.0	-	5	1.1 %
83.0	-	2	0.4 %
83.8	-	1	0.2 %
84.0	-	4	0.9 %
84.1	-	1	0.2 %
84.5	-	1	0.2 %
85.0	-	4	0.9 %
86.0	-	4	0.9 %
86.2	-	1	0.2 %
86.3	-	1	0.2 %
86.4	-	1	0.2 %
87.0	-	12	2.6 %
87.2	-	1	0.2 %
88.0	-	5	1.1 %
88.6	-	1	0.2 %
88.9	-	1	0.2 %
89.0	-	5	1.1 %
90.0	-	5	1.1 %
90.2	-	1	0.2 %
90.3	-	1	0.2 %
90.4	-	1	0.2 %

Value	Label	Unweighted Frequency	%
91.0	-	13	2.8 %
91.2	-	1	0.2 %
91.3	-	1	0.2 %
91.4	-	2	0.4 %
	Missing Data		
.	-	48	10.4 %
	Total	**460**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 412 valid cases out of 460 total cases.

- Mean: 99.01
- Median: 98.50
- Minimum: 30.00
- Maximum: 176.00
- Standard Deviation: 21.40

Location: 332-336 (width: 5; decimal: 1)
Variable Type: numeric

GGB9I: Informant agrees to blood pressure reading

GG1. Now I would like to take your pulse and two blood pressure readings. While I do this, please sit back comfortably and rest both feet flat on the floor; do not cross you legs or ankles.

Value	Label	Unweighted Frequency	%
1	Agreed	407	88.5 %
777	Proxy	3	0.7 %
	Missing Data		
999	Refused	50	10.9 %
	Total	**460**	**100%**

Based upon 410 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 777.00

Location: 337-339 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 999

GG4SYS9I: Informant's first seated systolic reading

GG4. First seated blood pressure reading? Informant's first seated systolic reading

Value	Label	Unweighted Frequency	%
78	-	1	0.2 %
84	-	1	0.2 %
90	-	2	0.4 %
91	-	1	0.2 %
92	-	1	0.2 %
93	-	1	0.2 %
94	-	1	0.2 %
95	-	1	0.2 %
96	-	2	0.4 %
97	-	2	0.4 %
98	-	4	0.9 %
99	-	2	0.4 %
100	-	1	0.2 %
101	-	3	0.7 %
102	-	1	0.2 %
103	-	3	0.7 %
104	-	3	0.7 %
105	-	3	0.7 %
107	-	5	1.1 %
108	-	1	0.2 %
109	-	2	0.4 %
110	-	6	1.3 %
111	-	3	0.7 %
112	-	5	1.1 %
113	-	7	1.5 %
114	-	6	1.3 %
115	-	9	2.0 %
116	-	3	0.7 %
117	-	6	1.3 %
118	-	3	0.7 %
119	-	4	0.9 %
120	-	18	3.9 %
121	-	6	1.3 %
122	-	11	2.4 %
123	-	9	2.0 %
124	-	12	2.6 %
125	-	7	1.5 %
126	-	15	3.3 %
127	-	4	0.9 %

Value	Label	Unweighted Frequency	%
128	-	10	2.2 %
129	-	11	2.4 %
130	-	14	3.0 %
131	-	7	1.5 %
132	-	13	2.8 %
133	-	6	1.3 %
134	-	9	2.0 %
135	-	9	2.0 %
136	-	7	1.5 %
137	-	9	2.0 %
138	-	11	2.4 %
	Missing Data		
.	-	54	11.7 %
	Total	**460**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 406 valid cases out of 460 total cases.

- Mean: 131.56
- Median: 130.00
- Mode: 120.00
- Minimum: 78.00
- Maximum: 202.00
- Standard Deviation: 19.42

Location: 340-342 (width: 3; decimal: 0)
Variable Type: numeric

GG4DIA9I: Informant's first seated diastolic reading

GG4. First seated blood pressure reading? Informant's first seated diastolic reading

Value	Label	Unweighted Frequency	%
51	-	1	0.2 %
52	-	1	0.2 %
54	-	1	0.2 %
55	-	1	0.2 %
56	-	1	0.2 %
57	-	2	0.4 %
58	-	1	0.2 %
59	-	3	0.7 %
60	-	2	0.4 %

Value	Label	Unweighted Frequency	%
61	-	4	0.9 %
62	-	4	0.9 %
63	-	3	0.7 %
64	-	3	0.7 %
65	-	3	0.7 %
66	-	5	1.1 %
67	-	5	1.1 %
68	-	6	1.3 %
69	-	9	2.0 %
70	-	14	3.0 %
71	-	12	2.6 %
72	-	6	1.3 %
73	-	10	2.2 %
74	-	11	2.4 %
75	-	12	2.6 %
76	-	15	3.3 %
77	-	7	1.5 %
78	-	12	2.6 %
79	-	18	3.9 %
80	-	24	5.2 %
81	-	8	1.7 %
82	-	16	3.5 %
83	-	15	3.3 %
84	-	21	4.6 %
85	-	12	2.6 %
86	-	13	2.8 %
87	-	11	2.4 %
88	-	20	4.3 %
89	-	15	3.3 %
90	-	11	2.4 %
91	-	6	1.3 %
92	-	10	2.2 %
93	-	8	1.7 %
94	-	5	1.1 %
95	-	6	1.3 %
96	-	5	1.1 %
97	-	7	1.5 %
98	-	1	0.2 %
99	-	4	0.9 %

Value	Label	Unweighted Frequency	%
101	-	1	0.2 %
102	-	2	0.4 %
	Missing Data		
.	-	54	11.7 %
	Total	**460**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 406 valid cases out of 460 total cases.

- Mean: 81.09
- Median: 81.00
- Mode: 80.00
- Minimum: 51.00
- Maximum: 115.00
- Standard Deviation: 10.86

Location: 343-345 (width: 3; decimal: 0)
Variable Type: numeric

GG4PUL9I: Informant's first seated pulse reading

Informant's first seated pulse reading

Value	Label	Unweighted Frequency	%
52	-	2	0.4 %
53	-	2	0.4 %
54	-	4	0.9 %
55	-	1	0.2 %
56	-	3	0.7 %
57	-	3	0.7 %
58	-	4	0.9 %
59	-	7	1.5 %
60	-	8	1.7 %
61	-	7	1.5 %
62	-	8	1.7 %
63	-	7	1.5 %
64	-	6	1.3 %
65	-	16	3.5 %
66	-	19	4.1 %
67	-	15	3.3 %
68	-	13	2.8 %
69	-	13	2.8 %

Value	Label	Unweighted Frequency	%
70	-	16	3.5 %
71	-	17	3.7 %
72	-	18	3.9 %
73	-	16	3.5 %
74	-	16	3.5 %
75	-	13	2.8 %
76	-	19	4.1 %
77	-	13	2.8 %
78	-	17	3.7 %
79	-	14	3.0 %
80	-	22	4.8 %
81	-	4	0.9 %
82	-	9	2.0 %
83	-	10	2.2 %
84	-	4	0.9 %
85	-	7	1.5 %
86	-	3	0.7 %
87	-	10	2.2 %
88	-	7	1.5 %
89	-	3	0.7 %
90	-	5	1.1 %
92	-	1	0.2 %
93	-	4	0.9 %
94	-	5	1.1 %
95	-	1	0.2 %
96	-	2	0.4 %
97	-	1	0.2 %
99	-	1	0.2 %
100	-	5	1.1 %
103	-	2	0.4 %
105	-	1	0.2 %
109	-	1	0.2 %
	Missing Data		
.	-	54	11.7 %
	Total	**460**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 406 valid cases out of 460 total cases.

- Mean: 74.14
- Median: 73.00
- Mode: 80.00
- Minimum: 52.00
- Maximum: 120.00
- Standard Deviation: 10.39

Location: 346-348 (width: 3; decimal: 0)
Variable Type: numeric

GG5SYS9I: Informant's second seated systolic reading

GG5. Second seated blood pressure reading? Informant's second seated systolic reading

Value	Label	Unweighted Frequency	%
79	-	1	0.2 %
93	-	1	0.2 %
94	-	3	0.7 %
95	-	2	0.4 %
96	-	2	0.4 %
97	-	1	0.2 %
98	-	3	0.7 %
99	-	1	0.2 %
100	-	1	0.2 %
101	-	5	1.1 %
102	-	4	0.9 %
103	-	1	0.2 %
104	-	4	0.9 %
105	-	2	0.4 %
106	-	1	0.2 %
107	-	4	0.9 %
108	-	3	0.7 %
109	-	5	1.1 %
110	-	6	1.3 %
111	-	3	0.7 %
112	-	5	1.1 %
114	-	6	1.3 %
115	-	8	1.7 %
116	-	9	2.0 %
117	-	2	0.4 %
118	-	6	1.3 %
119	-	4	0.9 %
120	-	16	3.5 %
121	-	9	2.0 %

Value	Label	Unweighted Frequency	%
122	-	8	1.7 %
123	-	7	1.5 %
124	-	14	3.0 %
125	-	5	1.1 %
126	-	15	3.3 %
127	-	5	1.1 %
128	-	17	3.7 %
129	-	8	1.7 %
130	-	23	5.0 %
131	-	10	2.2 %
132	-	8	1.7 %
133	-	2	0.4 %
134	-	12	2.6 %
135	-	11	2.4 %
136	-	13	2.8 %
137	-	3	0.7 %
138	-	15	3.3 %
139	-	6	1.3 %
140	-	14	3.0 %
141	-	2	0.4 %
142	-	4	0.9 %
Missing Data			
.	-	54	11.7 %
Total		**460**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 406 valid cases out of 460 total cases.

- Mean: 130.98
- Median: 130.00
- Mode: 130.00
- Minimum: 79.00
- Maximum: 203.00
- Standard Deviation: 18.34

Location: 349-351 (width: 3; decimal: 0)
Variable Type: numeric

GG5DIA9I: Informant's second seated diastolic reading

GG5. Second seated blood pressure reading? Informant's second seated diastolic reading

Value	Label	Unweighted Frequency	%
53	-	1	0.2 %
55	-	1	0.2 %
58	-	2	0.4 %
59	-	2	0.4 %
60	-	11	2.4 %
61	-	1	0.2 %
62	-	4	0.9 %
63	-	1	0.2 %
64	-	4	0.9 %
65	-	7	1.5 %
66	-	9	2.0 %
67	-	4	0.9 %
68	-	8	1.7 %
69	-	5	1.1 %
70	-	17	3.7 %
71	-	6	1.3 %
72	-	13	2.8 %
73	-	4	0.9 %
74	-	8	1.7 %
75	-	13	2.8 %
76	-	22	4.8 %
77	-	5	1.1 %
78	-	19	4.1 %
79	-	13	2.8 %
80	-	52	11.3 %
81	-	13	2.8 %
82	-	19	4.1 %
83	-	11	2.4 %
84	-	12	2.6 %
85	-	7	1.5 %
86	-	7	1.5 %
87	-	13	2.8 %
88	-	12	2.6 %
89	-	8	1.7 %
90	-	14	3.0 %
91	-	4	0.9 %
92	-	11	2.4 %
93	-	4	0.9 %
94	-	8	1.7 %

Value	Label	Unweighted Frequency	%
95	-	6	1.3 %
96	-	4	0.9 %
97	-	1	0.2 %
98	-	4	0.9 %
99	-	2	0.4 %
100	-	4	0.9 %
101	-	2	0.4 %
102	-	3	0.7 %
105	-	1	0.2 %
108	-	1	0.2 %
113	-	1	0.2 %
	Missing Data		
.	-	54	11.7 %
	Total	**460**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 406 valid cases out of 460 total cases.

- Mean: 80.01
- Median: 80.00
- Mode: 80.00
- Minimum: 53.00
- Maximum: 135.00
- Standard Deviation: 10.49

Location: 352-354 (width: 3; decimal: 0)
Variable Type: numeric

GG5PUL9I: Informant's second seated pulse reading

Informant's second seated pulse reading

Value	Label	Unweighted Frequency	%
52	-	2	0.4 %
54	-	2	0.4 %
55	-	2	0.4 %
56	-	4	0.9 %
57	-	4	0.9 %
58	-	1	0.2 %
59	-	9	2.0 %
60	-	13	2.8 %
61	-	7	1.5 %

Value	Label	Unweighted Frequency	%
62	-	11	2.4 %
63	-	6	1.3 %
64	-	10	2.2 %
65	-	7	1.5 %
66	-	18	3.9 %
67	-	9	2.0 %
68	-	16	3.5 %
69	-	12	2.6 %
70	-	20	4.3 %
71	-	16	3.5 %
72	-	14	3.0 %
73	-	10	2.2 %
74	-	22	4.8 %
75	-	10	2.2 %
76	-	23	5.0 %
77	-	9	2.0 %
78	-	21	4.6 %
79	-	8	1.7 %
80	-	40	8.7 %
81	-	9	2.0 %
82	-	7	1.5 %
83	-	5	1.1 %
84	-	12	2.6 %
85	-	3	0.7 %
86	-	6	1.3 %
87	-	2	0.4 %
88	-	7	1.5 %
89	-	2	0.4 %
90	-	6	1.3 %
91	-	2	0.4 %
92	-	1	0.2 %
93	-	1	0.2 %
94	-	2	0.4 %
96	-	3	0.7 %
97	-	1	0.2 %
98	-	3	0.7 %
100	-	3	0.7 %
101	-	1	0.2 %
104	-	1	0.2 %

Value	Label	Unweighted Frequency	%
105	-	1	0.2 %
106	-	1	0.2 %
	Missing Data		
.	-	54	11.7 %
	Total	**460**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 406 valid cases out of 460 total cases.

- Mean: 74.06
- Median: 74.00
- Mode: 80.00
- Minimum: 52.00
- Maximum: 118.00
- Standard Deviation: 10.03

Location: 355-357 (width: 3; decimal: 0)
Variable Type: numeric

HH7A9I: Informant unable to do grip strength due to surgery

HH7a. Now, I am going to use this instrument called a Dynamometer to test the strength in the hand you feel is stronger. However, if you have had any surgery on your arm in the last three months, you should not do this exercise. Have you had any recent surgery? Informant unable to do grip strength due to surgery

Value	Label	Unweighted Frequency	%
1	Yes	7	1.5 %
2	No	400	87.0 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	52	11.3 %
	Total	**460**	**100%**

Based upon 407 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 358-358 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

HH7B91I: Informant's first grip score in kilograms

HH7b. I'd like you to place the arm that you think is the stronger on the table with your palm facing up. Grab the handles using an underhand grip. Let me know if the grip needs to be adjusted. When I say squeeze, squeeze as hard as you can. The handles will

not move, but I will be able to read the force of your grip on the dial. I will ask you to do this two times. If you feel any pain or discomfort, tell me and we will stop. Record to nearest half kilogram.Informant's first grip score in kilograms

Value	Label	Unweighted Frequency	%
0.0	-	3	0.7 %
2.0	-	1	0.2 %
4.0	-	1	0.2 %
6.0	-	1	0.2 %
8.0	-	2	0.4 %
9.0	-	3	0.7 %
10.0	-	7	1.5 %
11.0	-	2	0.4 %
11.1	-	1	0.2 %
12.0	-	16	3.5 %
12.5	-	1	0.2 %
13.0	-	2	0.4 %
14.0	-	16	3.5 %
14.2	-	1	0.2 %
15.0	-	9	2.0 %
16.0	-	15	3.3 %
17.0	-	2	0.4 %
18.0	-	23	5.0 %
19.0	-	9	2.0 %
20.0	-	37	8.0 %
20.5	-	1	0.2 %
21.0	-	6	1.3 %
22.0	-	33	7.2 %
22.5	-	1	0.2 %
23.0	-	9	2.0 %
24.0	-	11	2.4 %
24.5	-	1	0.2 %
25.0	-	8	1.7 %
26.0	-	22	4.8 %
26.5	-	1	0.2 %
27.0	-	6	1.3 %
28.0	-	20	4.3 %
29.0	-	3	0.7 %
29.5	-	2	0.4 %
30.0	-	20	4.3 %
31.0	-	5	1.1 %
32.0	-	14	3.0 %

Value	Label	Unweighted Frequency	%
32.5	-	1	0.2 %
33.0	-	4	0.9 %
34.0	-	9	2.0 %
34.5	-	1	0.2 %
35.0	-	6	1.3 %
36.0	-	4	0.9 %
37.0	-	5	1.1 %
38.0	-	3	0.7 %
38.5	-	1	0.2 %
39.0	-	2	0.4 %
40.0	-	6	1.3 %
41.0	-	1	0.2 %
42.0	-	4	0.9 %
	Missing Data		
.	-	66	14.3 %
	Total	**460**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 394 valid cases out of 460 total cases.

- Mean: 25.03
- Median: 23.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 10.35

Location: 359-362 (width: 4; decimal: 1)
Variable Type: numeric

NOHH7B91I: Informant unable to, refused, or did not perform first grip test

Informant unable to, refused, or did not perform first grip test

Value	Label	Unweighted Frequency	%
666	Unable	6	1.3 %
777	Not preformed/Safety	4	0.9 %
	Missing Data		
999	Refused	49	10.7 %
.	-	401	87.2 %
	Total	**460**	**100%**

Based upon 10 valid cases out of 460 total cases.

- Minimum: 666.00
- Maximum: 777.00

Location: 363-365 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 999 , .

HH7B92I: Informant's second grip score in kilograms

Informant's second grip score in kilograms

Value	Label	Unweighted Frequency	%
0.0	-	3	0.7 %
2.0	-	1	0.2 %
4.0	-	1	0.2 %
5.0	-	1	0.2 %
9.0	-	1	0.2 %
10.0	-	5	1.1 %
11.0	-	5	1.1 %
12.0	-	9	2.0 %
12.2	-	1	0.2 %
13.0	-	2	0.4 %
13.5	-	1	0.2 %
14.0	-	14	3.0 %
14.5	-	2	0.4 %
15.0	-	5	1.1 %
15.1	-	1	0.2 %
16.0	-	12	2.6 %
16.2	-	1	0.2 %
16.5	-	3	0.7 %
17.0	-	3	0.7 %
18.0	-	26	5.7 %
19.0	-	13	2.8 %
19.5	-	4	0.9 %
20.0	-	29	6.3 %
20.5	-	2	0.4 %
21.0	-	6	1.3 %
22.0	-	26	5.7 %
22.5	-	1	0.2 %
23.0	-	7	1.5 %
23.5	-	1	0.2 %

Value	Label	Unweighted Frequency	%
24.0	-	17	3.7 %
24.5	-	2	0.4 %
25.0	-	13	2.8 %
26.0	-	18	3.9 %
27.0	-	4	0.9 %
28.0	-	28	6.1 %
29.0	-	5	1.1 %
29.5	-	1	0.2 %
30.0	-	16	3.5 %
31.0	-	5	1.1 %
32.0	-	15	3.3 %
32.5	-	2	0.4 %
33.0	-	3	0.7 %
34.0	-	8	1.7 %
35.0	-	8	1.7 %
35.6	-	1	0.2 %
36.0	-	4	0.9 %
37.0	-	1	0.2 %
38.0	-	9	2.0 %
39.0	-	1	0.2 %
40.0	-	7	1.5 %
Missing Data			
.	-	66	14.3 %
Total		**460**	**100%**

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 394 valid cases out of 460 total cases.

- Mean: 25.78
- Median: 24.00
- Mode: 20.00
- Minimum: 0.00
- Maximum: 59.00
- Standard Deviation: 10.48

Location: 366-369 (width: 4; decimal: 1)
Variable Type: numeric

NOHH7B92I: Informant unable to, refused, or did not perform second grip test

Informant unable to, refused, or did not perform second grip test

Value	Label	Unweighted Frequency	%
666	Unable	5	1.1 %
777	Not preformed/Safety	5	1.1 %
	Missing Data		
999	Refused	49	10.7 %
.	-	401	87.2 %
	Total	**460**	**100%**

Based upon 10 valid cases out of 460 total cases.

- Minimum: 666.00
- Maximum: 777.00

Location: 370-372 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 999 , .

HH7C9I: Hand informant used for grip strength test?

HH7c. Hand tested?

Value	Label	Unweighted Frequency	%
1	Mild	360	78.3 %
2	Moderate	33	7.2 %
3	Severe	60	13.0 %
	Missing Data		
.	-	7	1.5 %
	Total	**460**	**100%**

Based upon 453 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 373-373 (width: 1; decimal: 0)
Variable Type: numeric

GRIPSCL9I: Informant's grip scale from the handle

Informant's grip scale from the handle

Value	Label	Unweighted Frequency	%
1	1 (INSIDE)	128	27.8 %
2	2	289	62.8 %
3	3	25	5.4 %
4	4	4	0.9 %

Value	Label	Unweighted Frequency	%
5	5 (OUTSIDE)	7	1.5 %
	Missing Data		
.	-	7	1.5 %
	Total	**460**	**100%**

Based upon 453 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 5.00

Location: 374-374 (width: 1; decimal: 0)
Variable Type: numeric

I_ARTHRHEU9I: Informant has arthritis

IU3. Has a doctor or other health care professional ever told you that you had any of the following conditions? I1x. Arthritis or rheumatism

Value	Label	Unweighted Frequency	%
1	Yes	149	32.4 %
2	No	304	66.1 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	6	1.3 %
	Total	**460**	**100%**

Based upon 453 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 375-375 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

I_LCANCR91I: Informant has cancer

I2y. Cancer or malignant tumor

Value	Label	Unweighted Frequency	%
1	Yes	28	6.1 %
2	No	426	92.6 %
	Missing Data		
9	Refused	6	1.3 %
	Total	**460**	**100%**

Based upon 454 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 376-376 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

I_ICARDI91I: Informant has had a heart attack

I3I1. Had or suspect a heart attack, coronary, myocardial infarction, or coronary thrombosis?

Value	Label	Unweighted Frequency	%
1	Yes	16	3.5 %
2	No	436	94.8 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	6	1.3 %
	Total	**460**	**100%**

Based upon 452 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 377-377 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

I_ICARDI95I: Informant has been hospitalized from heart attack

I3I5. If "Yes", were you hospitalized overnight for this?

Value	Label	Unweighted Frequency	%
1	Yes	16	3.5 %
2	No	0	0.0 %
	Missing Data		
.	-	444	96.5 %
	Total	**460**	**100%**

Based upon 16 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 378-378 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

I_JSTROK91I: Informant has had a stroke

I4J1. Had or suspect a stroke, blood clot in the brain, or brain hemorrhage?

Value	Label	Unweighted Frequency	%
1	Yes	7	1.5 %
2	No	446	97.0 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	6	1.3 %
	Total	**460**	**100%**

Based upon 453 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 379-379 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

I_JSTROK95I: Informant has been hospitalized from stroke

I4J5. If "Yes", were you hospitalized overnight for this?

Value	Label	Unweighted Frequency	%
1	Yes	5	1.1 %
2	No	2	0.4 %
	Missing Data		
.	-	453	98.5 %
	Total	**460**	**100%**

Based upon 7 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 380-380 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

I_KHYPER91I: Informant has hypertension

I5K1. Had high blood pressure?

Value	Label	Unweighted Frequency	%
1	Yes	196	42.6 %

Value	Label	Unweighted Frequency	%
2	No	257	55.9 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	6	1.3 %
	Total	**460**	**100%**

Based upon 453 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 381-381 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

I_KHYPER94I: Informant is currently taking medications for hypertension

I5K4. If "Yes", currently taking any medication for high blood pressure?

Value	Label	Unweighted Frequency	%
1	Yes	184	40.0 %
2	No	12	2.6 %
	Missing Data		
.	-	264	57.4 %
	Total	**460**	**100%**

Based upon 196 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 382-382 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

I_MDIAB91I: Informant has diabetes

I6M1. Had or suspect diabetes

Value	Label	Unweighted Frequency	%
1	Yes	98	21.3 %
2	No	356	77.4 %
	Missing Data		
9	Refused	6	1.3 %
	Total	**460**	**100%**

Based upon 454 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 383-383 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

I_MDIAB93I: Informant is currently taking medications for diabetes

I6M3. If "Yes", are you taking any medication for diabetes now?

Value	Label	Unweighted Frequency	%
1	Yes	92	20.0 %
2	No	6	1.3 %
	Missing Data		
.	-	362	78.7 %
	Total	**460**	**100%**

Based upon 98 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 384-384 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

I_NFRAC91I: Informant has had hip fracture(s)

I7N1. Have you ever broken or fractured your hip?

Value	Label	Unweighted Frequency	%
1	Yes	6	1.3 %
2	No	448	97.4 %
	Missing Data		
9	Refused	6	1.3 %
	Total	**460**	**100%**

Based upon 454 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 385-385 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

I_NFRAC91AI: Informant had hip fracture at this age

I7N1a. If "Yes", how old were you when you broke your hip?

Value	Label	Unweighted Frequency	%
4	-	1	0.2 %
53	-	1	0.2 %
54	-	1	0.2 %
55	-	1	0.2 %
61	-	1	0.2 %
	Missing Data		
888	-	1	0.2 %
.	-	454	98.7 %
	Total	**460**	**100%**

Based upon 5 valid cases out of 460 total cases.

- Mean: 45.40
- Median: 54.00
- Minimum: 4.00
- Maximum: 61.00
- Standard Deviation: 23.35

Location: 386-388 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888 , .

I_NFRAC95I: Informant has been hospitalized from hip fracture

I7N5. If "Yes", were you hospitalized overnight for this?

Value	Label	Unweighted Frequency	%
1	Yes	5	1.1 %
2	No	1	0.2 %
	Missing Data		
.	-	454	98.7 %
	Total	**460**	**100%**

Based upon 6 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 389-389 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

I_NFRAC93I: Informant has had other bone fractures

I7N3. Have you ever broken or fractured any other bone?

Value	Label	Unweighted Frequency	%
1	Yes	86	18.7 %
2	No	368	80.0 %
	Missing Data		
9	Refused	6	1.3 %
	Total	**460**	**100%**

Based upon 454 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 390-390 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

I_WPAIN95I: Informant has had pain when standing or walking in the past month

IP5. In the past month, did you notice any pain or discomfort when you stood or walked?

Value	Label	Unweighted Frequency	%
1	Yes	141	30.7 %
2	No	311	67.6 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	6	1.3 %
	Total	**460**	**100%**

Based upon 452 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 391-391 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

I_WPAIN951I: Informant has had pain in back

If "Yes", where was this pain? back

Value	Label	Unweighted Frequency	%
1	Yes	62	13.5 %
2	No	79	17.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	319	69.3 %
	Total	**460**	**100%**

Based upon 141 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 392-392 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

I_WPAIN952I: Informant has had pain in hips

If "Yes", where was this pain? hips

Value	Label	Unweighted Frequency	%
1	Yes	53	11.5 %
2	No	88	19.1 %
	Missing Data		
.	-	319	69.3 %
	Total	**460**	**100%**

Based upon 141 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 393-393 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

I_WPAIN953I: Informant has had pain in knees

If "Yes", where was this pain? knees

Value	Label	Unweighted Frequency	%
1	Yes	96	20.9 %
2	No	45	9.8 %
	Missing Data		
.	-	319	69.3 %
	Total	**460**	**100%**

Based upon 141 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

I_WPAIN954I: Informant has had pain in ankles/feet

If "Yes", where was this pain? ankles/feet

Value	Label	Unweighted Frequency	%
1	Yes	55	12.0 %
2	No	86	18.7 %
	Missing Data		
.	-	319	69.3 %
	Total	**460**	**100%**

Based upon 141 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

I_WPAIN955I: Informant has had pain in legs

If "Yes", where was this pain? legs

Value	Label	Unweighted Frequency	%
1	Yes	63	13.7 %
2	No	78	17.0 %
	Missing Data		
.	-	319	69.3 %
	Total	**460**	**100%**

Based upon 141 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

I_WPAIN956I: Informant has had pain in entire body

If "Yes", where was this pain? entire body

Value	Label	Unweighted Frequency	%
1	Yes	23	5.0 %
2	No	117	25.4 %
	Missing Data		
8	Do not know	1	0.2 %
.	-	319	69.3 %
	Total	**460**	**100%**

Based upon 140 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 397-397 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

I_WPAIN957I: Informant has had pain in other

If "Yes", where was this pain? other

Value	Label	Unweighted Frequency	%
1	Yes	22	4.8 %
2	No	118	25.7 %
	Missing Data		
8	Do not know	1	0.2 %
.	-	319	69.3 %
	Total	**460**	**100%**

Based upon 140 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 398-398 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9 , .

X9CESD1I: Informant feels emotionally bothered during the past week

Now I have some questions about your feelings during the past week.
For each of the following statements, please tell me if you felt that way in the past week
rarely or none of the time (less that 1 day), some or a little of the time (1 to 2 days),
occasionally or a moderate amount of time (3 to 4 days), most or all of the time (5 to 7 days)?

I was bothered by things that usually don't bother me

Value	Label	Unweighted Frequency	%
0	Rarely / none	337	73.3 %
1	Some / little	80	17.4 %
2	Occasional / moderate	10	2.2 %
3	Most / all	15	3.3 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	16	3.5 %
	Total	**460**	**100%**

Based upon 442 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 399-399 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD2I: Informant feels appetite poor during the past week

I did not feel like eating; my appetite was poor

Value	Label	Unweighted Frequency	%
0	Rarely / none	403	87.6 %
1	Some / little	25	5.4 %
2	Occasional / moderate	10	2.2 %
3	Most / all	5	1.1 %
	Missing Data		
9	Refused	17	3.7 %
	Total	**460**	**100%**

Based upon 443 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 400-400 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD3I: Informant feels he/she could not shake off blues during the past week

I felt that I could not shake off the blues even with help from my family & friends

Value	Label	Unweighted Frequency	%
0	Rarely / none	362	78.7 %

Value	Label	Unweighted Frequency	%
1	Some / little	58	12.6 %
2	Occasional / moderate	14	3.0 %
3	Most / all	9	2.0 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	15	3.3 %
	Total	**460**	**100%**

Based upon 443 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 401-401 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD4I: Informant felt as good as others during the past week

I felt that I was just as good as other people

Value	Label	Unweighted Frequency	%
0	Rarely / none	23	5.0 %
1	Some / little	40	8.7 %
2	Occasional / moderate	36	7.8 %
3	Most / all	343	74.6 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	17	3.7 %
	Total	**460**	**100%**

Based upon 442 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 402-402 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD5I: Informant had trouble concentrating during the past week

I had trouble keeping my mind on what I was doing

Value	Label	Unweighted Frequency	%
0	Rarely / none	347	75.4 %

Value	Label	Unweighted Frequency	%
1	Some / little	69	15.0 %
2	Occasional / moderate	20	4.3 %
3	Most / all	6	1.3 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	16	3.5 %
	Total	**460**	**100%**

Based upon 442 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 403-403 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD6I: Informant felt depressed during the past week

I felt depressed

Value	Label	Unweighted Frequency	%
0	Rarely / none	313	68.0 %
1	Some / little	93	20.2 %
2	Occasional / moderate	23	5.0 %
3	Most / all	14	3.0 %
	Missing Data		
9	Refused	17	3.7 %
	Total	**460**	**100%**

Based upon 443 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 404-404 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD7I: Informant felt everything worth the effort during the past week

I felt that everything I did was an effort

Value	Label	Unweighted Frequency	%
0	Rarely / none	289	62.8 %
1	Some / little	107	23.3 %

Value	Label	Unweighted Frequency	%
2	Occasional / moderate	20	4.3 %
3	Most / all	26	5.7 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	17	3.7 %
	Total	**460**	**100%**

Based upon 442 valid cases out of 460 total cases.

• Minimum: 0.00
• Maximum: 3.00

Location: 405-405 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD8I: Informant felt hopeful during the past week

I felt hopeful about the future

Value	Label	Unweighted Frequency	%
0	Rarely / none	12	2.6 %
1	Some / little	53	11.5 %
2	Occasional / moderate	58	12.6 %
3	Most / all	317	68.9 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	18	3.9 %
	Total	**460**	**100%**

Based upon 440 valid cases out of 460 total cases.

• Minimum: 0.00
• Maximum: 3.00

Location: 406-406 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD9I: Informant thought his/her life a failure during the past week

I thought my life had been a failure

Value	Label	Unweighted Frequency	%
0	Rarely / none	403	87.6 %
1	Some / little	24	5.2 %

Value	Label	Unweighted Frequency	%
2	Occasional / moderate	5	1.1 %
3	Most / all	7	1.5 %
	Missing Data		
8	Do not know	3	0.7 %
9	Refused	18	3.9 %
	Total	**460**	**100%**

Based upon 439 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 407-407 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD10I: Informant felt fearful during the past week

I felt fearful

Value	Label	Unweighted Frequency	%
0	Rarely / none	381	82.8 %
1	Some / little	47	10.2 %
2	Occasional / moderate	7	1.5 %
3	Most / all	7	1.5 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	17	3.7 %
	Total	**460**	**100%**

Based upon 442 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 408-408 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD11I: Informant's sleep was restless during the past week

My sleep was restless

Value	Label	Unweighted Frequency	%
0	Rarely / none	311	67.6 %
1	Some / little	78	17.0 %

Value	Label	Unweighted Frequency	%
2	Occasional / moderate	34	7.4 %
3	Most / all	21	4.6 %
	Missing Data		
9	Refused	16	3.5 %
	Total	**460**	**100%**

Based upon 444 valid cases out of 460 total cases.

• Minimum: 0.00
• Maximum: 3.00

Location: 409-409 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD12I: Informant felt happy during the past week

I was happy

Value	Label	Unweighted Frequency	%
0	Rarely / none	11	2.4 %
1	Some / little	49	10.7 %
2	Occasional / moderate	50	10.9 %
3	Most / all	333	72.4 %
	Missing Data		
9	Refused	17	3.7 %
	Total	**460**	**100%**

Based upon 443 valid cases out of 460 total cases.

• Minimum: 0.00
• Maximum: 3.00

Location: 410-410 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD13I: Informant had minimal talk during the past week

It seemed that I talked less than usual

Value	Label	Unweighted Frequency	%
0	Rarely / none	389	84.6 %
1	Some / little	37	8.0 %
2	Occasional / moderate	10	2.2 %
3	Most / all	6	1.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
9	Refused	18	3.9 %
	Total	**460**	**100%**

Based upon 442 valid cases out of 460 total cases.

• Minimum: 0.00
• Maximum: 3.00

Location: 411-411 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD14I: Informant felt lonely during the past week

I felt lonely

Value	Label	Unweighted Frequency	%
0	Rarely / none	367	79.8 %
1	Some / little	59	12.8 %
2	Occasional / moderate	9	2.0 %
3	Most / all	7	1.5 %
	Missing Data		
9	Refused	18	3.9 %
	Total	**460**	**100%**

Based upon 442 valid cases out of 460 total cases.

• Minimum: 0.00
• Maximum: 3.00

Location: 412-412 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD15I: Informant felt people were unfriendly during the past week

People were unfriendly

Value	Label	Unweighted Frequency	%
0	Rarely / none	413	89.8 %
1	Some / little	20	4.3 %
2	Occasional / moderate	5	1.1 %
3	Most / all	4	0.9 %
	Missing Data		
9	Refused	18	3.9 %

Value	Label	Unweighted Frequency	%
	Total	**460**	**100%**

Based upon 442 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 413-413 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD16I: Informant enjoyed life during the past week

I enjoyed life

Value	Label	Unweighted Frequency	%
0	Rarely / none	8	1.7 %
1	Some / little	45	9.8 %
2	Occasional / moderate	44	9.6 %
3	Most / all	346	75.2 %
	Missing Data		
9	Refused	17	3.7 %
	Total	**460**	**100%**

Based upon 443 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 414-414 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD17I: Informant had crying spells during the past week

I had crying spells

Value	Label	Unweighted Frequency	%
0	Rarely / none	339	73.7 %
1	Some / little	84	18.3 %
2	Occasional / moderate	13	2.8 %
3	Most / all	6	1.3 %
	Missing Data		
9	Refused	18	3.9 %
	Total	**460**	**100%**

Based upon 442 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 415-415 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD18I: Informant felt sad during the past week

I felt sad

Value	Label	Unweighted Frequency	%
0	Rarely / none	315	68.5 %
1	Some / little	106	23.0 %
2	Occasional / moderate	12	2.6 %
3	Most / all	9	2.0 %
	Missing Data		
9	Refused	18	3.9 %
	Total	**460**	**100%**

Based upon 442 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 416-416 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD19I: Informant felt people disliked him/her during the past week

I felt people disliked me

Value	Label	Unweighted Frequency	%
0	Rarely / none	411	89.3 %
1	Some / little	22	4.8 %
2	Occasional / moderate	2	0.4 %
3	Most / all	5	1.1 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	18	3.9 %
	Total	**460**	**100%**

Based upon 440 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 417-417 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

X9CESD20I: Informant could not get going during the past week

I could not get going

Value	Label	Unweighted Frequency	%
0	Rarely / none	308	67.0 %
1	Some / little	100	21.7 %
2	Occasional / moderate	22	4.8 %
3	Most / all	12	2.6 %
	Missing Data		
9	Refused	18	3.9 %
	Total	**460**	**100%**

Based upon 442 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 418-418 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

CESDTOT9I: CESD: Total CES-D Score

CESD: Total CES-D Score

Value	Label	Unweighted Frequency	%
0	-	107	23.3 %
1	-	34	7.4 %
2	-	47	10.2 %
3	-	37	8.0 %
4	-	24	5.2 %
5	-	18	3.9 %
6	-	26	5.7 %
7	-	23	5.0 %
8	-	15	3.3 %
9	-	12	2.6 %
10	-	18	3.9 %
11	-	10	2.2 %

Value	Label	Unweighted Frequency	%
12	-	12	2.6 %
13	-	10	2.2 %
14	-	9	2.0 %
15	-	3	0.7 %
16	-	9	2.0 %
17	-	3	0.7 %
18	-	5	1.1 %
19	-	1	0.2 %
20	-	1	0.2 %
21	-	1	0.2 %
22	-	2	0.4 %
23	-	2	0.4 %
24	-	2	0.4 %
25	-	1	0.2 %
27	-	2	0.4 %
29	-	4	0.9 %
30	-	2	0.4 %
33	-	1	0.2 %
36	-	1	0.2 %
41	-	1	0.2 %
44	-	1	0.2 %
45	-	1	0.2 %
Missing Data			
.	-	15	3.3 %
Total		**460**	**100%**

Based upon 445 valid cases out of 460 total cases.

- Mean: 5.94
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 45.00
- Standard Deviation: 7.20

Location: 419-420 (width: 2; decimal: 0)
Variable Type: numeric

CASE9I: CESD: Total CES-D Score >= 16

CESD: Total CES-D Score >= 16

Value	Label	Unweighted Frequency	%
0	No	405	88.0 %
1	Yes	40	8.7 %
	Missing Data		
.	-	15	3.3 %
	Total	**460**	**100%**

Based upon 445 valid cases out of 460 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 421-421 (width: 1; decimal: 0)
Variable Type: numeric

SM1I9: How would informant rank their memory

I am now going to ask you questions about your memory and changes in memory that you may have experienced over the past two years.

SM1_N: How would you rate your memory at the present time?

Value	Label	Unweighted Frequency	%
1	Excellent	94	20.4 %
2	Very Good	130	28.3 %
3	Good	169	36.7 %
4	Fair	58	12.6 %
5	Poor	3	0.7 %
	Missing Data		
9	Refused	6	1.3 %
	Total	**460**	**100%**

Based upon 454 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 422-422 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 9

SM2I9: Compared to two years ago, how does informant rank their memory

SM2_N: Compared with two years ago would you say your memory is better now, about the same, or worse now than it was then?

Value	Label	Unweighted Frequency	%
1	Better now	17	3.7 %
2	About the same	394	85.7 %
3	Worse now	43	9.3 %
	Missing Data		
9	Refused	6	1.3 %
	Total	**460**	**100%**

Based upon 454 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 3.00

Location: 423-423 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 9

CC39I: How satisfied is informant with his/her life?

CC3. Now please think about your life as a whole. How satisfied are you with it? Are you completely satisfied, very satisfied, somewhat satisfied, or not at all satisfied?

Value	Label	Unweighted Frequency	%
1	Completely satisfied	169	36.7 %
2	Very satisfied	218	47.4 %
3	Somewhat satisfied	59	12.8 %
4	Not at all satisfied	5	1.1 %
	Missing Data		
9	Refused	9	2.0 %
	Total	**460**	**100%**

Based upon 451 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 4.00

Location: 424-424 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 9

EE29I: How often does informant go to religious service?

EE2. How often do you go to church or religious services?

Value	Label	Unweighted Frequency	%
1	Never/Almost Never	123	26.7 %
2	Several times a year	96	20.9 %

Value	Label	Unweighted Frequency	%
3	Once or twice a month	53	11.5 %
4	Almost every week	122	26.5 %
5	More than once a week	55	12.0 %
	Missing Data		
9	Refused	11	2.4 %
	Total	**460**	**100%**

Based upon 449 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 425-425 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 9

KK29I: Informant's number of doctor visits in past year

Now I'd like to ask you some questions about your use of health care services.

KK2. Not including any overnight stays in a hospital, how many times in the past
12 months, that is since (DATE ONE YEAR AGO) have you visited with a medical doctor?

CC1a. Since (DATE ONE YEAR AGO) did you experience an illness or injury (get sick or get hurt)
that required staying overnight or longer in a hospital?

Value	Label	Unweighted Frequency	%
0	-	80	17.4 %
1	-	81	17.6 %
2	-	64	13.9 %
3	-	56	12.2 %
4	-	75	16.3 %
5	-	15	3.3 %
6	-	21	4.6 %
7	-	9	2.0 %
8	-	6	1.3 %
9	-	1	0.2 %
10	-	3	0.7 %
12	-	20	4.3 %
14	-	2	0.4 %
15	-	1	0.2 %
18	-	1	0.2 %
20	-	4	0.9 %

Value	Label	Unweighted Frequency	%
25	-	1	0.2 %
30	-	2	0.4 %
44	-	1	0.2 %
50	-	1	0.2 %
80	-	2	0.4 %
	Missing Data		
.	-	14	3.0 %
	Total	**460**	**100%**

Based upon 446 valid cases out of 460 total cases.

- Mean: 3.92
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 80.00
- Standard Deviation: 7.13

Location: 426-427 (width: 2; decimal: 0)
Variable Type: numeric

DKKK29I: DK: Informant's number of doctor visits in past year

DK: Informant's number of doctor visits in past year

Value	Label	Unweighted Frequency	%
	Missing Data		
888	Don't know	8	1.7 %
9999	Refused	6	1.3 %
.	-	446	97.0 %
	Total	**460**	**100%**

Based upon 0 valid cases out of 460 total cases.

Location: 428-431 (width: 4; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888 , 9999 , .

CC1A9I: Informant's overnight hospital stay in past year

Informant's overnight hospital stay in past year

Value	Label	Unweighted Frequency	%
1	Yes	34	7.4 %
2	No	421	91.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
9	Refused	5	1.1 %
	Total	**460**	**100%**

Based upon 455 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 432-432 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

LL3A9I: Informant's yearly household income

LL3. Please look at this card. About how much is your yearly household income for 2014/2015 Include income from all sources, such as wages, salaries, Social Security, retirement benefits, help from relatives, rent from property, and so forth.

Value	Label	Unweighted Frequency	%
1	0-4999 yearly	22	4.8 %
2	5000-9999	40	8.7 %
3	10000-14999	58	12.6 %
4	15000-19999	52	11.3 %
5	20000-29999	63	13.7 %
6	30000-39999	50	10.9 %
7	40000-49999	30	6.5 %
8	50000 or more	69	15.0 %
	Missing Data		
888	Do not know	28	6.1 %
999	Refused	48	10.4 %
	Total	**460**	**100%**

Based upon 384 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 433-435 (width: 3; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 888 , 999

MM9A9I: Informant has Medicare

QMM9. Are you currently covered by a Medicare, Medicaid, private insurance,
an HMO, the VA or another type of insurance? Please tell me whether you are covered
by any of these sources.

A. Medicare

Value	Label	Unweighted Frequency	%
1	Yes	164	35.7 %
2	No	289	62.8 %
	Missing Data		
9	Refused	7	1.5 %
	Total	**460**	**100%**

Based upon 453 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 436-436 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

MM9B9I: Informant has Medicaid

B. Medicaid

Value	Label	Unweighted Frequency	%
1	Yes	96	20.9 %
2	No	355	77.2 %
	Missing Data		
8	Do not know	2	0.4 %
9	Refused	7	1.5 %
	Total	**460**	**100%**

Based upon 451 valid cases out of 460 total cases.

• Minimum: 1.00
• Maximum: 2.00

Location: 437-437 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

MM9C9I: Informant has private insurance

C. Private insurance

Value	Label	Unweighted Frequency	%
1	Yes	197	42.8 %
2	No	253	55.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Do not know	2	0.4 %
9	Refused	8	1.7 %
	Total	**460**	**100%**

Based upon 450 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 438-438 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

MM9E9I: Informant has VA insurance

E. VA (TRICARE)

Value	Label	Unweighted Frequency	%
1	Yes	11	2.4 %
2	No	441	95.9 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	7	1.5 %
	Total	**460**	**100%**

Based upon 452 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 439-439 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

MM9F9I: Informant has other insurance

F. Other insurance (specify)

Value	Label	Unweighted Frequency	%
1	Yes	28	6.1 %
2	No	424	92.2 %
	Missing Data		
8	Do not know	1	0.2 %
9	Refused	7	1.5 %
	Total	**460**	**100%**

Based upon 452 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 440-440 (width: 1; decimal: 0)
Variable Type: numeric
(Range of) Missing Values: 8 , 9

OO91AI: Did informant complete survey?

OO1. Final status of Informant interview?

Value	Label	Unweighted Frequency	%
1	Complete	460	100.0 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 441-441 (width: 1; decimal: 0)
Variable Type: numeric

OO99LANGI: Language used during interview

Language used during interview

Value	Label	Unweighted Frequency	%
1	English	178	38.7 %
2	Spanish	282	61.3 %
	Total	**460**	**100%**

Based upon 460 valid cases out of 460 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 442-442 (width: 1; decimal: 0)
Variable Type: numeric