

ICPSR 36537

**Hispanic Established Populations
for the Epidemiologic Study of the
Elderly (HEPESE) Wave 7,
2010-2011 [Arizona, California,
Colorado, New Mexico, and Texas]**

Informant Interviews Data Codebook

Inter-university Consortium for
Political and Social Research
P.O. Box 1248
Ann Arbor, Michigan 48106
www.icpsr.umich.edu

Hispanic Established Populations for the Epidemiologic Study of the Elderly (HEPESE) Wave 7, 2010-2011 [Arizona, California, Colorado, New Mexico, and Texas]

Kyriakos Markides

UTMB

Nai-Wei Chen

UTMB

Ronald Angel

UT-Austin

Raymond Palmer

UT-San Antonio, Health Science Center

James Graham

UTMB

Terms of Use

The terms of use for this study can be found at:
<http://www.icpsr.umich.edu/icpsrweb/ICPSR/studies/36537/terms>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

ICPSR PROCESSING NOTES FOR #36537

*Hispanic Established Populations for the Epidemiologic Study of the Elderly (HEPESE)
Wave 7, 2010-2011 [Arizona, California, Colorado, New Mexico, and Texas]
DS2: Informant Interviews Data*

1. **Linking the Datasets:** Data from the informant interviews are linkable to the respondent data in the Hispanic EPESE waves via a unique ID variable (**Q_NO**) shared by each respondent-informant pair.
2. **Disclosure Risk:** ICPSR has masked the following string variables in dataset 2, Informant Interviews, in order to prevent disclosure risk: **MM9F7ISPEC**, **RMM9E7SSPECI**, **RR7COMM1**, **RR7SPEC7I**, and **RR6SPEC7I**.
3. **Truncated Values:** Many of the string responses in the variables **CJOB7I_1** – **CJOB7I_16** are truncated in the data. No further information was provided.
4. **Stata Limitations:** Due to Stata limitations, the variables **LSL713I**, **LSL723I**, **LSL733I**, **LSL743I**, and **LSL753I** do not contain value labels for non-integer values within the Stata files.

ICPSR 36537

Hispanic Established Populations for the Epidemiologic Study of the Elderly (HEPESE) Wave 7, 2010-2011 [Arizona, California, Colorado, New Mexico, and Texas]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Informant Interviews

Q_NO: Informant`s ID number

Value	Label	Unweighted Frequency	%
10001	-	1	0.1 %
10002	-	1	0.1 %
10009	-	1	0.1 %
10019	-	1	0.1 %
10024	-	1	0.1 %
10025	-	1	0.1 %
10052	-	1	0.1 %
10062	-	1	0.1 %
10064	-	1	0.1 %
10066	-	1	0.1 %
10084	-	1	0.1 %
10085	-	1	0.1 %
10089	-	1	0.1 %
10090	-	1	0.1 %
10092	-	1	0.1 %
10093	-	1	0.1 %
10095	-	1	0.1 %
10099	-	1	0.1 %
10102	-	1	0.1 %
10106	-	1	0.1 %
10109	-	1	0.1 %
10111	-	1	0.1 %
10127	-	1	0.1 %
10128	-	1	0.1 %
10136	-	1	0.1 %
10139	-	1	0.1 %
10155	-	1	0.1 %
10170	-	1	0.1 %
10182	-	1	0.1 %
10192	-	1	0.1 %
10198	-	1	0.1 %
10200	-	1	0.1 %
10202	-	1	0.1 %
10207	-	1	0.1 %
10209	-	1	0.1 %

Value	Label	Unweighted Frequency	%
10213	-	1	0.1 %
10215	-	1	0.1 %
10223	-	1	0.1 %
10230	-	1	0.1 %
10231	-	1	0.1 %
10234	-	1	0.1 %
10236	-	1	0.1 %
10246	-	1	0.1 %
10247	-	1	0.1 %
10254	-	1	0.1 %
10259	-	1	0.1 %
10278	-	1	0.1 %
10279	-	1	0.1 %
10284	-	1	0.1 %
10286	-	1	0.1 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 925 valid cases out of 925 total cases.

- Mean: 19387.90
- Minimum: 10001.00
- Maximum: 30916.00
- Standard Deviation: 9096.04

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

YOB7I: Informant's year of birth

Value	Label	Unweighted Frequency	%
1917	-	1	0.1 %
1918	-	1	0.1 %
1919	-	1	0.1 %
1921	-	1	0.1 %
1923	-	2	0.2 %
1924	-	4	0.4 %
1925	-	4	0.4 %
1926	-	2	0.2 %
1927	-	7	0.8 %
1928	-	2	0.2 %

Value	Label	Unweighted Frequency	%
1929	-	7	0.8 %
1930	-	6	0.6 %
1931	-	9	1.0 %
1932	-	2	0.2 %
1933	-	10	1.1 %
1934	-	10	1.1 %
1935	-	6	0.6 %
1936	-	4	0.4 %
1937	-	10	1.1 %
1938	-	4	0.4 %
1939	-	12	1.3 %
1940	-	11	1.2 %
1941	-	9	1.0 %
1942	-	12	1.3 %
1943	-	18	1.9 %
1944	-	23	2.5 %
1945	-	17	1.8 %
1946	-	30	3.2 %
1947	-	26	2.8 %
1948	-	38	4.1 %
1949	-	39	4.2 %
1950	-	33	3.6 %
1951	-	31	3.4 %
1952	-	42	4.5 %
1953	-	31	3.4 %
1954	-	21	2.3 %
1955	-	27	2.9 %
1956	-	40	4.3 %
1957	-	34	3.7 %
1958	-	25	2.7 %
1959	-	30	3.2 %
1960	-	23	2.5 %
1961	-	22	2.4 %
1962	-	27	2.9 %
1963	-	27	2.9 %
1964	-	20	2.2 %
1965	-	13	1.4 %
1966	-	15	1.6 %
1967	-	11	1.2 %

Value	Label	Unweighted Frequency	%
1968	-	15	1.6 %
	Missing Data		
.	-	9	1.0 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 916 valid cases out of 925 total cases.

- Mean: 1953.83
- Median: 1953.00
- Mode: 1952.00
- Minimum: 1917.00
- Maximum: 1991.00
- Standard Deviation: 12.54

Location: 6-9 (width: 4; decimal: 0)

Variable Type: numeric

AGE7I: Informant's age

Value	Label	Unweighted Frequency	%
18	-	2	0.2 %
20	-	4	0.4 %
21	-	1	0.1 %
24	-	2	0.2 %
25	-	4	0.4 %
26	-	3	0.3 %
27	-	2	0.2 %
28	-	3	0.3 %
29	-	3	0.3 %
30	-	4	0.4 %
31	-	3	0.3 %
32	-	7	0.8 %
33	-	6	0.6 %
34	-	5	0.5 %
35	-	4	0.4 %
36	-	6	0.6 %
37	-	11	1.2 %
38	-	12	1.3 %
39	-	5	0.5 %
40	-	6	0.6 %
41	-	15	1.6 %

Value	Label	Unweighted Frequency	%
42	-	17	1.8 %
43	-	7	0.8 %
44	-	15	1.6 %
45	-	20	2.2 %
46	-	20	2.2 %
47	-	24	2.6 %
48	-	25	2.7 %
49	-	22	2.4 %
50	-	23	2.5 %
51	-	28	3.0 %
52	-	35	3.8 %
53	-	32	3.5 %
54	-	31	3.4 %
55	-	33	3.6 %
56	-	24	2.6 %
57	-	32	3.5 %
58	-	41	4.4 %
59	-	35	3.8 %
60	-	36	3.9 %
61	-	43	4.6 %
62	-	30	3.2 %
63	-	33	3.6 %
64	-	25	2.7 %
65	-	16	1.7 %
66	-	24	2.6 %
67	-	14	1.5 %
68	-	9	1.0 %
69	-	13	1.4 %
70	-	7	0.8 %
	Missing Data		
.	-	1	0.1 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 924 valid cases out of 925 total cases.

- Mean: 55.85
- Median: 56.00
- Mode: 61.00
- Minimum: 18.00

- Maximum: 93.00
- Standard Deviation: 12.49

Location: 10-11 (width: 2; decimal: 0)

Variable Type: numeric

RELSUBJ7I: Informant's relationship to respondent

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	0	0.0 %
2	Spouse	66	7.1 %
3	Son/daughter (including stepchildren)	629	68.0 %
4	Son/daughter in law	30	3.2 %
5	Grandchild	52	5.6 %
6	Parent	0	0.0 %
7	Brother/sister	20	2.2 %
8	Nephew/niece	40	4.3 %
9	Cousin	3	0.3 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	2	0.2 %
12	Other	2	0.2 %
13	Friend	33	3.6 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	42	4.5 %
16	All others	1	0.1 %
17	Sister/brother in law	5	0.5 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Minimum: 2.00
- Maximum: 17.00

Location: 12-13 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

SEX7I: Informant's sex

Value	Label	Unweighted Frequency	%
1	Male	242	26.2 %
2	Female	683	73.8 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 14-14 (width: 1; decimal: 0)

Variable Type: numeric

NHOUSE7I: Number of people living informant's house

Value	Label	Unweighted Frequency	%
1	-	95	10.3 %
2	-	317	34.3 %
3	-	204	22.1 %
4	-	125	13.5 %
5	-	81	8.8 %
6	-	45	4.9 %
7	-	33	3.6 %
8	-	14	1.5 %
9	-	6	0.6 %
10	-	3	0.3 %
11	-	2	0.2 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Mean: 3.21
- Median: 3.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 11.00
- Standard Deviation: 1.77

Location: 15-16 (width: 2; decimal: 0)

Variable Type: numeric

DKNHSE7I: Don't know or refused to give number of people in house

Value	Label	Unweighted Frequency	%
8	Do not know	0	0.0 %
9	Refused	0	0.0 %
	Missing Data		
.	-	925	100.0 %
	Total	925	100%

Based upon 0 valid cases out of 925 total cases.

Location: 17-17 (width: 1; decimal: 0)

Variable Type: numeric

HHREL7I: Informant's relationship to head of household

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	399	43.1 %
2	Spouse	248	26.8 %
3	Son/daughter (including stepchildren)	22	2.4 %
4	Son/daughter in law	15	1.6 %
5	Grandchild	4	0.4 %
6	Parent	174	18.8 %
7	Brother/sister	17	1.8 %
8	Nephew/niece	0	0.0 %
9	Cousin	2	0.2 %
10	Aunt/uncle	10	1.1 %
11	Great grandchild	0	0.0 %
12	Other	23	2.5 %
13	Friend	7	0.8 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	1	0.1 %
16	All others	2	0.2 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	1	0.1 %
	Total	925	100%

Based upon 924 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 16.00

Location: 18-19 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

NBROS7I: Number of surviving brothers (asked only if informant is a child of respondent)

Value	Label	Unweighted Frequency	%
0	-	78	8.4 %
1	-	137	14.8 %
2	-	148	16.0 %
3	-	107	11.6 %
4	-	71	7.7 %
5	-	51	5.5 %
6	-	18	1.9 %

Value	Label	Unweighted Frequency	%
7	-	7	0.8 %
8	-	3	0.3 %
9	-	1	0.1 %
	Missing Data		
.	-	304	32.9 %
	Total	925	100%

Based upon 621 valid cases out of 925 total cases.

- Mean: 2.39
- Median: 2.00
- Mode: 2.00
- Minimum: 0.00
- Maximum: 9.00
- Standard Deviation: 1.72

Location: 20-20 (width: 1; decimal: 0)

Variable Type: numeric

NSIS7I: Number of surviving sisters (asked only if informant is a child of respondent)

Value	Label	Unweighted Frequency	%
0	-	98	10.6 %
1	-	142	15.4 %
2	-	123	13.3 %
3	-	104	11.2 %
4	-	64	6.9 %
5	-	43	4.6 %
6	-	20	2.2 %
7	-	10	1.1 %
8	-	4	0.4 %
10	-	1	0.1 %
	Missing Data		
.	-	316	34.2 %
	Total	925	100%

Based upon 609 valid cases out of 925 total cases.

- Mean: 2.30
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 10.00
- Standard Deviation: 1.81

Location: 21-22 (width: 2; decimal: 0)

Variable Type: numeric

DKNSIBS7I: Don't know number of surviving siblings (asked only if informant is a child of respondent)

Value	Label	Unweighted Frequency	%
8	Do not know	1	0.1 %
9	Refused	1	0.1 %
	Missing Data		
.	-	923	99.8 %
	Total	925	100%

Based upon 2 valid cases out of 925 total cases.

- Minimum: 8.00
- Maximum: 9.00

Location: 23-23 (width: 1; decimal: 0)

Variable Type: numeric

SNKIDS7I: Number of living children for respondent (asked only if informant is a child of respondent)

Value	Label	Unweighted Frequency	%
0	-	51	5.5 %
1	-	52	5.6 %
2	-	41	4.4 %
3	-	44	4.8 %
4	-	43	4.6 %
5	-	39	4.2 %
6	-	29	3.1 %
7	-	26	2.8 %
8	-	18	1.9 %
9	-	11	1.2 %
10	-	8	0.9 %
11	-	6	0.6 %
12	-	3	0.3 %
14	-	1	0.1 %
15	-	2	0.2 %
	Missing Data		
98	Don't Know	4	0.4 %
99	Refused	1	0.1 %
.	-	546	59.0 %
	Total	925	100%

Based upon 374 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 15.00

Location: 24-25 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

COUNTI: Number of children for respondent (per informant)

Value	Label	Unweighted Frequency	%
1	-	130	14.1 %
2	-	99	10.7 %
3	-	113	12.2 %
4	-	131	14.2 %
5	-	114	12.3 %
6	-	80	8.6 %
7	-	82	8.9 %
8	-	73	7.9 %
9	-	35	3.8 %
10	-	24	2.6 %
11	-	24	2.6 %
12	-	11	1.2 %
13	-	5	0.5 %
14	-	2	0.2 %
15	-	1	0.1 %
16	-	1	0.1 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Mean: 4.84
- Median: 4.00
- Mode: 4.00
- Minimum: 1.00
- Maximum: 16.00
- Standard Deviation: 2.92

Location: 26-27 (width: 2; decimal: 0)

Variable Type: numeric

CSEX7I_1: Sex of respondent's child #1 (per informant)

Value	Label	Unweighted Frequency	%
1	Male	314	33.9 %
2	Female	554	59.9 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	57	6.2 %
	Total	925	100%

Based upon 868 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 28-28 (width: 1; decimal: 0)

Variable Type: numeric

CSEX7I_2: Sex of respondent's child #2 (per informant)

Value	Label	Unweighted Frequency	%
1	Male	436	47.1 %
2	Female	359	38.8 %
	Missing Data		
.	-	130	14.1 %
	Total	925	100%

Based upon 795 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 29-29 (width: 1; decimal: 0)

Variable Type: numeric

CSEX7I_3: Sex of respondent's child #3 (per informant)

Value	Label	Unweighted Frequency	%
1	Male	359	38.8 %
2	Female	336	36.3 %
	Missing Data		
.	-	230	24.9 %
	Total	925	100%

Based upon 695 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 30-30 (width: 1; decimal: 0)

Variable Type: numeric

CSEX7I_4: Sex of respondent's child #4 (per informant)

Value	Label	Unweighted Frequency	%
1	Male	303	32.8 %
2	Female	280	30.3 %
	Missing Data		
.	-	342	37.0 %
	Total	925	100%

Based upon 583 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 31-31 (width: 1; decimal: 0)

Variable Type: numeric

CSEX71_5: Sex of respondent's child #5 (per informant)

Value	Label	Unweighted Frequency	%
1	Male	231	25.0 %
2	Female	221	23.9 %
	Missing Data		
.	-	473	51.1 %
	Total	925	100%

Based upon 452 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 32-32 (width: 1; decimal: 0)

Variable Type: numeric

CSEX71_6: Sex of respondent's child #6 (per informant)

Value	Label	Unweighted Frequency	%
1	Male	167	18.1 %
2	Female	171	18.5 %
	Missing Data		
.	-	587	63.5 %
	Total	925	100%

Based upon 338 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 33-33 (width: 1; decimal: 0)

Variable Type: numeric

CSEX71_7: Sex of respondent's child #7 (per informant)

Value	Label	Unweighted Frequency	%
1	Male	122	13.2 %
2	Female	136	14.7 %
	Missing Data		
.	-	667	72.1 %
	Total	925	100%

Based upon 258 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 34-34 (width: 1; decimal: 0)

Variable Type: numeric

CSEX71_8: Sex of respondent's child #8 (per informant)

Value	Label	Unweighted Frequency	%
1	Male	84	9.1 %
2	Female	92	9.9 %
	Missing Data		
.	-	749	81.0 %
	Total	925	100%

Based upon 176 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 35-35 (width: 1; decimal: 0)

Variable Type: numeric

CSEX71_9: Sex of respondent's child #9 (per informant)

Value	Label	Unweighted Frequency	%
1	Male	56	6.1 %
2	Female	47	5.1 %
	Missing Data		
.	-	822	88.9 %
	Total	925	100%

Based upon 103 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 36-36 (width: 1; decimal: 0)

Variable Type: numeric

CSEX7I_10: Sex of respondent's child #10 (per informant)

Value	Label	Unweighted Frequency	%
1	Male	35	3.8 %
2	Female	32	3.5 %
	Missing Data		
.	-	858	92.8 %
	Total	925	100%

Based upon 67 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 37-37 (width: 1; decimal: 0)

Variable Type: numeric

CSEX7I_11: Sex of respondent's child #11 (per informant)

Value	Label	Unweighted Frequency	%
1	Male	20	2.2 %
2	Female	24	2.6 %
	Missing Data		
.	-	881	95.2 %
	Total	925	100%

Based upon 44 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 38-38 (width: 1; decimal: 0)

Variable Type: numeric

CSEX7I_12: Sex of respondent's child #12 (per informant)

Value	Label	Unweighted Frequency	%
1	Male	7	0.8 %
2	Female	13	1.4 %
	Missing Data		
.	-	905	97.8 %
	Total	925	100%

Based upon 20 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 39-39 (width: 1; decimal: 0)

Variable Type: numeric

CSEX7I_13: Sex of respondent's child #13 (per informant)

Value	Label	Unweighted Frequency	%
1	Male	2	0.2 %
2	Female	6	0.6 %
	Missing Data		
.	-	917	99.1 %
	Total	925	100%

Based upon 8 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 40-40 (width: 1; decimal: 0)

Variable Type: numeric

CSEX7I_14: Sex of respondent's child #14 (per informant)

Value	Label	Unweighted Frequency	%
1	Male	1	0.1 %
2	Female	3	0.3 %
	Missing Data		
.	-	921	99.6 %
	Total	925	100%

Based upon 4 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 41-41 (width: 1; decimal: 0)

Variable Type: numeric

CSEX7I_15: Sex of respondent's child #15 (per informant)

Value	Label	Unweighted Frequency	%
1	Male	2	0.2 %
2	Female	0	0.0 %
	Missing Data		
.	-	923	99.8 %
	Total	925	100%

Based upon 2 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 42-42 (width: 1; decimal: 0)

Variable Type: numeric

CSEX7I_16: Sex of respondent's child #16 (per informant)

Value	Label	Unweighted Frequency	%
1	Male	1	0.1 %
2	Female	0	0.0 %
	Missing Data		
.	-	924	99.9 %
	Total	925	100%

Based upon 1 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 43-43 (width: 1; decimal: 0)

Variable Type: numeric

CAGE7I_1: Age of respondent's child #1 (per informant)

Value	Label	Unweighted Frequency	%
7	-	1	0.1 %
21	-	1	0.1 %
24	-	1	0.1 %
26	-	3	0.3 %
28	-	3	0.3 %
29	-	2	0.2 %
30	-	2	0.2 %
31	-	1	0.1 %
32	-	2	0.2 %
33	-	2	0.2 %
34	-	5	0.5 %
35	-	4	0.4 %
36	-	3	0.3 %
37	-	8	0.9 %
38	-	7	0.8 %
39	-	4	0.4 %
40	-	7	0.8 %
41	-	15	1.6 %

Value	Label	Unweighted Frequency	%
42	-	14	1.5 %
43	-	12	1.3 %
44	-	12	1.3 %
45	-	19	2.1 %
46	-	19	2.1 %
47	-	17	1.8 %
48	-	26	2.8 %
49	-	24	2.6 %
50	-	27	2.9 %
51	-	29	3.1 %
52	-	36	3.9 %
53	-	29	3.1 %
54	-	33	3.6 %
55	-	32	3.5 %
56	-	25	2.7 %
57	-	28	3.0 %
58	-	41	4.4 %
59	-	39	4.2 %
60	-	49	5.3 %
61	-	49	5.3 %
62	-	39	4.2 %
63	-	45	4.9 %
64	-	27	2.9 %
65	-	17	1.8 %
66	-	22	2.4 %
67	-	10	1.1 %
68	-	11	1.2 %
69	-	14	1.5 %
70	-	6	0.6 %
71	-	9	1.0 %
72	-	7	0.8 %
73	-	2	0.2 %
	Missing Data		
.	-	71	7.7 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 854 valid cases out of 925 total cases.

- Mean: 55.29
- Median: 57.00
- Minimum: 7.00
- Maximum: 86.00
- Standard Deviation: 9.61

Location: 44-45 (width: 2; decimal: 0)

Variable Type: numeric

CAGE7I_2: Age of respondent's child #2 (per informant)

Value	Label	Unweighted Frequency	%
14	-	1	0.1 %
16	-	1	0.1 %
23	-	1	0.1 %
25	-	1	0.1 %
28	-	1	0.1 %
32	-	1	0.1 %
33	-	2	0.2 %
34	-	1	0.1 %
35	-	1	0.1 %
36	-	4	0.4 %
37	-	2	0.2 %
38	-	3	0.3 %
39	-	3	0.3 %
40	-	9	1.0 %
41	-	4	0.4 %
42	-	4	0.4 %
43	-	1	0.1 %
44	-	2	0.2 %
45	-	6	0.6 %
46	-	4	0.4 %
47	-	9	1.0 %
48	-	16	1.7 %
49	-	13	1.4 %
50	-	32	3.5 %
51	-	20	2.2 %
52	-	28	3.0 %
53	-	24	2.6 %
54	-	18	1.9 %
55	-	34	3.7 %
56	-	25	2.7 %
57	-	35	3.8 %

Value	Label	Unweighted Frequency	%
58	-	31	3.4 %
59	-	41	4.4 %
60	-	53	5.7 %
61	-	37	4.0 %
62	-	44	4.8 %
63	-	36	3.9 %
64	-	43	4.6 %
65	-	44	4.8 %
66	-	29	3.1 %
67	-	25	2.7 %
68	-	12	1.3 %
69	-	15	1.6 %
70	-	16	1.7 %
71	-	10	1.1 %
72	-	4	0.4 %
73	-	8	0.9 %
74	-	5	0.5 %
75	-	8	0.9 %
76	-	2	0.2 %
	Missing Data		
.	-	149	16.1 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 776 valid cases out of 925 total cases.

- Mean: 58.64
- Median: 60.00
- Mode: 60.00
- Minimum: 14.00
- Maximum: 90.00
- Standard Deviation: 8.69

Location: 46-47 (width: 2; decimal: 0)

Variable Type: numeric

CAGE7I_3: Age of respondent's child #3 (per informant)

Value	Label	Unweighted Frequency	%
13	-	1	0.1 %
16	-	1	0.1 %
27	-	1	0.1 %

Value	Label	Unweighted Frequency	%
28	-	1	0.1 %
32	-	1	0.1 %
34	-	2	0.2 %
35	-	3	0.3 %
36	-	1	0.1 %
37	-	3	0.3 %
38	-	6	0.6 %
40	-	6	0.6 %
41	-	2	0.2 %
42	-	9	1.0 %
43	-	2	0.2 %
44	-	8	0.9 %
45	-	7	0.8 %
46	-	9	1.0 %
47	-	9	1.0 %
48	-	11	1.2 %
49	-	12	1.3 %
50	-	35	3.8 %
51	-	18	1.9 %
52	-	21	2.3 %
53	-	29	3.1 %
54	-	26	2.8 %
55	-	33	3.6 %
56	-	46	5.0 %
57	-	32	3.5 %
58	-	35	3.8 %
59	-	35	3.8 %
60	-	39	4.2 %
61	-	43	4.6 %
62	-	43	4.6 %
63	-	30	3.2 %
64	-	26	2.8 %
65	-	25	2.7 %
66	-	16	1.7 %
67	-	11	1.2 %
68	-	12	1.3 %
69	-	3	0.3 %
70	-	4	0.4 %
71	-	6	0.6 %

Value	Label	Unweighted Frequency	%
72	-	5	0.5 %
73	-	3	0.3 %
74	-	1	0.1 %
77	-	1	0.1 %
78	-	2	0.2 %
85	-	1	0.1 %
	Missing Data		
.	-	249	26.9 %
	Total	925	100%

Based upon 676 valid cases out of 925 total cases.

- Mean: 56.78
- Median: 58.00
- Mode: 56.00
- Minimum: 13.00
- Maximum: 85.00
- Standard Deviation: 8.01

Location: 48-49 (width: 2; decimal: 0)

Variable Type: numeric

CAGE7I_4: Age of respondent's child #4 (per informant)

Value	Label	Unweighted Frequency	%
29	-	1	0.1 %
30	-	1	0.1 %
32	-	1	0.1 %
33	-	1	0.1 %
34	-	1	0.1 %
35	-	3	0.3 %
36	-	2	0.2 %
37	-	2	0.2 %
38	-	2	0.2 %
40	-	6	0.6 %
41	-	3	0.3 %
42	-	8	0.9 %
43	-	6	0.6 %
44	-	11	1.2 %
45	-	10	1.1 %
46	-	9	1.0 %
47	-	13	1.4 %
48	-	19	2.1 %

Value	Label	Unweighted Frequency	%
49	-	12	1.3 %
50	-	38	4.1 %
51	-	21	2.3 %
52	-	18	1.9 %
53	-	31	3.4 %
54	-	33	3.6 %
55	-	34	3.7 %
56	-	28	3.0 %
57	-	33	3.6 %
58	-	44	4.8 %
59	-	34	3.7 %
60	-	32	3.5 %
61	-	23	2.5 %
62	-	19	2.1 %
63	-	14	1.5 %
64	-	11	1.2 %
65	-	12	1.3 %
66	-	4	0.4 %
67	-	6	0.6 %
68	-	4	0.4 %
69	-	3	0.3 %
70	-	2	0.2 %
71	-	3	0.3 %
72	-	4	0.4 %
74	-	1	0.1 %
76	-	1	0.1 %
80	-	2	0.2 %
	Missing Data		
.	-	359	38.8 %
	Total	925	100%

Based upon 566 valid cases out of 925 total cases.

- Mean: 54.90
- Median: 55.00
- Mode: 58.00
- Minimum: 29.00
- Maximum: 80.00
- Standard Deviation: 7.36

Location: 50-51 (width: 2; decimal: 0)

Variable Type: numeric

CAGE7I_5: Age of respondent's child #5 (per informant)

Value	Label	Unweighted Frequency	%
18	-	1	0.1 %
23	-	1	0.1 %
24	-	1	0.1 %
27	-	1	0.1 %
29	-	1	0.1 %
31	-	1	0.1 %
36	-	1	0.1 %
37	-	5	0.5 %
38	-	3	0.3 %
39	-	1	0.1 %
40	-	3	0.3 %
41	-	5	0.5 %
42	-	4	0.4 %
43	-	6	0.6 %
44	-	8	0.9 %
45	-	14	1.5 %
46	-	16	1.7 %
47	-	14	1.5 %
48	-	25	2.7 %
49	-	16	1.7 %
50	-	24	2.6 %
51	-	14	1.5 %
52	-	20	2.2 %
53	-	16	1.7 %
54	-	31	3.4 %
55	-	18	1.9 %
56	-	22	2.4 %
57	-	31	3.4 %
58	-	31	3.4 %
59	-	19	2.1 %
60	-	21	2.3 %
61	-	12	1.3 %
62	-	12	1.3 %
63	-	14	1.5 %
64	-	7	0.8 %
65	-	3	0.3 %
66	-	2	0.2 %

Value	Label	Unweighted Frequency	%
67	-	3	0.3 %
68	-	4	0.4 %
70	-	4	0.4 %
73	-	2	0.2 %
	Missing Data		
.	-	488	52.8 %
	Total	925	100%

Based upon 437 valid cases out of 925 total cases.

- Mean: 53.35
- Median: 54.00
- Minimum: 18.00
- Maximum: 73.00
- Standard Deviation: 7.56

Location: 52-53 (width: 2; decimal: 0)

Variable Type: numeric

CAGE7I_6: Age of respondent's child #6 (per informant)

Value	Label	Unweighted Frequency	%
15	-	1	0.1 %
22	-	1	0.1 %
30	-	1	0.1 %
34	-	1	0.1 %
35	-	2	0.2 %
37	-	3	0.3 %
38	-	2	0.2 %
39	-	5	0.5 %
40	-	10	1.1 %
41	-	3	0.3 %
42	-	10	1.1 %
43	-	1	0.1 %
44	-	6	0.6 %
45	-	15	1.6 %
46	-	13	1.4 %
47	-	10	1.1 %
48	-	15	1.6 %
49	-	18	1.9 %
50	-	21	2.3 %
51	-	7	0.8 %
52	-	20	2.2 %

Value	Label	Unweighted Frequency	%
53	-	20	2.2 %
54	-	26	2.8 %
55	-	20	2.2 %
56	-	20	2.2 %
57	-	12	1.3 %
58	-	12	1.3 %
59	-	13	1.4 %
60	-	10	1.1 %
61	-	6	0.6 %
62	-	8	0.9 %
63	-	2	0.2 %
64	-	1	0.1 %
65	-	6	0.6 %
66	-	1	0.1 %
67	-	2	0.2 %
70	-	4	0.4 %
75	-	1	0.1 %
	Missing Data		
.	-	596	64.4 %
	Total	925	100%

Based upon 329 valid cases out of 925 total cases.

- Mean: 51.74
- Median: 52.00
- Mode: 54.00
- Minimum: 15.00
- Maximum: 75.00
- Standard Deviation: 7.52

Location: 54-55 (width: 2; decimal: 0)

Variable Type: numeric

CAGE7I_7: Age of respondent's child #7 (per informant)

Value	Label	Unweighted Frequency	%
26	-	1	0.1 %
28	-	1	0.1 %
29	-	1	0.1 %
30	-	1	0.1 %
32	-	1	0.1 %
37	-	2	0.2 %
38	-	5	0.5 %

Value	Label	Unweighted Frequency	%
39	-	4	0.4 %
40	-	7	0.8 %
41	-	5	0.5 %
42	-	10	1.1 %
43	-	6	0.6 %
44	-	6	0.6 %
45	-	6	0.6 %
46	-	15	1.6 %
47	-	12	1.3 %
48	-	19	2.1 %
49	-	8	0.9 %
50	-	20	2.2 %
51	-	16	1.7 %
52	-	10	1.1 %
53	-	6	0.6 %
54	-	16	1.7 %
55	-	18	1.9 %
56	-	15	1.6 %
57	-	10	1.1 %
58	-	5	0.5 %
59	-	7	0.8 %
60	-	3	0.3 %
61	-	2	0.2 %
62	-	2	0.2 %
63	-	2	0.2 %
64	-	2	0.2 %
65	-	2	0.2 %
66	-	2	0.2 %
68	-	2	0.2 %
	Missing Data		
.	-	675	73.0 %
	Total	925	100%

Based upon 250 valid cases out of 925 total cases.

- Mean: 50.08
- Median: 50.00
- Mode: 50.00
- Minimum: 26.00
- Maximum: 68.00
- Standard Deviation: 7.09

Location: 56-57 (width: 2; decimal: 0)

Variable Type: numeric

CAGE7I_8: Age of respondent's child #8 (per informant)

Value	Label	Unweighted Frequency	%
21	-	1	0.1 %
25	-	1	0.1 %
32	-	1	0.1 %
34	-	1	0.1 %
35	-	2	0.2 %
36	-	1	0.1 %
37	-	3	0.3 %
38	-	1	0.1 %
39	-	1	0.1 %
40	-	7	0.8 %
41	-	8	0.9 %
42	-	5	0.5 %
43	-	6	0.6 %
44	-	5	0.5 %
45	-	5	0.5 %
46	-	16	1.7 %
47	-	9	1.0 %
48	-	9	1.0 %
49	-	11	1.2 %
50	-	9	1.0 %
51	-	4	0.4 %
52	-	9	1.0 %
53	-	6	0.6 %
54	-	12	1.3 %
55	-	9	1.0 %
56	-	3	0.3 %
57	-	6	0.6 %
58	-	4	0.4 %
59	-	3	0.3 %
60	-	1	0.1 %
61	-	2	0.2 %
62	-	3	0.3 %
64	-	1	0.1 %
65	-	1	0.1 %
66	-	2	0.2 %

Value	Label	Unweighted Frequency	%
67	-	1	0.1 %
68	-	1	0.1 %
74	-	1	0.1 %
	Missing Data		
.	-	754	81.5 %
	Total	925	100%

Based upon 171 valid cases out of 925 total cases.

- Mean: 49.11
- Median: 49.00
- Mode: 46.00
- Minimum: 21.00
- Maximum: 74.00
- Standard Deviation: 7.78

Location: 58-59 (width: 2; decimal: 0)

Variable Type: numeric

CAGE7I_9: Age of respondent's child #9 (per informant)

Value	Label	Unweighted Frequency	%
23	-	1	0.1 %
30	-	1	0.1 %
31	-	1	0.1 %
32	-	1	0.1 %
33	-	1	0.1 %
34	-	1	0.1 %
35	-	2	0.2 %
36	-	1	0.1 %
38	-	2	0.2 %
39	-	4	0.4 %
42	-	7	0.8 %
44	-	3	0.3 %
45	-	2	0.2 %
46	-	6	0.6 %
47	-	3	0.3 %
48	-	9	1.0 %
49	-	3	0.3 %
50	-	3	0.3 %
51	-	5	0.5 %
52	-	6	0.6 %
53	-	6	0.6 %

Value	Label	Unweighted Frequency	%
54	-	8	0.9 %
55	-	6	0.6 %
56	-	1	0.1 %
57	-	4	0.4 %
58	-	1	0.1 %
59	-	2	0.2 %
60	-	1	0.1 %
61	-	2	0.2 %
62	-	2	0.2 %
63	-	1	0.1 %
64	-	3	0.3 %
	Missing Data		
.	-	826	89.3 %
	Total	925	100%

Based upon 99 valid cases out of 925 total cases.

- Mean: 49.00
- Median: 50.00
- Mode: 48.00
- Minimum: 23.00
- Maximum: 64.00
- Standard Deviation: 8.24

Location: 60-61 (width: 2; decimal: 0)

Variable Type: numeric

CAGE7I_10: Age of respondent`s child #10 (per informant)

Value	Label	Unweighted Frequency	%
22	-	1	0.1 %
25	-	2	0.2 %
32	-	1	0.1 %
36	-	3	0.3 %
37	-	3	0.3 %
39	-	1	0.1 %
40	-	2	0.2 %
42	-	6	0.6 %
43	-	1	0.1 %
45	-	4	0.4 %
46	-	2	0.2 %
47	-	4	0.4 %
48	-	3	0.3 %

Value	Label	Unweighted Frequency	%
49	-	6	0.6 %
50	-	2	0.2 %
51	-	4	0.4 %
52	-	4	0.4 %
53	-	2	0.2 %
54	-	1	0.1 %
55	-	2	0.2 %
57	-	2	0.2 %
58	-	2	0.2 %
59	-	1	0.1 %
60	-	1	0.1 %
61	-	1	0.1 %
63	-	1	0.1 %
66	-	2	0.2 %
67	-	1	0.1 %
71	-	1	0.1 %
	Missing Data		
.	-	859	92.9 %
	Total	925	100%

Based upon 66 valid cases out of 925 total cases.

- Mean: 47.88
- Median: 48.50
- Minimum: 22.00
- Maximum: 71.00
- Standard Deviation: 9.72

Location: 62-63 (width: 2; decimal: 0)

Variable Type: numeric

CAGE7I_11: Age of respondent's child #11 (per informant)

Value	Label	Unweighted Frequency	%
34	-	1	0.1 %
35	-	1	0.1 %
36	-	2	0.2 %
37	-	2	0.2 %
38	-	2	0.2 %
40	-	1	0.1 %
41	-	2	0.2 %
43	-	1	0.1 %
45	-	1	0.1 %

Value	Label	Unweighted Frequency	%
46	-	7	0.8 %
47	-	4	0.4 %
48	-	1	0.1 %
50	-	5	0.5 %
51	-	1	0.1 %
52	-	1	0.1 %
53	-	1	0.1 %
54	-	1	0.1 %
56	-	1	0.1 %
57	-	1	0.1 %
65	-	5	0.5 %
69	-	1	0.1 %
70	-	2	0.2 %
	Missing Data		
.	-	881	95.2 %
	Total	925	100%

Based upon 44 valid cases out of 925 total cases.

- Mean: 49.23
- Median: 47.00
- Mode: 46.00
- Minimum: 34.00
- Maximum: 70.00
- Standard Deviation: 10.07

Location: 64-65 (width: 2; decimal: 0)

Variable Type: numeric

CAGE7I_12: Age of respondent's child #12 (per informant)

Value	Label	Unweighted Frequency	%
34	-	1	0.1 %
39	-	1	0.1 %
40	-	1	0.1 %
42	-	1	0.1 %
44	-	4	0.4 %
45	-	2	0.2 %
48	-	1	0.1 %
49	-	1	0.1 %
50	-	2	0.2 %
55	-	1	0.1 %
56	-	1	0.1 %

Value	Label	Unweighted Frequency	%
58	-	1	0.1 %
59	-	2	0.2 %
60	-	1	0.1 %
	Missing Data		
.	-	905	97.8 %
	Total	925	100%

Based upon 20 valid cases out of 925 total cases.

- Mean: 48.25
- Median: 46.50
- Mode: 44.00
- Minimum: 34.00
- Maximum: 60.00
- Standard Deviation: 7.49

Location: 66-67 (width: 2; decimal: 0)

Variable Type: numeric

CAGE7I_13: Age of respondent`s child #13 (per informant)

Value	Label	Unweighted Frequency	%
33	-	1	0.1 %
38	-	2	0.2 %
40	-	1	0.1 %
42	-	1	0.1 %
45	-	1	0.1 %
47	-	1	0.1 %
48	-	1	0.1 %
51	-	1	0.1 %
	Missing Data		
.	-	916	99.0 %
	Total	925	100%

Based upon 9 valid cases out of 925 total cases.

- Mean: 42.44
- Median: 42.00
- Mode: 38.00
- Minimum: 33.00
- Maximum: 51.00
- Standard Deviation: 5.77

Location: 68-69 (width: 2; decimal: 0)

Variable Type: numeric

CAGE7I_14: Age of respondent's child #14 (per informant)

Value	Label	Unweighted Frequency	%
38	-	1	0.1 %
40	-	1	0.1 %
47	-	1	0.1 %
49	-	1	0.1 %
	Missing Data		
.	-	921	99.6 %
	Total	925	100%

Based upon 4 valid cases out of 925 total cases.

- Mean: 43.50
- Median: 43.50
- Minimum: 38.00
- Maximum: 49.00
- Standard Deviation: 5.32

Location: 70-71 (width: 2; decimal: 0)

Variable Type: numeric

CAGE7I_15: Age of respondent's child #15 (per informant)

Value	Label	Unweighted Frequency	%
33	-	1	0.1 %
49	-	1	0.1 %
	Missing Data		
.	-	923	99.8 %
	Total	925	100%

Based upon 2 valid cases out of 925 total cases.

- Mean: 41.00
- Median: 41.00
- Minimum: 33.00
- Maximum: 49.00
- Standard Deviation: 11.31

Location: 72-73 (width: 2; decimal: 0)

Variable Type: numeric

CAGE7I_16: Age of respondent's child #16 (per informant)

Value	Label	Unweighted Frequency	%
47	-	1	0.1 %
	Missing Data		
.	-	924	99.9 %

Value	Label	Unweighted Frequency	%
	Total	925	100%

Based upon 1 valid cases out of 925 total cases.

- Mean: 47.00
- Median: 47.00
- Mode: 47.00
- Minimum: 47.00
- Maximum: 47.00
- Standard Deviation: 0.00

Location: 74-75 (width: 2; decimal: 0)

Variable Type: numeric

CEDUC7I_1: Education of respondent`s child #1 (per informant)

Value	Label	Unweighted Frequency	%
0	-	6	0.6 %
1	-	2	0.2 %
2	-	12	1.3 %
3	-	15	1.6 %
4	-	21	2.3 %
5	-	13	1.4 %
6	-	68	7.4 %
7	-	12	1.3 %
8	-	39	4.2 %
9	-	30	3.2 %
10	-	37	4.0 %
11	-	41	4.4 %
12	-	245	26.5 %
13	-	38	4.1 %
14	-	94	10.2 %
15	-	32	3.5 %
16	-	86	9.3 %
17	-	5	0.5 %
18	-	21	2.3 %
19	-	5	0.5 %
20	-	7	0.8 %
22	-	1	0.1 %
23	-	2	0.2 %
24	-	1	0.1 %
	Missing Data		
.	-	92	9.9 %

Value	Label	Unweighted Frequency	%
	Total	925	100%

Based upon 833 valid cases out of 925 total cases.

- Mean: 11.42
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 24.00
- Standard Deviation: 3.98

Location: 76-77 (width: 2; decimal: 0)

Variable Type: numeric

CEDUC7I_2: Education of respondent`s child #2 (per informant)

Value	Label	Unweighted Frequency	%
0	-	11	1.2 %
1	-	1	0.1 %
2	-	10	1.1 %
3	-	18	1.9 %
4	-	21	2.3 %
5	-	11	1.2 %
6	-	79	8.5 %
7	-	9	1.0 %
8	-	25	2.7 %
9	-	39	4.2 %
10	-	31	3.4 %
11	-	33	3.6 %
12	-	248	26.8 %
13	-	26	2.8 %
14	-	59	6.4 %
15	-	14	1.5 %
16	-	86	9.3 %
17	-	9	1.0 %
18	-	16	1.7 %
19	-	2	0.2 %
20	-	2	0.2 %
21	-	1	0.1 %
	Missing Data		
.	-	174	18.8 %
	Total	925	100%

Based upon 751 valid cases out of 925 total cases.

- Mean: 10.97
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 21.00
- Standard Deviation: 4.02

Location: 78-79 (width: 2; decimal: 0)

Variable Type: numeric

CEDUC7I_3: Education of respondent's child #3 (per informant)

Value	Label	Unweighted Frequency	%
0	-	11	1.2 %
1	-	3	0.3 %
2	-	8	0.9 %
3	-	11	1.2 %
4	-	5	0.5 %
5	-	20	2.2 %
6	-	71	7.7 %
7	-	11	1.2 %
8	-	28	3.0 %
9	-	31	3.4 %
10	-	27	2.9 %
11	-	16	1.7 %
12	-	217	23.5 %
13	-	21	2.3 %
14	-	56	6.1 %
15	-	16	1.7 %
16	-	81	8.8 %
17	-	4	0.4 %
18	-	12	1.3 %
19	-	1	0.1 %
20	-	4	0.4 %
24	-	1	0.1 %
26	-	1	0.1 %
	Missing Data		
.	-	269	29.1 %
	Total	925	100%

Based upon 656 valid cases out of 925 total cases.

- Mean: 11.06

- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 26.00
- Standard Deviation: 4.08

Location: 80-81 (width: 2; decimal: 0)

Variable Type: numeric

CEDUC7I_4: Education of respondent's child #4 (per informant)

Value	Label	Unweighted Frequency	%
0	-	9	1.0 %
1	-	3	0.3 %
2	-	4	0.4 %
3	-	15	1.6 %
4	-	9	1.0 %
5	-	11	1.2 %
6	-	60	6.5 %
7	-	10	1.1 %
8	-	29	3.1 %
9	-	23	2.5 %
10	-	22	2.4 %
11	-	22	2.4 %
12	-	188	20.3 %
13	-	15	1.6 %
14	-	43	4.6 %
15	-	8	0.9 %
16	-	50	5.4 %
17	-	7	0.8 %
18	-	15	1.6 %
20	-	2	0.2 %
	Missing Data		
.	-	380	41.1 %
	Total	925	100%

Based upon 545 valid cases out of 925 total cases.

- Mean: 10.79
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 4.00

Location: 82-83 (width: 2; decimal: 0)

Variable Type: numeric

CEDUC7I_5: Education of respondent's child #5 (per informant)

Value	Label	Unweighted Frequency	%
0	-	6	0.6 %
1	-	1	0.1 %
2	-	3	0.3 %
3	-	10	1.1 %
4	-	6	0.6 %
5	-	8	0.9 %
6	-	57	6.2 %
7	-	10	1.1 %
8	-	14	1.5 %
9	-	14	1.5 %
10	-	20	2.2 %
11	-	28	3.0 %
12	-	158	17.1 %
13	-	3	0.3 %
14	-	30	3.2 %
15	-	8	0.9 %
16	-	39	4.2 %
17	-	2	0.2 %
18	-	8	0.9 %
	Missing Data		
.	-	500	54.1 %
	Total	925	100%

Based upon 425 valid cases out of 925 total cases.

- Mean: 10.67
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 3.77

Location: 84-85 (width: 2; decimal: 0)

Variable Type: numeric

CEDUC7I_6: Education of respondent's child #6 (per informant)

Value	Label	Unweighted Frequency	%
0	-	6	0.6 %
2	-	4	0.4 %
3	-	6	0.6 %

Value	Label	Unweighted Frequency	%
4	-	1	0.1 %
5	-	4	0.4 %
6	-	44	4.8 %
7	-	13	1.4 %
8	-	17	1.8 %
9	-	15	1.6 %
10	-	18	1.9 %
11	-	16	1.7 %
12	-	112	12.1 %
13	-	4	0.4 %
14	-	25	2.7 %
15	-	1	0.1 %
16	-	25	2.7 %
17	-	1	0.1 %
18	-	9	1.0 %
	Missing Data		
.	-	604	65.3 %
	Total	925	100%

Based upon 321 valid cases out of 925 total cases.

- Mean: 10.50
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 3.77

Location: 86-87 (width: 2; decimal: 0)

Variable Type: numeric

CEDUC7I_7: Education of respondent's child #7 (per informant)

Value	Label	Unweighted Frequency	%
0	-	5	0.5 %
2	-	3	0.3 %
3	-	7	0.8 %
4	-	1	0.1 %
5	-	4	0.4 %
6	-	24	2.6 %
7	-	2	0.2 %
8	-	12	1.3 %
9	-	16	1.7 %

Value	Label	Unweighted Frequency	%
10	-	9	1.0 %
11	-	10	1.1 %
12	-	98	10.6 %
13	-	7	0.8 %
14	-	16	1.7 %
15	-	8	0.9 %
16	-	18	1.9 %
18	-	3	0.3 %
	Missing Data		
.	-	682	73.7 %
	Total	925	100%

Based upon 243 valid cases out of 925 total cases.

- Mean: 10.71
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 3.68

Location: 88-89 (width: 2; decimal: 0)

Variable Type: numeric

CEDUC7I_8: Education of respondent's child #8 (per informant)

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
3	-	4	0.4 %
4	-	1	0.1 %
5	-	3	0.3 %
6	-	27	2.9 %
7	-	4	0.4 %
8	-	7	0.8 %
9	-	5	0.5 %
10	-	2	0.2 %
11	-	3	0.3 %
12	-	76	8.2 %
13	-	5	0.5 %
14	-	15	1.6 %
16	-	11	1.2 %
17	-	2	0.2 %
18	-	3	0.3 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	756	81.7 %
	Total	925	100%

Based upon 169 valid cases out of 925 total cases.

- Mean: 10.80
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 3.52

Location: 90-91 (width: 2; decimal: 0)

Variable Type: numeric

CEDUC7I_9: Education of respondent's child #9 (per informant)

Value	Label	Unweighted Frequency	%
0	-	5	0.5 %
2	-	2	0.2 %
4	-	1	0.1 %
5	-	2	0.2 %
6	-	13	1.4 %
7	-	1	0.1 %
8	-	8	0.9 %
9	-	5	0.5 %
10	-	1	0.1 %
11	-	4	0.4 %
12	-	42	4.5 %
13	-	2	0.2 %
14	-	3	0.3 %
16	-	2	0.2 %
17	-	1	0.1 %
18	-	3	0.3 %
	Missing Data		
.	-	830	89.7 %
	Total	925	100%

Based upon 95 valid cases out of 925 total cases.

- Mean: 9.91
- Median: 12.00
- Mode: 12.00

- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 4.02

Location: 92-93 (width: 2; decimal: 0)

Variable Type: numeric

CEDUC7I_10: Education of respondent's child #10 (per informant)

Value	Label	Unweighted Frequency	%
0	-	3	0.3 %
4	-	1	0.1 %
6	-	6	0.6 %
8	-	5	0.5 %
9	-	5	0.5 %
10	-	4	0.4 %
11	-	3	0.3 %
12	-	24	2.6 %
13	-	1	0.1 %
14	-	2	0.2 %
15	-	1	0.1 %
16	-	7	0.8 %
17	-	1	0.1 %
18	-	3	0.3 %
	Missing Data		
.	-	859	92.9 %
	Total	925	100%

Based upon 66 valid cases out of 925 total cases.

- Mean: 10.98
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 18.00
- Standard Deviation: 4.02

Location: 94-95 (width: 2; decimal: 0)

Variable Type: numeric

CEDUC7I_11: Education of respondent's child #11 (per informant)

Value	Label	Unweighted Frequency	%
0	-	2	0.2 %
4	-	1	0.1 %
6	-	3	0.3 %

Value	Label	Unweighted Frequency	%
8	-	1	0.1 %
9	-	2	0.2 %
10	-	2	0.2 %
11	-	4	0.4 %
12	-	14	1.5 %
14	-	3	0.3 %
15	-	2	0.2 %
16	-	5	0.5 %
20	-	3	0.3 %
	Missing Data		
.	-	883	95.5 %
	Total	925	100%

Based upon 42 valid cases out of 925 total cases.

- Mean: 11.71
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 4.43

Location: 96-97 (width: 2; decimal: 0)

Variable Type: numeric

CEDUC7I_12: Education of respondent's child #12 (per informant)

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
5	-	2	0.2 %
6	-	3	0.3 %
10	-	1	0.1 %
11	-	1	0.1 %
12	-	7	0.8 %
13	-	1	0.1 %
15	-	2	0.2 %
16	-	1	0.1 %
	Missing Data		
.	-	906	97.9 %
	Total	925	100%

Based upon 19 valid cases out of 925 total cases.

- Mean: 10.11
- Median: 12.00
- Mode: 12.00
- Minimum: 0.00
- Maximum: 16.00
- Standard Deviation: 4.23

Location: 98-99 (width: 2; decimal: 0)

Variable Type: numeric

CEDUC7I_13: Education of respondent's child #13 (per informant)

Value	Label	Unweighted Frequency	%
11	-	1	0.1 %
12	-	7	0.8 %
	Missing Data		
.	-	917	99.1 %
	Total	925	100%

Based upon 8 valid cases out of 925 total cases.

- Mean: 11.88
- Median: 12.00
- Mode: 12.00
- Minimum: 11.00
- Maximum: 12.00
- Standard Deviation: 0.35

Location: 100-101 (width: 2; decimal: 0)

Variable Type: numeric

CEDUC7I_14: Education of respondent's child #14 (per informant)

Value	Label	Unweighted Frequency	%
12	-	4	0.4 %
	Missing Data		
.	-	921	99.6 %
	Total	925	100%

Based upon 4 valid cases out of 925 total cases.

- Mean: 12.00
- Median: 12.00
- Mode: 12.00
- Minimum: 12.00
- Maximum: 12.00
- Standard Deviation: 0.00

Location: 102-103 (width: 2; decimal: 0)

Variable Type: numeric

CEDUC7I_15: Education of respondent's child #15 (per informant)

Value	Label	Unweighted Frequency	%
12	-	2	0.2 %
	Missing Data		
.	-	923	99.8 %
	Total	925	100%

Based upon 2 valid cases out of 925 total cases.

- Mean: 12.00
- Median: 12.00
- Mode: 12.00
- Minimum: 12.00
- Maximum: 12.00
- Standard Deviation: 0.00

Location: 104-105 (width: 2; decimal: 0)

Variable Type: numeric

CEDUC7I_16: Education of respondent's child #16 (per informant)

Value	Label	Unweighted Frequency	%
12	-	1	0.1 %
	Missing Data		
.	-	924	99.9 %
	Total	925	100%

Based upon 1 valid cases out of 925 total cases.

- Mean: 12.00
- Median: 12.00
- Mode: 12.00
- Minimum: 12.00
- Maximum: 12.00
- Standard Deviation: 0.00

Location: 106-107 (width: 2; decimal: 0)

Variable Type: numeric

CRELATE7I_1: Relationship of respondent's child #1 (per informant)

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	2	0.2 %
2	Spouse	7	0.8 %
3	Son/daughter (including stepchildren)	811	87.7 %
4	Son/daughter in law	9	1.0 %
5	Grandchild	13	1.4 %

Value	Label	Unweighted Frequency	%
6	Parent	0	0.0 %
7	Brother/sister	5	0.5 %
8	Nephew/niece	7	0.8 %
9	Cousin	1	0.1 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	1	0.1 %
12	Other	0	0.0 %
13	Friend	2	0.2 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	2	0.2 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	65	7.0 %
	Total	925	100%

Based upon 860 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 15.00

Location: 108-109 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

CRELATE7I_2: Relationship of respondent's child #2 (per informant)

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	777	84.0 %
4	Son/daughter in law	1	0.1 %
5	Grandchild	1	0.1 %
6	Parent	0	0.0 %
7	Brother/sister	4	0.4 %
8	Nephew/niece	2	0.2 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	1	0.1 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %

Value	Label	Unweighted Frequency	%
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	1	0.1 %
	Missing Data		
.	-	138	14.9 %
	Total	925	100%

Based upon 787 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 17.00

Location: 110-111 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

CRELATE7I_3: Relationship of respondent's child #3 (per informant)

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	673	72.8 %
4	Son/daughter in law	1	0.1 %
5	Grandchild	3	0.3 %
6	Parent	0	0.0 %
7	Brother/sister	4	0.4 %
8	Nephew/niece	1	0.1 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	1	0.1 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	242	26.2 %
	Total	925	100%

Based upon 683 valid cases out of 925 total cases.

- Minimum: 3.00

- Maximum: 11.00

Location: 112-113 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

CRELATE7I_4: Relationship of respondent's child #4 (per informant)

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	573	61.9 %
4	Son/daughter in law	0	0.0 %
5	Grandchild	0	0.0 %
6	Parent	0	0.0 %
7	Brother/sister	3	0.3 %
8	Nephew/niece	0	0.0 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	349	37.7 %
	Total	925	100%

Based upon 576 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 7.00

Location: 114-115 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

CRELATE7I_5: Relationship of respondent's child #5 (per informant)

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	446	48.2 %

Value	Label	Unweighted Frequency	%
4	Son/daughter in law	0	0.0 %
5	Grandchild	0	0.0 %
6	Parent	0	0.0 %
7	Brother/sister	1	0.1 %
8	Nephew/niece	1	0.1 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	477	51.6 %
	Total	925	100%

Based upon 448 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 8.00

Location: 116-117 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

CRELATE7I_6: Relationship of respondent's child #6 (per informant)

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	329	35.6 %
4	Son/daughter in law	0	0.0 %
5	Grandchild	1	0.1 %
6	Parent	0	0.0 %
7	Brother/sister	1	0.1 %
8	Nephew/niece	1	0.1 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %

Value	Label	Unweighted Frequency	%
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	593	64.1 %
	Total	925	100%

Based upon 332 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 8.00

Location: 118-119 (width: 2; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 98 , 99 , .

CRELATE7I_7: Relationship of respondent's child #7 (per informant)

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	253	27.4 %
4	Son/daughter in law	0	0.0 %
5	Grandchild	2	0.2 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	1	0.1 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	669	72.3 %
	Total	925	100%

Based upon 256 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 8.00

Location: 120-121 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

CRELATE7I_8: Relationship of respondent's child #8 (per informant)

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	168	18.2 %
4	Son/daughter in law	0	0.0 %
5	Grandchild	1	0.1 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	1	0.1 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	755	81.6 %
	Total	925	100%

Based upon 170 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 8.00

Location: 122-123 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

CRELATE7I_9: Relationship of respondent's child #9 (per informant)

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	0	0.0 %

Value	Label	Unweighted Frequency	%
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	100	10.8 %
4	Son/daughter in law	0	0.0 %
5	Grandchild	1	0.1 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	1	0.1 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	823	89.0 %
	Total	925	100%

Based upon 102 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 8.00

Location: 124-125 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

CRELATE7I_10: Relationship of respondent's child #10 (per informant)

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	67	7.2 %
4	Son/daughter in law	0	0.0 %
5	Grandchild	0	0.0 %
6	Parent	0	0.0 %
7	Brother/sister	1	0.1 %
8	Nephew/niece	0	0.0 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %

Value	Label	Unweighted Frequency	%
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	857	92.6 %
	Total	925	100%

Based upon 68 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 7.00

Location: 126-127 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

CRELATE7I_11: Relationship of respondent's child #11 (per informant)

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	44	4.8 %
4	Son/daughter in law	0	0.0 %
5	Grandchild	0	0.0 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	0	0.0 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	881	95.2 %

Value	Label	Unweighted Frequency	%
	Total	925	100%

Based upon 44 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 128-129 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

CRELATE7I_12: Relationship of respondent's child #12 (per informant)

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	20	2.2 %
4	Son/daughter in law	0	0.0 %
5	Grandchild	0	0.0 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	0	0.0 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	905	97.8 %
	Total	925	100%

Based upon 20 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 130-131 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

CRELATE7I_13: Relationship of respondent's child #13 (per informant)

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	9	1.0 %
4	Son/daughter in law	0	0.0 %
5	Grandchild	0	0.0 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	0	0.0 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	916	99.0 %
	Total	925	100%

Based upon 9 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 132-133 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

CRELATE7I_14: Relationship of respondent's child #14 (per informant)

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	3	0.3 %
4	Son/daughter in law	0	0.0 %
5	Grandchild	0	0.0 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	0	0.0 %
9	Cousin	0	0.0 %

Value	Label	Unweighted Frequency	%
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	922	99.7 %
	Total	925	100%

Based upon 3 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 134-135 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

CRELATE7I_15: Relationship of respondent's child #15 (per informant)

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	2	0.2 %
4	Son/daughter in law	0	0.0 %
5	Grandchild	0	0.0 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	0	0.0 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	923	99.8 %
	Total	925	100%

Based upon 2 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 136-137 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

CRELATE7I_16: Relationship of respondent's child #16 (per informant)

Value	Label	Unweighted Frequency	%
1	Head of household (for B2 only)	0	0.0 %
2	Spouse	0	0.0 %
3	Son/daughter (including stepchildren)	1	0.1 %
4	Son/daughter in law	0	0.0 %
5	Grandchild	0	0.0 %
6	Parent	0	0.0 %
7	Brother/sister	0	0.0 %
8	Nephew/niece	0	0.0 %
9	Cousin	0	0.0 %
10	Aunt/uncle	0	0.0 %
11	Great grandchild	0	0.0 %
12	Other	0	0.0 %
13	Friend	0	0.0 %
14	Boarder/roomer	0	0.0 %
15	Paid employee	0	0.0 %
16	All others	0	0.0 %
17	Sister/brother in law	0	0.0 %
	Missing Data		
.	-	924	99.9 %
	Total	925	100%

Based upon 1 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 138-139 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

CJOB7I_1: Occupation of respondent's child #1 (per informant)

Value	Label	Unweighted Frequency	%
	-	84	9.1 %
ACADEMIC	-	1	0.1 %
ACCOUNTA	-	2	0.2 %
ACTIVITY	-	2	0.2 %
ADMINIST	-	1	0.1 %
AGRICULT	-	6	0.6 %
AIRLINE	-	1	0.1 %
AMA DE C	-	2	0.2 %
ANALYST:	-	1	0.1 %
ARMY VET	-	1	0.1 %
ASISTENT	-	1	0.1 %
ASSEMBLY	-	2	0.2 %
ASSISTAN	-	2	0.2 %
ASST SU	-	1	0.1 %
AUTO BOD	-	1	0.1 %
AUTO MEC	-	1	0.1 %
AUTO PAR	-	1	0.1 %
AUTO SAL	-	1	0.1 %
AUTOMOTI	-	1	0.1 %
BANK OFF	-	1	0.1 %
BANK SUP	-	1	0.1 %
BLDG MAI	-	1	0.1 %
BODY SHO	-	1	0.1 %
BOOKKEEP	-	2	0.2 %
BRICKLAY	-	1	0.1 %
BUILDING	-	1	0.1 %
BUS AIDE	-	1	0.1 %
BUS DRIV	-	1	0.1 %
BUS STAT	-	1	0.1 %
BUSINESS	-	3	0.3 %
BUYER -	-	1	0.1 %
CABLE TE	-	1	0.1 %
CANINE E	-	1	0.1 %
CAR SALE	-	1	0.1 %
CARDIOVA	-	1	0.1 %
CARE PRO	-	1	0.1 %
CAREGIVE	-	18	1.9 %

Value	Label	Unweighted Frequency	%
CARETAKE	-	4	0.4 %
CARPENTE	-	1	0.1 %
CASHIER	-	6	0.6 %
CITY EMP	-	1	0.1 %
CITY WOR	-	1	0.1 %
CIVIL SE	-	2	0.2 %
CLAIMS E	-	1	0.1 %
CLEANS H	-	1	0.1 %
CLERICAL	-	2	0.2 %
CLOTHING	-	1	0.1 %
CNA	-	1	0.1 %
CNA (NUR	-	1	0.1 %
COAST CO	-	1	0.1 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 925 valid cases out of 925 total cases.

Location: 140-147 (width: 8; decimal: 0)

Variable Type: character

CJOB71_2: Occupation of respondent's child #2 (per informant)

Value	Label	Unweighted Frequency	%
	-	158	17.1 %
A/C REPA	-	1	0.1 %
ACCOUNTA	-	5	0.5 %
ADMINIST	-	3	0.3 %
AGRICULT	-	5	0.5 %
AIRLINE	-	1	0.1 %
AIRPORT	-	1	0.1 %
APT MAIN	-	2	0.2 %
APT MAN	-	1	0.1 %
ARCO GAS	-	1	0.1 %
ASSISTAN	-	1	0.1 %
AT&T CUS	-	1	0.1 %
AUTO FAC	-	1	0.1 %
AVIATION	-	1	0.1 %
BABYSITT	-	1	0.1 %
BAKER	-	1	0.1 %

Value	Label	Unweighted Frequency	%
BAKERY	-	1	0.1 %
BAND DIR	-	2	0.2 %
BANK TEL	-	3	0.3 %
BANKING	-	1	0.1 %
BENEFITS	-	1	0.1 %
BOOKKEEP	-	1	0.1 %
BORDER P	-	2	0.2 %
BUS DRIV	-	1	0.1 %
BUSINESS	-	4	0.4 %
CABLE CO	-	1	0.1 %
CAN	-	1	0.1 %
CAR FACT	-	1	0.1 %
CAR MECH	-	2	0.2 %
CAR PAIN	-	1	0.1 %
CAR SALE	-	1	0.1 %
CAREGIVE	-	2	0.2 %
CARETAKE	-	4	0.4 %
CARPENTE	-	5	0.5 %
CASHIER	-	2	0.2 %
CASINO H	-	1	0.1 %
CHURCH W	-	1	0.1 %
CITY EMP	-	1	0.1 %
CIVIL SE	-	1	0.1 %
CLEANS H	-	3	0.3 %
CLERICAL	-	1	0.1 %
CLERK	-	3	0.3 %
COACH	-	1	0.1 %
COLLEGE	-	1	0.1 %
COMMERCI	-	1	0.1 %
COMPUTER	-	5	0.5 %
COMTROLE	-	1	0.1 %
CONSTRUC	-	17	1.8 %
COOK	-	3	0.3 %
COOKS FO	-	1	0.1 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 925 valid cases out of 925 total cases.

Location: 148-155 (width: 8; decimal: 0)

CJOB71_3: Occupation of respondent's child #3 (per informant)

Value	Label	Unweighted Frequency	%
	-	268	29.0 %
ACCOUNT	-	1	0.1 %
ACCOUNTA	-	1	0.1 %
ADM SR H	-	1	0.1 %
ADMIN	-	1	0.1 %
ADMIN A	-	1	0.1 %
ADMINIST	-	3	0.3 %
AGRICULT	-	5	0.5 %
AIR COND	-	2	0.2 %
AIRCRAFT	-	1	0.1 %
AIRLINE	-	2	0.2 %
AIRPORT	-	1	0.1 %
ARCHITEC	-	2	0.2 %
ASSISTAN	-	1	0.1 %
ATTORNEY	-	3	0.3 %
AUDITOR	-	1	0.1 %
AUTO MEC	-	1	0.1 %
AUTO REP	-	1	0.1 %
AUTO STO	-	1	0.1 %
AUTO TEC	-	1	0.1 %
AUTOSHOP	-	1	0.1 %
AVIATION	-	1	0.1 %
BACK-HOE	-	1	0.1 %
BAKER	-	1	0.1 %
BAKERY/C	-	1	0.1 %
BAND DIR	-	2	0.2 %
BANK	-	1	0.1 %
BANK MGR	-	1	0.1 %
BANK TEL	-	1	0.1 %
BODY SHO	-	2	0.2 %
BOOK KEE	-	1	0.1 %
BOOKKEEP	-	1	0.1 %
BORDER P	-	2	0.2 %
BRICKLAY	-	1	0.1 %
BUS DRIV	-	1	0.1 %
BUS TICK	-	1	0.1 %

Value	Label	Unweighted Frequency	%
BUSINESS	-	6	0.6 %
BUTCHER	-	1	0.1 %
CABINET	-	1	0.1 %
CAFETERI	-	2	0.2 %
CAR REPA	-	1	0.1 %
CAR SALE	-	1	0.1 %
CAREGIVE	-	1	0.1 %
CARETAKE	-	1	0.1 %
CARPENTE	-	3	0.3 %
CASINO W	-	1	0.1 %
CATHETER	-	1	0.1 %
CHILDCAR	-	1	0.1 %
CITY EMP	-	1	0.1 %
CIVIL SE	-	1	0.1 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 925 valid cases out of 925 total cases.

Location: 156-163 (width: 8; decimal: 0)

Variable Type: character

CJOB71_4: Occupation of respondent's child #4 (per informant)

Value	Label	Unweighted Frequency	%
	-	377	40.8 %
ACCOUNTA	-	2	0.2 %
ADMINIST	-	1	0.1 %
AEROBIC	-	1	0.1 %
AGRICULT	-	2	0.2 %
AIR COND	-	1	0.1 %
ALOE VER	-	2	0.2 %
ANTHROPO	-	1	0.1 %
APARTMEN	-	1	0.1 %
ARCHITEC	-	4	0.4 %
AT SCHOO	-	1	0.1 %
AUTO MEC	-	2	0.2 %
AUTO STO	-	1	0.1 %
BEXAR CO	-	1	0.1 %
BILINGUA	-	1	0.1 %

Value	Label	Unweighted Frequency	%
BODY SHO	-	1	0.1 %
BODY WOR	-	1	0.1 %
BOILER M	-	1	0.1 %
BRICKLAY	-	2	0.2 %
BUS DRIV	-	3	0.3 %
BUSINESS	-	1	0.1 %
CABLE TV	-	1	0.1 %
CAFETERI	-	1	0.1 %
CAR SALE	-	2	0.2 %
CAREGIVE	-	1	0.1 %
CARETAKE	-	2	0.2 %
CARPENTE	-	3	0.3 %
CASHIER	-	1	0.1 %
CHEF AT	-	1	0.1 %
CHIEF OF	-	1	0.1 %
CHILDCAR	-	1	0.1 %
CHURCH (-	1	0.1 %
CIVIL SE	-	4	0.4 %
CLEANING	-	1	0.1 %
CLEANS H	-	3	0.3 %
CLERICAL	-	4	0.4 %
CLERK	-	2	0.2 %
CLERK -	-	1	0.1 %
CNA	-	1	0.1 %
COLLEGE	-	1	0.1 %
COMPUTER	-	3	0.3 %
CONSTRUC	-	17	1.8 %
COOK	-	2	0.2 %
CORRECTI	-	1	0.1 %
COURT IN	-	1	0.1 %
CPA	-	1	0.1 %
CULINARY	-	1	0.1 %
CUST SER	-	1	0.1 %
CUSTOMER	-	1	0.1 %
DAYCARE	-	1	0.1 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 925 valid cases out of 925 total cases.

Location: 164-171 (width: 8; decimal: 0)

Variable Type: character

CJOB71_5: Occupation of respondent's child #5 (per informant)

Value	Label	Unweighted Frequency	%
	-	495	53.5 %
ACCOUNTA	-	4	0.4 %
ADMINIST	-	1	0.1 %
AGRICULT	-	1	0.1 %
ASSISTAN	-	1	0.1 %
BABY FUR	-	1	0.1 %
BANK MGR	-	1	0.1 %
BEAUTICI	-	1	0.1 %
BEAUTY S	-	1	0.1 %
BRICK LA	-	1	0.1 %
BRICKLAY	-	1	0.1 %
BUS DRIV	-	2	0.2 %
BUS MONI	-	1	0.1 %
BUSINESS	-	2	0.2 %
CABINET	-	2	0.2 %
CABLE TV	-	1	0.1 %
CAR SALE	-	1	0.1 %
CARPENTE	-	1	0.1 %
CARSALES	-	1	0.1 %
CASINO C	-	1	0.1 %
CASINO W	-	1	0.1 %
CELL PHO	-	1	0.1 %
CHEMICAL	-	1	0.1 %
CHICKEN	-	1	0.1 %
CHURCH W	-	1	0.1 %
CITY EMP	-	1	0.1 %
CITY OFF	-	1	0.1 %
CIVIL SE	-	1	0.1 %
CLEANING	-	1	0.1 %
CLEANS	-	1	0.1 %
CLEANS H	-	1	0.1 %
CLERICAL	-	2	0.2 %
CLERK	-	2	0.2 %
CLOTHING	-	1	0.1 %

Value	Label	Unweighted Frequency	%
COLLECTE	-	2	0.2 %
COLLEGE	-	1	0.1 %
COMPUTER	-	2	0.2 %
CONCRETE	-	1	0.1 %
CONSTRUC	-	12	1.3 %
CONSULTA	-	2	0.2 %
CONTRACT	-	2	0.2 %
COULD NO	-	1	0.1 %
COUNSELO	-	2	0.2 %
COUNTY G	-	1	0.1 %
COUNTY S	-	1	0.1 %
CPA	-	2	0.2 %
CUSTODIA	-	1	0.1 %
CUSTOMER	-	1	0.1 %
DAYCARE	-	2	0.2 %
DELINQUE	-	1	0.1 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 925 valid cases out of 925 total cases.

Location: 172-179 (width: 8; decimal: 0)

Variable Type: character

CJOB71_6: Occupation of respondent's child #6 (per informant)

Value	Label	Unweighted Frequency	%
	-	605	65.4 %
AC TECH	-	1	0.1 %
ACCOUNTA	-	1	0.1 %
ADMINIST	-	1	0.1 %
AGRICULT	-	1	0.1 %
AMA DE C	-	1	0.1 %
ARTIST	-	2	0.2 %
ASSEMBLY	-	1	0.1 %
ASSISTAN	-	1	0.1 %
ASST MGR	-	1	0.1 %
ASST PR	-	1	0.1 %
AUTO MEC	-	1	0.1 %
BAKER	-	1	0.1 %

Value	Label	Unweighted Frequency	%
BAKERY M	-	1	0.1 %
BANKER	-	1	0.1 %
BIO LAB	-	1	0.1 %
BOOK DIR	-	1	0.1 %
BUDGET A	-	1	0.1 %
BUS DRIV	-	3	0.3 %
BUSINESS	-	1	0.1 %
BUTLER	-	2	0.2 %
CARPENTE	-	4	0.4 %
CARSALES	-	1	0.1 %
CASHIER	-	1	0.1 %
CEMENT W	-	1	0.1 %
CENSUS W	-	2	0.2 %
CHILD CA	-	2	0.2 %
CITY EMP	-	1	0.1 %
CITY OF	-	1	0.1 %
CITY TRA	-	1	0.1 %
CLEANS H	-	1	0.1 %
CLERICAL	-	2	0.2 %
CLOTHING	-	2	0.2 %
COMPUTER	-	2	0.2 %
CONSTRUC	-	11	1.2 %
CONSULTA	-	1	0.1 %
CONTRACT	-	1	0.1 %
COOK	-	2	0.2 %
CORRECTI	-	1	0.1 %
COUNTY C	-	1	0.1 %
CRIMINOL	-	1	0.1 %
CUSTODIA	-	1	0.1 %
DETAILER	-	1	0.1 %
DISABILI	-	2	0.2 %
DISABLED	-	17	1.8 %
DOCTOR'S	-	1	0.1 %
DOCTORS	-	1	0.1 %
DON'T KN	-	1	0.1 %
DRIVER	-	3	0.3 %
ECONOMIS	-	1	0.1 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 925 valid cases out of 925 total cases.

Location: 180-187 (width: 8; decimal: 0)

Variable Type: character

CJOB71_7: Occupation of respondent's child #7 (per informant)

Value	Label	Unweighted Frequency	%
	-	682	73.7 %
ACCOUNTA	-	4	0.4 %
ACCOUNTI	-	1	0.1 %
ADMINIST	-	1	0.1 %
AGRICULT	-	1	0.1 %
AIR COND	-	1	0.1 %
AIRPORT	-	1	0.1 %
AMA DE C	-	1	0.1 %
ANALYST	-	1	0.1 %
ASSEMBLY	-	1	0.1 %
AUTO MEC	-	3	0.3 %
AUTO TEC	-	1	0.1 %
BAKER	-	1	0.1 %
BANKING	-	1	0.1 %
BUSINESS	-	2	0.2 %
CABLE CO	-	2	0.2 %
CAFETERI	-	1	0.1 %
CALTRAN	-	1	0.1 %
CAREGIVE	-	1	0.1 %
CHEF	-	1	0.1 %
CHICKEN	-	1	0.1 %
CITY OF	-	1	0.1 %
CIVIL EN	-	1	0.1 %
CLERK	-	2	0.2 %
COMPUTER	-	2	0.2 %
CONSTRUC	-	6	0.6 %
COOK	-	2	0.2 %
CPA	-	1	0.1 %
CUSTODIA	-	1	0.1 %
CUSTOMER	-	1	0.1 %
DAYCARE	-	2	0.2 %
DISABLED	-	7	0.8 %

Value	Label	Unweighted Frequency	%
DRIVER	-	1	0.1 %
ELECTRIC	-	2	0.2 %
ELECTRON	-	1	0.1 %
FACTORY	-	2	0.2 %
FARM WOR	-	1	0.1 %
FIELD WO	-	1	0.1 %
FIELDWOR	-	1	0.1 %
FIREMAN	-	1	0.1 %
FORMEN	-	1	0.1 %
FOSTER F	-	1	0.1 %
FOSTER P	-	1	0.1 %
FROZEN F	-	1	0.1 %
FUMIGATO	-	2	0.2 %
GARDENER	-	1	0.1 %
HAIR DRE	-	1	0.1 %
HANDYMAN	-	1	0.1 %
HOME	-	1	0.1 %
HOME MAK	-	1	0.1 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 925 valid cases out of 925 total cases.

Location: 188-195 (width: 8; decimal: 0)

Variable Type: character

CJOB71_8: Occupation of respondent's child #8 (per informant)

Value	Label	Unweighted Frequency	%
	-	756	81.7 %
ACCOUNTA	-	2	0.2 %
AIR COND	-	1	0.1 %
ARTIST	-	1	0.1 %
BUSINESS	-	1	0.1 %
CAN	-	1	0.1 %
CAR WASH	-	1	0.1 %
CASHIER	-	1	0.1 %
CHEMICAL	-	1	0.1 %
CHEMIST	-	2	0.2 %
CIVIL SE	-	1	0.1 %

Value	Label	Unweighted Frequency	%
CLEANS H	-	1	0.1 %
CLERK	-	1	0.1 %
CNA/HHA	-	1	0.1 %
CONSTRUC	-	8	0.9 %
COOK	-	3	0.3 %
COUNTY C	-	1	0.1 %
CUSTOMER	-	2	0.2 %
DELI MAN	-	1	0.1 %
DENTAL A	-	2	0.2 %
DIRECTOR	-	2	0.2 %
DISABLED	-	3	0.3 %
ELECTRIC	-	2	0.2 %
FACTORY	-	1	0.1 %
FOOD ACT	-	1	0.1 %
FOOD PAC	-	1	0.1 %
FORK LIF	-	1	0.1 %
FURNITUR	-	1	0.1 %
HAIR STY	-	2	0.2 %
HEALTH P	-	1	0.1 %
HOME	-	1	0.1 %
HOMEMAKE	-	4	0.4 %
HOUSE CL	-	1	0.1 %
HOUSE KE	-	1	0.1 %
HOUSEWIF	-	19	2.1 %
INSURANC	-	3	0.3 %
IRS ADMI	-	1	0.1 %
LABOR	-	3	0.3 %
LABORER	-	6	0.6 %
MACHINE	-	2	0.2 %
MAIL CAR	-	2	0.2 %
MAINTANC	-	2	0.2 %
MAINTENA	-	5	0.5 %
MARKET	-	1	0.1 %
MASSAGE	-	1	0.1 %
MEAT CUT	-	1	0.1 %
MECHANIC	-	2	0.2 %
MEDICAL	-	2	0.2 %
MEDICATI	-	1	0.1 %
METRO EM	-	1	0.1 %

Value	Label	Unweighted Frequency	%
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 925 valid cases out of 925 total cases.

Location: 196-203 (width: 8; decimal: 0)

Variable Type: character

CJOB71_9: Occupation of respondent's child #9 (per informant)

Value	Label	Unweighted Frequency	%
	-	830	89.7 %
BUSINESS	-	3	0.3 %
CARPENTE	-	1	0.1 %
CHEMIST	-	1	0.1 %
CHIEF FI	-	1	0.1 %
CITY OF	-	1	0.1 %
CLEAN HO	-	1	0.1 %
CLERK	-	1	0.1 %
COLLEGE	-	1	0.1 %
CONSTRUC	-	4	0.4 %
CORRECTI	-	1	0.1 %
CUSTODIA	-	3	0.3 %
DAYCARE	-	1	0.1 %
DIRECTOR	-	1	0.1 %
DISABLED	-	4	0.4 %
ELECTRIC	-	2	0.2 %
FACTORY	-	1	0.1 %
FIREFIGH	-	1	0.1 %
FOOD PAC	-	1	0.1 %
FURNITUR	-	1	0.1 %
HOME PRO	-	1	0.1 %
HOMEMAKE	-	2	0.2 %
HOUSEKEE	-	1	0.1 %
HOUSEWIF	-	9	1.0 %
INSURANC	-	1	0.1 %
IRS	-	1	0.1 %
LABORER	-	5	0.5 %
LAW ENFO	-	1	0.1 %
MEAT CUT	-	1	0.1 %

Value	Label	Unweighted Frequency	%
MEAT PAC	-	1	0.1 %
MECHANIC	-	2	0.2 %
MUSIC PL	-	1	0.1 %
NURSE	-	1	0.1 %
OFFICE M	-	2	0.2 %
OIL FIEL	-	1	0.1 %
POLICE	-	2	0.2 %
PRINTING	-	1	0.1 %
PROVIDER	-	1	0.1 %
RECEPTIO	-	1	0.1 %
RENTAL A	-	1	0.1 %
RETIRED	-	1	0.1 %
SALES	-	4	0.4 %
SALES SE	-	1	0.1 %
SCHOOL E	-	2	0.2 %
SECRETAR	-	2	0.2 %
SECURITY	-	1	0.1 %
SUP AGRI	-	1	0.1 %
TEACHER	-	3	0.3 %
TRUCK DR	-	4	0.4 %
UNEMPLOY	-	6	0.6 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 925 valid cases out of 925 total cases.

Location: 204-211 (width: 8; decimal: 0)

Variable Type: character

CJOB7I_10: Occupation of respondent's child #10 (per informant)

Value	Label	Unweighted Frequency	%
	-	860	93.0 %
AUTO BOD	-	1	0.1 %
BABYSITT	-	1	0.1 %
BEAUTY S	-	1	0.1 %
BUSINESS	-	1	0.1 %
CARE PRO	-	1	0.1 %
CIVIL EN	-	1	0.1 %
CLEANS G	-	1	0.1 %

Value	Label	Unweighted Frequency	%
CLEANS H	-	2	0.2 %
CLERK	-	1	0.1 %
COLLEGE	-	1	0.1 %
CONSTRUC	-	2	0.2 %
DAYCARE	-	2	0.2 %
DISABLED	-	4	0.4 %
ELDER CA	-	1	0.1 %
ELECTRIC	-	1	0.1 %
FACTORY	-	1	0.1 %
FINANCIA	-	1	0.1 %
FLEET TE	-	1	0.1 %
HOME	-	1	0.1 %
HOMEKEEP	-	1	0.1 %
HOMEMAKE	-	2	0.2 %
HOUSEKEE	-	1	0.1 %
HOUSEWIF	-	5	0.5 %
JUVENILE	-	1	0.1 %
LABORER	-	1	0.1 %
LUGGAGE	-	1	0.1 %
MERCHANT	-	2	0.2 %
MGR REST	-	1	0.1 %
NURSE'S	-	1	0.1 %
PACKER	-	2	0.2 %
PLUMBER	-	2	0.2 %
POLICE	-	1	0.1 %
POSTAL E	-	1	0.1 %
RETIRED	-	4	0.4 %
SCHOOL D	-	1	0.1 %
SELF EMP	-	1	0.1 %
SOCIAL W	-	1	0.1 %
SUP AGRI	-	1	0.1 %
TEACHER	-	4	0.4 %
UNEMPLOY	-	1	0.1 %
UPHOLSTE	-	2	0.2 %
WINDOW G	-	2	0.2 %
WORK IN	-	1	0.1 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 212-219 (width: 8; decimal: 0)

Variable Type: character

CJOB71_11: Occupation of respondent's child #11 (per informant)

Value	Label	Unweighted Frequency	%
	-	883	95.5 %
BODY REP	-	1	0.1 %
BUSINESS	-	2	0.2 %
CARPET L	-	1	0.1 %
CASINO S	-	1	0.1 %
CLEANING	-	1	0.1 %
CONSTRUC	-	1	0.1 %
COOK	-	1	0.1 %
CUSTODIA	-	1	0.1 %
DISABILI	-	1	0.1 %
DISCO OW	-	1	0.1 %
ELECTRIC	-	1	0.1 %
HOMEKEEP	-	1	0.1 %
HOMEMAKE	-	2	0.2 %
HOUSEWIF	-	3	0.3 %
LABORER	-	2	0.2 %
MD, PSYC	-	1	0.1 %
MECHANIC	-	1	0.1 %
MEDICAL	-	2	0.2 %
NURSE	-	1	0.1 %
NURSING	-	2	0.2 %
OIL RIG	-	1	0.1 %
RETIRED	-	4	0.4 %
SHIPPING	-	1	0.1 %
SOCIAL W	-	2	0.2 %
STORE OW	-	1	0.1 %
TEACHER	-	3	0.3 %
UNEMPLOY	-	1	0.1 %
UPHOLSTE	-	1	0.1 %
WORKS IN	-	1	0.1 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 220-227 (width: 8; decimal: 0)

Variable Type: character

CJOB7I_12: Occupation of respondent's child #12 (per informant)

Value	Label	Unweighted Frequency	%
	-	905	97.8 %
BANK EXE	-	1	0.1 %
BOOKKEEP	-	1	0.1 %
CASINO M	-	1	0.1 %
DISABLED	-	2	0.2 %
HOUSEKEE	-	1	0.1 %
HOUSEWIF	-	1	0.1 %
MANAGER	-	1	0.1 %
MARKET	-	1	0.1 %
MECHANIC	-	1	0.1 %
MEDICATI	-	1	0.1 %
OFFICE M	-	3	0.3 %
OFFICE W	-	1	0.1 %
OIL RIG	-	1	0.1 %
SECRETAR	-	1	0.1 %
TEACHER	-	2	0.2 %
UNEMPLOY	-	1	0.1 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 228-235 (width: 8; decimal: 0)

Variable Type: character

CJOB7I_13: Occupation of respondent's child #13 (per informant)

Value	Label	Unweighted Frequency	%
	-	916	99.0 %
BODY SHO	-	1	0.1 %
CONSTRUC	-	1	0.1 %
MONEY EX	-	1	0.1 %
OFFICE C	-	1	0.1 %
SCHOOL A	-	1	0.1 %
SHIPPING	-	1	0.1 %
SUPERVIS	-	1	0.1 %
TELE-MAR	-	1	0.1 %
UNEMPLOY	-	1	0.1 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 236-243 (width: 8; decimal: 0)

Variable Type: character

CJOB7I_14: Occupation of respondent's child #14 (per informant)

Value	Label	Unweighted Frequency	%
	-	922	99.7 %
DENTAL H	-	1	0.1 %
GROUP HO	-	1	0.1 %
SALES	-	1	0.1 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 244-251 (width: 8; decimal: 0)

Variable Type: character

CJOB7I_15: Occupation of respondent's child #15 (per informant)

Value	Label	Unweighted Frequency	%
	-	923	99.8 %
NAVY	-	1	0.1 %
POLICE O	-	1	0.1 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 252-259 (width: 8; decimal: 0)

Variable Type: character

CJOB7I_16: Occupation of respondent's child #16 (per informant)

Value	Label	Unweighted Frequency	%
	-	924	99.9 %
X-RAY TE	-	1	0.1 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 260-267 (width: 8; decimal: 0)

Variable Type: character

CMARSTAT7I_1: Marital status of respondent's child #1 (per informant)

Value	Label	Unweighted Frequency	%
1	Married	491	53.1 %
2	Separated	56	6.1 %
3	Divorced	136	14.7 %

Value	Label	Unweighted Frequency	%
4	Widowed	50	5.4 %
5	Never married	123	13.3 %
	Missing Data		
9	Do not know / refused	5	0.5 %
.	-	64	6.9 %
	Total	925	100%

Based upon 856 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 268-268 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CMARSTAT7I_2: Marital status of respondent's child #2 (per informant)

Value	Label	Unweighted Frequency	%
1	Married	537	58.1 %
2	Separated	23	2.5 %
3	Divorced	103	11.1 %
4	Widowed	48	5.2 %
5	Never married	56	6.1 %
	Missing Data		
9	Do not know / refused	14	1.5 %
.	-	144	15.6 %
	Total	925	100%

Based upon 767 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 269-269 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CMARSTAT7I_3: Marital status of respondent's child #3 (per informant)

Value	Label	Unweighted Frequency	%
1	Married	499	53.9 %
2	Separated	19	2.1 %
3	Divorced	84	9.1 %
4	Widowed	29	3.1 %

Value	Label	Unweighted Frequency	%
5	Never married	44	4.8 %
	Missing Data		
9	Do not know / refused	9	1.0 %
.	-	241	26.1 %
	Total	925	100%

Based upon 675 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 270-270 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CMARSTAT7I_4: Marital status of respondent`s child #4 (per informant)

Value	Label	Unweighted Frequency	%
1	Married	413	44.6 %
2	Separated	14	1.5 %
3	Divorced	74	8.0 %
4	Widowed	22	2.4 %
5	Never married	33	3.6 %
	Missing Data		
9	Do not know / refused	11	1.2 %
.	-	358	38.7 %
	Total	925	100%

Based upon 556 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 271-271 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CMARSTAT7I_5: Marital status of respondent`s child #5 (per informant)

Value	Label	Unweighted Frequency	%
1	Married	326	35.2 %
2	Separated	12	1.3 %
3	Divorced	46	5.0 %
4	Widowed	22	2.4 %
5	Never married	32	3.5 %

Value	Label	Unweighted Frequency	%
	Missing Data		
9	Do not know / refused	6	0.6 %
.	-	481	52.0 %
	Total	925	100%

Based upon 438 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 272-272 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CMARSTAT7I_6: Marital status of respondent`s child #6 (per informant)

Value	Label	Unweighted Frequency	%
1	Married	233	25.2 %
2	Separated	18	1.9 %
3	Divorced	37	4.0 %
4	Widowed	14	1.5 %
5	Never married	26	2.8 %
	Missing Data		
9	Do not know / refused	5	0.5 %
.	-	592	64.0 %
	Total	925	100%

Based upon 328 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 273-273 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CMARSTAT7I_7: Marital status of respondent`s child #7 (per informant)

Value	Label	Unweighted Frequency	%
1	Married	176	19.0 %
2	Separated	10	1.1 %
3	Divorced	29	3.1 %
4	Widowed	8	0.9 %
5	Never married	20	2.2 %
	Missing Data		

Value	Label	Unweighted Frequency	%
9	Do not know / refused	7	0.8 %
.	-	675	73.0 %
	Total	925	100%

Based upon 243 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 274-274 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CMARSTAT7I_8: Marital status of respondent`s child #8 (per informant)

Value	Label	Unweighted Frequency	%
1	Married	132	14.3 %
2	Separated	9	1.0 %
3	Divorced	10	1.1 %
4	Widowed	6	0.6 %
5	Never married	13	1.4 %
	Missing Data		
9	Do not know / refused	3	0.3 %
.	-	752	81.3 %
	Total	925	100%

Based upon 170 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 275-275 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CMARSTAT7I_9: Marital status of respondent`s child #9 (per informant)

Value	Label	Unweighted Frequency	%
1	Married	70	7.6 %
2	Separated	3	0.3 %
3	Divorced	13	1.4 %
4	Widowed	2	0.2 %
5	Never married	11	1.2 %
	Missing Data		
9	Do not know / refused	2	0.2 %

Value	Label	Unweighted Frequency	%
.	-	824	89.1 %
	Total	925	100%

Based upon 99 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 276-276 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CMARSTAT7I_10: Marital status of respondent`s child #10 (per informant)

Value	Label	Unweighted Frequency	%
1	Married	45	4.9 %
2	Separated	2	0.2 %
3	Divorced	6	0.6 %
4	Widowed	2	0.2 %
5	Never married	10	1.1 %
	Missing Data		
9	Do not know / refused	2	0.2 %
.	-	858	92.8 %
	Total	925	100%

Based upon 65 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 277-277 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CMARSTAT7I_11: Marital status of respondent`s child #11 (per informant)

Value	Label	Unweighted Frequency	%
1	Married	33	3.6 %
2	Separated	1	0.1 %
3	Divorced	2	0.2 %
4	Widowed	3	0.3 %
5	Never married	4	0.4 %
	Missing Data		
9	Do not know / refused	1	0.1 %
.	-	881	95.2 %

Value	Label	Unweighted Frequency	%
	Total	925	100%

Based upon 43 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 278-278 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CMARSTAT7I_12: Marital status of respondent's child #12 (per informant)

Value	Label	Unweighted Frequency	%
1	Married	11	1.2 %
2	Separated	1	0.1 %
3	Divorced	3	0.3 %
4	Widowed	2	0.2 %
5	Never married	3	0.3 %
	Missing Data		
.	-	905	97.8 %
	Total	925	100%

Based upon 20 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 279-279 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CMARSTAT7I_13: Marital status of respondent's child #13 (per informant)

Value	Label	Unweighted Frequency	%
1	Married	5	0.5 %
2	Separated	2	0.2 %
3	Divorced	1	0.1 %
4	Widowed	0	0.0 %
5	Never married	1	0.1 %
	Missing Data		
.	-	916	99.0 %
	Total	925	100%

Based upon 9 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 280-280 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CMARSTAT7I_14: Marital status of respondent's child #14 (per informant)

Value	Label	Unweighted Frequency	%
1	Married	3	0.3 %
2	Separated	0	0.0 %
3	Divorced	0	0.0 %
4	Widowed	0	0.0 %
5	Never married	1	0.1 %
	Missing Data		
.	-	921	99.6 %
	Total	925	100%

Based upon 4 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 281-281 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CMARSTAT7I_15: Marital status of respondent's child #15 (per informant)

Value	Label	Unweighted Frequency	%
1	Married	2	0.2 %
2	Separated	0	0.0 %
3	Divorced	0	0.0 %
4	Widowed	0	0.0 %
5	Never married	0	0.0 %
	Missing Data		
.	-	923	99.8 %
	Total	925	100%

Based upon 2 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 282-282 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CMARSTAT7I_16: Marital status of respondent's child #16 (per informant)

Value	Label	Unweighted Frequency	%
1	Married	1	0.1 %
2	Separated	0	0.0 %
3	Divorced	0	0.0 %
4	Widowed	0	0.0 %
5	Never married	0	0.0 %
	Missing Data		
.	-	924	99.9 %
	Total	925	100%

Based upon 1 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 283-283 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 9 , .

CLIVES7I_1: Residence of respondent's child #1 (per informant)

Value	Label	Unweighted Frequency	%
1	With parent / relative	337	36.4 %
2	Within 2 blocks	82	8.9 %
3	3-8 blocks	29	3.1 %
4	8 blocks to a mile	157	17.0 %
5	Other city	142	15.4 %
6	Other state	20	2.2 %
7	Mexico	19	2.1 %
8	Other	75	8.1 %
	Missing Data		
.	-	64	6.9 %
	Total	925	100%

Based upon 861 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 284-284 (width: 1; decimal: 0)

Variable Type: numeric

CLIVES7I_2: Residence of respondent's child #2 (per informant)

Value	Label	Unweighted Frequency	%
1	With parent / relative	53	5.7 %
2	Within 2 blocks	42	4.5 %
3	3-8 blocks	16	1.7 %
4	8 blocks to a mile	153	16.5 %
5	Other city	267	28.9 %
6	Other state	82	8.9 %
7	Mexico	65	7.0 %
8	Other	100	10.8 %
	Missing Data		
.	-	147	15.9 %
	Total	925	100%

Based upon 778 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 285-285 (width: 1; decimal: 0)

Variable Type: numeric

CLIVES7I_3: Residence of respondent's child #3 (per informant)

Value	Label	Unweighted Frequency	%
1	With parent / relative	37	4.0 %
2	Within 2 blocks	30	3.2 %
3	3-8 blocks	20	2.2 %
4	8 blocks to a mile	137	14.8 %
5	Other city	246	26.6 %
6	Other state	86	9.3 %
7	Mexico	42	4.5 %
8	Other	81	8.8 %
	Missing Data		
.	-	246	26.6 %
	Total	925	100%

Based upon 679 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 286-286 (width: 1; decimal: 0)

Variable Type: numeric

CLIVES7I_4: Residence of respondent's child #4 (per informant)

Value	Label	Unweighted Frequency	%
1	With parent / relative	18	1.9 %
2	Within 2 blocks	23	2.5 %
3	3-8 blocks	18	1.9 %
4	8 blocks to a mile	111	12.0 %
5	Other city	229	24.8 %
6	Other state	70	7.6 %
7	Mexico	34	3.7 %
8	Other	59	6.4 %
	Missing Data		
.	-	363	39.2 %
	Total	925	100%

Based upon 562 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 287-287 (width: 1; decimal: 0)

Variable Type: numeric

CLIVES7I_5: Residence of respondent's child #5 (per informant)

Value	Label	Unweighted Frequency	%
1	With parent / relative	20	2.2 %
2	Within 2 blocks	14	1.5 %
3	3-8 blocks	13	1.4 %
4	8 blocks to a mile	76	8.2 %
5	Other city	172	18.6 %
6	Other state	54	5.8 %
7	Mexico	30	3.2 %
8	Other	60	6.5 %
	Missing Data		
.	-	486	52.5 %
	Total	925	100%

Based upon 439 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 288-288 (width: 1; decimal: 0)

Variable Type: numeric

CLIVES7I_6: Residence of respondent's child #6 (per informant)

Value	Label	Unweighted Frequency	%
1	With parent / relative	11	1.2 %
2	Within 2 blocks	10	1.1 %
3	3-8 blocks	13	1.4 %
4	8 blocks to a mile	63	6.8 %
5	Other city	138	14.9 %
6	Other state	33	3.6 %
7	Mexico	24	2.6 %
8	Other	41	4.4 %
	Missing Data		
.	-	592	64.0 %
	Total	925	100%

Based upon 333 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 289-289 (width: 1; decimal: 0)

Variable Type: numeric

CLIVES7I_7: Residence of respondent's child #7 (per informant)

Value	Label	Unweighted Frequency	%
1	With parent / relative	10	1.1 %
2	Within 2 blocks	9	1.0 %
3	3-8 blocks	13	1.4 %
4	8 blocks to a mile	36	3.9 %
5	Other city	102	11.0 %
6	Other state	35	3.8 %
7	Mexico	13	1.4 %
8	Other	33	3.6 %
	Missing Data		
.	-	674	72.9 %
	Total	925	100%

Based upon 251 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 290-290 (width: 1; decimal: 0)

Variable Type: numeric

CLIVES7I_8: Residence of respondent's child #8 (per informant)

Value	Label	Unweighted Frequency	%
1	With parent / relative	11	1.2 %
2	Within 2 blocks	4	0.4 %
3	3-8 blocks	11	1.2 %
4	8 blocks to a mile	31	3.4 %
5	Other city	63	6.8 %
6	Other state	17	1.8 %
7	Mexico	16	1.7 %
8	Other	20	2.2 %
	Missing Data		
.	-	752	81.3 %
	Total	925	100%

Based upon 173 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 291-291 (width: 1; decimal: 0)

Variable Type: numeric

CLIVES7I_9: Residence of respondent's child #9 (per informant)

Value	Label	Unweighted Frequency	%
1	With parent / relative	5	0.5 %
2	Within 2 blocks	5	0.5 %
3	3-8 blocks	4	0.4 %
4	8 blocks to a mile	14	1.5 %
5	Other city	45	4.9 %
6	Other state	9	1.0 %
7	Mexico	12	1.3 %
8	Other	8	0.9 %
	Missing Data		
.	-	823	89.0 %
	Total	925	100%

Based upon 102 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 292-292 (width: 1; decimal: 0)

Variable Type: numeric

CLIVES7I_10: Residence of respondent's child #10 (per informant)

Value	Label	Unweighted Frequency	%
1	With parent / relative	1	0.1 %
2	Within 2 blocks	3	0.3 %
3	3-8 blocks	4	0.4 %
4	8 blocks to a mile	10	1.1 %
5	Other city	31	3.4 %
6	Other state	4	0.4 %
7	Mexico	7	0.8 %
8	Other	8	0.9 %
	Missing Data		
.	-	857	92.6 %
	Total	925	100%

Based upon 68 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 293-293 (width: 1; decimal: 0)

Variable Type: numeric

CLIVES7I_11: Residence of respondent's child #11 (per informant)

Value	Label	Unweighted Frequency	%
1	With parent / relative	1	0.1 %
2	Within 2 blocks	4	0.4 %
3	3-8 blocks	2	0.2 %
4	8 blocks to a mile	5	0.5 %
5	Other city	17	1.8 %
6	Other state	1	0.1 %
7	Mexico	2	0.2 %
8	Other	11	1.2 %
	Missing Data		
.	-	882	95.4 %
	Total	925	100%

Based upon 43 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 294-294 (width: 1; decimal: 0)

Variable Type: numeric

CLIVES7I_12: Residence of respondent's child #12 (per informant)

Value	Label	Unweighted Frequency	%
1	With parent / relative	1	0.1 %
2	Within 2 blocks	0	0.0 %
3	3-8 blocks	3	0.3 %
4	8 blocks to a mile	1	0.1 %
5	Other city	9	1.0 %
6	Other state	3	0.3 %
7	Mexico	0	0.0 %
8	Other	3	0.3 %
	Missing Data		
.	-	905	97.8 %
	Total	925	100%

Based upon 20 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 295-295 (width: 1; decimal: 0)

Variable Type: numeric

CLIVES7I_13: Residence of respondent's child #13 (per informant)

Value	Label	Unweighted Frequency	%
1	With parent / relative	1	0.1 %
2	Within 2 blocks	0	0.0 %
3	3-8 blocks	1	0.1 %
4	8 blocks to a mile	3	0.3 %
5	Other city	3	0.3 %
6	Other state	1	0.1 %
7	Mexico	0	0.0 %
8	Other	0	0.0 %
	Missing Data		
.	-	916	99.0 %
	Total	925	100%

Based upon 9 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 296-296 (width: 1; decimal: 0)

Variable Type: numeric

CLIVES7I_14: Residence of respondent's child #14 (per informant)

Value	Label	Unweighted Frequency	%
1	With parent / relative	0	0.0 %
2	Within 2 blocks	0	0.0 %
3	3-8 blocks	1	0.1 %
4	8 blocks to a mile	0	0.0 %
5	Other city	1	0.1 %
6	Other state	1	0.1 %
7	Mexico	1	0.1 %
8	Other	0	0.0 %
	Missing Data		
.	-	921	99.6 %
	Total	925	100%

Based upon 4 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 7.00

Location: 297-297 (width: 1; decimal: 0)

Variable Type: numeric

CLIVES7I_15: Residence of respondent's child #15 (per informant)

Value	Label	Unweighted Frequency	%
1	With parent / relative	0	0.0 %
2	Within 2 blocks	0	0.0 %
3	3-8 blocks	0	0.0 %
4	8 blocks to a mile	0	0.0 %
5	Other city	2	0.2 %
6	Other state	0	0.0 %
7	Mexico	0	0.0 %
8	Other	0	0.0 %
	Missing Data		
.	-	923	99.8 %
	Total	925	100%

Based upon 2 valid cases out of 925 total cases.

- Minimum: 5.00
- Maximum: 5.00

Location: 298-298 (width: 1; decimal: 0)

Variable Type: numeric

CLIVES7I_16: Residence of respondent's child #16 (per informant)

Value	Label	Unweighted Frequency	%
1	With parent / relative	0	0.0 %
2	Within 2 blocks	0	0.0 %
3	3-8 blocks	0	0.0 %
4	8 blocks to a mile	1	0.1 %
5	Other city	0	0.0 %
6	Other state	0	0.0 %
7	Mexico	0	0.0 %
8	Other	0	0.0 %
	Missing Data		
.	-	924	99.9 %
	Total	925	100%

Based upon 1 valid cases out of 925 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 299-299 (width: 1; decimal: 0)

Variable Type: numeric

RR1A7I: Respondent needs help with walking across a small room (per informant)

Value	Label	Unweighted Frequency	%
1	Need help	402	43.5 %
2	Do not need help	0	0.0 %
3	Unable to do	0	0.0 %
	Missing Data		
.	-	523	56.5 %
	Total	925	100%

Based upon 402 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 300-300 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR1A_27I: Respondent needs help with this type of equipment to walk across reoom (per informant)

Value	Label	Unweighted Frequency	%
1	Person	20	2.2 %
2	Equipment	260	28.1 %

Value	Label	Unweighted Frequency	%
3	Both	72	7.8 %
	Missing Data		
.	-	573	61.9 %
	Total	925	100%

Based upon 352 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 301-301 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR1B7I: Respondent needs help with bathing (per informant)

Value	Label	Unweighted Frequency	%
1	Need help	377	40.8 %
2	Do not need help	0	0.0 %
3	Unable to do	0	0.0 %
	Missing Data		
.	-	548	59.2 %
	Total	925	100%

Based upon 377 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 302-302 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR1B_27I: Respondent needs help with this type of equipment to bathe (per informant)

Value	Label	Unweighted Frequency	%
1	Person	180	19.5 %
2	Equipment	67	7.2 %
3	Both	123	13.3 %
	Missing Data		
.	-	555	60.0 %
	Total	925	100%

Based upon 370 valid cases out of 925 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 303-303 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

RR1C7I: Respondent needs help with personal grooming (per informant)

Value	Label	Unweighted Frequency	%
1	Need help	189	20.4 %
2	Do not need help	0	0.0 %
3	Unable to do	0	0.0 %
	Missing Data		
.	-	736	79.6 %
	Total	925	100%

Based upon 189 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 304-304 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

RR1C_27I: Respondent needs help with this type of equipment for personal grooming (per informant)

Value	Label	Unweighted Frequency	%
1	Person	165	17.8 %
2	Equipment	0	0.0 %
3	Both	20	2.2 %
	Missing Data		
.	-	740	80.0 %
	Total	925	100%

Based upon 185 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 305-305 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

RR1D7I: Respondent needs help with dressing (per informant)

Value	Label	Unweighted Frequency	%
1	Need help	254	27.5 %

Value	Label	Unweighted Frequency	%
2	Do not need help	0	0.0 %
3	Unable to do	0	0.0 %
	Missing Data		
.	-	671	72.5 %
	Total	925	100%

Based upon 254 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 306-306 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR1D_27I: Respondent needs help with this type of equipment to dress (per informant)

Value	Label	Unweighted Frequency	%
1	Person	224	24.2 %
2	Equipment	6	0.6 %
3	Both	19	2.1 %
	Missing Data		
.	-	676	73.1 %
	Total	925	100%

Based upon 249 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 307-307 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR1E7I: Respondent needs help with eating (per informant)

Value	Label	Unweighted Frequency	%
1	Need help	70	7.6 %
2	Do not need help	0	0.0 %
3	Unable to do	0	0.0 %
	Missing Data		
.	-	855	92.4 %
	Total	925	100%

Based upon 70 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 308-308 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

RR1E_27I: Respondent needs help with this type of equipment to eat (per informant)

Value	Label	Unweighted Frequency	%
1	Person	56	6.1 %
2	Equipment	0	0.0 %
3	Both	12	1.3 %
	Missing Data		
.	-	857	92.6 %
	Total	925	100%

Based upon 68 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 309-309 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

RR1F7I: Respondent needs help with getting from a bed to a chair (per informant)

Value	Label	Unweighted Frequency	%
1	Need help	268	29.0 %
2	Do not need help	0	0.0 %
3	Unable to do	0	0.0 %
	Missing Data		
.	-	657	71.0 %
	Total	925	100%

Based upon 268 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 310-310 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

RR1F_27I: Respondent needs help with this type of equipment to get from bet to chair (per informant)

Value	Label	Unweighted Frequency	%
1	Person	87	9.4 %
2	Equipment	96	10.4 %
3	Both	60	6.5 %
	Missing Data		
.	-	682	73.7 %
	Total	925	100%

Based upon 243 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 311-311 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR1G7I: Respondent needs help with using a toilet (per informant)

Value	Label	Unweighted Frequency	%
1	Need help	237	25.6 %
2	Do not need help	0	0.0 %
3	Unable to do	0	0.0 %
	Missing Data		
.	-	688	74.4 %
	Total	925	100%

Based upon 237 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 312-312 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR1G_27I: Respondent needs help with this type of equipment to use a toilet (per informant)

Value	Label	Unweighted Frequency	%
1	Person	72	7.8 %
2	Equipment	85	9.2 %
3	Both	64	6.9 %
	Missing Data		
.	-	704	76.1 %
	Total	925	100%

Based upon 221 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 313-313 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR2A7I_1: Respondent is most responsible for personal care (per informant)

Value	Label	Unweighted Frequency	%
1	Himself/herself	685	74.1 %
2	You	0	0.0 %
3	Other family member	0	0.0 %
4	Someone else	0	0.0 %
	Missing Data		
.	-	240	25.9 %
	Total	925	100%

Based upon 685 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 314-314 (width: 1; decimal: 0)

Variable Type: numeric

RR2A7I_2: Informant is most responsible for personal care (per informant)

Value	Label	Unweighted Frequency	%
1	Himself/herself	0	0.0 %
2	You	282	30.5 %
3	Other family member	0	0.0 %
4	Someone else	0	0.0 %
	Missing Data		
.	-	643	69.5 %
	Total	925	100%

Based upon 282 valid cases out of 925 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 315-315 (width: 1; decimal: 0)

Variable Type: numeric

RR2A7I_3: Other family member is most responsible for personal care (per informant)

Value	Label	Unweighted Frequency	%
1	Himself/herself	0	0.0 %
2	You	0	0.0 %
3	Other family member	95	10.3 %
4	Someone else	0	0.0 %
	Missing Data		
.	-	830	89.7 %
	Total	925	100%

Based upon 95 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 316-316 (width: 1; decimal: 0)

Variable Type: numeric

RR2A7I_4: Other non-family member is most responsible for personal care (per informant)

Value	Label	Unweighted Frequency	%
1	Himself/herself	0	0.0 %
2	You	0	0.0 %
3	Other family member	0	0.0 %
4	Someone else	163	17.6 %
	Missing Data		
.	-	762	82.4 %
	Total	925	100%

Based upon 163 valid cases out of 925 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 317-317 (width: 1; decimal: 0)

Variable Type: numeric

RR2B7I_1: Respondent is person most responsible for household tasks (per informant)

Value	Label	Unweighted Frequency	%
1	Himself/herself	386	41.7 %
2	You	0	0.0 %
3	Other family member	0	0.0 %
4	Someone else	0	0.0 %
	Missing Data		
.	-	539	58.3 %

Value	Label	Unweighted Frequency	%
	Total	925	100%

Based upon 386 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 318-318 (width: 1; decimal: 0)

Variable Type: numeric

RR2B7I_2: Informant is person most responsible for household tasks (per informant)

Value	Label	Unweighted Frequency	%
1	Himself/herself	0	0.0 %
2	You	572	61.8 %
3	Other family member	0	0.0 %
4	Someone else	0	0.0 %
	Missing Data		
.	-	353	38.2 %
	Total	925	100%

Based upon 572 valid cases out of 925 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 319-319 (width: 1; decimal: 0)

Variable Type: numeric

RR2B7I_3: Other family member is person most responsible for household tasks (per informant)

Value	Label	Unweighted Frequency	%
1	Himself/herself	0	0.0 %
2	You	0	0.0 %
3	Other family member	214	23.1 %
4	Someone else	0	0.0 %
	Missing Data		
.	-	711	76.9 %
	Total	925	100%

Based upon 214 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 320-320 (width: 1; decimal: 0)

Variable Type: numeric

RR2B7I_4: Other non-family person is most responsible for household task (per informant)

Value	Label	Unweighted Frequency	%
1	Himself/herself	0	0.0 %
2	You	0	0.0 %
3	Other family member	0	0.0 %
4	Someone else	225	24.3 %
	Missing Data		
.	-	700	75.7 %
	Total	925	100%

Based upon 225 valid cases out of 925 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 321-321 (width: 1; decimal: 0)

Variable Type: numeric

RR2C7I_1: Respondent is most responsible of financial affairs (per informant)

Value	Label	Unweighted Frequency	%
1	Himself/herself	468	50.6 %
2	You	0	0.0 %
3	Other family member	0	0.0 %
4	Someone else	0	0.0 %
	Missing Data		
.	-	457	49.4 %
	Total	925	100%

Based upon 468 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 322-322 (width: 1; decimal: 0)

Variable Type: numeric

RR2C7I_2: Informant is most responsible of financial affairs (per informant)

Value	Label	Unweighted Frequency	%
1	Himself/herself	0	0.0 %
2	You	407	44.0 %
3	Other family member	0	0.0 %
4	Someone else	0	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	518	56.0 %
	Total	925	100%

Based upon 407 valid cases out of 925 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 323-323 (width: 1; decimal: 0)

Variable Type: numeric

RR2C7I_3: Other family member is person most responsible of financial affairs (per informant)

Value	Label	Unweighted Frequency	%
1	Himself/herself	0	0.0 %
2	You	0	0.0 %
3	Other family member	153	16.5 %
4	Someone else	0	0.0 %
	Missing Data		
.	-	772	83.5 %
	Total	925	100%

Based upon 153 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 324-324 (width: 1; decimal: 0)

Variable Type: numeric

RR2C7I_4: Other non-family member person is most responsible of financial affairs (per informant)

Value	Label	Unweighted Frequency	%
1	Himself/herself	0	0.0 %
2	You	0	0.0 %
3	Other family member	0	0.0 %
4	Someone else	29	3.1 %
	Missing Data		
.	-	896	96.9 %
	Total	925	100%

Based upon 29 valid cases out of 925 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 325-325 (width: 1; decimal: 0)

Variable Type: numeric

RR3HRS7I: Number of hours per-day providing ADL-related assistance to respondent (per informant)

Value	Label	Unweighted Frequency	%
0	-	23	2.5 %
1	-	59	6.4 %
2	-	92	9.9 %
3	-	68	7.4 %
4	-	57	6.2 %
5	-	19	2.1 %
6	-	31	3.4 %
7	-	11	1.2 %
8	-	37	4.0 %
9	-	1	0.1 %
10	-	14	1.5 %
11	-	1	0.1 %
12	-	21	2.3 %
14	-	1	0.1 %
15	-	3	0.3 %
16	-	15	1.6 %
17	-	2	0.2 %
18	-	4	0.4 %
20	-	1	0.1 %
21	-	1	0.1 %
24	-	53	5.7 %
97	Less than 1 hr	148	16.0 %
	Missing Data		
98	Do not know	7	0.8 %
.	-	256	27.7 %
	Total	925	100%

Based upon 662 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 97.00

Location: 326-327 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

RR4A7I: Respondent can use telephone without assistance (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	656	70.9 %
2	No	229	24.8 %
	Missing Data		
.	-	40	4.3 %
	Total	925	100%

Based upon 885 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 328-328 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR4B7I: Respondent can travel alone (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	297	32.1 %
2	No	588	63.6 %
	Missing Data		
.	-	40	4.3 %
	Total	925	100%

Based upon 885 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 329-329 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR4C7I: Respondent can go shopping without assistance (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	333	36.0 %
2	No	552	59.7 %
	Missing Data		
.	-	40	4.3 %
	Total	925	100%

Based upon 885 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 330-330 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR4D7I: Respondent can prepare meals without assistance (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	471	50.9 %
2	No	412	44.5 %
	Missing Data		
.	-	42	4.5 %
	Total	925	100%

Based upon 883 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 331-331 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR4E7I: Respondent can do light housework without assistance (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	510	55.1 %
2	No	374	40.4 %
	Missing Data		
.	-	41	4.4 %
	Total	925	100%

Based upon 884 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 332-332 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR4F7I: Respondent can take medicine without assistance (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	528	57.1 %
2	No	357	38.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	40	4.3 %
	Total	925	100%

Based upon 885 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 333-333 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR4G7I: Respondent can handle money without assistance (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	466	50.4 %
2	No	417	45.1 %
	Missing Data		
.	-	42	4.5 %
	Total	925	100%

Based upon 883 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 334-334 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR4H7I: Respondent can do heavy work around house without assistance (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	190	20.5 %
2	No	694	75.0 %
	Missing Data		
.	-	41	4.4 %
	Total	925	100%

Based upon 884 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 335-335 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR4I7I: Respondent can walk up and down stairs without assistance (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	289	31.2 %
2	No	594	64.2 %
	Missing Data		
.	-	42	4.5 %
	Total	925	100%

Based upon 883 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 336-336 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

RR4J7I: Respondent can walk half a mile without (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	287	31.0 %
2	No	600	64.9 %
	Missing Data		
.	-	38	4.1 %
	Total	925	100%

Based upon 887 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 337-337 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

RR5HRS7I: Number of hours per-day providing iADL-related assistance to respondent (per informant)

Value	Label	Unweighted Frequency	%
0	-	17	1.8 %
1	-	81	8.8 %
2	-	115	12.4 %
3	-	106	11.5 %
4	-	91	9.8 %
5	-	39	4.2 %
6	-	43	4.6 %

Value	Label	Unweighted Frequency	%
7	-	16	1.7 %
8	-	56	6.1 %
9	-	4	0.4 %
10	-	25	2.7 %
11	-	3	0.3 %
12	-	23	2.5 %
14	-	2	0.2 %
15	-	7	0.8 %
16	-	10	1.1 %
18	-	6	0.6 %
20	-	1	0.1 %
24	-	42	4.5 %
97	Less than 1 hr	135	14.6 %
	Missing Data		
98	Do not know	21	2.3 %
.	-	82	8.9 %
	Total	925	100%

Based upon 822 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 97.00

Location: 338-339 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99 , .

TOTADL7I: Respondent's activities of daily living total score (per informant)

Value	Label	Unweighted Frequency	%
0	-	435	47.0 %
1	-	115	12.4 %
2	-	72	7.8 %
3	-	50	5.4 %
4	-	54	5.8 %
5	-	61	6.6 %
6	-	71	7.7 %
7	-	63	6.8 %
	Missing Data		
.	-	4	0.4 %
	Total	925	100%

Based upon 921 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 7.00

Location: 340-340 (width: 1; decimal: 0)

Variable Type: numeric

ANYADL7I: Respondent`s presence of ADL (per informant)

Value	Label	Unweighted Frequency	%
0	No	435	47.0 %
1	Yes	486	52.5 %
	Missing Data		
.	-	4	0.4 %
	Total	925	100%

Based upon 921 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 341-341 (width: 1; decimal: 0)

Variable Type: numeric

TOTIADL7I: Respondent`s instrumental activities of daily living total score (per informant)

Value	Label	Unweighted Frequency	%
0	-	100	10.8 %
1	-	79	8.5 %
2	-	37	4.0 %
3	-	76	8.2 %
4	-	57	6.2 %
5	-	89	9.6 %
6	-	56	6.1 %
7	-	75	8.1 %
8	-	71	7.7 %
9	-	110	11.9 %
10	-	175	18.9 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 10.00

Location: 342-343 (width: 2; decimal: 0)

Variable Type: numeric

ANYIADL7I: Respondent`s presence of iADL (per informant)

Value	Label	Unweighted Frequency	%
0	No	100	10.8 %
1	Yes	825	89.2 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 344-344 (width: 1; decimal: 0)

Variable Type: numeric

RR6ALZ7I: Informant provides care becuae respondent has Alzheimer`s

Value	Label	Unweighted Frequency	%
1	Yes	232	25.1 %
2	No	597	64.5 %
	Missing Data		
8	Do not know	6	0.6 %
.	-	90	9.7 %
	Total	925	100%

Based upon 829 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 345-345 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

RR6DIS7I: Informant provides care becuae respondent is disabled

Value	Label	Unweighted Frequency	%
1	Yes	188	20.3 %
2	No	650	70.3 %
	Missing Data		
.	-	87	9.4 %
	Total	925	100%

Based upon 838 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 346-346 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

RR6BED7I: Informant provides care because respondent is bedridden

Value	Label	Unweighted Frequency	%
1	Yes	56	6.1 %
2	No	777	84.0 %
	Missing Data		
.	-	92	9.9 %
	Total	925	100%

Based upon 833 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 347-347 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

RR6ILL7I: Informant provides care because respondent is ill

Value	Label	Unweighted Frequency	%
1	Yes	174	18.8 %
2	No	658	71.1 %
	Missing Data		
.	-	93	10.1 %
	Total	925	100%

Based upon 832 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 348-348 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

RR6MENT7I: Informant provides care because respondent has mental, alcohol, drug problems

Value	Label	Unweighted Frequency	%
1	Yes	25	2.7 %
2	No	806	87.1 %
	Missing Data		
.	-	94	10.2 %
	Total	925	100%

Based upon 831 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 349-349 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

NOALONE7I: Informant provides care because respondent is afraid to live alone

Value	Label	Unweighted Frequency	%
1	Yes	303	32.8 %
2	No	527	57.0 %
	Missing Data		
.	-	95	10.3 %
	Total	925	100%

Based upon 830 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 350-350 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

OLD7I: Informant provides care because of respondent's old age

Value	Label	Unweighted Frequency	%
1	Yes	780	84.3 %
2	No	69	7.5 %
	Missing Data		
8	Do not know	1	0.1 %
.	-	75	8.1 %
	Total	925	100%

Based upon 849 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 351-351 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

OTH7I: Informant provides care because respondent for other reason

Value	Label	Unweighted Frequency	%
1	Yes	234	25.3 %
2	No	515	55.7 %
	Missing Data		
8	Do not know	3	0.3 %
.	-	173	18.7 %
	Total	925	100%

Based upon 749 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 352-352 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR6SPEC7I: Informant provides care because respondent for other-specified reason

Value	Label	Unweighted Frequency	%
maske d	-	925	100.0 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 353-358 (width: 6; decimal: 0)

Variable Type: character

RR7START7I: How long ago did respondent begin receiving help?

Value	Label	Unweighted Frequency	%
1	< 6 mons	49	5.3 %
2	6-12 mons	58	6.3 %
3	1-2 yrs	218	23.6 %
4	3-5 yrs	255	27.6 %
5	6-10 yrs	143	15.5 %
6	> 10 yrs	99	10.7 %
7	Other	26	2.8 %
	Missing Data		
8	Do not know	3	0.3 %
.	-	74	8.0 %
	Total	925	100%

Based upon 848 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 7.00

Location: 359-359 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RR7SPEC7I: How long ago did respondent begin receiving help other-specified

Value	Label	Unweighted Frequency	%
maske d	-	925	100.0 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 360-365 (width: 6; decimal: 0)

Variable Type: character

RR7COMM1: RR7COMM1 Informant's comment #1 on how long ago did respondent begin receiving help

Value	Label	Unweighted Frequency	%
maske d	-	925	100.0 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 366-371 (width: 6; decimal: 0)

Variable Type: character

RR7COMM2: RR7COMM2 Informant's comment #1 on how long ago did respondent begin receiving help

Value	Label	Unweighted Frequency	%
	-	915	98.9 %
But he knows math really well Also he doesn't know English very well	-	1	0.1 %
FEAR OF FALLING BUT HE IS INDEPENDENT	-	1	0.1 %
He's very able to do things by himself though	-	1	0.1 %
Her boyfriend helps her mom, as well as a neighbor who stops by every day to visit & help	-	1	0.1 %
Hospital, Rehab, and really needed help Now he can do most things but he is happy here	-	1	0.1 %
MUCH MORE AFTER STROKE	-	1	0.1 %
RESPONDENT WAS WEAK AND DEPRESSED	-	1	0.1 %
SHE ALSO USES SENIOR TRANSPORT	-	1	0.1 %
SOMETIMES SHE HAS A PROBLEM EATING	-	1	0.1 %

Value	Label	Unweighted Frequency	%
	She was sent to Nursing home, insurance did not cover	-	1 0.1 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 372-460 (width: 89; decimal: 0)

Variable Type: character

RR8HELP7I: Does respondent receive help from non-family members? (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	465	50.3 %
2	No	416	45.0 %
	Missing Data		
.	-	44	4.8 %
	Total	925	100%

Based upon 881 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 461-461 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

SS117: Why informant does thingf for/with respondent (per informant)

Value	Label	Unweighted Frequency	%
1	Expected of you	12	1.3 %
2	Want to	572	61.8 %
3	Both expected & want to	318	34.4 %
4	Other	22	2.4 %
	Missing Data		
.	-	1	0.1 %
	Total	925	100%

Based upon 924 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 462-462 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

SS2I7: Would informant alter the amount of time currently spend with respondent? (per informant)

Value	Label	Unweighted Frequency	%
1	More time	499	53.9 %
2	Same amount of time	369	39.9 %
3	Less time	41	4.4 %
4	Other	12	1.3 %
	Missing Data		
8	Do not know	3	0.3 %
9	Refused	1	0.1 %
	Total	925	100%

Based upon 921 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 463-463 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

SS3I7: Has informant received financial help from respondent in past year? (per informant)

Value	Label	Unweighted Frequency	%
1	Not at all	765	82.7 %
2	Infrequent, occassionally	77	8.3 %
3	Regularly, he/she partially supports me	62	6.7 %
4	Regularly, he/she mostly supports me	15	1.6 %
	Missing Data		
8	Do not know	2	0.2 %
9	Refused	1	0.1 %
.	-	3	0.3 %
	Total	925	100%

Based upon 919 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 464-464 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

SS4I7: Can informant communicate with respondent? (per informant)

Value	Label	Unweighted Frequency	%
1	Not well / not at all	5	0.5 %
2	Not too well	17	1.8 %
3	Somewhat	55	5.9 %
4	Well	190	20.5 %
5	Very well	429	46.4 %
6	Extremely well	227	24.5 %
	Missing Data		
8	Do not know	1	0.1 %
9	Refused	1	0.1 %
	Total	925	100%

Based upon 923 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 465-465 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

SS517: How well do respondent and informant get along? (per informant)

Value	Label	Unweighted Frequency	%
1	Not well / not at all	1	0.1 %
2	Not too well	6	0.6 %
3	Somewhat	19	2.1 %
4	Well	187	20.2 %
5	Very well	437	47.2 %
6	Extremely well	274	29.6 %
	Missing Data		
9	Refused	1	0.1 %
	Total	925	100%

Based upon 924 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 6.00

Location: 466-466 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

TT171: Does respondent own home? (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	538	58.2 %
2	No	385	41.6 %
	Missing Data		
8	Do not know	2	0.2 %
	Total	925	100%

Based upon 923 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 467-467 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

TT2AI7: Respondent receives income from none (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	42	4.5 %
2	No	719	77.7 %
	Missing Data		
8	Do not know	5	0.5 %
9	Refused	1	0.1 %
.	-	158	17.1 %
	Total	925	100%

Based upon 761 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 468-468 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT2BI7: Respondent receives income from social security (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	834	90.2 %
2	No	67	7.2 %
	Missing Data		
8	Do not know	12	1.3 %
9	Refused	1	0.1 %
.	-	11	1.2 %
	Total	925	100%

Based upon 901 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 469-469 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT2CI7: Respondent receives income from private pension (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	134	14.5 %
2	No	740	80.0 %
	Missing Data		
8	Do not know	23	2.5 %
9	Refused	1	0.1 %
.	-	27	2.9 %
	Total	925	100%

Based upon 874 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 470-470 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT2DI7: Respondent receives income from SSI (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	195	21.1 %
2	No	672	72.6 %
	Missing Data		
8	Do not know	29	3.1 %
9	Refused	1	0.1 %
.	-	28	3.0 %
	Total	925	100%

Based upon 867 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 471-471 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT2EI7: Respondent receives income from children (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	172	18.6 %
2	No	696	75.2 %
	Missing Data		
8	Do not know	26	2.8 %
9	Refused	1	0.1 %
.	-	30	3.2 %
	Total	925	100%

Based upon 868 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 472-472 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT2FI7: Respondent receives income from RR or military pension (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	35	3.8 %
2	No	843	91.1 %
	Missing Data		
8	Do not know	16	1.7 %
9	Refused	1	0.1 %
.	-	30	3.2 %
	Total	925	100%

Based upon 878 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 473-473 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT2GI7: Respondent receives income from stocks/bonds (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	20	2.2 %
2	No	857	92.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Do not know	17	1.8 %
9	Refused	1	0.1 %
.	-	30	3.2 %
	Total	925	100%

Based upon 877 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 474-474 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT2HI7: Respondent receives income from rental property (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	18	1.9 %
2	No	856	92.5 %
	Missing Data		
8	Do not know	16	1.7 %
9	Refused	1	0.1 %
.	-	34	3.7 %
	Total	925	100%

Based upon 874 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 475-475 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT3I7: Respondent's income adequate to cover monthly expenses? (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	725	78.4 %
2	No	175	18.9 %
	Missing Data		
8	Do not know	22	2.4 %
9	Refused	2	0.2 %
.	-	1	0.1 %
	Total	925	100%

Based upon 900 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 476-476 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT41I7: Respondent rest of income comes from savings (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	12	1.3 %
2	No	165	17.8 %
	Missing Data		
8	Do not know	1	0.1 %
9	Refused	2	0.2 %
.	-	745	80.5 %
	Total	925	100%

Based upon 177 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 477-477 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT42I7: Respondent rest of income comes from financial investment (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	3	0.3 %
2	No	173	18.7 %
	Missing Data		
8	Do not know	1	0.1 %
9	Refused	2	0.2 %
.	-	746	80.6 %
	Total	925	100%

Based upon 176 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 478-478 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT43I7: Respondent rest of income comes from property (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	3	0.3 %
2	No	173	18.7 %
	Missing Data		
8	Do not know	1	0.1 %
9	Refused	2	0.2 %
.	-	746	80.6 %
	Total	925	100%

Based upon 176 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 479-479 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT44I7: Respondent rest of income comes from informant (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	111	12.0 %
2	No	69	7.5 %
	Missing Data		
8	Do not know	1	0.1 %
9	Refused	2	0.2 %
.	-	742	80.2 %
	Total	925	100%

Based upon 180 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 480-480 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT45I7: Respondent rest of income comes from other family members (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	69	7.5 %
2	No	107	11.6 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Do not know	1	0.1 %
9	Refused	2	0.2 %
.	-	746	80.6 %
	Total	925	100%

Based upon 176 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 481-481 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT46I7: Respondent does not have enough income and does without something (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	51	5.5 %
2	No	119	12.9 %
	Missing Data		
8	Do not know	1	0.1 %
9	Refused	2	0.2 %
.	-	752	81.3 %
	Total	925	100%

Based upon 170 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 482-482 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT46AI7: Respondent makes do without medications (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	25	2.7 %
2	No	85	9.2 %
	Missing Data		
8	Do not know	2	0.2 %
9	Refused	2	0.2 %
.	-	811	87.7 %
	Total	925	100%

Based upon 110 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 483-483 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT46BI7: Respondent makes do without food (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	33	3.6 %
2	No	75	8.1 %
	Missing Data		
8	Do not know	2	0.2 %
9	Refused	2	0.2 %
.	-	813	87.9 %
	Total	925	100%

Based upon 108 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 484-484 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT47I7: Respondent makes do without other specified (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	26	2.8 %
2	No	124	13.4 %
	Missing Data		
8	Do not know	2	0.2 %
9	Refused	2	0.2 %
.	-	771	83.4 %
	Total	925	100%

Based upon 150 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 485-485 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT57I_1: Financial responsibility for respondent makes it difficult to help my own kids (per informant)

Value	Label	Unweighted Frequency	%
1	Helping out kids	42	4.5 %
2	Housing expenses	0	0.0 %
3	Travel / vacation	0	0.0 %
4	Other	0	0.0 %
	Missing Data		
8	Do not know	4	0.4 %
9	Refused	2	0.2 %
.	-	877	94.8 %
	Total	925	100%

Based upon 42 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 486-486 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT57I_2: Financial responsibility for respondent makes it difficult for my own housing expenses (per informant)

Value	Label	Unweighted Frequency	%
1	Helping out kids	0	0.0 %
2	Housing expenses	64	6.9 %
3	Travel / vacation	0	0.0 %
4	Other	0	0.0 %
	Missing Data		
.	-	861	93.1 %
	Total	925	100%

Based upon 64 valid cases out of 925 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 487-487 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT57I_3: Financial responsibility for respondent makes it difficult for me to travel/vacation (per informant)

Value	Label	Unweighted Frequency	%
1	Helping out kids	0	0.0 %
2	Housing expenses	0	0.0 %
3	Travel / vacation	59	6.4 %
4	Other	0	0.0 %
	Missing Data		
.	-	866	93.6 %
	Total	925	100%

Based upon 59 valid cases out of 925 total cases.

- Minimum: 3.00
- Maximum: 3.00

Location: 488-488 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT57I_4: Financial responsibility for respondent makes it difficult for me to do other things (per informant)

Value	Label	Unweighted Frequency	%
1	Helping out kids	0	0.0 %
2	Housing expenses	0	0.0 %
3	Travel / vacation	0	0.0 %
4	Other	21	2.3 %
	Missing Data		
8	Do not know	18	1.9 %
9	Refused	5	0.5 %
.	-	881	95.2 %
	Total	925	100%

Based upon 21 valid cases out of 925 total cases.

- Minimum: 4.00
- Maximum: 4.00

Location: 489-489 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT57SPECI: Financial responsibility for respondent makes it difficult for other specified reasons (per informant)

Value	Label	Unweighted Frequency	%
.	-	916	99.0 %

Value	Label	Unweighted Frequency	%
FOOD	-	1	0.1 %
HER HOUSE	-	1	0.1 %
HOME REPAIRS	-	1	0.1 %
It does not cause any difficulties	-	1	0.1 %
PROTECTIVE SERVICES WON'T LET ME WORK FULL TIME	-	2	0.2 %
UNIFORMS FOR SCHOOL	-	1	0.1 %
groceries	-	1	0.1 %
no money left for personal expenses	-	1	0.1 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 490-536 (width: 47; decimal: 0)

Variable Type: character

TT671: Will informant continue contributing at this same level? (per informant)

Value	Label	Unweighted Frequency	%
1	No	12	1.3 %
2	Yes, few months	4	0.4 %
3	Yes, about a year	5	0.5 %
4	Yes, permanently	145	15.7 %
	Missing Data		
8	Do not know	7	0.8 %
9	Refused	1	0.1 %
.	-	751	81.2 %
	Total	925	100%

Based upon 166 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 537-537 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

TT71I7: Contribution by informant will change because he/she must save for retirement (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	3	0.3 %
2	No	5	0.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	917	99.1 %
	Total	925	100%

Based upon 8 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 538-538 (width: 1; decimal: 0)

Variable Type: numeric

TT7217: Contribution by informant will change because he/she must pay his/her child college (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	0	0.0 %
2	No	7	0.8 %
	Missing Data		
.	-	918	99.2 %
	Total	925	100%

Based upon 7 valid cases out of 925 total cases.

- Minimum: 2.00
- Maximum: 2.00

Location: 539-539 (width: 1; decimal: 0)

Variable Type: numeric

TT7317: Contribution by informant will change because he/she must pay other medical expenses (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	5	0.5 %
2	No	3	0.3 %
	Missing Data		
.	-	917	99.1 %
	Total	925	100%

Based upon 8 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 540-540 (width: 1; decimal: 0)

Variable Type: numeric

TT7SPECI7: Contribution by informant will change because he/she must do other specified reason (per informant)

Value	Label	Unweighted Frequency	%
-		917	99.1 %
FOR SON		1	0.1 %
Her sons help her at home		1	0.1 %
MOTHER MAY CONSIDER MOVING IN W/DAUGHTER IN CALIFORNIA		1	0.1 %
SHE DOESN'T HELP		1	0.1 %
SHE LIVES IN HER FATHER'S HOUSE		1	0.1 %
other		3	0.3 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 541-594 (width: 54; decimal: 0)

Variable Type: character

TT8I7: Does respondent have a last will and testament? (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	312	33.7 %
2	No	474	51.2 %
	Missing Data		
8	Do not know	138	14.9 %
9	Refused	1	0.1 %
	Total	925	100%

Based upon 786 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 595-595 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

LSL711I: Respondent has been to other rooms of home in past four weeks (per informant)

Value	Label	Unweighted Frequency	%
0	No	36	3.9 %
1	Yes	842	91.0 %
	Missing Data		
.	-	47	5.1 %
	Total	925	100%

Based upon 878 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 596-596 (width: 1; decimal: 0)

Variable Type: numeric

LSL712I: Numer of times respondent has been in other rooms of home in last 4 weeks (per informant)

Value	Label	Unweighted Frequency	%
1	< 1 / week	5	0.5 %
2	1-3 times / week	16	1.7 %
3	4-6 times / week	25	2.7 %
4	Daily	794	85.8 %
	Missing Data		
.	-	85	9.2 %
	Total	925	100%

Based upon 840 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 597-597 (width: 1; decimal: 0)

Variable Type: numeric

LSL713I: Type of aid required by respondent to visit other rooms of home (per informant)

Value	Label	Unweighted Frequency	%
1.0	Personal assistance	108	11.7 %
1.5	Equipment only	252	27.2 %
2.0	Neither	481	52.0 %
	Missing Data		
.	-	84	9.1 %
	Total	925	100%

Based upon 841 valid cases out of 925 total cases.

- Mean: 1.72
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.36

Location: 598-600 (width: 3; decimal: 1)

Variable Type: numeric

LSL713I_2: Respondent requires both personal and equipment assistance to visit other rooms (per informant)

Value	Label	Unweighted Frequency	%
1.5	Equipment only	78	8.4 %
	Missing Data		
.	-	847	91.6 %
	Total	925	100%

Based upon 78 valid cases out of 925 total cases.

- Mean: 1.50
- Median: 1.50
- Mode: 1.50
- Minimum: 1.50
- Maximum: 1.50
- Standard Deviation: 0.00

Location: 601-603 (width: 3; decimal: 1)

Variable Type: numeric

LSL721I: Respondent has been to outside home/porch in past four weeks (per informant)

Value	Label	Unweighted Frequency	%
0	No	100	10.8 %
2	Yes	778	84.1 %
	Missing Data		
.	-	47	5.1 %
	Total	925	100%

Based upon 878 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 2.00

Location: 604-604 (width: 1; decimal: 0)

Variable Type: numeric

LSL722I: Numer of times respondent has been outside home/porch in last 4 weeks (per informant)

Value	Label	Unweighted Frequency	%
1	< 1 / week	22	2.4 %
2	1-3 times / week	130	14.1 %
3	4-6 times / week	115	12.4 %
4	Daily	508	54.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	150	16.2 %
	Total	925	100%

Based upon 775 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 605-605 (width: 1; decimal: 0)

Variable Type: numeric

LSL723I: Type of aid required by respondent to visit outside home/porch (per informant)

Value	Label	Unweighted Frequency	%
1.0	Personal assistance	111	12.0 %
1.5	Equipment only	246	26.6 %
2.0	Neither	421	45.5 %
	Missing Data		
.	-	147	15.9 %
	Total	925	100%

Based upon 778 valid cases out of 925 total cases.

- Mean: 1.70
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.36

Location: 606-608 (width: 3; decimal: 1)

Variable Type: numeric

LSL723I_2: Respondent requires both personal and equipment assistance to visit outside home (per informant)

Value	Label	Unweighted Frequency	%
1.5	Equipment only	78	8.4 %
2.0	No assistance	1	0.1 %
	Missing Data		
.	-	846	91.5 %
	Total	925	100%

Based upon 79 valid cases out of 925 total cases.

- Mean: 1.51
- Median: 1.50

- Mode: 1.50
- Minimum: 1.50
- Maximum: 2.00
- Standard Deviation: 0.06

Location: 609-611 (width: 3; decimal: 1)

Variable Type: numeric

LSL731I: Respondent has been to neighborhood (beyond yard) in past four weeks (per informant)

Value	Label	Unweighted Frequency	%
0	No	362	39.1 %
3	Yes	515	55.7 %
	Missing Data		
.	-	48	5.2 %
	Total	925	100%

Based upon 877 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 612-612 (width: 1; decimal: 0)

Variable Type: numeric

LSL732I: Numer of times respondent has been neighborhood (beyond yard) in last 4 weeks (per informant)

Value	Label	Unweighted Frequency	%
1	< 1 / week	74	8.0 %
2	1-3 times / week	185	20.0 %
3	4-6 times / week	111	12.0 %
4	Daily	145	15.7 %
	Missing Data		
.	-	410	44.3 %
	Total	925	100%

Based upon 515 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 613-613 (width: 1; decimal: 0)

Variable Type: numeric

LSL733I: Type of aid required by respondent to visit neighborhood (beyond yard) (per informant)

Value	Label	Unweighted Frequency	%
1.0	Personal assistance	118	12.8 %
1.5	Equipment only	111	12.0 %
2.0	Neither	285	30.8 %
	Missing Data		
.	-	411	44.4 %
	Total	925	100%

Based upon 514 valid cases out of 925 total cases.

- Mean: 1.66
- Median: 2.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.41

Location: 614-616 (width: 3; decimal: 1)

Variable Type: numeric

LSL733I_2: Respondent requires both personal and equipment assistance to visit neighborhood (per informant)

Value	Label	Unweighted Frequency	%
1.5	Equipment only	68	7.4 %
2.0	No assistance	1	0.1 %
	Missing Data		
.	-	856	92.5 %
	Total	925	100%

Based upon 69 valid cases out of 925 total cases.

- Mean: 1.51
- Median: 1.50
- Mode: 1.50
- Minimum: 1.50
- Maximum: 2.00
- Standard Deviation: 0.06

Location: 617-619 (width: 3; decimal: 1)

Variable Type: numeric

LSL741I: Respondent has been to outside neighborhood within same town in past four weeks (per informant)

Value	Label	Unweighted Frequency	%
0	No	193	20.9 %
4	Yes	685	74.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	47	5.1 %
	Total	925	100%

Based upon 878 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 620-620 (width: 1; decimal: 0)

Variable Type: numeric

LSL742I: Numer of times respondent has been outside neighborhood within same town in past four weeks (per informant)

Value	Label	Unweighted Frequency	%
1	< 1 / week	225	24.3 %
2	1-3 times / week	315	34.1 %
3	4-6 times / week	91	9.8 %
4	Daily	52	5.6 %
	Missing Data		
.	-	242	26.2 %
	Total	925	100%

Based upon 683 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 621-621 (width: 1; decimal: 0)

Variable Type: numeric

LSL743I: Type of aid required by respondent to visit outside neighborhood within same town (per informant)

Value	Label	Unweighted Frequency	%
1.0	Personal assistance	317	34.3 %
1.5	Equipment only	120	13.0 %
2.0	Neither	247	26.7 %
	Missing Data		
.	-	241	26.1 %
	Total	925	100%

Based upon 684 valid cases out of 925 total cases.

- Mean: 1.45
- Median: 1.50
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.45

Location: 622-624 (width: 3; decimal: 1)

Variable Type: numeric

LSL743I_2: Respondent requires both personal and equipment assistance to outside neighborhood (per informant)

Value	Label	Unweighted Frequency	%
1.5	Equipment only	180	19.5 %
	Missing Data		
.	-	745	80.5 %
	Total	925	100%

Based upon 180 valid cases out of 925 total cases.

- Mean: 1.50
- Median: 1.50
- Mode: 1.50
- Minimum: 1.50
- Maximum: 1.50
- Standard Deviation: 0.00

Location: 625-627 (width: 3; decimal: 1)

Variable Type: numeric

LSL751I: Respondent has been to outside his/her town in past four weeks (per informant)

Value	Label	Unweighted Frequency	%
0	No	626	67.7 %
5	Yes	252	27.2 %
	Missing Data		
.	-	47	5.1 %
	Total	925	100%

Based upon 878 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 628-628 (width: 1; decimal: 0)

Variable Type: numeric

LSL752I: Numer of times respondent has been outside his/her town in last 4 weeks (per informant)

Value	Label	Unweighted Frequency	%
1	< 1 / week	187	20.2 %
2	1-3 times / week	52	5.6 %
3	4-6 times / week	7	0.8 %
4	Daily	4	0.4 %
	Missing Data		
.	-	675	73.0 %
	Total	925	100%

Based upon 250 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 629-629 (width: 1; decimal: 0)

Variable Type: numeric

LSL753I: Type of aid required by respondent to visit outside his/her own town (per informant)

Value	Label	Unweighted Frequency	%
1.0	Personal assistance	157	17.0 %
1.5	Equipment only	18	1.9 %
2.0	Neither	78	8.4 %
	Missing Data		
.	-	672	72.6 %
	Total	925	100%

Based upon 253 valid cases out of 925 total cases.

- Mean: 1.34
- Median: 1.00
- Mode: 1.00
- Minimum: 1.00
- Maximum: 2.00
- Standard Deviation: 0.46

Location: 630-632 (width: 3; decimal: 1)

Variable Type: numeric

LSL753I_2: Respondent requires both personal and equipment assistance to go outside his/her town (per informant)

Value	Label	Unweighted Frequency	%
1.5	Equipment only	66	7.1 %
	Missing Data		
.	-	859	92.9 %
	Total	925	100%

Based upon 66 valid cases out of 925 total cases.

- Mean: 1.50
- Median: 1.50
- Mode: 1.50
- Minimum: 1.50
- Maximum: 1.50
- Standard Deviation: 0.00

Location: 633-635 (width: 3; decimal: 1)

Variable Type: numeric

RMM9A7I: Respondent has medicare (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	859	92.9 %
2	No	47	5.1 %
	Missing Data		
8	Do not know	11	1.2 %
9	Refused	1	0.1 %
.	-	7	0.8 %
	Total	925	100%

Based upon 906 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 636-636 (width: 1; decimal: 0)

Variable Type: numeric

(Range of Missing Values: 8 , 9 , .

RMM9B7I: Respondent has mdedicaid (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	517	55.9 %
2	No	364	39.4 %
	Missing Data		
8	Do not know	25	2.7 %
9	Refused	1	0.1 %
.	-	18	1.9 %
	Total	925	100%

Based upon 881 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 637-637 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RMM9C7I: Respondent has private insurance (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	120	13.0 %
2	No	766	82.8 %
	Missing Data		
8	Do not know	18	1.9 %
9	Refused	1	0.1 %
.	-	20	2.2 %
	Total	925	100%

Based upon 886 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 638-638 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RMM9E7I: Respondent has other insurance (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	96	10.4 %
2	No	775	83.8 %
	Missing Data		
8	Do not know	18	1.9 %
9	Refused	1	0.1 %
.	-	35	3.8 %
	Total	925	100%

Based upon 871 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 639-639 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

RMM9E7SSPECI: Respondent has other insurance specified (per informant)

Value	Label	Unweighted Frequency	%
maske d	-	925	100.0 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 640-645 (width: 6; decimal: 0)

Variable Type: character

MM10A7I: Responent told informant what he/she would want in the event his/her heart stops (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	357	38.6 %
2	No	528	57.1 %
	Missing Data		
8	Do not know	37	4.0 %
9	Refused	3	0.3 %
	Total	925	100%

Based upon 885 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 646-646 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

MM10B7I: Respondent`s preference in the event his/her heart stops (per informant)

Value	Label	Unweighted Frequency	%
1	Attempt to revive	47	5.1 %
2	Do NOT revive	269	29.1 %
3	Asked me to make decision	17	1.8 %
4	Asked all children to make decision	22	2.4 %
5	Let doctor decide	2	0.2 %
	Missing Data		
8	Do not know	5	0.5 %
9	Refused	1	0.1 %
.	-	562	60.8 %
	Total	925	100%

Based upon 357 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 647-647 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

R_HEALTH71: Respondent's overall health rating (per informant)

Value	Label	Unweighted Frequency	%
1	Excellent	68	7.4 %
2	Good	240	25.9 %
3	Fair	424	45.8 %
4	Poor	156	16.9 %
	Missing Data		
8	Do not know	1	0.1 %
.	-	36	3.9 %
	Total	925	100%

Based upon 888 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 648-648 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

R_ARTHRHEU71: Respondent has been told he/she has arthritis (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	581	62.8 %
2	No	276	29.8 %
	Missing Data		
8	Do not know	19	2.1 %
.	-	49	5.3 %
	Total	925	100%

Based upon 857 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 649-649 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

R_LCANC71: Respondent has been told he/she has cancer (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	110	11.9 %
2	No	762	82.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
8	Do not know	2	0.2 %
.	-	51	5.5 %
	Total	925	100%

Based upon 872 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 650-650 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

R_LCANC75I: Respondent has been told he/she has cancer specified (per informant)

Value	Label	Unweighted Frequency	%
	-	824	89.1 %
BLOOD	-	1	0.1 %
BRAIN	-	1	0.1 %
BREAST	-	19	2.1 %
BREAST AND PANCREAS	-	1	0.1 %
COLON	-	6	0.6 %
COLON, PANCREAS, AND LUNGS	-	1	0.1 %
EAR	-	1	0.1 %
FINGER	-	1	0.1 %
GLANDULAR	-	1	0.1 %
KIDNEY	-	3	0.3 %
KIDNEY & COLON	-	1	0.1 %
LEFT BREAST	-	1	0.1 %
LIVER	-	2	0.2 %
LUNG	-	3	0.3 %
MIELODYSPLASIA	-	1	0.1 %
MOLE ON FACE	-	1	0.1 %
NON-HODGKINS LYMPHOMA	-	1	0.1 %
OVARIAN	-	1	0.1 %
PANCREAS	-	2	0.2 %
PROSTATE	-	27	2.9 %
PROSTATE AND SKIN	-	1	0.1 %
SKIN	-	12	1.3 %
SKIN/FACE	-	1	0.1 %
STOMACH	-	3	0.3 %
STOMACH AND COLON	-	2	0.2 %

Value	Label	Unweighted Frequency	%
THYROID	-	2	0.2 %
ULCER	-	1	0.1 %
UTERUS	-	4	0.4 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 651-676 (width: 26; decimal: 0)

Variable Type: character

R_ICARDI71I: Respondent has been told he/she has heart attack (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	121	13.1 %
2	No	749	81.0 %
	Missing Data		
8	Do not know	6	0.6 %
.	-	49	5.3 %
	Total	925	100%

Based upon 870 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 677-677 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

R_ICARDI75I: Respondent went to hospital from heart attack (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	99	10.7 %
2	No	20	2.2 %
	Missing Data		
8	Do not know	4	0.4 %
.	-	802	86.7 %
	Total	925	100%

Based upon 119 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 678-678 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

R_JSTROK71I: Respondent has been told he/she had stoke (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	106	11.5 %
2	No	761	82.3 %
	Missing Data		
8	Do not know	7	0.8 %
.	-	51	5.5 %
	Total	925	100%

Based upon 867 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 679-679 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

R_JSTROK75I: Respondent went to hospital from stoke (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	80	8.6 %
2	No	22	2.4 %
	Missing Data		
8	Do not know	1	0.1 %
.	-	822	88.9 %
	Total	925	100%

Based upon 102 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 680-680 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

R_KHYPER71I: Respondent has been told he/she has hypertension (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	645	69.7 %
2	No	217	23.5 %
	Missing Data		
8	Do not know	14	1.5 %
.	-	49	5.3 %

Value	Label	Unweighted Frequency	%
	Total	925	100%

Based upon 862 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 681-681 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

R_KHYPER74I: Respondent has been told he/she is currently taking medications for high BP (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	583	63.0 %
2	No	27	2.9 %
	Missing Data		
8	Do not know	2	0.2 %
.	-	313	33.8 %
	Total	925	100%

Based upon 610 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 682-682 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

R_MDIAB71I: Respondent has been told he/she has diabetes (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	319	34.5 %
2	No	552	59.7 %
	Missing Data		
8	Do not know	2	0.2 %
.	-	52	5.6 %
	Total	925	100%

Based upon 871 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 683-683 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

R_MDIAB73I: Respondent has been told he/she is currently taking medications for diabetes (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	279	30.2 %
2	No	30	3.2 %
	Missing Data		
.	-	616	66.6 %
	Total	925	100%

Based upon 309 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 684-684 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

R_NFRAC71I: Respondent has been told he/she had a hip fracture since age 50 (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	55	5.9 %
2	No	814	88.0 %
	Missing Data		
8	Do not know	7	0.8 %
.	-	49	5.3 %
	Total	925	100%

Based upon 869 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 685-685 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

R_NFRAC75I: Respondent went to hospital from hip fracture (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	54	5.8 %
2	No	4	0.4 %
	Missing Data		
.	-	867	93.7 %

Value	Label	Unweighted Frequency	%
	Total	925	100%

Based upon 58 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 686-686 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

R_NFRAC73I: Respondent has been told he/she had other bone fracture (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	174	18.8 %
2	No	693	74.9 %
	Missing Data		
8	Do not know	8	0.9 %
.	-	50	5.4 %
	Total	925	100%

Based upon 867 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 687-687 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

R_NFRAC74I: Respondent has been told specified bone was fracture (per informant)

Value	Label	Unweighted Frequency	%
	-	752	81.3 %
ANKLE	-	10	1.1 %
ANKLE AND WRIST	-	1	0.1 %
ANKLE, FOOT, TOES	-	1	0.1 %
ANKLES	-	2	0.2 %
ARM	-	23	2.5 %
BACK	-	2	0.2 %
BACK AND SPINE	-	1	0.1 %
BROKEN ARM	-	1	0.1 %
CLAVICLE AND RIBS	-	1	0.1 %
COLLAR BONE	-	3	0.3 %
COLLARBONE	-	1	0.1 %

Value	Label	Unweighted Frequency	%
ELBOW	-	1	0.1 %
FEMUR	-	4	0.4 %
FINGER	-	3	0.3 %
FINGER HAND	-	1	0.1 %
FOOT	-	8	0.9 %
FOOT AND ANKLE	-	1	0.1 %
FOOT/RIBS	-	1	0.1 %
FOREARM	-	1	0.1 %
HAND	-	5	0.5 %
HAND AND WRIST	-	1	0.1 %
HAND FINGER	-	1	0.1 %
HEEL	-	1	0.1 %
KNEE	-	13	1.4 %
KNEE AND FEMUR	-	1	0.1 %
KNEE AND RIB	-	1	0.1 %
KNEE AND WRISTS	-	1	0.1 %
KNEE CAPS, WRISTS, LEGS	-	1	0.1 %
KNEES REPLACED	-	1	0.1 %
LEG	-	12	1.3 %
LEG, INDEX FINGER	-	1	0.1 %
LEG, SHOULDER, WRIST	-	1	0.1 %
LEG/SHOULDER	-	1	0.1 %
LEGS	-	2	0.2 %
NECK AND WRIST	-	1	0.1 %
PELVIC BONE AND HIP	-	1	0.1 %
PELVIS AND ARM	-	1	0.1 %
PINKY TOE FOOT	-	1	0.1 %
RIB	-	4	0.4 %
RIBS	-	13	1.4 %
RIBS, HAND, SKULL	-	1	0.1 %
RIBS; SLIPPED DISC	-	1	0.1 %
SHIN	-	1	0.1 %
SHOULDER	-	6	0.6 %
SPINE DISK: FRACTURE	-	1	0.1 %
STERNUM AND ARM	-	1	0.1 %
TAILBONE	-	1	0.1 %
TOE	-	2	0.2 %
TOES	-	1	0.1 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 925 valid cases out of 925 total cases.

Location: 688-710 (width: 23; decimal: 0)

Variable Type: character

PARTH57I: Respondent notices pain when walking (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	496	53.6 %
2	No	355	38.4 %
	Missing Data		
8	Do not know	18	1.9 %
.	-	56	6.1 %
	Total	925	100%

Based upon 851 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 711-711 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

P8FALLS7I: Respondent fell in past 12 months (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	331	35.8 %
2	No	533	57.6 %
	Missing Data		
8	Do not know	11	1.2 %
.	-	50	5.4 %
	Total	925	100%

Based upon 864 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 712-712 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

NFALLS7I: Respondent fell this number of times (per informant)

Value	Label	Unweighted Frequency	%
0	-	1	0.1 %
1	-	136	14.7 %
2	-	85	9.2 %
3	-	71	7.7 %
4	-	15	1.6 %
5	-	5	0.5 %
6	-	4	0.4 %
8	-	3	0.3 %
10	-	1	0.1 %
11	-	1	0.1 %
15	-	1	0.1 %
20	-	2	0.2 %
	Missing Data		
.	-	600	64.9 %
	Total	925	100%

Based upon 325 valid cases out of 925 total cases.

- Mean: 2.24
- Median: 2.00
- Mode: 1.00
- Minimum: 0.00
- Maximum: 20.00
- Standard Deviation: 2.10

Location: 713-714 (width: 2; decimal: 0)

Variable Type: numeric

P10FALLS7I: Respondent required medical treatment from fall (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	51	5.5 %
2	No	72	7.8 %
	Missing Data		
8	Do not know	1	0.1 %
.	-	801	86.6 %
	Total	925	100%

Based upon 123 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 715-715 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

SHEAR5A7I: Respondent can hear without hearing aid (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	620	67.0 %
2	No	232	25.1 %
	Missing Data		
8	Do not know	4	0.4 %
.	-	69	7.5 %
	Total	925	100%

Based upon 852 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 716-716 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

SHEAR5B7I: Respondent can hear with hearing aid (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	85	9.2 %
2	No	82	8.9 %
	Missing Data		
8	Do not know	67	7.2 %
9	Refused	3	0.3 %
.	-	688	74.4 %
	Total	925	100%

Based upon 167 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 717-717 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

VVIS6A7I: Respondent can recognize know person from accross the street (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	675	73.0 %
2	No	182	19.7 %
	Missing Data		
8	Do not know	19	2.1 %

Value	Label	Unweighted Frequency	%
.	-	49	5.3 %
	Total	925	100%

Based upon 857 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 718-718 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

VVIS6B7I: Respondent can recongize know person from across the room (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	793	85.7 %
2	No	77	8.3 %
	Missing Data		
8	Do not know	2	0.2 %
.	-	53	5.7 %
	Total	925	100%

Based upon 870 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 719-719 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

VVIS6C7I: Respondent can recongize know person at arms length (per informant)

Value	Label	Unweighted Frequency	%
1	Yes	813	87.9 %
2	No	58	6.3 %
	Missing Data		
8	Do not know	1	0.1 %
.	-	53	5.7 %
	Total	925	100%

Based upon 871 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 720-720 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

DIVISION7I: Respondent has problems with distant vision (blind treated as missing) (per informant)

Value	Label	Unweighted Frequency	%
0	No	674	72.9 %
1	Yes	183	19.8 %
	Missing Data		
.	-	68	7.4 %
	Total	925	100%

Based upon 857 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 721-721 (width: 1; decimal: 0)

Variable Type: numeric

NVISION7I: Respondent has problems with near vision (blind treated as missing) (per informant)

Value	Label	Unweighted Frequency	%
0	No	813	87.9 %
1	Yes	58	6.3 %
	Missing Data		
.	-	54	5.8 %
	Total	925	100%

Based upon 871 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 722-722 (width: 1; decimal: 0)

Variable Type: numeric

VISION_P7I: Respondent has both near and distant vision problems (per informant)

Value	Label	Unweighted Frequency	%
0	No	874	94.5 %
1	Yes	51	5.5 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Minimum: 0.00

- Maximum: 1.00

Location: 723-723 (width: 1; decimal: 0)

Variable Type: numeric

BLIND7I: Respondent is blind (per informant)

Value	Label	Unweighted Frequency	%
0	No	857	92.6 %
1	Yes	0	0.0 %
	Missing Data		
.	-	68	7.4 %
	Total	925	100%

Based upon 857 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 0.00

Location: 724-724 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIA1I7: Respondent fears people stealing from him/her (per informant)

Value	Label	Unweighted Frequency	%
0	No	834	90.2 %
1	Yes	91	9.8 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 725-725 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIA2I7: Severity of respondent's fear of people stealing from him/her (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	43	4.6 %
2	Moderate	35	3.8 %
3	Severe	13	1.4 %
	Missing Data		
.	-	834	90.2 %
	Total	925	100%

Based upon 91 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 726-726 (width: 1; decimal: 0)

Variable Type: numeric

U4NP1A317: Distress on informant do to respondent's fear of people stealing from him/her (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	18	1.9 %
1	Minimal	28	3.0 %
2	Mild	15	1.6 %
3	Moderate	18	1.9 %
4	Severe	11	1.2 %
5	Extreme / very severe	1	0.1 %
	Missing Data		
.	-	834	90.2 %
	Total	925	100%

Based upon 91 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 727-727 (width: 1; decimal: 0)

Variable Type: numeric

U4NP1B117: Respondent hears voices (per informant)

Value	Label	Unweighted Frequency	%
0	No	847	91.6 %
1	Yes	78	8.4 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 728-728 (width: 1; decimal: 0)

Variable Type: numeric

U4NP1B217: Severity of respondent's hearing of voices (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	48	5.2 %
2	Moderate	17	1.8 %

Value	Label	Unweighted Frequency	%
3	Severe	13	1.4 %
	Missing Data		
.	-	847	91.6 %
	Total	925	100%

Based upon 78 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 729-729 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIB3I7: Distress on informant do to respondent's hearing of voices (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	30	3.2 %
1	Minimal	19	2.1 %
2	Mild	15	1.6 %
3	Moderate	11	1.2 %
4	Severe	3	0.3 %
5	Extreme / very severe	0	0.0 %
	Missing Data		
.	-	847	91.6 %
	Total	925	100%

Based upon 78 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 730-730 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIC1I7: Respondent is stubborn and resistive (per informant)

Value	Label	Unweighted Frequency	%
0	No	631	68.2 %
1	Yes	294	31.8 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 731-731 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIC2I7: Severity of respondent's stubbornness and resistiveness (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	153	16.5 %
2	Moderate	108	11.7 %
3	Severe	33	3.6 %
	Missing Data		
.	-	631	68.2 %
	Total	925	100%

Based upon 294 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 732-732 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIC3I7: Distress on informant do to respondent's stubbornness and resistiveness (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	76	8.2 %
1	Minimal	94	10.2 %
2	Mild	54	5.8 %
3	Moderate	49	5.3 %
4	Severe	19	2.1 %
5	Extreme / very severe	2	0.2 %
	Missing Data		
.	-	631	68.2 %
	Total	925	100%

Based upon 294 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 733-733 (width: 1; decimal: 0)

Variable Type: numeric

U4NPID1I7: Respondent in low spirits (he/she cries) (per informant)

Value	Label	Unweighted Frequency	%
0	No	661	71.5 %
1	Yes	264	28.5 %

Value	Label	Unweighted Frequency	%
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 734-734 (width: 1; decimal: 0)

Variable Type: numeric

U4NPID2I7: Severity of respondent's low spirits (he/she cries) (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	149	16.1 %
2	Moderate	92	9.9 %
3	Severe	23	2.5 %
	Missing Data		
.	-	661	71.5 %
	Total	925	100%

Based upon 264 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 735-735 (width: 1; decimal: 0)

Variable Type: numeric

U4NPID3I7: Distress on informant do to respondent's low spirits (he/she cries) (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	32	3.5 %
1	Minimal	98	10.6 %
2	Mild	56	6.1 %
3	Moderate	59	6.4 %
4	Severe	15	1.6 %
5	Extreme / very severe	4	0.4 %
	Missing Data		
.	-	661	71.5 %
	Total	925	100%

Based upon 264 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 736-736 (width: 1; decimal: 0)

Variable Type: numeric

U4NP1E1I7: Respondent feels upset when separated from informant (per informant)

Value	Label	Unweighted Frequency	%
0	No	780	84.3 %
1	Yes	145	15.7 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 737-737 (width: 1; decimal: 0)

Variable Type: numeric

U4NP1E2I7: Severity of respondent's feeling upset when separated from informant (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	72	7.8 %
2	Moderate	62	6.7 %
3	Severe	11	1.2 %
	Missing Data		
.	-	780	84.3 %
	Total	925	100%

Based upon 145 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 738-738 (width: 1; decimal: 0)

Variable Type: numeric

U4NP1E3I7: Distress on informant do to respondent's feeling upset when separated from informant (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	14	1.5 %
1	Minimal	50	5.4 %
2	Mild	29	3.1 %
3	Moderate	40	4.3 %
4	Severe	10	1.1 %
5	Extreme / very severe	1	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	781	84.4 %
	Total	925	100%

Based upon 144 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 739-739 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIF1I7: Respondent excessively happy (per informant)

Value	Label	Unweighted Frequency	%
0	No	879	95.0 %
1	Yes	46	5.0 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 740-740 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIF2I7: Severity of respondent's excessive happiness (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	30	3.2 %
2	Moderate	16	1.7 %
3	Severe	0	0.0 %
	Missing Data		
.	-	879	95.0 %
	Total	925	100%

Based upon 46 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 741-741 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIF3I7: Distress on informant do to respondent's excessive happiness (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	14	1.5 %
1	Minimal	14	1.5 %
2	Mild	9	1.0 %
3	Moderate	9	1.0 %
4	Severe	0	0.0 %
5	Extreme / very severe	0	0.0 %
	Missing Data		
.	-	879	95.0 %
	Total	925	100%

Based upon 46 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 742-742 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIG1I7: Respondent has lost interest in his/her usual activities (per informant)

Value	Label	Unweighted Frequency	%
0	No	740	80.0 %
1	Yes	185	20.0 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 743-743 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIG2I7: Severity of respondent's lost interest in his/her usual activities (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	78	8.4 %
2	Moderate	79	8.5 %
3	Severe	28	3.0 %
	Missing Data		
.	-	740	80.0 %
	Total	925	100%

Based upon 185 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 744-744 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIG3I7: Distress on informant do to respondent's lost interest in their usual activities (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	35	3.8 %
1	Minimal	78	8.4 %
2	Mild	34	3.7 %
3	Moderate	31	3.4 %
4	Severe	6	0.6 %
5	Extreme / very severe	0	0.0 %
	Missing Data		
.	-	741	80.1 %
	Total	925	100%

Based upon 184 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 745-745 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIH1I7: Respondent acts impulsively (per informant)

Value	Label	Unweighted Frequency	%
0	No	814	88.0 %
1	Yes	111	12.0 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 746-746 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIH2I7: Severity of respondent's acting impulsively (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	55	5.9 %
2	Moderate	44	4.8 %

Value	Label	Unweighted Frequency	%
3	Severe	11	1.2 %
	Missing Data		
.	-	815	88.1 %
	Total	925	100%

Based upon 110 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 747-747 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIH3I7: Distress on informant do to respondent's acting impulsively (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	13	1.4 %
1	Minimal	48	5.2 %
2	Mild	19	2.1 %
3	Moderate	22	2.4 %
4	Severe	7	0.8 %
5	Extreme / very severe	1	0.1 %
	Missing Data		
.	-	815	88.1 %
	Total	925	100%

Based upon 110 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 748-748 (width: 1; decimal: 0)

Variable Type: numeric

U4NPII1I7: Respondent is impatient and cranky (per informant)

Value	Label	Unweighted Frequency	%
0	No	686	74.2 %
1	Yes	238	25.7 %
	Missing Data		
.	-	1	0.1 %
	Total	925	100%

Based upon 924 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 749-749 (width: 1; decimal: 0)

Variable Type: numeric

U4NP1217: Severity of respondent being impatient and cranky (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	141	15.2 %
2	Moderate	76	8.2 %
3	Severe	21	2.3 %
	Missing Data		
.	-	687	74.3 %
	Total	925	100%

Based upon 238 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 750-750 (width: 1; decimal: 0)

Variable Type: numeric

U4NP1317: Distress on informant do to respondent being impatient and cranky (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	43	4.6 %
1	Minimal	91	9.8 %
2	Mild	52	5.6 %
3	Moderate	37	4.0 %
4	Severe	15	1.6 %
5	Extreme / very severe	0	0.0 %
	Missing Data		
.	-	687	74.3 %
	Total	925	100%

Based upon 238 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 751-751 (width: 1; decimal: 0)

Variable Type: numeric

U4NP1117: Respondent engages in repetitive activities (per informant)

Value	Label	Unweighted Frequency	%
0	No	811	87.7 %
1	Yes	114	12.3 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 752-752 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIJ2I7: Severity of respondent`s engaging in repetitive activities (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	57	6.2 %
2	Moderate	46	5.0 %
3	Severe	11	1.2 %
	Missing Data		
.	-	811	87.7 %
	Total	925	100%

Based upon 114 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 753-753 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIJ3I7: Distress on informant do to respondent`s engaging in repetitive activities (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	22	2.4 %
1	Minimal	51	5.5 %
2	Mild	23	2.5 %
3	Moderate	12	1.3 %
4	Severe	6	0.6 %
5	Extreme / very severe	0	0.0 %
	Missing Data		
.	-	811	87.7 %
	Total	925	100%

Based upon 114 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 754-754 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIK1I7: Respondent wakes up during the night (per informant)

Value	Label	Unweighted Frequency	%
0	No	744	80.4 %
1	Yes	179	19.4 %
	Missing Data		
.	-	2	0.2 %
	Total	925	100%

Based upon 923 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 755-755 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIK2I7: Severity of respondent's waking up during the night (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	93	10.1 %
2	Moderate	68	7.4 %
3	Severe	18	1.9 %
	Missing Data		
.	-	746	80.6 %
	Total	925	100%

Based upon 179 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 756-756 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIK3I7: Distress on informant do to respondent's waking up during the night (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	34	3.7 %
1	Minimal	74	8.0 %
2	Mild	40	4.3 %

Value	Label	Unweighted Frequency	%
3	Moderate	24	2.6 %
4	Severe	6	0.6 %
5	Extreme / very severe	1	0.1 %
	Missing Data		
.	-	746	80.6 %
	Total	925	100%

Based upon 179 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 5.00

Location: 757-757 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIL1I7: Respondent losing or gaining weight (per informant)

Value	Label	Unweighted Frequency	%
0	No	746	80.6 %
1	Yes	178	19.2 %
	Missing Data		
.	-	1	0.1 %
	Total	925	100%

Based upon 924 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 1.00

Location: 758-758 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIL2I7: Severity of respondent's losing or gaining weight (per informant)

Value	Label	Unweighted Frequency	%
1	Mild	115	12.4 %
2	Moderate	53	5.7 %
3	Severe	10	1.1 %
	Missing Data		
.	-	747	80.8 %
	Total	925	100%

Based upon 178 valid cases out of 925 total cases.

- Minimum: 1.00

- Maximum: 3.00

Location: 759-759 (width: 1; decimal: 0)

Variable Type: numeric

U4NPIL3I7: Distress on informant do to respondent's losing or gaining weight (per informant)

Value	Label	Unweighted Frequency	%
0	Not distressing at all	68	7.4 %
1	Minimal	46	5.0 %
2	Mild	26	2.8 %
3	Moderate	28	3.0 %
4	Severe	10	1.1 %
5	Extreme / very severe	0	0.0 %
	Missing Data		
.	-	747	80.8 %
	Total	925	100%

Based upon 178 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 760-760 (width: 1; decimal: 0)

Variable Type: numeric

NPI_SYM7I: Total number of NPI symptoms (per informant)

Value	Label	Unweighted Frequency	%
0	-	345	37.3 %
1	-	137	14.8 %
2	-	109	11.8 %
3	-	106	11.5 %
4	-	85	9.2 %
5	-	54	5.8 %
6	-	36	3.9 %
7	-	26	2.8 %
8	-	10	1.1 %
9	-	11	1.2 %
10	-	4	0.4 %
11	-	1	0.1 %
12	-	1	0.1 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Mean: 2.08
- Median: 1.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 12.00
- Standard Deviation: 2.33

Location: 761-762 (width: 2; decimal: 0)

Variable Type: numeric

NPI_SEV7I: Total score on severity of NPI symptoms (per informant)

Value	Label	Unweighted Frequency	%
1	-	101	10.9 %
2	-	88	9.5 %
3	-	71	7.7 %
4	-	63	6.8 %
5	-	57	6.2 %
6	-	42	4.5 %
7	-	32	3.5 %
8	-	23	2.5 %
9	-	20	2.2 %
10	-	14	1.5 %
11	-	11	1.2 %
12	-	13	1.4 %
13	-	12	1.3 %
14	-	5	0.5 %
15	-	7	0.8 %
16	-	6	0.6 %
17	-	4	0.4 %
18	-	2	0.2 %
19	-	2	0.2 %
20	-	1	0.1 %
21	-	4	0.4 %
22	-	1	0.1 %
23	-	1	0.1 %
	Missing Data		
.	-	345	37.3 %
	Total	925	100%

Based upon 580 valid cases out of 925 total cases.

- Mean: 5.18
- Median: 4.00
- Mode: 1.00

- Minimum: 1.00
- Maximum: 23.00
- Standard Deviation: 4.28

Location: 763-764 (width: 2; decimal: 0)

Variable Type: numeric

NPI_DIS7I: Total score on distress caused by NPI symptoms (per informant)

Value	Label	Unweighted Frequency	%
0	-	82	8.9 %
1	-	76	8.2 %
2	-	66	7.1 %
3	-	79	8.5 %
4	-	51	5.5 %
5	-	40	4.3 %
6	-	34	3.7 %
7	-	20	2.2 %
8	-	24	2.6 %
9	-	15	1.6 %
10	-	15	1.6 %
11	-	10	1.1 %
12	-	15	1.6 %
13	-	5	0.5 %
14	-	8	0.9 %
15	-	1	0.1 %
16	-	3	0.3 %
17	-	4	0.4 %
18	-	9	1.0 %
19	-	5	0.5 %
20	-	5	0.5 %
21	-	4	0.4 %
24	-	1	0.1 %
25	-	1	0.1 %
26	-	1	0.1 %
27	-	1	0.1 %
30	-	1	0.1 %
31	-	1	0.1 %
32	-	1	0.1 %
33	-	1	0.1 %
	Missing Data		
.	-	346	37.4 %
	Total	925	100%

Based upon 579 valid cases out of 925 total cases.

- Mean: 5.07
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 33.00
- Standard Deviation: 5.49

Location: 765-766 (width: 2; decimal: 0)

Variable Type: numeric

TOTNPI7I: Total score of NPI severity and distress (per informant)

Value	Label	Unweighted Frequency	%
1	-	44	4.8 %
2	-	59	6.4 %
3	-	43	4.6 %
4	-	35	3.8 %
5	-	39	4.2 %
6	-	41	4.4 %
7	-	34	3.7 %
8	-	30	3.2 %
9	-	33	3.6 %
10	-	21	2.3 %
11	-	16	1.7 %
12	-	16	1.7 %
13	-	24	2.6 %
14	-	16	1.7 %
15	-	12	1.3 %
16	-	7	0.8 %
17	-	12	1.3 %
18	-	10	1.1 %
19	-	4	0.4 %
20	-	9	1.0 %
21	-	11	1.2 %
22	-	5	0.5 %
23	-	4	0.4 %
24	-	5	0.5 %
25	-	4	0.4 %
26	-	4	0.4 %
27	-	2	0.2 %
29	-	3	0.3 %
30	-	4	0.4 %

Value	Label	Unweighted Frequency	%
31	-	1	0.1 %
32	-	7	0.8 %
33	-	7	0.8 %
34	-	3	0.3 %
35	-	2	0.2 %
36	-	1	0.1 %
37	-	2	0.2 %
39	-	1	0.1 %
40	-	1	0.1 %
41	-	3	0.3 %
48	-	1	0.1 %
50	-	1	0.1 %
52	-	1	0.1 %
53	-	1	0.1 %
55	-	1	0.1 %
	Missing Data		
.	-	345	37.3 %
	Total	925	100%

Based upon 580 valid cases out of 925 total cases.

- Mean: 10.24
- Median: 7.00
- Mode: 2.00
- Minimum: 1.00
- Maximum: 55.00
- Standard Deviation: 9.40

Location: 767-768 (width: 2; decimal: 0)

Variable Type: numeric

I_HEALTH7I: Informant's self-rated health

Value	Label	Unweighted Frequency	%
1	Excellent	160	17.3 %
2	Good	370	40.0 %
3	Fair	343	37.1 %
4	Poor	48	5.2 %
	Missing Data		
9	Refused	2	0.2 %
.	-	2	0.2 %
	Total	925	100%

Based upon 921 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 769-769 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

PSS1I: Informant's frequency of feeling unable to control life

Value	Label	Unweighted Frequency	%
0	Never	357	38.6 %
1	Almost never	337	36.4 %
2	Sometimes	187	20.2 %
3	Fairly often	21	2.3 %
4	Very often	20	2.2 %
	Missing Data		
8	Do not know	1	0.1 %
9	Refused	2	0.2 %
	Total	925	100%

Based upon 922 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 770-770 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

PSS2I: Informant's frequency of feeling confident to handle problems

Value	Label	Unweighted Frequency	%
0	Never	34	3.7 %
1	Almost never	19	2.1 %
2	Sometimes	68	7.4 %
3	Fairly often	361	39.0 %
4	Very often	439	47.5 %
	Missing Data		
8	Do not know	1	0.1 %
9	Refused	3	0.3 %
	Total	925	100%

Based upon 921 valid cases out of 925 total cases.

- Minimum: 0.00

- Maximum: 4.00

Location: 771-771 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

PSS3I: Informant's frequency of feeling things are going his/her way

Value	Label	Unweighted Frequency	%
0	Never	35	3.8 %
1	Almost never	34	3.7 %
2	Sometimes	139	15.0 %
3	Fairly often	418	45.2 %
4	Very often	297	32.1 %
	Missing Data		
9	Refused	2	0.2 %
	Total	925	100%

Based upon 923 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 772-772 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

PSS4I: Informant's frequency of feeling unable to overcome difficulties

Value	Label	Unweighted Frequency	%
0	Never	299	32.3 %
1	Almost never	387	41.8 %
2	Sometimes	190	20.5 %
3	Fairly often	31	3.4 %
4	Very often	16	1.7 %
	Missing Data		
9	Refused	2	0.2 %
	Total	925	100%

Based upon 923 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 4.00

Location: 773-773 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

GG4SYS7I: Informant`s first seated systolic reading

Value	Label	Unweighted Frequency	%
84	-	1	0.1 %
86	-	1	0.1 %
87	-	4	0.4 %
89	-	1	0.1 %
90	-	1	0.1 %
91	-	1	0.1 %
92	-	2	0.2 %
93	-	3	0.3 %
94	-	4	0.4 %
95	-	4	0.4 %
96	-	2	0.2 %
97	-	1	0.1 %
99	-	2	0.2 %
100	-	5	0.5 %
101	-	6	0.6 %
102	-	14	1.5 %
103	-	4	0.4 %
104	-	5	0.5 %
105	-	10	1.1 %
106	-	12	1.3 %
107	-	7	0.8 %
108	-	12	1.3 %
109	-	14	1.5 %
110	-	21	2.3 %
111	-	10	1.1 %
112	-	15	1.6 %
113	-	15	1.6 %
114	-	13	1.4 %
115	-	21	2.3 %
116	-	24	2.6 %
117	-	21	2.3 %
118	-	27	2.9 %
119	-	12	1.3 %
120	-	29	3.1 %
121	-	14	1.5 %
122	-	21	2.3 %
123	-	16	1.7 %

Value	Label	Unweighted Frequency	%
124	-	22	2.4 %
125	-	22	2.4 %
126	-	19	2.1 %
127	-	20	2.2 %
128	-	25	2.7 %
129	-	17	1.8 %
130	-	20	2.2 %
131	-	15	1.6 %
132	-	16	1.7 %
133	-	12	1.3 %
134	-	16	1.7 %
135	-	16	1.7 %
136	-	18	1.9 %
	Missing Data		
.	-	54	5.8 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 871 valid cases out of 925 total cases.

- Mean: 128.90
- Median: 126.00
- Mode: 120.00
- Minimum: 84.00
- Maximum: 222.00
- Standard Deviation: 19.57

Location: 774-776 (width: 3; decimal: 0)

Variable Type: numeric

GG4DIA7I: Informant`s first seated diastolic reading

Value	Label	Unweighted Frequency	%
42	-	1	0.1 %
52	-	3	0.3 %
53	-	1	0.1 %
54	-	1	0.1 %
55	-	1	0.1 %
56	-	2	0.2 %
57	-	2	0.2 %
58	-	2	0.2 %
59	-	4	0.4 %

Value	Label	Unweighted Frequency	%
60	-	10	1.1 %
61	-	4	0.4 %
62	-	11	1.2 %
63	-	6	0.6 %
64	-	7	0.8 %
65	-	9	1.0 %
66	-	12	1.3 %
67	-	17	1.8 %
68	-	24	2.6 %
69	-	16	1.7 %
70	-	25	2.7 %
71	-	25	2.7 %
72	-	15	1.6 %
73	-	17	1.8 %
74	-	35	3.8 %
75	-	23	2.5 %
76	-	41	4.4 %
77	-	37	4.0 %
78	-	41	4.4 %
79	-	36	3.9 %
80	-	41	4.4 %
81	-	17	1.8 %
82	-	36	3.9 %
83	-	21	2.3 %
84	-	26	2.8 %
85	-	24	2.6 %
86	-	29	3.1 %
87	-	26	2.8 %
88	-	25	2.7 %
89	-	11	1.2 %
90	-	24	2.6 %
91	-	11	1.2 %
92	-	19	2.1 %
93	-	12	1.3 %
94	-	12	1.3 %
95	-	14	1.5 %
96	-	10	1.1 %
97	-	10	1.1 %
98	-	11	1.2 %

Value	Label	Unweighted Frequency	%
99	-	6	0.6 %
100	-	3	0.3 %
	Missing Data		
.	-	54	5.8 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 871 valid cases out of 925 total cases.

- Mean: 81.11
- Median: 80.00
- Minimum: 42.00
- Maximum: 141.00
- Standard Deviation: 12.23

Location: 777-779 (width: 3; decimal: 0)

Variable Type: numeric

GG4PUL7I: Informant's first seated pulse reading

Value	Label	Unweighted Frequency	%
45	-	1	0.1 %
49	-	1	0.1 %
50	-	2	0.2 %
52	-	4	0.4 %
53	-	4	0.4 %
54	-	2	0.2 %
55	-	10	1.1 %
56	-	7	0.8 %
57	-	3	0.3 %
58	-	9	1.0 %
59	-	14	1.5 %
60	-	13	1.4 %
61	-	14	1.5 %
62	-	21	2.3 %
63	-	17	1.8 %
64	-	13	1.4 %
65	-	20	2.2 %
66	-	27	2.9 %
67	-	21	2.3 %
68	-	28	3.0 %
69	-	34	3.7 %

Value	Label	Unweighted Frequency	%
70	-	35	3.8 %
71	-	34	3.7 %
72	-	31	3.4 %
73	-	23	2.5 %
74	-	41	4.4 %
75	-	34	3.7 %
76	-	35	3.8 %
77	-	22	2.4 %
78	-	35	3.8 %
79	-	23	2.5 %
80	-	32	3.5 %
81	-	21	2.3 %
82	-	24	2.6 %
83	-	23	2.5 %
84	-	26	2.8 %
85	-	16	1.7 %
86	-	12	1.3 %
87	-	18	1.9 %
88	-	15	1.6 %
89	-	14	1.5 %
90	-	18	1.9 %
91	-	6	0.6 %
92	-	10	1.1 %
93	-	4	0.4 %
94	-	5	0.5 %
95	-	5	0.5 %
96	-	7	0.8 %
97	-	1	0.1 %
98	-	4	0.4 %
	Missing Data		
.	-	56	6.1 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 869 valid cases out of 925 total cases.

- Mean: 75.40
- Median: 75.00
- Mode: 74.00
- Minimum: 45.00

- Maximum: 118.00
- Standard Deviation: 11.04

Location: 780-782 (width: 3; decimal: 0)

Variable Type: numeric

NOGG47I: Informant refused or is NA on first seated set of readings

Value	Label	Unweighted Frequency	%
77	N/A	5	0.5 %
99	Refused	51	5.5 %
	Missing Data		
.	-	869	93.9 %
	Total	925	100%

Based upon 56 valid cases out of 925 total cases.

- Minimum: 77.00
- Maximum: 99.00

Location: 783-784 (width: 2; decimal: 0)

Variable Type: numeric

GG5SYS7I: Informant's second seated systolic reading

Value	Label	Unweighted Frequency	%
81	-	1	0.1 %
85	-	1	0.1 %
87	-	1	0.1 %
88	-	2	0.2 %
91	-	1	0.1 %
92	-	2	0.2 %
93	-	3	0.3 %
94	-	3	0.3 %
95	-	3	0.3 %
96	-	2	0.2 %
97	-	5	0.5 %
98	-	5	0.5 %
99	-	7	0.8 %
100	-	7	0.8 %
101	-	6	0.6 %
102	-	4	0.4 %
103	-	6	0.6 %
104	-	11	1.2 %
105	-	12	1.3 %

Value	Label	Unweighted Frequency	%
106	-	5	0.5 %
107	-	12	1.3 %
108	-	9	1.0 %
109	-	7	0.8 %
110	-	25	2.7 %
111	-	10	1.1 %
112	-	18	1.9 %
113	-	15	1.6 %
114	-	17	1.8 %
115	-	19	2.1 %
116	-	28	3.0 %
117	-	15	1.6 %
118	-	32	3.5 %
119	-	12	1.3 %
120	-	49	5.3 %
121	-	8	0.9 %
122	-	14	1.5 %
123	-	7	0.8 %
124	-	30	3.2 %
125	-	12	1.3 %
126	-	23	2.5 %
127	-	10	1.1 %
128	-	22	2.4 %
129	-	8	0.9 %
130	-	29	3.1 %
131	-	11	1.2 %
132	-	22	2.4 %
133	-	7	0.8 %
134	-	30	3.2 %
135	-	15	1.6 %
136	-	21	2.3 %
	Missing Data		
.	-	68	7.4 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 857 valid cases out of 925 total cases.

- Mean: 127.46

- Median: 126.00
- Mode: 120.00
- Minimum: 81.00
- Maximum: 213.00
- Standard Deviation: 18.36

Location: 785-787 (width: 3; decimal: 0)

Variable Type: numeric

GG5DIA7I: Informant`s second seated diastolic reading

Value	Label	Unweighted Frequency	%
54	-	2	0.2 %
56	-	3	0.3 %
57	-	3	0.3 %
58	-	2	0.2 %
59	-	2	0.2 %
60	-	12	1.3 %
61	-	4	0.4 %
62	-	5	0.5 %
63	-	8	0.9 %
64	-	14	1.5 %
65	-	16	1.7 %
66	-	15	1.6 %
67	-	12	1.3 %
68	-	15	1.6 %
69	-	14	1.5 %
70	-	41	4.4 %
71	-	17	1.8 %
72	-	36	3.9 %
73	-	13	1.4 %
74	-	33	3.6 %
75	-	19	2.1 %
76	-	43	4.6 %
77	-	26	2.8 %
78	-	50	5.4 %
79	-	15	1.6 %
80	-	63	6.8 %
81	-	27	2.9 %
82	-	38	4.1 %
83	-	23	2.5 %
84	-	20	2.2 %
85	-	29	3.1 %

Value	Label	Unweighted Frequency	%
86	-	32	3.5 %
87	-	20	2.2 %
88	-	30	3.2 %
89	-	6	0.6 %
90	-	23	2.5 %
91	-	6	0.6 %
92	-	20	2.2 %
93	-	3	0.3 %
94	-	10	1.1 %
95	-	13	1.4 %
96	-	13	1.4 %
97	-	5	0.5 %
98	-	14	1.5 %
99	-	3	0.3 %
100	-	6	0.6 %
101	-	1	0.1 %
102	-	3	0.3 %
103	-	4	0.4 %
104	-	2	0.2 %
	Missing Data		
.	-	68	7.4 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 857 valid cases out of 925 total cases.

- Mean: 80.06
- Median: 80.00
- Mode: 80.00
- Minimum: 54.00
- Maximum: 136.00
- Standard Deviation: 11.09

Location: 788-790 (width: 3; decimal: 0)

Variable Type: numeric

GG5PUL7I: Informant`s second seated pulse reading

Value	Label	Unweighted Frequency	%
48	-	1	0.1 %
49	-	1	0.1 %
50	-	2	0.2 %

Value	Label	Unweighted Frequency	%
51	-	1	0.1 %
52	-	2	0.2 %
53	-	2	0.2 %
54	-	5	0.5 %
55	-	1	0.1 %
56	-	11	1.2 %
57	-	10	1.1 %
58	-	13	1.4 %
59	-	16	1.7 %
60	-	11	1.2 %
61	-	17	1.8 %
62	-	20	2.2 %
63	-	14	1.5 %
64	-	25	2.7 %
65	-	13	1.4 %
66	-	22	2.4 %
67	-	14	1.5 %
68	-	39	4.2 %
69	-	18	1.9 %
70	-	53	5.7 %
71	-	26	2.8 %
72	-	25	2.7 %
73	-	25	2.7 %
74	-	43	4.6 %
75	-	20	2.2 %
76	-	42	4.5 %
77	-	31	3.4 %
78	-	27	2.9 %
79	-	19	2.1 %
80	-	38	4.1 %
81	-	15	1.6 %
82	-	38	4.1 %
83	-	20	2.2 %
84	-	23	2.5 %
85	-	15	1.6 %
86	-	23	2.5 %
87	-	12	1.3 %
88	-	18	1.9 %
89	-	7	0.8 %

Value	Label	Unweighted Frequency	%
90	-	17	1.8 %
91	-	6	0.6 %
92	-	9	1.0 %
93	-	7	0.8 %
94	-	5	0.5 %
95	-	4	0.4 %
96	-	3	0.3 %
97	-	4	0.4 %
	Missing Data		
.	-	68	7.4 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 857 valid cases out of 925 total cases.

- Mean: 75.02
- Median: 74.00
- Mode: 70.00
- Minimum: 48.00
- Maximum: 118.00
- Standard Deviation: 10.84

Location: 791-793 (width: 3; decimal: 0)

Variable Type: numeric

NOGG57I: Informant refused or is NA on second seated set of readings

Value	Label	Unweighted Frequency	%
77	N/A	12	1.3 %
99	Refused	55	5.9 %
	Missing Data		
.	-	858	92.8 %
	Total	925	100%

Based upon 67 valid cases out of 925 total cases.

- Minimum: 77.00
- Maximum: 99.00

Location: 794-795 (width: 2; decimal: 0)

Variable Type: numeric

II1A7I: Informant's measured height

Value	Label	Unweighted Frequency	%
51.00	-	1	0.1 %
52.00	-	1	0.1 %
53.00	-	1	0.1 %
53.25	-	1	0.1 %
54.00	-	1	0.1 %
54.25	-	1	0.1 %
55.05	-	1	0.1 %
55.50	-	2	0.2 %
56.00	-	4	0.4 %
56.25	-	1	0.1 %
56.50	-	3	0.3 %
57.00	-	7	0.8 %
57.05	-	1	0.1 %
57.25	-	1	0.1 %
57.50	-	1	0.1 %
57.75	-	1	0.1 %
58.00	-	12	1.3 %
58.05	-	1	0.1 %
58.25	-	2	0.2 %
58.50	-	9	1.0 %
58.75	-	1	0.1 %
59.00	-	17	1.8 %
59.03	-	1	0.1 %
59.05	-	2	0.2 %
59.25	-	1	0.1 %
59.50	-	8	0.9 %
59.75	-	2	0.2 %
60.00	-	54	5.8 %
60.01	-	3	0.3 %
60.04	-	1	0.1 %
60.05	-	3	0.3 %
60.25	-	5	0.5 %
60.50	-	16	1.7 %
60.75	-	10	1.1 %
60.90	-	1	0.1 %
61.00	-	60	6.5 %
61.05	-	4	0.4 %
61.25	-	5	0.5 %
61.50	-	14	1.5 %

Value	Label	Unweighted Frequency	%
61.75	-	8	0.9 %
61.90	-	2	0.2 %
62.00	-	81	8.8 %
62.01	-	1	0.1 %
62.05	-	2	0.2 %
62.25	-	2	0.2 %
62.30	-	1	0.1 %
62.50	-	19	2.1 %
62.75	-	7	0.8 %
63.00	-	49	5.3 %
63.01	-	1	0.1 %
	Missing Data		
98.00	Don't Know	1	0.1 %
99.00	Refused	41	4.4 %
.	-	20	2.2 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 863 valid cases out of 925 total cases.

- Mean: 63.66
- Median: 63.00
- Mode: 62.00
- Minimum: 51.00
- Maximum: 83.05
- Standard Deviation: 3.70

Location: 796-800 (width: 5; decimal: 2)

Variable Type: numeric

(Range of) Missing Values: 98.00 , 99.00 , .

II1AA7I: Informant's measured demi-span

Value	Label	Unweighted Frequency	%
30.00	-	1	0.1 %
32.00	-	2	0.2 %
33.00	-	1	0.1 %
35.50	-	1	0.1 %
50.80	-	1	0.1 %
59.60	-	1	0.1 %
60.60	-	1	0.1 %
67.50	-	2	0.2 %

Value	Label	Unweighted Frequency	%
68.10	-	1	0.1 %
68.50	-	1	0.1 %
68.58	-	1	0.1 %
69.00	-	3	0.3 %
69.20	-	1	0.1 %
70.00	-	1	0.1 %
71.00	-	1	0.1 %
71.10	-	1	0.1 %
71.20	-	1	0.1 %
71.30	-	1	0.1 %
71.50	-	2	0.2 %
71.80	-	1	0.1 %
72.00	-	2	0.2 %
72.50	-	1	0.1 %
73.00	-	2	0.2 %
73.10	-	3	0.3 %
73.30	-	1	0.1 %
73.40	-	1	0.1 %
73.50	-	4	0.4 %
73.70	-	3	0.3 %
74.00	-	9	1.0 %
74.10	-	2	0.2 %
74.40	-	1	0.1 %
74.50	-	4	0.4 %
74.60	-	1	0.1 %
75.00	-	9	1.0 %
75.10	-	1	0.1 %
75.30	-	2	0.2 %
75.40	-	1	0.1 %
75.50	-	4	0.4 %
76.00	-	18	1.9 %
76.10	-	1	0.1 %
76.20	-	5	0.5 %
76.30	-	1	0.1 %
76.40	-	1	0.1 %
76.50	-	3	0.3 %
76.60	-	2	0.2 %
76.90	-	2	0.2 %
77.00	-	14	1.5 %

Value	Label	Unweighted Frequency	%
77.40	-	1	0.1 %
77.50	-	13	1.4 %
77.80	-	2	0.2 %
	Missing Data		
.	-	55	5.9 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 870 valid cases out of 925 total cases.

- Mean: 82.75
- Median: 82.50
- Mode: 80.00
- Minimum: 30.00
- Maximum: 101.10
- Standard Deviation: 7.10

Location: 801-806 (width: 6; decimal: 2)

Variable Type: numeric

II1B7I: Informant's measured weight

Value	Label	Unweighted Frequency	%
90	-	1	0.1 %
95	-	1	0.1 %
97	-	1	0.1 %
98	-	2	0.2 %
100	-	1	0.1 %
102	-	1	0.1 %
103	-	1	0.1 %
104	-	2	0.2 %
106	-	3	0.3 %
108	-	1	0.1 %
109	-	1	0.1 %
110	-	2	0.2 %
112	-	5	0.5 %
113	-	1	0.1 %
114	-	1	0.1 %
115	-	5	0.5 %
116	-	2	0.2 %
117	-	2	0.2 %
118	-	3	0.3 %

Value	Label	Unweighted Frequency	%
120	-	6	0.6 %
121	-	1	0.1 %
122	-	3	0.3 %
123	-	2	0.2 %
124	-	1	0.1 %
125	-	5	0.5 %
126	-	7	0.8 %
127	-	4	0.4 %
128	-	2	0.2 %
129	-	4	0.4 %
130	-	10	1.1 %
132	-	8	0.9 %
133	-	9	1.0 %
134	-	1	0.1 %
135	-	13	1.4 %
136	-	6	0.6 %
137	-	3	0.3 %
138	-	8	0.9 %
139	-	9	1.0 %
140	-	27	2.9 %
141	-	2	0.2 %
142	-	11	1.2 %
143	-	3	0.3 %
144	-	3	0.3 %
145	-	13	1.4 %
146	-	5	0.5 %
147	-	7	0.8 %
148	-	9	1.0 %
149	-	7	0.8 %
150	-	28	3.0 %
151	-	6	0.6 %
	Missing Data		
998	Don't Know	2	0.2 %
999	Refused	99	10.7 %
.	-	5	0.5 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 819 valid cases out of 925 total cases.

- Mean: 174.12
- Median: 168.00
- Mode: 160.00
- Minimum: 90.00
- Maximum: 432.00
- Standard Deviation: 41.15

Location: 807-809 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 998 , 999 , .

II1D7I: Informant`s self-reported weight

Value	Label	Unweighted Frequency	%
102	-	1	0.1 %
104	-	2	0.2 %
109	-	1	0.1 %
110	-	1	0.1 %
112	-	1	0.1 %
113	-	1	0.1 %
125	-	2	0.2 %
126	-	1	0.1 %
128	-	2	0.2 %
129	-	1	0.1 %
130	-	3	0.3 %
135	-	4	0.4 %
139	-	2	0.2 %
140	-	5	0.5 %
142	-	2	0.2 %
144	-	1	0.1 %
145	-	2	0.2 %
149	-	2	0.2 %
150	-	2	0.2 %
151	-	1	0.1 %
152	-	2	0.2 %
155	-	4	0.4 %
156	-	1	0.1 %
157	-	1	0.1 %
160	-	2	0.2 %
165	-	3	0.3 %
167	-	1	0.1 %
170	-	3	0.3 %

Value	Label	Unweighted Frequency	%
171	-	1	0.1 %
175	-	3	0.3 %
176	-	3	0.3 %
179	-	1	0.1 %
180	-	4	0.4 %
183	-	1	0.1 %
185	-	2	0.2 %
186	-	1	0.1 %
190	-	2	0.2 %
192	-	1	0.1 %
198	-	1	0.1 %
199	-	1	0.1 %
200	-	4	0.4 %
205	-	1	0.1 %
210	-	1	0.1 %
214	-	1	0.1 %
215	-	1	0.1 %
217	-	1	0.1 %
220	-	2	0.2 %
225	-	2	0.2 %
228	-	1	0.1 %
230	-	1	0.1 %
	Missing Data		
999	Don't Know	14	1.5 %
.	-	810	87.6 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 101 valid cases out of 925 total cases.

- Mean: 177.13
- Median: 167.00
- Mode: 140.00
- Minimum: 102.00
- Maximum: 364.00
- Standard Deviation: 52.16

Location: 810-812 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 999 , .

II1C7I: Type of surface used during informant's height/weight measures

Value	Label	Unweighted Frequency	%
1	Uncarpeted	726	78.5 %
2	Low carpet	71	7.7 %
3	Other	9	1.0 %
4	Reported weight	87	9.4 %
	Missing Data		
.	-	32	3.5 %
	Total	925	100%

Based upon 893 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 813-813 (width: 1; decimal: 0)

Variable Type: numeric

HEIGHT_CMI: Informant's measured height in centimeters

Value	Label	Unweighted Frequency	%
129.54000000000	-	1	0.1 %
132.08000000001	-	1	0.1 %
134.62000000000	-	1	0.1 %
135.25500000000	-	1	0.1 %
137.16000000000	-	1	0.1 %
137.79500000001	-	1	0.1 %
139.82700000000	-	1	0.1 %
140.97000000000	-	2	0.2 %
142.24000000000	-	4	0.4 %
142.87500000000	-	1	0.1 %
143.51000000000	-	3	0.3 %
144.78000000000	-	7	0.8 %
144.90700000001	-	1	0.1 %
145.41500000000	-	1	0.1 %
146.05000000001	-	1	0.1 %
146.68500000000	-	1	0.1 %
147.32000000000	-	12	1.3 %
147.44700000000	-	1	0.1 %
147.95500000001	-	2	0.2 %
148.59000000000	-	9	1.0 %
149.22500000000	-	1	0.1 %
149.86000000001	-	17	1.8 %
149.93620000001	-	1	0.1 %

Value	Label	Unweighted Frequency	%
149.987000000000	-	2	0.2 %
150.495000000000	-	1	0.1 %
151.130000000000	-	8	0.9 %
151.765000000001	-	2	0.2 %
152.400000000000	-	54	5.8 %
152.425400000000	-	3	0.3 %
152.501600000000	-	1	0.1 %
152.527000000000	-	3	0.3 %
153.035000000000	-	5	0.5 %
153.670000000001	-	16	1.7 %
154.305000000000	-	10	1.1 %
154.686000000000	-	1	0.1 %
154.940000000000	-	60	6.5 %
155.067000000000	-	4	0.4 %
155.575000000000	-	5	0.5 %
156.210000000000	-	14	1.5 %
156.845000000000	-	8	0.9 %
157.226000000000	-	2	0.2 %
157.480000000000	-	81	8.8 %
157.505400000000	-	1	0.1 %
157.607000000000	-	2	0.2 %
158.115000000000	-	2	0.2 %
158.242000000000	-	1	0.1 %
158.750000000000	-	19	2.1 %
159.385000000000	-	7	0.8 %
160.020000000001	-	49	5.3 %
160.045400000000	-	1	0.1 %
	Missing Data		
.	-	62	6.7 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 863 valid cases out of 925 total cases.

- Mean: 161.68877705678
- Median: 160.020000000001
- Mode: 157.480000000000
- Minimum: 129.540000000000
- Maximum: 210.947000000000

• Standard Deviation: 9.38853507057

Location: 814-828 (width: 15; decimal: 11)

Variable Type: numeric

WEIGHT_KGI: Informant`s measured weight in kilograms

Value	Label	Unweighted Frequency	%
40.90909090910	-	1	0.1 %
43.18181818182	-	1	0.1 %
44.09090909091	-	1	0.1 %
44.54545454546	-	2	0.2 %
45.45454545455	-	1	0.1 %
46.36363636364	-	1	0.1 %
46.81818181819	-	1	0.1 %
47.27272727273	-	2	0.2 %
48.18181818182	-	3	0.3 %
49.09090909091	-	1	0.1 %
49.54545454546	-	1	0.1 %
50.00000000000	-	2	0.2 %
50.90909090910	-	5	0.5 %
51.36363636364	-	1	0.1 %
51.81818181819	-	1	0.1 %
52.27272727273	-	5	0.5 %
52.72727272728	-	2	0.2 %
53.18181818182	-	2	0.2 %
53.63636363637	-	3	0.3 %
54.54545454546	-	6	0.6 %
55.00000000000	-	1	0.1 %
55.45454545455	-	3	0.3 %
55.90909090910	-	2	0.2 %
56.36363636364	-	1	0.1 %
56.81818181819	-	5	0.5 %
57.27272727273	-	7	0.8 %
57.72727272728	-	4	0.4 %
58.18181818182	-	2	0.2 %
58.63636363637	-	4	0.4 %
59.09090909091	-	10	1.1 %
60.00000000000	-	8	0.9 %
60.45454545455	-	9	1.0 %
60.90909090910	-	1	0.1 %
61.36363636364	-	13	1.4 %

Value	Label	Unweighted Frequency	%
61.81818181819	-	6	0.6 %
62.27272727273	-	3	0.3 %
62.72727272728	-	8	0.9 %
63.18181818182	-	9	1.0 %
63.63636363637	-	27	2.9 %
64.09090909091	-	2	0.2 %
64.54545454546	-	11	1.2 %
65.00000000000	-	3	0.3 %
65.45454545455	-	3	0.3 %
65.90909090910	-	13	1.4 %
66.36363636364	-	5	0.5 %
66.81818181819	-	7	0.8 %
67.27272727273	-	9	1.0 %
67.72727272728	-	7	0.8 %
68.18181818183	-	28	3.0 %
68.63636363638	-	6	0.6 %
	Missing Data		
.	-	106	11.5 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 819 valid cases out of 925 total cases.

- Mean: 79.14363747364
- Median: 76.36363636364
- Mode: 72.72727272728
- Minimum: 40.90909090910
- Maximum: 196.36363636364
- Standard Deviation: 18.70581569578

Location: 829-843 (width: 15; decimal: 11)

Variable Type: numeric

SR_WEIGHT_KGI: Informant's self-reported weight in kilograms

Value	Label	Unweighted Frequency	%
46.36363636364	-	1	0.1 %
47.27272727273	-	2	0.2 %
49.54545454546	-	1	0.1 %
50.00000000000	-	1	0.1 %
50.90909090910	-	1	0.1 %

Value	Label	Unweighted Frequency	%
51.36363636364	-	1	0.1 %
56.81818181819	-	2	0.2 %
57.27272727273	-	1	0.1 %
58.18181818182	-	2	0.2 %
58.63636363637	-	1	0.1 %
59.09090909091	-	3	0.3 %
61.36363636364	-	4	0.4 %
63.18181818182	-	2	0.2 %
63.63636363637	-	5	0.5 %
64.54545454546	-	2	0.2 %
65.45454545455	-	1	0.1 %
65.90909090910	-	2	0.2 %
67.72727272728	-	2	0.2 %
68.18181818183	-	2	0.2 %
68.63636363638	-	1	0.1 %
69.09090909091	-	2	0.2 %
70.45454545455	-	4	0.4 %
70.90909090910	-	1	0.1 %
71.36363636364	-	1	0.1 %
72.72727272728	-	2	0.2 %
75.00000000000	-	3	0.3 %
75.90909090910	-	1	0.1 %
77.27272727273	-	3	0.3 %
77.72727272728	-	1	0.1 %
79.54545454546	-	3	0.3 %
80.00000000000	-	3	0.3 %
81.36363636364	-	1	0.1 %
81.81818181819	-	4	0.4 %
83.18181818183	-	1	0.1 %
84.09090909091	-	2	0.2 %
84.54545454546	-	1	0.1 %
86.36363636364	-	2	0.2 %
87.27272727273	-	1	0.1 %
90.00000000000	-	1	0.1 %
90.45454545455	-	1	0.1 %
90.90909090910	-	4	0.4 %
93.18181818182	-	1	0.1 %
95.45454545455	-	1	0.1 %
97.27272727273	-	1	0.1 %

Value	Label	Unweighted Frequency	%
97.72727272728	-	1	0.1 %
98.63636363637	-	1	0.1 %
100.00000000000	-	2	0.2 %
102.27272727273	-	2	0.2 %
103.63636363637	-	1	0.1 %
104.54545454546	-	1	0.1 %
	Missing Data		
.	-	824	89.1 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 101 valid cases out of 925 total cases.

- Mean: 80.51305130514
- Median: 75.90909090910
- Mode: 63.63636363637
- Minimum: 46.36363636364
- Maximum: 165.45454545455
- Standard Deviation: 23.70886288289

Location: 844-858 (width: 15; decimal: 11)

Variable Type: numeric

BMI7I: Informant's Body Mass Index (BMI) (includes self-reported weight)

Value	Label	Unweighted Frequency	%
17.10	-	1	0.1 %
18.16	-	1	0.1 %
18.75	-	1	0.1 %
19.06	-	1	0.1 %
19.09	-	1	0.1 %
19.28	-	1	0.1 %
19.43	-	2	0.2 %
19.51	-	1	0.1 %
19.63	-	1	0.1 %
19.69	-	1	0.1 %
19.78	-	3	0.3 %
19.80	-	1	0.1 %
19.83	-	1	0.1 %
20.13	-	1	0.1 %
20.16	-	2	0.2 %

Value	Label	Unweighted Frequency	%
20.23	-	1	0.1 %
20.30	-	1	0.1 %
20.35	-	1	0.1 %
20.53	-	2	0.2 %
20.57	-	1	0.1 %
20.64	-	2	0.2 %
20.69	-	2	0.2 %
20.86	-	1	0.1 %
20.95	-	1	0.1 %
20.97	-	1	0.1 %
20.99	-	1	0.1 %
21.10	-	1	0.1 %
21.14	-	1	0.1 %
21.26	-	1	0.1 %
21.29	-	1	0.1 %
21.50	-	1	0.1 %
21.53	-	1	0.1 %
21.64	-	1	0.1 %
21.69	-	1	0.1 %
21.78	-	1	0.1 %
21.85	-	1	0.1 %
21.92	-	1	0.1 %
21.97	-	2	0.2 %
21.99	-	1	0.1 %
22.00	-	1	0.1 %
22.01	-	1	0.1 %
22.14	-	1	0.1 %
22.35	-	2	0.2 %
22.42	-	1	0.1 %
22.49	-	1	0.1 %
22.51	-	2	0.2 %
22.52	-	1	0.1 %
22.53	-	1	0.1 %
22.71	-	3	0.3 %
22.72	-	1	0.1 %
	Missing Data		
.	-	70	7.6 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 855 valid cases out of 925 total cases.

- Mean: 30.31
- Minimum: 17.10
- Maximum: 67.80
- Standard Deviation: 6.68

Location: 859-863 (width: 5; decimal: 2)

Variable Type: numeric

JJ17I: Informant's measured 1st waist circumference measurement

Value	Label	Unweighted Frequency	%
9.0	-	84	9.1 %
29.0	-	1	0.1 %
32.6	-	1	0.1 %
36.2	-	1	0.1 %
36.5	-	1	0.1 %
37.0	-	1	0.1 %
38.0	-	1	0.1 %
40.0	-	1	0.1 %
48.5	-	1	0.1 %
49.5	-	1	0.1 %
56.5	-	1	0.1 %
64.8	-	1	0.1 %
66.0	-	1	0.1 %
68.0	-	1	0.1 %
69.0	-	1	0.1 %
70.1	-	1	0.1 %
72.0	-	2	0.2 %
73.0	-	3	0.3 %
73.1	-	1	0.1 %
73.4	-	1	0.1 %
73.7	-	2	0.2 %
74.0	-	1	0.1 %
75.2	-	1	0.1 %
76.0	-	3	0.3 %
76.1	-	1	0.1 %
76.2	-	2	0.2 %
76.5	-	1	0.1 %
76.7	-	1	0.1 %
76.8	-	1	0.1 %

Value	Label	Unweighted Frequency	%
77.0	-	3	0.3 %
77.1	-	1	0.1 %
77.5	-	1	0.1 %
78.0	-	1	0.1 %
78.8	-	1	0.1 %
78.9	-	3	0.3 %
79.5	-	2	0.2 %
80.0	-	4	0.4 %
80.8	-	1	0.1 %
81.0	-	3	0.3 %
81.5	-	1	0.1 %
82.0	-	6	0.6 %
82.1	-	1	0.1 %
82.5	-	3	0.3 %
82.8	-	1	0.1 %
83.0	-	8	0.9 %
83.3	-	1	0.1 %
83.5	-	1	0.1 %
83.9	-	1	0.1 %
84.0	-	10	1.1 %
84.2	-	2	0.2 %
	Missing Data		
.	-	1	0.1 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 924 valid cases out of 925 total cases.

- Mean: 92.52
- Minimum: 9.00
- Maximum: 174.00
- Standard Deviation: 30.75

Location: 864-868 (width: 5; decimal: 1)

Variable Type: numeric

JJ27I: Informant's measured 2nd waist circumference measurement

Value	Label	Unweighted Frequency	%
9.0	-	89	9.6 %
29.0	-	1	0.1 %

Value	Label	Unweighted Frequency	%
32.6	-	1	0.1 %
36.3	-	1	0.1 %
36.6	-	1	0.1 %
37.0	-	1	0.1 %
38.0	-	1	0.1 %
39.9	-	1	0.1 %
49.0	-	1	0.1 %
50.0	-	1	0.1 %
56.0	-	1	0.1 %
65.5	-	1	0.1 %
66.0	-	1	0.1 %
68.0	-	1	0.1 %
69.0	-	1	0.1 %
69.9	-	1	0.1 %
73.0	-	4	0.4 %
73.2	-	1	0.1 %
73.5	-	2	0.2 %
73.7	-	2	0.2 %
74.5	-	1	0.1 %
75.6	-	1	0.1 %
75.9	-	1	0.1 %
76.0	-	6	0.6 %
76.1	-	1	0.1 %
76.2	-	1	0.1 %
76.3	-	1	0.1 %
77.0	-	3	0.3 %
77.1	-	2	0.2 %
77.3	-	1	0.1 %
77.5	-	1	0.1 %
78.2	-	1	0.1 %
79.5	-	3	0.3 %
79.6	-	1	0.1 %
80.0	-	3	0.3 %
80.5	-	2	0.2 %
81.0	-	4	0.4 %
81.2	-	1	0.1 %
82.0	-	6	0.6 %
82.3	-	1	0.1 %
82.5	-	2	0.2 %

Value	Label	Unweighted Frequency	%
83.0	-	7	0.8 %
83.1	-	1	0.1 %
83.5	-	1	0.1 %
83.6	-	1	0.1 %
83.9	-	1	0.1 %
84.0	-	4	0.4 %
84.1	-	4	0.4 %
84.2	-	1	0.1 %
84.3	-	1	0.1 %
	Missing Data		
.	-	6	0.6 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 919 valid cases out of 925 total cases.

- Mean: 92.27
- Minimum: 9.00
- Maximum: 177.00
- Standard Deviation: 31.58

Location: 869-873 (width: 5; decimal: 1)

Variable Type: numeric

HH7A7I: Informant thinks it unsafe to do grip strength test

Value	Label	Unweighted Frequency	%
1	Yes	33	3.6 %
2	No	871	94.2 %
	Missing Data		
9	Refused	21	2.3 %
	Total	925	100%

Based upon 904 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 874-874 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

HH7B71I: Informant's first grip score in kilograms

Value	Label	Unweighted Frequency	%
3.0	-	1	0.1 %
4.5	-	1	0.1 %
5.0	-	3	0.3 %
6.0	-	1	0.1 %
7.0	-	1	0.1 %
7.5	-	3	0.3 %
8.0	-	1	0.1 %
8.5	-	2	0.2 %
9.0	-	6	0.6 %
9.5	-	5	0.5 %
10.0	-	6	0.6 %
10.5	-	4	0.4 %
11.0	-	5	0.5 %
11.5	-	4	0.4 %
12.0	-	3	0.3 %
12.5	-	6	0.6 %
13.0	-	2	0.2 %
13.5	-	6	0.6 %
14.0	-	11	1.2 %
14.1	-	1	0.1 %
14.5	-	4	0.4 %
15.0	-	19	2.1 %
15.1	-	1	0.1 %
15.5	-	8	0.9 %
16.0	-	11	1.2 %
16.5	-	5	0.5 %
17.0	-	10	1.1 %
17.5	-	7	0.8 %
18.0	-	16	1.7 %
18.1	-	1	0.1 %
18.2	-	1	0.1 %
18.5	-	9	1.0 %
19.0	-	14	1.5 %
19.3	-	1	0.1 %
19.5	-	1	0.1 %
19.9	-	1	0.1 %
20.0	-	45	4.9 %
20.1	-	5	0.5 %
20.3	-	1	0.1 %

Value	Label	Unweighted Frequency	%
20.4	-	1	0.1 %
20.5	-	19	2.1 %
20.8	-	1	0.1 %
21.0	-	19	2.1 %
21.5	-	13	1.4 %
22.0	-	39	4.2 %
22.5	-	7	0.8 %
23.0	-	18	1.9 %
23.5	-	12	1.3 %
24.0	-	23	2.5 %
24.1	-	1	0.1 %
	Missing Data		
.	-	51	5.5 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 874 valid cases out of 925 total cases.

- Mean: 26.85
- Median: 25.50
- Mode: 20.00
- Minimum: 3.00
- Maximum: 84.50
- Standard Deviation: 10.31

Location: 875-878 (width: 4; decimal: 1)

Variable Type: numeric

HH7B72I: Informant's second grip score in kilograms

Value	Label	Unweighted Frequency	%
3.0	-	1	0.1 %
4.5	-	2	0.2 %
5.0	-	1	0.1 %
5.5	-	2	0.2 %
6.0	-	2	0.2 %
6.5	-	1	0.1 %
7.0	-	1	0.1 %
7.5	-	1	0.1 %
8.0	-	4	0.4 %
8.5	-	2	0.2 %
9.0	-	5	0.5 %

Value	Label	Unweighted Frequency	%
9.5	-	3	0.3 %
10.0	-	10	1.1 %
10.5	-	4	0.4 %
11.0	-	5	0.5 %
11.5	-	1	0.1 %
12.0	-	3	0.3 %
12.5	-	2	0.2 %
13.0	-	6	0.6 %
13.5	-	3	0.3 %
14.0	-	8	0.9 %
14.1	-	1	0.1 %
14.5	-	4	0.4 %
14.9	-	1	0.1 %
15.0	-	16	1.7 %
15.5	-	7	0.8 %
16.0	-	12	1.3 %
16.5	-	6	0.6 %
17.0	-	14	1.5 %
17.5	-	8	0.9 %
18.0	-	17	1.8 %
18.5	-	6	0.6 %
19.0	-	18	1.9 %
19.5	-	5	0.5 %
20.0	-	31	3.4 %
20.1	-	2	0.2 %
20.2	-	1	0.1 %
20.5	-	9	1.0 %
21.0	-	27	2.9 %
21.5	-	14	1.5 %
22.0	-	31	3.4 %
22.5	-	11	1.2 %
23.0	-	24	2.6 %
23.4	-	1	0.1 %
23.5	-	12	1.3 %
24.0	-	16	1.7 %
24.5	-	15	1.6 %
25.0	-	39	4.2 %
25.1	-	1	0.1 %
25.3	-	2	0.2 %

Value	Label	Unweighted Frequency	%
	Missing Data		
.	-	55	5.9 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 870 valid cases out of 925 total cases.

- Mean: 27.25
- Median: 26.00
- Mode: 25.00
- Minimum: 3.00
- Maximum: 84.30
- Standard Deviation: 10.58

Location: 879-882 (width: 4; decimal: 1)

Variable Type: numeric

NOHH7B71I: Informant unable to, refused, or did not perform first grip test

Value	Label	Unweighted Frequency	%
1	Unable / discontinued	2	0.2 %
2	Not done, safety reason	2	0.2 %
9	Refused	44	4.8 %
	Missing Data		
.	-	877	94.8 %
	Total	925	100%

Based upon 48 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 883-883 (width: 1; decimal: 0)

Variable Type: numeric

NOHH7B72I: Informant unable to, refused, or did not perform second grip test

Value	Label	Unweighted Frequency	%
1	Unable / discontinued	3	0.3 %
2	Not done, safety reason	2	0.2 %
9	Refused	43	4.6 %
	Missing Data		
.	-	877	94.8 %
	Total	925	100%

Based upon 48 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 9.00

Location: 884-884 (width: 1; decimal: 0)

Variable Type: numeric

HH7C7I: Hand informant used for grip strength test?

Value	Label	Unweighted Frequency	%
1	Right	794	85.8 %
2	Left	74	8.0 %
	Missing Data		
3	N/A	52	5.6 %
.	-	5	0.5 %
	Total	925	100%

Based upon 868 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 885-885 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 3 , .

GRIPSC7I: Informant's grip scale from the handle

Value	Label	Unweighted Frequency	%
1	5	339	36.6 %
2	6	496	53.6 %
3	7	37	4.0 %
	Missing Data		
.	-	53	5.7 %
	Total	925	100%

Based upon 872 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 3.00

Location: 886-886 (width: 1; decimal: 0)

Variable Type: numeric

I_ARTHRHEU7I: Informant has arthritis

Value	Label	Unweighted Frequency	%
1	Yes	276	29.8 %

Value	Label	Unweighted Frequency	%
2	No	641	69.3 %
	Missing Data		
8	Do not know	4	0.4 %
9	Refused	3	0.3 %
.	-	1	0.1 %
	Total	925	100%

Based upon 917 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 887-887 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

I_LCANC71I: Informant has cancer

Value	Label	Unweighted Frequency	%
1	Yes	47	5.1 %
2	No	872	94.3 %
	Missing Data		
8	Do not know	2	0.2 %
9	Refused	3	0.3 %
.	-	1	0.1 %
	Total	925	100%

Based upon 919 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 888-888 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

I_LCANC75I: Informant has cancer specified

Value	Label	Unweighted Frequency	%
	-	879	95.0 %
BLADDER, THYROID, CERVICAL	-	2	0.2 %
BRAIN TUMOR	-	1	0.1 %
BREAST	-	11	1.2 %
CERVICAL	-	1	0.1 %
COLON	-	2	0.2 %

Value	Label	Unweighted Frequency	%
EVANS SYNDROME	-	1	0.1 %
FALOPIAN	-	1	0.1 %
HYSTROECTOMY	-	1	0.1 %
KIDNEY	-	2	0.2 %
LIVER	-	3	0.3 %
MELANOMA, SKIN	-	1	0.1 %
OVARIAN	-	1	0.1 %
PROSTATE	-	3	0.3 %
PROSTATE AND SKIN	-	1	0.1 %
SHOULDER	-	1	0.1 %
SKIN	-	1	0.1 %
SKIN ON FACE	-	1	0.1 %
STOMACH	-	1	0.1 %
THROAT	-	1	0.1 %
THYROID	-	1	0.1 %
TONSILAR	-	1	0.1 %
UTERINE	-	7	0.8 %
WITHIN	-	1	0.1 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 889-914 (width: 26; decimal: 0)

Variable Type: character

I_ICARDI71I: Informant has had a heart attack

Value	Label	Unweighted Frequency	%
1	Yes	36	3.9 %
2	No	885	95.7 %
	Missing Data		
9	Refused	3	0.3 %
.	-	1	0.1 %
	Total	925	100%

Based upon 921 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 915-915 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

I_ICARDI75I: Informant was hospitalized from heart attack

Value	Label	Unweighted Frequency	%
1	Yes	28	3.0 %
2	No	13	1.4 %
	Missing Data		
9	Refused	2	0.2 %
.	-	882	95.4 %
	Total	925	100%

Based upon 41 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 916-916 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

I_JSTROK71I: Informant has had a stroke

Value	Label	Unweighted Frequency	%
1	Yes	22	2.4 %
2	No	899	97.2 %
	Missing Data		
9	Refused	3	0.3 %
.	-	1	0.1 %
	Total	925	100%

Based upon 921 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 917-917 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

I_JSTROK75I: Informant has hospitalized from stroke

Value	Label	Unweighted Frequency	%
1	Yes	17	1.8 %
2	No	12	1.3 %
	Missing Data		
9	Refused	2	0.2 %
.	-	894	96.6 %

Value	Label	Unweighted Frequency	%
	Total	925	100%

Based upon 29 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 918-918 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

I_KHYPER71I: Informant has hypentension

Value	Label	Unweighted Frequency	%
1	Yes	363	39.2 %
2	No	551	59.6 %
	Missing Data		
8	Do not know	6	0.6 %
9	Refused	3	0.3 %
.	-	2	0.2 %
	Total	925	100%

Based upon 914 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 919-919 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

I_KHYPER74I: Informant is currently taking medications for hypertension

Value	Label	Unweighted Frequency	%
1	Yes	324	35.0 %
2	No	41	4.4 %
	Missing Data		
9	Refused	2	0.2 %
.	-	558	60.3 %
	Total	925	100%

Based upon 365 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 920-920 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

I_MDIAB71I: Informant has diabetes

Value	Label	Unweighted Frequency	%
1	Yes	182	19.7 %
2	No	736	79.6 %
	Missing Data		
8	Do not know	3	0.3 %
9	Refused	3	0.3 %
.	-	1	0.1 %
	Total	925	100%

Based upon 918 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 921-921 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

I_MDIAB73I: Informant is currently taking medications for diabetes

Value	Label	Unweighted Frequency	%
1	Yes	147	15.9 %
2	No	42	4.5 %
	Missing Data		
9	Refused	3	0.3 %
.	-	733	79.2 %
	Total	925	100%

Based upon 189 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 922-922 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

I_NFRAC71I: Informant has had hip fracture(s)

Value	Label	Unweighted Frequency	%
1	Yes	10	1.1 %
2	No	911	98.5 %
	Missing Data		

Value	Label	Unweighted Frequency	%
9	Refused	3	0.3 %
.	-	1	0.1 %
	Total	925	100%

Based upon 921 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 923-923 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

I_NFRAC71AI: Informant had hip fracture at this age

Value	Label	Unweighted Frequency	%
2	-	1	0.1 %
9	-	2	0.2 %
18	-	1	0.1 %
20	-	1	0.1 %
33	-	2	0.2 %
46	-	1	0.1 %
62	-	1	0.1 %
65	-	1	0.1 %
68	-	1	0.1 %
	Missing Data		
.	-	914	98.8 %
	Total	925	100%

Based upon 11 valid cases out of 925 total cases.

- Mean: 33.18
- Median: 33.00
- Minimum: 2.00
- Maximum: 68.00
- Standard Deviation: 24.01

Location: 924-925 (width: 2; decimal: 0)

Variable Type: numeric

I_NFRAC75I: Informant has hospitalized from hip fracture

Value	Label	Unweighted Frequency	%
1	Yes	7	0.8 %
2	No	13	1.4 %
	Missing Data		

Value	Label	Unweighted Frequency	%
9	Refused	3	0.3 %
.	-	902	97.5 %
	Total	925	100%

Based upon 20 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 926-926 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

I_NFRAC73I: Informant has had other bone fractures

Value	Label	Unweighted Frequency	%
1	Yes	186	20.1 %
2	No	732	79.1 %
	Missing Data		
9	Refused	3	0.3 %
.	-	4	0.4 %
	Total	925	100%

Based upon 918 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 927-927 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

I_NFRAC74I: Informant other bone fracture specified

Value	Label	Unweighted Frequency	%
	-	740	80.0 %
ANKLE	-	22	2.4 %
ANKLE AND RIB	-	1	0.1 %
ANKLE, TIBIA, AND FIBULA	-	1	0.1 %
ANKLES	-	1	0.1 %
ARM	-	15	1.6 %
ARM AND RIB	-	2	0.2 %
ARM/ANKLE, WRIST/KNEE, KNEECAP	-	1	0.1 %
ARM/BACK	-	1	0.1 %
ARMS	-	1	0.1 %

Value	Label	Unweighted Frequency	%
CHEEK AND NOSE	-	1	0.1 %
COCCYX	-	1	0.1 %
COLLAR BONE	-	4	0.4 %
DISC IN VERTEBRAL COLUMN	-	1	0.1 %
DISK	-	1	0.1 %
DISLOCATED CALF	-	1	0.1 %
DISLOCATED ELBOW	-	1	0.1 %
ELBOW	-	7	0.8 %
ELBOWS	-	1	0.1 %
FEMUR	-	2	0.2 %
FINGER	-	1	0.1 %
FINGER AND NOSE	-	1	0.1 %
FINGERS ON HANDS	-	1	0.1 %
FOOT	-	17	1.8 %
FOOT & ELBOW	-	1	0.1 %
FOOT, HAND, RIB	-	1	0.1 %
FOOT, RIBCAGE, SHOULDER	-	1	0.1 %
HAND	-	2	0.2 %
HAND AND FINGERS	-	1	0.1 %
HAND AND WRIST	-	2	0.2 %
HAND FINGER	-	2	0.2 %
HERNIATED DISC	-	1	0.1 %
KNEE	-	8	0.9 %
KNEE AND WRIST	-	1	0.1 %
KNEE CAP	-	2	0.2 %
KNEE CAPS	-	2	0.2 %
KNEE REPLACED	-	1	0.1 %
KNEES	-	1	0.1 %
LEG	-	5	0.5 %
LEG AND FOOT	-	1	0.1 %
LEG/ARM/RIBS AND NOSE	-	1	0.1 %
NOSE	-	2	0.2 %
PINKY TOE FOOT	-	1	0.1 %
RIB	-	2	0.2 %
RIBS	-	4	0.4 %
RIBS, ARM, COLLAR BONE, NECK, AND BACK	-	1	0.1 %
SHIN	-	2	0.2 %
SHIN, WRISTS, ELBOW	-	1	0.1 %
SHOULDER	-	5	0.5 %

Value	Label	Unweighted Frequency	%
SHOULDER,WRIST,KNEE AND RING FINGER	-	1	0.1 %
	Total	925	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 925 valid cases out of 925 total cases.

Location: 928-965 (width: 38; decimal: 0)

Variable Type: character

X7CESD1: Informant feels emotionally bothered during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	723	78.2 %
1	Some / little (1-2 days)	153	16.5 %
2	Occasionally / moderate (3-4 days)	29	3.1 %
3	Most / all (5-7 days)	17	1.8 %
	Missing Data		
.	-	3	0.3 %
	Total	925	100%

Based upon 922 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 966-966 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD2: Informant feels appetite poor during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	819	88.5 %
1	Some / little (1-2 days)	72	7.8 %
2	Occasionally / moderate (3-4 days)	18	1.9 %
3	Most / all (5-7 days)	12	1.3 %
	Missing Data		
8	Do not know	1	0.1 %
.	-	3	0.3 %
	Total	925	100%

Based upon 921 valid cases out of 925 total cases.

- Minimum: 0.00

- Maximum: 3.00

Location: 967-967 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD3I: Informant feels he/she could not shake off blues during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	789	85.3 %
1	Some / little (1-2 days)	102	11.0 %
2	Occasionally / moderate (3-4 days)	19	2.1 %
3	Most / all (5-7 days)	12	1.3 %
	Missing Data		
.	-	3	0.3 %
	Total	925	100%

Based upon 922 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 968-968 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD4I: Informant felt as good as others during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	35	3.8 %
1	Some / little (1-2 days)	42	4.5 %
2	Occasionally / moderate (3-4 days)	94	10.2 %
3	Most / all (5-7 days)	747	80.8 %
	Missing Data		
8	Do not know	4	0.4 %
.	-	3	0.3 %
	Total	925	100%

Based upon 918 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 969-969 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD5I: Informant had trouble concentrating during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	735	79.5 %
1	Some / little (1-2 days)	121	13.1 %
2	Occasionally / moderate (3-4 days)	45	4.9 %
3	Most / all (5-7 days)	21	2.3 %
	Missing Data		
.	-	3	0.3 %
	Total	925	100%

Based upon 922 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 970-970 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD6I: Informant felt depressed during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	746	80.6 %
1	Some / little (1-2 days)	132	14.3 %
2	Occasionally / moderate (3-4 days)	30	3.2 %
3	Most / all (5-7 days)	14	1.5 %
	Missing Data		
.	-	3	0.3 %
	Total	925	100%

Based upon 922 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 971-971 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD7I: Informant felt everything worth the effort during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	673	72.8 %
1	Some / little (1-2 days)	172	18.6 %
2	Occasionally / moderate (3-4 days)	41	4.4 %
3	Most / all (5-7 days)	36	3.9 %
	Missing Data		

Value	Label	Unweighted Frequency	%
.	-	3	0.3 %
	Total	925	100%

Based upon 922 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 972-972 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD8I: Informant felt hopeful during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	38	4.1 %
1	Some / little (1-2 days)	69	7.5 %
2	Occasionally / moderate (3-4 days)	149	16.1 %
3	Most / all (5-7 days)	663	71.7 %
	Missing Data		
8	Do not know	3	0.3 %
.	-	3	0.3 %
	Total	925	100%

Based upon 919 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 973-973 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD9I: Informant thought his/her life a failure during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	873	94.4 %
1	Some / little (1-2 days)	35	3.8 %
2	Occasionally / moderate (3-4 days)	6	0.6 %
3	Most / all (5-7 days)	8	0.9 %
	Missing Data		
.	-	3	0.3 %
	Total	925	100%

Based upon 922 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 974-974 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD10I: Informant felt fearful during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	833	90.1 %
1	Some / little (1-2 days)	64	6.9 %
2	Occasionally / moderate (3-4 days)	17	1.8 %
3	Most / all (5-7 days)	8	0.9 %
	Missing Data		
.	-	3	0.3 %
	Total	925	100%

Based upon 922 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 975-975 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD11I: Informant's sleep was restless during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	680	73.5 %
1	Some / little (1-2 days)	140	15.1 %
2	Occasionally / moderate (3-4 days)	65	7.0 %
3	Most / all (5-7 days)	37	4.0 %
	Missing Data		
.	-	3	0.3 %
	Total	925	100%

Based upon 922 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 976-976 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD12I: Informant felt happy during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	23	2.5 %
1	Some / little (1-2 days)	62	6.7 %
2	Occasionally / moderate (3-4 days)	162	17.5 %
3	Most / all (5-7 days)	674	72.9 %
	Missing Data		
8	Do not know	1	0.1 %
.	-	3	0.3 %
	Total	925	100%

Based upon 921 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 977-977 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD13I: Informant had minimal talk during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	826	89.3 %
1	Some / little (1-2 days)	54	5.8 %
2	Occasionally / moderate (3-4 days)	27	2.9 %
3	Most / all (5-7 days)	14	1.5 %
	Missing Data		
8	Do not know	1	0.1 %
.	-	3	0.3 %
	Total	925	100%

Based upon 921 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 978-978 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD14I: Informant felt lonely during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	806	87.1 %
1	Some / little (1-2 days)	81	8.8 %
2	Occasionally / moderate (3-4 days)	16	1.7 %

Value	Label	Unweighted Frequency	%
3	Most / all (5-7 days)	19	2.1 %
	Missing Data		
.	-	3	0.3 %
	Total	925	100%

Based upon 922 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 979-979 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD15I: Informant felt people were unfriendly during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	849	91.8 %
1	Some / little (1-2 days)	46	5.0 %
2	Occasionally / moderate (3-4 days)	13	1.4 %
3	Most / all (5-7 days)	10	1.1 %
	Missing Data		
8	Do not know	4	0.4 %
.	-	3	0.3 %
	Total	925	100%

Based upon 918 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 980-980 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD16I: Informant enjoyed life during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	20	2.2 %
1	Some / little (1-2 days)	51	5.5 %
2	Occasionally / moderate (3-4 days)	163	17.6 %
3	Most / all (5-7 days)	687	74.3 %
	Missing Data		
8	Do not know	1	0.1 %
.	-	3	0.3 %

Value	Label	Unweighted Frequency	%
	Total	925	100%

Based upon 921 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 981-981 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD17I: Informant had crying spells during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	769	83.1 %
1	Some / little (1-2 days)	107	11.6 %
2	Occasionally / moderate (3-4 days)	33	3.6 %
3	Most / all (5-7 days)	13	1.4 %
	Missing Data		
.	-	3	0.3 %
	Total	925	100%

Based upon 922 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 982-982 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD18I: Informant felt sad during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	685	74.1 %
1	Some / little (1-2 days)	181	19.6 %
2	Occasionally / moderate (3-4 days)	40	4.3 %
3	Most / all (5-7 days)	15	1.6 %
	Missing Data		
.	-	4	0.4 %
	Total	925	100%

Based upon 921 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 983-983 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD19I: Informant felt people disliked him/her during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	854	92.3 %
1	Some / little (1-2 days)	54	5.8 %
2	Occasionally / moderate (3-4 days)	10	1.1 %
3	Most / all (5-7 days)	3	0.3 %
	Missing Data		
8	Do not know	1	0.1 %
.	-	3	0.3 %
	Total	925	100%

Based upon 921 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 984-984 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

X7CESD20I: Informant could not go during the past week

Value	Label	Unweighted Frequency	%
0	Rarely (< 1 day)	737	79.7 %
1	Some / little (1-2 days)	152	16.4 %
2	Occasionally / moderate (3-4 days)	21	2.3 %
3	Most / all (5-7 days)	12	1.3 %
	Missing Data		
.	-	3	0.3 %
	Total	925	100%

Based upon 922 valid cases out of 925 total cases.

- Minimum: 0.00
- Maximum: 3.00

Location: 985-985 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , .

CESDTOTI: Informant's total CESD scale

Value	Label	Unweighted Frequency	%
0	-	325	35.1 %
1	-	69	7.5 %
2	-	62	6.7 %
3	-	49	5.3 %
4	-	60	6.5 %
5	-	52	5.6 %
6	-	52	5.6 %
7	-	32	3.5 %
8	-	35	3.8 %
9	-	22	2.4 %
10	-	20	2.2 %
11	-	12	1.3 %
12	-	17	1.8 %
13	-	19	2.1 %
14	-	11	1.2 %
15	-	11	1.2 %
16	-	9	1.0 %
17	-	14	1.5 %
18	-	5	0.5 %
19	-	8	0.9 %
20	-	4	0.4 %
21	-	4	0.4 %
22	-	5	0.5 %
23	-	1	0.1 %
24	-	4	0.4 %
27	-	5	0.5 %
28	-	5	0.5 %
34	-	1	0.1 %
36	-	2	0.2 %
37	-	3	0.3 %
43	-	1	0.1 %
44	-	1	0.1 %
45	-	1	0.1 %
46	-	1	0.1 %
	Missing Data		
.	-	3	0.3 %
	Total	925	100%

Based upon 922 valid cases out of 925 total cases.

- Mean: 5.04
- Median: 3.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 46.00
- Standard Deviation: 6.89

Location: 986-987 (width: 2; decimal: 0)

Variable Type: numeric

CC37I: How satisfied is informant with his/her life?

Value	Label	Unweighted Frequency	%
1	Completely	285	30.8 %
2	Very	457	49.4 %
3	Somewhat	169	18.3 %
4	Not at all	11	1.2 %
	Missing Data		
8	Do not know	1	0.1 %
9	Refused	2	0.2 %
	Total	925	100%

Based upon 922 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 4.00

Location: 988-988 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

EE27I: How often does informant go to religious service?

Value	Label	Unweighted Frequency	%
1	Never / almost never	208	22.5 %
2	Several times per year	166	17.9 %
3	Once / twince per month	153	16.5 %
4	Almost every week	305	33.0 %
5	> once a week	90	9.7 %
	Missing Data		
9	Refused	3	0.3 %
	Total	925	100%

Based upon 922 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 5.00

Location: 989-989 (width: 1; decimal: 0)

Variable Type: numeric
(Range of) Missing Values: 8 , 9

KK27I: Informant's number of doctor visits in past year

Value	Label	Unweighted Frequency	%
0	-	213	23.0 %
1	-	147	15.9 %
2	-	150	16.2 %
3	-	103	11.1 %
4	-	122	13.2 %
5	-	23	2.5 %
6	-	37	4.0 %
7	-	7	0.8 %
8	-	14	1.5 %
9	-	9	1.0 %
10	-	14	1.5 %
12	-	43	4.6 %
13	-	1	0.1 %
14	-	2	0.2 %
15	-	9	1.0 %
16	-	1	0.1 %
18	-	1	0.1 %
20	-	8	0.9 %
24	-	6	0.6 %
25	-	3	0.3 %
30	-	5	0.5 %
36	-	2	0.2 %
40	-	1	0.1 %
50	-	2	0.2 %
60	-	1	0.1 %
	Missing Data		
.	-	1	0.1 %
	Total	925	100%

Based upon 924 valid cases out of 925 total cases.

- Mean: 3.78
- Median: 2.00
- Mode: 0.00
- Minimum: 0.00
- Maximum: 60.00
- Standard Deviation: 5.79

Location: 990-991 (width: 2; decimal: 0)

Variable Type: numeric

CC1A7I: Informant's overnight hospital stay in past year

Value	Label	Unweighted Frequency	%
1	Yes	75	8.1 %
2	No	848	91.7 %
	Missing Data		
9	Refused	2	0.2 %
	Total	925	100%

Based upon 923 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 992-992 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9

LL3A7I: Informant's yearly household income

Value	Label	Unweighted Frequency	%
1	\$0-\$4,999	53	5.7 %
2	\$5,000-\$9,999	98	10.6 %
3	\$10,000-\$14,999	127	13.7 %
4	\$15,000-\$19,999	127	13.7 %
5	\$20,000-\$29,999	145	15.7 %
6	\$30,000-\$39,999	119	12.9 %
7	\$40,000-\$49,999	53	5.7 %
8	\$50,000 & Over	109	11.8 %
	Missing Data		
98	Do not know	40	4.3 %
99	Refused	54	5.8 %
	Total	925	100%

Based upon 831 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 8.00

Location: 993-994 (width: 2; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 98 , 99

MM9A7I: Informant has medicare

Value	Label	Unweighted Frequency	%
1	Yes	221	23.9 %
2	No	681	73.6 %
	Missing Data		
9	Refused	8	0.9 %
.	-	15	1.6 %
	Total	925	100%

Based upon 902 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 995-995 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

MM9B7I: Informant has medicaid

Value	Label	Unweighted Frequency	%
1	Yes	123	13.3 %
2	No	770	83.2 %
	Missing Data		
8	Do not know	1	0.1 %
9	Refused	8	0.9 %
.	-	23	2.5 %
	Total	925	100%

Based upon 893 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 996-996 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

MM9C7I: Informant has private insurance

Value	Label	Unweighted Frequency	%
1	Yes	346	37.4 %
2	No	555	60.0 %
	Missing Data		
8	Do not know	3	0.3 %
9	Refused	8	0.9 %
.	-	13	1.4 %

Value	Label	Unweighted Frequency	%
	Total	925	100%

Based upon 901 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 997-997 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

MM9D7I: Informant belongs to an HMO

Value	Label	Unweighted Frequency	%
1	Yes	103	11.1 %
2	No	780	84.3 %
	Missing Data		
8	Do not know	8	0.9 %
9	Refused	8	0.9 %
.	-	26	2.8 %
	Total	925	100%

Based upon 883 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 998-998 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

MM9E7I: Informant has VA insurance

Value	Label	Unweighted Frequency	%
1	Yes	18	1.9 %
2	No	869	93.9 %
	Missing Data		
8	Do not know	2	0.2 %
9	Refused	8	0.9 %
.	-	28	3.0 %
	Total	925	100%

Based upon 887 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 999-999 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

MM9F7I: Informant has other insurance

Value	Label	Unweighted Frequency	%
1	Yes	59	6.4 %
2	No	818	88.4 %
	Missing Data		
8	Do not know	3	0.3 %
9	Refused	8	0.9 %
.	-	37	4.0 %
	Total	925	100%

Based upon 877 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1000-1000 (width: 1; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: 8 , 9 , .

MM9F7ISPEC: Informant has other insurance specified

Value	Label	Unweighted Frequency	%
maske d	-	925	100.0 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

Location: 1001-1006 (width: 6; decimal: 0)

Variable Type: character

OO71AI: Did informant complete survey?

Value	Label	Unweighted Frequency	%
1	Complete	925	100.0 %
2	Incomplete	0	0.0 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 1.00

Location: 1007-1007 (width: 1; decimal: 0)

Variable Type: numeric

OO79LANG1: Language used during interview

Value	Label	Unweighted Frequency	%
1	English	343	37.1 %
2	Spanish	582	62.9 %
	Total	925	100%

Based upon 925 valid cases out of 925 total cases.

- Minimum: 1.00
- Maximum: 2.00

Location: 1008-1008 (width: 1; decimal: 0)

Variable Type: numeric