

# TSACE WEBINAR, WEDNESDAY DECEMBER 14TH 2022



## Using JDemetra+ in R: from version 2 to version 3 Presentation 1: General Outline of the R-JDemetra+ universe

ANNA SMYK AND TANGUY BARTHELEMY  
With the collaboration of Alain Quartier-la-tente

# Contents

---

## 1. Introduction

## 2. Accessing JDemetra+ core routines: from V2 to v3

## 3. Setting up your work environment

# Outline of the webinar

---

## Four presentations

- P1: general introduction
  - highlighting the main evolutions between version 2 and 3
  - outlining the global scope of R tools for JDemetra+
  - defining the scope of the webinar : SA with X-13 and Tramo-Seats (leaving the rest aside... for future webinars ?)
  - working environment set-up
- P2: Focus on SA with X13 or tramo-seats in R and related tools.
- P3: Working in R with JDemetra+ specific data structure (workspaces)
- P4: Quality assesement and production in R

Resources on GitHub: slides, code, additionnal references

[https://github.com/annasmyk/Tsace\\_RJD\\_Webinar\\_Dec22](https://github.com/annasmyk/Tsace_RJD_Webinar_Dec22)

(ref to doc travail v2)

# JDemetra+: a library of algorithms for time series analysis

---

JDemetra+ is a library of algorithms on:

- seasonal adjustment (GUI and R)
- trend and cycle estimation (R only)
- benchmarking and temporal disaggregation (GUI and R)
- nowcasting (R and Plug-in)

They can be accessed via graphical user-interface (GUI) and/or R and/or plug-ins. The available output, functions or tools are in general not identical using R or GUI for example, it is often fruitful to combine them.

JDemetra+ also offers general utilities for time series analysis: tests, autocorrelations functions, arima modelling, spectral analysis tools ... (in GUI and R)



# Why R packages ?

---

Before 2019: access only through GUI and plug-ins.

Why add R packages ?

Allows to immerse JD+ algorithms in the R universe, with all its pre-existing statistical functions and user-community.

In March 2019, RJDemetra (containing X-13 Arima and Tramo-Seats) was published on CRAN: - first  package that enables to use Tramo-Seats - faster than existing  packages on seasonal adjustment

Since, many more packages have been developed as JDemetra+ was upgraded from version 2 to version 3 - extension of scope : High-frequency data, STL - ...

Goals of this webinar - rationale and context for using JD+ in R - highlight the differences from v2 to v3 ("what is new ? what is missing ?")

# Contents

---

## 1. Introduction

## 2. Accessing JDemetra+ core routines: from V2 to v3

## 3. Setting up your work environment

## From V2 to v3: changing gears

---

The mindset of version 3 (vs v2) is

- modularity: independent more specific functions
- more “stand alone” tools (not only retrieving results on )


V2 : RJDemetra (X13-Arima, Tramo-seats, workspace wrangling) and some more specific packages like rjdhhighfreq, rjdsts... (corresponding to the version 2.x family of JD+ Core)

V3 : A suite of packages cf schema

(corresponding to the version 2.x family of JD+ Core) (still under construction, moving perimeters)

# Organisation of the rjd3 packages

## Overview



<https://github.com/palatej?tab=repositories>



## Seasonal adjustment algorithms in JDemetra+ version 3

---

For seasonal adjustment, specifically, JDemetra+ contains:

- X13-Arima (GUI and R)
- Tramo-seats (GUI and R)
- STL (R only)
- STS (SSF framework) (R only)

All of these algorithms can be used with HF data.

For X13-Arima and Tramo seats some illustrations are available only via GUI.

Scope of this webinar : SA with X-13 and Tramo-Seats, including HF data

# Contents

---


## 1. Introduction

## 2. Accessing JDemetra+ core routines: from V2 to v3

## 3. Setting up your work environment

## Installing packages (1/2)

---

They all require Java   $\geq 17$  (see for example installation manual of RJDemetra:


<https://github.com/jdemetra/rjdemetra/wiki/Installation-manual>)

Version 2: RJDemetra is on CRAN

```
install.packages(RJDemetra)
library(RJDemetra)
```

in part 3 and 4 rjdworkspace JDCruncher

```
install.packages(RJDemetra) #maj
library(RJDemetra)
```

You can run v2 and v3 simultaneously Version 3 requires Java   $\geq 17$  see <https://github.com/jdemetra/rjdemetra/wiki/Installation-manual>)

## Installing packages (2/2)

---

Install from GitHub (as not on CRAN yet)

```
# install.packages("remotes")
remotes::install_github("palatej/rjd3toolkit")
remotes::install_github("palatej/rjd3modelling")
remotes::install_github("palatej/rjd3sa")
remotes::install_github("palatej/rjd3arima")
remotes::install_github("palatej/rjd3x13")
remotes::install_github("palatej/rjd3tramoseats")
remotes::install_github("palatej/rjdemetra3")
remotes::install_github("palatej/rjdfilters")
remotes::install_github("palatej/rjd3sts")
remotes::install_github("palatej/rjd3highfreq")
remotes::install_github("palatej/rjd3stl")
remotes::install_github("palatej/rjd3bench")
remotes::install_github("AQLT/ggdemetra3") #additionnal graphics
```