Palmer penguins

Athanasia Mo Mowinckel 10/26/22

Contents

We can write text as normal, interspersed with code that outputs something. We can choose to have the code shown or hidden, or provide the reader with the option to see the code if they wish. We can also reference the figures Figure 1 and Figure 2




Figure 1: Penguin bill length and depth ratio by species

And the order of the figures does not really matter. If you change the order to the figures, but keep their labels, no references will be broken in the report. We can also incorporate text

derived from data to look as if it were "normal" text. Like the number of rows in the data being 344, and the number of female penguins being 165. We can also add footnotes¹, and they will keep themselves numbered and placed correctly²




Figure 2: Penguin density by species

A summary of the observed penguin data can be found in Table 1. For this cross-reference to work, we *need* to have the tbl- prefix in the label name of the chunk that creates the table. The number of the table will update if another table appears before it, meaning you no longer need to deal with number your content correctly.

 $^{^{1}}$ which can be very convenient

 $^{^2\}mathrm{without}$ us really needing to keep it all in mind.

Table 1: Penguin summary

| name | species | Mean | SD | Min | Max | N |
|-------------------|-----------|----------|---------|--------|--------|-----|
| | Adelie | 18.346 | 1.217 | 15.5 | 21.5 | 151 |
| bill depth mm | Chinstrap | 18.421 | 1.135 | 16.4 | 20.8 | 68 |
| r | Gentoo | 14.982 | 0.981 | 13.1 | 17.3 | 123 |
| | Adelie | 38.791 | 2.663 | 32.1 | 46.0 | 151 |
| bill length mm | Chinstrap | 48.834 | 3.339 | 40.9 | 58.0 | 68 |
| | Gentoo | 47.505 | 3.082 | 40.9 | 59.6 | 123 |
| body mass g | Adelie | 3700.662 | 458.566 | 2850.0 | 4775.0 | 151 |
| | Chinstrap | 3733.088 | 384.335 | 2700.0 | 4800.0 | 68 |
| | Gentoo | 5076.016 | 504.116 | 3950.0 | 6300.0 | 123 |
| | Adelie | 189.954 | 6.539 | 172.0 | 210.0 | 151 |
| flipper length mm | Chinstrap | 195.824 | 7.132 | 178.0 | 212.0 | 68 |
| | Gentoo | 217.187 | 6.485 | 203.0 | 231.0 | 123 |

Table 2: Predicting bill length by bill depth, split by species and island.

| species | island | term | estimate | std.error | statistic | p.value |
|-----------|-----------|---------------|----------|-----------|-----------|---------|
| | | (Intercept) | 21.026 | 5.238 | 4.014 | 0.000 |
| | Biscoe | bill depth mm | 0.977 | 0.285 | 3.434 | 0.001 |
| Adelie | Dream | (Intercept) | 18.343 | 4.662 | 3.935 | 0.000 |
| | | bill depth mm | 1.104 | 0.255 | 4.332 | 0.000 |
| | Torgersen | (Intercept) | 28.588 | 5.774 | 4.951 | 0.000 |
| | | bill depth mm | 0.562 | 0.313 | 1.799 | 0.078 |
| Chinstrap | Dream | (Intercept) | 13.428 | 5.057 | 2.655 | 0.010 |
| | | bill depth mm | 1.922 | 0.274 | 7.015 | 0.000 |
| Gentoo | Biscoe | (Intercept) | 17.230 | 3.282 | 5.250 | 0.000 |
| | | bill depth mm | 2.021 | 0.219 | 9.245 | 0.000 |

Models were run independently on data from the different island and species.