## AI1103 Assignement 1

## Hritik Sarkar

January 19, 2022

PDF is given by  $f(x)=ce^{-x^4}, x\in\mathbb{R}$ , where  $c=\frac{2}{\Gamma(\frac{1}{4})}$ . What is the CDF? Answer: Gamma function  $(\Gamma)$  is defined as

$$\Gamma(n) = \int_0^\infty e^{-x} x^{n-1} dx$$

Similarly, upper incomplete Gamma function is defined as

$$\Gamma(n,y) = \int_{y}^{\infty} e^{-x} x^{n-1} dx$$

Cumulative Distribution Function F for a Probability Density Function f is defined as

$$F(y) = P(X \le y) = \int_{-\infty}^{y} f(x)dx$$

• Case 1:  $y \ge 0$ 

$$I = \int_{-\infty}^{y} ce^{-x^{4}} dx$$

$$= \int_{-\infty}^{0} ce^{-x^{4}} dx + \int_{0}^{y} ce^{-x^{4}} dx$$

$$= \int_{0}^{\infty} ce^{-x^{4}} dx + \int_{0}^{y} ce^{-x^{4}} dx$$

$$t = x^{4}$$

$$\Rightarrow dt = 4x^{3}dx$$

$$\Rightarrow dx = \frac{1}{4}t^{-\frac{3}{4}}dt$$

$$\begin{split} I &= \int_{0}^{\infty} \frac{c}{4} e^{-t} t^{(\frac{1}{4}-1)} dt + \int_{0}^{y^{4}} \frac{c}{4} e^{-t} t^{(\frac{1}{4}-1)} dt \\ &= \int_{0}^{\infty} \frac{c}{4} e^{-t} t^{(\frac{1}{4}-1)} dt + \int_{0}^{\infty} \frac{c}{4} e^{-t} t^{(\frac{1}{4}-1)} dt - \int_{y^{4}}^{\infty} \frac{c}{4} e^{-t} t^{(\frac{1}{4}-1)} dt \\ &= \frac{c}{4} \Gamma(\frac{1}{4}) + \frac{c}{4} \Gamma(\frac{1}{4}) - \frac{c}{4} \Gamma(\frac{1}{4}, y^{4}) \\ &= \frac{c}{2} \Gamma(\frac{1}{4}) - \frac{c}{4} \Gamma(\frac{1}{4}, y^{4}) \\ &= 1 - \frac{c}{4} \Gamma(\frac{1}{4}, y^{4}) \end{split} \tag{substituting } c)$$

## • Case 2: y < 0

$$I = \int_{-\infty}^{y} ce^{-x^4} dx$$

$$= \int_{y'}^{\infty} ce^{-x^4} dx \qquad (where y' = -y)$$

$$= \int_{y'^4}^{\infty} \frac{c}{4} e^t t^{(\frac{1}{4} - 1)} dt$$

$$= \frac{c}{4} \Gamma(\frac{1}{4}, y'^4)$$

So,

$$F(y) = \begin{cases} 1 - \frac{c}{4}\Gamma(\frac{1}{4}, y^4), & \text{if } y \ge 0\\ \\ \frac{c}{4}\Gamma(\frac{1}{4}, y^4) & \text{otherwise} \end{cases}$$




Figure 1: PDF




Figure 2: CDF




Figure 3: CDF (Simulated)