Please check the examination det			Other names	
Pearson Edexcel nternational Advanced Level	Centre	Number	Ca	andidate Number
Sample Assessment Materials fo	or first te	aching S	eptember 201	8
(T) 41 22 1 1 1			10/0	
(Time: 1 hour 30 minutes)		Paper R	eference <b>WN</b>	1A14/01
Mathematics International Advance Pure Mathematics P4	ed Lev		eference <b>W</b> N	<u>1A14/01</u>

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

## Instructions

- Use black ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer all questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
   there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

## Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 9 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
  - use this as a guide as to how much time to spend on each question.

## Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over ▶







**(6)** 

## Answer ALL questions. Write your answers in the spaces provided.

1.	Hse	the	hinomial	Series	to find	the	expansion	οf
ı.	$\cup$ SC	uic	UlliUllila	1 201102	to IIIIu	une	Capansion	ΟI

$$\frac{1}{\left(2+5x\right)^3} \qquad |x| < \frac{2}{5}$$

in ascending powers of x, up to and including the term in  $x^3$ 

Give each coefficient as a fraction in its simplest form.

		` ′

estion 1 continued		L
lestion 1 continued		
		Q
	(Total for Question 1 is 6 marks)	

A curve C has the equation

$$x^3 + 2xy - x - y^3 - 20 = 0$$

(a) Find  $\frac{dy}{dx}$  in terms of x and y.

**(5)** 

(b) Find an equation of the tangent to C at the point (3, -2), giving your answer in the form ax + by + c = 0, where a, b and c are integers. **(2)** 

nestion 2 continued		L b
lestion 2 continued		
		Q
	(Total for Question 2 is 7 marks)	

- 3.  $f(x) = \frac{1}{x(3x-1)^2} = \frac{A}{x} + \frac{B}{(3x-1)} + \frac{C}{(3x-1)^2}$ 
  - (a) Find the values of the constants A, B and C

**(4)** 

- (b) (i) Hence find  $\int f(x) dx$ 
  - (ii) Find  $\int_{1}^{2} f(x) dx$ , giving your answer in the form  $a + \ln b$ , where a and b are constants.

10
161
101

estion 3 continued	

	Leave
Question 3 continued	blank
Question 5 continued	
	Q3
	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
(Total for Question 3 is 10 marks)	
(Total for Question 2 is to marks)	

4.




Figure 1

Figure 1 shows a sketch of the curve C with parametric equations

$$x = \sqrt{3}\sin 2t \qquad y = 4\cos^2 t \qquad 0 \leqslant t \leqslant \pi$$

(a) Show that  $\frac{dy}{dx} = k\sqrt{3} \tan 2t$ , where k is a constant to be found.

**(5)** 

(b) Find an equation of the tangent to C at the point where  $t = \frac{\pi}{3}$ 

Give your answer in the form y = ax + b, where a and b are constants.

**(4)** 

	Leave
	blank
Question 4 continued	

Question 4 continued		Leave
Question I continue		
		Q4
	(Total for Question 4 is 9 marks)	




Figure 2

Figure 2 shows a sketch of part of the curve with equation  $y = 4x - xe^{\frac{1}{2}x}$ ,  $x \ge 0$ 

The curve meets the x-axis at the origin O and cuts the x-axis at the point A.

(a) Find, in terms of  $\ln 2$ , the x coordinate of the point A.

**(2)** 

(b) Find 
$$\int x e^{\frac{1}{2}x} dx$$

5.

**(3)** 

The finite region R, shown shaded in Figure 2, is bounded by the x-axis and the curve with equation  $y = 4x - xe^{\frac{1}{2}x}$ ,  $x \ge 0$ 

(c) Find, by integration, the exact value for the area of R.

Give your answer in terms of  $\ln 2$ 

**(3)** 

Pure Mathematics - Sample Assessment Materials (SAMs) - Issue 3 - June 2018 © Pearson Education Limited 2018

	Leave blank
Question 5 continued	

estion 5 continued	

Prove by contradiction that, if a, b are positive real numbers, then $a + b \geqslant 2\sqrt{ab}$	(4)

7.




Figure 3

Figure 3 shows a sketch of the curve C with parametric equations

$$x = 4\cos\left(t + \frac{\pi}{6}\right)$$
  $y = 2\sin t$   $0 \le t \le 2\pi$ 

(a) Show that

$$x + y = 2\sqrt{3}\cos t \tag{3}$$

(b) Show that a cartesian equation of C is

$$(x+y)^2 + ay^2 = b$$

where a and b are integers to be found.

**(2)** 

Leave blank

**(3)** 

**8.** Water is being heated in a kettle. At time t seconds, the temperature of the water is  $\theta$  °C.

The rate of increase of the temperature of the water at time t is modelled by the differential equation

$$\frac{\mathrm{d}\theta}{\mathrm{d}t} = \lambda(120 - \theta) \qquad \theta \leqslant 100$$

where  $\lambda$  is a positive constant.

Given that  $\theta = 20$  when t = 0

(a) solve this differential equation to show that

$$\theta = 120 - 100e^{-\lambda t} \tag{8}$$

When the temperature of the water reaches 100 °C, the kettle switches off.

(b) Given that  $\lambda = 0.01$ , find the time, to the nearest second, when the kettle switches off.

nestion 8 continued	
	_

**9.** With respect to a fixed origin O, the line  $l_1$  is given by the equation

$$\mathbf{r} = \begin{pmatrix} 8 \\ 1 \\ -3 \end{pmatrix} + \mu \begin{pmatrix} -5 \\ 4 \\ 3 \end{pmatrix}$$

where  $\mu$  is a scalar parameter.

The point A lies on  $l_1$  where  $\mu = 1$ 

(a) Find the coordinates of A.

**(1)** 

Leave blank

The point *P* has position vector  $\begin{pmatrix} 1 \\ 5 \\ 2 \end{pmatrix}$ 

The line  $l_2$  passes through the point P and is parallel to the line  $l_1$ 

(b) Write down a vector equation for the line  $l_2$ 

**(2)** 

(c) Find the exact value of the distance AP.

Give your answer in the form  $k\sqrt{2}$ , where k is a constant to be found.

**(2)** 

The acute angle between AP and  $l_2$  is  $\theta$ 

(d) Find the value of  $\cos \theta$ 

**(3)** 

A point E lies on the line  $l_2$ 

Given that AP = PE,

(e) find the area of triangle APE,

**(2)** 

(f) find the coordinates of the two possible positions of E.

**(5)** 

Question 9 continued	blan  -  -
	_
	_
	_
	_
	_
	_
	_
	_
	-
	_
	_
	_
	_
	_
	_
	_
	-
	_
	_
	_
	_
	-
	_
	_
	_
	_
	_
	_
	_
	_