
Preliminary migrate analysis of M. californianus

MIGRATION RATE AND POPULATION SIZE ESTIMATION

using the coalescent and maximum likelihood or Bayesian inference

Migrate-n version 3.7.2 [April-12-18]

Program started at Wed Jun 2 17:54:48 2021 Program finished at Wed Jun 2 23:11:22 2021



Options

Datatype: DNA sequence data

Inheritance scalers in use for Thetas:

All loci use an inheritance scaler of 1.0

[The locus with a scaler of 1.0 used as reference]

Random number seed: (with internal timer) 3126503549

Start parameters:

Theta values were generated from guessed values

Theta = 0.01000

M values were generated from guessed values

M-matrix:

100000.00 [all are the same]

Connection type matrix:

where m = average (average over a group of Thetas or M,

s = symmetric M, S = symmetric 4Nm, 0 = zero, and not estimated,

* = free to vary, Thetas are on diagonal

| Population | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
|------------|---|---|---|---|---|---|---|---|---|----|----|----|
| 1 ElfinCo | m | m | m | m | m | m | m | m | m | m | m | m |
| 2 Bamfiel | m | m | m | m | m | m | m | m | m | m | m | m |
| 3 PortRen | m | m | m | m | m | m | m | m | m | m | m | m |
| 4 WalkOnB | m | m | m | m | m | m | m | m | m | m | m | m |
| 5 BodegaH | m | m | m | m | m | m | m | m | m | m | m | m |
| 6 Davenpo | m | m | m | m | m | m | m | m | m | m | m | m |
| 7 VistaDe | m | m | m | m | m | m | m | m | m | m | m | m |
| 8 HazardR | m | m | m | m | m | m | m | m | m | m | m | m |
| 9 Refugio | m | m | m | m | m | m | m | m | m | m | m | m |
| 10 Carpint | m | m | m | m | m | m | m | m | m | m | m | m |

| 11 WhitePo | * * | * * * | * * * * * * |
|----------------|---|--|-------------------------|
| | * * | * * * | * * * * * * |
| 12 LaJolla | ^ * | ^ | |
| | | | |
| | | | |
| Order of param | | 0 | |
| 1 | $\Theta_1 =$ | Θ_1 [m] | |
| 2 | Θ_2 = | Θ_1 [m] | |
| 3 | $\Theta_3^2 =$ | Θ_1 [m] | |
| 4 | $\Theta_4 =$ | Θ_1 [m] | |
| 5 | $\Theta_5^{T} =$ | Θ_1 [m] | |
| 6 | Θ_6 = | Θ_1 [m] | |
| 7 | $\Theta_7 =$ | Θ_1 [m] | |
| 8 | $\Theta_8 =$ | Θ_1 [m] | |
| 9 | $\Theta_{0} =$ | Θ_1 [m] | |
| 10 | Θ_{10} = | Θ_1 [m] | |
| 11 | Θ_{11} | | <displayed></displayed> |
| 12 | Θ_{12} | | <displayed></displayed> |
| 13 | $M_{2->1}^{12} =$ | $M_{2->1}$ [m] | <displayed></displayed> |
| 14 | $M_{3->1} =$ | $M_{2->1}$ [m] | |
| 15 | $M_{4->1}^{3} =$ | $M_{2->1}^{2}$ [m] | |
| 16 | $M_{5->1}^{7-1} =$ | M $_{2->1}^{2}$ [m] | |
| 17 | $M_{6->1}^{5->1} =$ | $M_{2->1}^{2->1}$ [m] | |
| 18 | $M_{7->1} =$ | $M_{2->1}$ [m] | |
| 19 | $M_{8->1}^{7->1} =$ | $M_{2->1}$ [m] | |
| 20 | $M_{9->1}^{6->1} =$ | M $_{2->1}^{2->1}$ [m] | |
| 21 | M | $M_{2->1}$ [m] | |
| 22 | 10->1 | M $_{2->1}^{2->1}$ [m] | |
| 23 | M | M $_{2->1}^{2->1}$ [m] | |
| 24 | 12->1 | $M_{2->1}$ [m] | |
| 25 | $M_{1->2} = M_{3->2} = M_{1->2}$ | $M_{2->1}$ [m] | |
| 26 | $M_{4->2} = M_{4->2}$ | $M_{2->1}$ [m] | |
| 27 | $M_{5->2} = M_{5->2}$ | $M_{2->1}$ [m] $M_{2->1}$ [m] | |
| 28 | $M_{5->2} = M_{6->2} = M_{5->2}$ | $M_{2->1}$ [m] $M_{2->1}$ [m] | |
| 29 | $M_{6\rightarrow 2} = M_{7\rightarrow 2} =$ | M [m] | |
| 30 | 1-22 | $\begin{array}{cc} M & [m] \\ M & [m] \end{array}$ | |
| 31 | M _{8->2} = | $M = \begin{bmatrix} M \\ 2->1 \end{bmatrix} $ [m] | |
| 32 | M _{9->2} = | $M_{2\rightarrow 1} [m]$ | |
| 33 | $M_{10->2} = M_{10->2}$ | M = [m] $M = [m]$ | |
| 34 | $M_{11->2} = M_{11->2}$ | $M = \begin{bmatrix} M \\ 2->1 \end{bmatrix} $ [m] | |
| 35 | $M_{12->2} =$ | M = [m] | |
| | $M_{1->3} = M_{1->3}$ | $M_{2\rightarrow 1} [m]$ | |
| 36 | $M_{2->3} =$ | $M_{2\rightarrow 1} [m]$ | |
| 37 | $M_{4->3} =$ | $M_{2->1}$ [m] | |
| 38 | $M_{5->3} =$ | $M_{2->1}$ [m] | |
| 39 | IVI _{6->3} = | $M_{2->1}$ [m] | |
| 40 | $M_{7->3} =$ | $M_{2->1}$ [m] | |

```
\overline{\mathsf{M}}_{8->3} =
41
                                   M _{2->1} [m]
                  M _{9->3} =
42
                                   M_{2->1} [m]
                 M _{10->3} =
43
                                   M_{2->1} [m]
                 M _{11->3} =
44
                                   M _{2->1} [m]
                 M _{12->3} =
                                   M _{2->1} [m]
45
                  M_{1->4} =
46
                                   M_{2->1} [m]
                 M _{2\rightarrow 4} =
47
                                   M _{2->1} [m]
                  M_{3->4} =
48
                                   M _{2->1} [m]
49
                  M_{5->4} =
                                   M _{2->1} [m]
                 M _{6->4} =
50
                                   M_{2->1} [m]
                 M _{7->4} =
51
                                   M _{2->1} [m]
52
                  M_{8->4} =
                                   M_{2->1} [m]
53
                  M_{9->4} =
                                   M _{2->1} [m]
                 M _{10->4} =
54
                                   M_{2->1} [m]
55
                  M_{11->4} =
                                   M _{2->1} [m]
56
                 M _{12->4} =
                                   M _{2->1} [m]
                 \mathsf{M}_{1->5} \;\; = \;\;
                                   M _{2->1} [m]
57
                  M_{2->5} =
58
                                   M _{2->1} [m]
                 M_{3->5} =
                                   M_{2->1} [m]
59
                 M_{4->5} =
                                   M _{2->1} [m]
60
                 M _{6->5} =
61
                                   M_{2->1} [m]
                 M _{7->5} =
62
                                   M _{2->1} [m]
                 M_{8->5} =
                                   M _{2->1} [m]
63
                  M_{9->5} =
                                   M_{2->1} [m]
64
                 M _{10->5} =
65
                                   M_{2->1} [m]
                  M_{11->5} =
66
                                   M _{2->1} [m]
                 M _{12->5} =
                                   M _{2->1} [m]
67
                 M_{1->6} =
                                   M _{2->1} [m]
68
                 M_{2->6} =
69
                                   M _{2->1} [m]
                 M _{3->6} =
70
                                   M _{2->1} [m]
71
                  M_{4->6} =
                                   M_{2->1} [m]
                 M _{5->6} =
72
                                   M_{2->1} [m]
                 M_{7->6} =
73
                                   M _{2->1} [m]
74
                  M_{8->6} =
                                   M _{2->1} [m]
                 M _{9->6} =
75
                                   M _{2->1} [m]
                 M _{10->6} =
                                   M _{2->1} [m]
76
77
                  M_{11->6} =
                                   M _{2->1} [m]
78
                 M_{12->6} =
                                   M_{2->1} [m]
                 M_{1->7} =
79
                                   M _{2->1} [m]
                  M_{2->7} =
80
                                   M _{2->1} [m]
                 M_{3->7} =
81
                                   M _{2->1} [m]
                 M_{4->7} =
82
                                   M _{2->1} [m]
                  M _{5->7} =
83
                                   M_{2->1} [m]
                 M _{6\rightarrow7}
                                   M _{2->1} [m]
84
                 M _{8->7}
                                   M _{2->1} [m]
85
```

```
\overline{\mathsf{M}}_{9->7} =
                                     _{2\rightarrow 1} [m]
86
                 M _{10->7} =
87
                                  M_{2->1} [m]
                                  M _{2->1} [m]
88
                     11->7 =
                                  M _{2->1} [m]
89
                 M
                     12->7 =
                                  M_{2->1} [m]
90
                 M
                     1->8 =
91
                 M
                                  M_{2->1} [m]
                     2->8 =
92
                 M
                                  M _{2->1} [m]
                     3->8 =
                                  M _{2->1} [m]
93
                     4->8 =
94
                 M
                                  M_{2->1} [m]
                     5->8 =
95
                 M
                                  M_{2->1} [m]
                     6->8 =
                 M _{7->8} =
96
                                  M _{2->1} [m]
97
                 M_{9->8} =
                                  M_{2->1} [m]
                 M _{10->8} =
98
                                  M _{2->1} [m]
                 M _{11->8} =
99
                                  M_{2->1} [m]
100
                                  M_{2->1} [m]
                     12->8 =
                 M_{1->9} =
101
                                  M_{2->1} [m]
102
                 M
                                  M_{2->1} [m]
                     2->9 =
103
                 M
                     3->9 =
                                  M _{2->1} [m]
104
                                  M_{2->1} [m]
                 M
                     4->9 =
105
                 M
                                  M _{2->1} [m]
                     5->9 =
106
                 M
                                  M_{2->1} [m]
                     6->9 =
107
                                  M_{2->1} [m]
                     7->9 =
108
                                  M _{2->1} [m]
                 M
                     8->9 =
109
                 M
                                  M_{2->1} [m]
                     _{10->9} =
110
                 M
                     <sub>11->9</sub> =
                                  M_{2->1} [m]
111
                 M
                                  M_{2->1} [m]
                     12->9 =
                                  M _{2->1} [m]
112
                     1->10
                 M _{2->10} =
113
                                  M_{2->1} [m]
114
                 M
                                  M _{2->1} [m]
                     _{3->10} =
                                  M _{2->1} [m]
115
                 M
                     4->10
116
                                  M _{2->1} [m]
                     5->10 =
117
                 M
                     6->10
                                  M_{2->1} [m]
                                  M _{2->1} [m]
118
                     7->10
                 M _{8->10} =
                                  M _{2->1} [m]
119
                 M _{9->10} =
120
                                  M _{2->1} [m]
                                  M _{2->1} [m]
121
                 M
                     11->10
122
                 M
                     12->10
                                  M _{2->1} [m]
                 M _{1->11}
123
                                                    <displayed>
                 M _{2\rightarrow11}
124
                                                    <displayed>
                 M _{3->11}
125
                                                    <displayed>
                 M _{4->11}
126
                                                    <displayed>
                 M _{5->11}
127
                                                    <displayed>
128
                 Μ
                                                    <displayed>
                     6->11
129
                 M
                                                    <displayed>
                     7->11
130
                 M
                                                    <displayed>
                     8->11
```

| | | FIGIII | illiary migrate and | ilysis of M. Calliott | lianus COT hapit | otypes for Evolution 2 5 |
|------------|--------------------|---------------|---------------------|-----------------------|------------------|----------------------------|
| 131 | M ₉₋ | ->11 | <(| displayed> | | |
| 132 | N A |)->11 | < | displayed> | | |
| 133 | N/I | 2->11 | < | displayed> | | |
| 134 | R A | ->12 | < | displayed> | | |
| 135 | N A | ->12 | < | displayed> | | |
| 136 | Ν.1 | ->12 | < | displayed> | | |
| 137 | N/I | ->12 | < | displayed> | | |
| 138 | N / | ->12 | < | displayed> | | |
| 139 | N/I | ->12 | < | displayed> | | |
| 140 | R A | ->12 | <(| displayed> | | |
| 141 | N A | ->12 | <(| displayed> | | |
| 142 | R A | ->12 | <(| displayed> | | |
| 143 | N/I |)->12 | <(| displayed> | | |
| 144 | N/I | l->12 | < | displayed> | | |
| | | . , .= | | | | |
| | | | | | | |
| Mutation | rate among loc | i: | | | M | flutation rate is constant |
| | | | | | | |
| Analysis | strategy: | | | | | Bayesian inference |
| | | | | | | |
| Proposal | distributions fo | r parameter | | | | |
| Paramete | er | | Proposal | | | |
| Theta | | Me | tropolis sampling | | | |
| М | | | Slice sampling | | | |
| | | | | | | |
| Prior dist | ribution for para | meter | | | | |
| Paramete | er Prior | Minimum | Mean* | Maximum | Delta | a Bins |
| Theta | Exp window | 0.000010 | 0.010000 | 10.000000 | 1.000000 | 500 |
| М | Exp window | 0.000100 | 100000.000000 | 1000000.000000 | 100000.000000 | 500 |
| | | | | | | |
| | | | | | | |
| Markov c | hain settings: | | | | | Long chain |
| Number of | of chains | | | | | 1 |
| Record | led steps [a] | | | | | 1000 |
| Increm | ent (record eve | ry x step [b] | | | | 100 |
| Numbe | er of concurrent | chains (repli | cates) [c] | | | 3 |
| | (sampled) para | , , | , | | | 300000 |
| | er of discard tree | | | | | 1000 |
| | | · | , | | | |
| Multiple N | Markov chains: | | | | | |
| | neating scheme | ! | | | 4 ch | nains with temperatures |
| | J | | | 1000 | 00.00 3.00 | • |
| | | | | | | Swapping interval is 1 |
| I | | | | | | -11 3 |

Print options:

| Data file: | //mcalifornianus_210528.mig |
|---|-----------------------------|
| Output file: | outfile.txt |
| Posterior distribution raw histogram file: | bayesfile |
| Print data: | No |
| Print genealogies [only some for some data type]: | None |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Data summary

Datatype: Sequence data
Number of loci: 1

| Population | Locus | Gene copies | |
|--------------------------|-------|-------------|--|
| 1 ElfinCo | 1 | 19 | |
| 2 Bamfiel | 1 | 23 | |
| 3 PortRen | 1 | 15 | |
| 4 WalkOnB | 1 | 16 | |
| 5 BodegaH | 1 | 7 | |
| 6 Davenpo | 1 | 17 | |
| 7 VistaDe | 1 | 19 | |
| 8 HazardR | 1 | 23 | |
| 9 Refugio | 1 | 16 | |
| 10 Carpint | 1 | 19 | |
| 11 WhitePo | 1 | 11 | |
| 12 LaJolla | 1 | 8 | |
| Total of all populations | 1 | 193 | |
| 1 | | | |

Bayesian Analysis: Posterior distribution table

| Locus | Parameter | 2.5% | 25.0% | Mode | 75.0% | 97.5% | Median | Mean |
|-------|-----------------------|---------|---------|---------|---------|---------|---------|---------|
| 1 | Θ_1 | 0.00001 | 0.00001 | 0.01001 | 0.06001 | 0.16001 | 0.07001 | 0.00056 |
| 1 | Θ_2 | 0.00001 | 0.00001 | 0.01001 | 0.06001 | 0.16001 | 0.07001 | 0.00056 |
| 1 | Θ_3^- | 0.00001 | 0.00001 | 0.01001 | 0.06001 | 0.16001 | 0.07001 | 0.00056 |
| 1 | Θ_4 | 0.00001 | 0.00001 | 0.01001 | 0.06001 | 0.16001 | 0.07001 | 0.00056 |
| 1 | Θ_5 | 0.00001 | 0.00001 | 0.01001 | 0.06001 | 0.16001 | 0.07001 | 0.00056 |
| 1 | Θ_6 | 0.00001 | 0.00001 | 0.01001 | 0.06001 | 0.16001 | 0.07001 | 0.00056 |
| 1 | Θ_7 | 0.00001 | 0.00001 | 0.01001 | 0.06001 | 0.16001 | 0.07001 | 0.00056 |
| 1 | Θ_8 | 0.00001 | 0.00001 | 0.01001 | 0.06001 | 0.16001 | 0.07001 | 0.00056 |
| 1 | Θ_9 | 0.00001 | 0.00001 | 0.01001 | 0.06001 | 0.16001 | 0.07001 | 0.00056 |
| 1 | Θ_{10} | 0.00001 | 0.00001 | 0.01001 | 0.06001 | 0.16001 | 0.07001 | 0.00056 |
| 1 | Θ_{11} | 0.00001 | 0.00001 | 0.01001 | 0.06001 | 0.16001 | 0.07001 | 0.01007 |
| 1 | Θ_{12} | 0.00001 | 0.00001 | 0.01001 | 0.06001 | 0.16001 | 0.07001 | 0.01177 |
| 1 | M _{2->1} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{3->1} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{4->1} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{5->1} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{6->1} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{7->1} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{8->1} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{9->1} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{10->1} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{11->1} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{12->1} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{1->2} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | $M_{3->2}$ | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | $M_{4->2}$ | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{5->2} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{6->2} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{7->2} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{8->2} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{9->2} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{10->2} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{11->2} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{12->2} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{1->3} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{2->3} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |

| Locus | Parameter | 2.5% | 25.0% | Mode | 75.0% | 97.5% | Median | Mean |
|-------|------------------------------|---------|---------|---------|---------|---------|---------|---------|
| 1 | M _{4->3} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{5->3} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{6->3} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{7->3} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{8->3} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{9->3} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{10->3} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{11->3} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{12->3} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{1->4} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{2->4} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{3->4} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{5->4} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{6->4} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{7->4} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{8->4} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{9->4} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{10->4} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{11->4} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{12->4} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{1->5} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{2->5} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | 2->5 M _{3->5} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | 3->5 M _{4->5} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | 4->5 M _{6->5} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | 6->5 M _{7->5} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | 7->5 M _{8->5} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | 8->5 M _{9->5} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{10->5} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{11->5} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{12->5} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{1->6} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{2->6} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{3->6} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{4->6} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{5->6} M | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{7->6} M | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{8->6} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | М _{9->6} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| | M _{10->6} | 36000.0 | | 63000.0 | 70000.0 | 90000.0 | | |
| 1 | M _{11->6} | 30000.0 | 48000.0 | 03000.0 | 10000.0 | 90000.U | 65000.0 | 62555.0 |

| Locus | Parameter | 2.5% | 25.0% | Mode | 75.0% | 97.5% | Median | Mean |
|-------|--------------------------------|---------|---------|---------|---------|---------|---------|---------|
| 1 | M _{12->6} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{1->7} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{2->7} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{3->7} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{4->7} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{5->7} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{6->7} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{8->7} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{9->7} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{10->7} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{11->7} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{12->7} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{1->8} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{2->8} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{3->8} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{4->8} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{5->8} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{6->8} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{7->8} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{9->8} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{10->8} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{11->8} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{12->8} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{1->9} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{2->9} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{3->9} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{4->9} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{5->9} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{6->9} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{7->9} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{8->9} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{10->9} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{11->9} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{12->9} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | 12->9 M _{1->10} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | 1->10 M _{2->10} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | 2->10 M _{3->10} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{4->10} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{5->10} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{6->10} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{7->10} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |

| Locus | Parameter | 2.5% | 25.0% | Mode | 75.0% | 97.5% | Median | Mean |
|-------|------------------------|---------|----------|----------|----------|----------|----------|----------|
| | | | | | | | | |
| 1 | M _{8->10} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{9->10} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{11->10} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{12->10} | 36000.0 | 48000.0 | 63000.0 | 70000.0 | 90000.0 | 65000.0 | 62555.0 |
| 1 | M _{1->11} | 64000.0 | 122000.0 | 147000.0 | 178000.0 | 286000.0 | 165000.0 | 173116.6 |
| 1 | M _{2->11} | 12000.0 | 32000.0 | 61000.0 | 82000.0 | 104000.0 | 73000.0 | 97390.8 |
| 1 | M _{3->11} | 8000.0 | 20000.0 | 33000.0 | 48000.0 | 198000.0 | 103000.0 | 98297.4 |
| 1 | M _{4->11} | 0.0 | 0.0 | 21000.0 | 42000.0 | 50000.0 | 143000.0 | 163716.8 |
| 1 | M _{5->11} | 40000.0 | 60000.0 | 77000.0 | 96000.0 | 154000.0 | 87000.0 | 89266.5 |
| 1 | M _{6->11} | 0.0 | 0.0 | 1000.0 | 18000.0 | 30000.0 | 59000.0 | 129680.4 |
| 1 | M _{7->11} | 16000.0 | 30000.0 | 49000.0 | 72000.0 | 134000.0 | 69000.0 | 72645.5 |
| 1 | M _{8->11} | 28000.0 | 42000.0 | 59000.0 | 78000.0 | 160000.0 | 119000.0 | 127425.8 |
| 1 | M _{9->11} | 70000.0 | 106000.0 | 131000.0 | 160000.0 | 206000.0 | 137000.0 | 136427.8 |
| 1 | M _{10->11} | 4000.0 | 14000.0 | 35000.0 | 56000.0 | 120000.0 | 85000.0 | 95923.1 |
| 1 | M _{12->11} | 78000.0 | 94000.0 | 107000.0 | 156000.0 | 236000.0 | 145000.0 | 148313.2 |
| 1 | M _{1->12} | 68000.0 | 156000.0 | 181000.0 | 206000.0 | 288000.0 | 173000.0 | 171180.0 |
| 1 | M _{2->12} | 60000.0 | 92000.0 | 121000.0 | 136000.0 | 172000.0 | 117000.0 | 116506.2 |
| 1 | M _{3->12} | 2000.0 | 14000.0 | 35000.0 | 52000.0 | 114000.0 | 47000.0 | 52707.2 |
| 1 | M _{4->12} | 24000.0 | 36000.0 | 59000.0 | 82000.0 | 212000.0 | 161000.0 | 222956.3 |
| 1 | M _{5->12} | 48000.0 | 122000.0 | 155000.0 | 172000.0 | 190000.0 | 133000.0 | 124667.4 |
| 1 | M _{6->12} | 12000.0 | 24000.0 | 41000.0 | 66000.0 | 138000.0 | 65000.0 | 69920.3 |
| 1 | M _{7->12} | 48000.0 | 66000.0 | 83000.0 | 102000.0 | 130000.0 | 77000.0 | 65711.2 |
| 1 | M _{8->12} | 42000.0 | 54000.0 | 75000.0 | 96000.0 | 232000.0 | 181000.0 | 197397.0 |
| 1 | M _{9->12} | 90000.0 | 106000.0 | 131000.0 | 158000.0 | 246000.0 | 149000.0 | 156619.0 |
| 1 | M _{10->12} | 24000.0 | 36000.0 | 49000.0 | 72000.0 | 194000.0 | 107000.0 | 107494.5 |
| 1 | M _{11->12} | 84000.0 | 108000.0 | 153000.0 | 174000.0 | 308000.0 | 163000.0 | 177395.3 |


Citation suggestions:


Beerli P., 2006. Comparison of Bayesian and maximum-likelihood inference of population genetic parameters. Bioinformatics 22:341-345


Beerli P., 2007. Estimation of the population scaled mutation rate from microsatellite data, Genetics, 177:1967-1968.


Beerli P., 2009. How to use MIGRATE or why are Markov chain Monte Carlo programs difficult to use? In Population Genetics for Animal Conservation, G. Bertorelle, M. W. Bruford, H. C. Hauffe, A. Rizzoli, and C. Vernesi, eds., vol. 17 of Conservation Biology, Cambridge University Press, Cambridge UK, pp. 42-79.

Bayesian Analysis: Posterior distribution over all loci









Log-Probability of the data given the model (marginal likelihood)

Use this value for Bayes factor calculations:

BF = Exp[ln(Prob(D | thisModel) - ln(Prob(D | otherModel) or as LBF = 2 (ln(Prob(D | thisModel) - ln(Prob(D | otherModel)) shows the support for thisModel]

| Method | In(Prob(D Model)) | Notes |
|---------------------------|-------------------|-------|
| Thermodynamic integration | -2383.291286 | (1a) |
| | -2277.136246 | (1b) |
| Harmonic mean | -1983.810875 | (2) |

(1a, 1b and 2) are approximations to the marginal likelihood, make sure that the program run long enough! (1a, 1b) and (2) should give similar results, in principle.

But (2) is overestimating the likelihood, it is presented for historical reasons and should not be used (1a, 1b) needs heating with chains that span a temperature range of 1.0 to at least 100,000.

(1b) is using a Bezier-curve to get better approximations for runs with low number of heated chains

Citation suggestions:

Beerli P. and M. Palczewski, 2010. Unified framework to evaluate panmixia and migration direction among multiple sampling locations, Genetics, 185: 313-326.

Acceptance ratios for all parameters and the genealogies

| Parameter | Accepted changes | Ratio |
|--|------------------|---------|
| Θ_1 | 11/1044 | 0.01054 |
| Θ_2 | 11/1044 | 0.01054 |
| Θ_3^2 | 11/1044 | 0.01054 |
| Θ_4° | 11/1044 | 0.01054 |
| Θ_5^7 | 11/1044 | 0.01054 |
| Θ_6° | 11/1044 | 0.01054 |
| Θ_7° | 11/1044 | 0.01054 |
| $\Theta_{8}^{'}$ | 11/1044 | 0.01054 |
| Θ_9° | 11/1044 | 0.01054 |
| $\Theta_{10}^{'}$ | 11/1044 | 0.01054 |
| Θ_{11}^{10} | 680/1071 | 0.63492 |
| Θ_{12}^{11} | 782/1077 | 0.72609 |
| $M_{2->1}^{12}$ | 1025/1025 | 1.00000 |
| 2->1 N 1 | 1025/1025 | 1.00000 |
| $M_{4\rightarrow 1} = \frac{3-1}{4-1}$ | 1025/1025 | 1.00000 |
| $M_{5->1}^{4->1}$ | 1025/1025 | 1.00000 |
| 5->1 M | 1025/1025 | 1.00000 |
| 0->1 | 1025/1025 | 1.00000 |
| /->1 \ / | 1025/1025 | 1.0000 |
| 8->1 M | 1025/1025 | 1.0000 |
| 9->1 \ / I | 1025/1025 | 1.00000 |
| 10->1 \ / | 1025/1025 | 1.00000 |
| 11->1 | 1025/1025 | 1.00000 |
| 12->1 \ / | 1025/1025 | 1.00000 |
| 1->2 | 1025/1025 | 1.00000 |
| 3->2 \1 | 1025/1025 | 1.00000 |
| 4->2 \1 | 1025/1025 | 1.00000 |
| 3->2 M | 1025/1025 | 1.00000 |
| 0->2 M | 1025/1025 | 1.00000 |
| /->2 N/I | 1025/1025 | 1.00000 |
| 8->2 M | 1025/1025 | 1.00000 |
| 9->2 \1 | 1025/1025 | 1.00000 |
| 10->2 \/ I | 1025/1025 | 1.00000 |
| 11->Z | | 1.00000 |
| 12->2 | 1025/1025 | |
| M 1->3 | 1025/1025 | 1.00000 |
| M _{2->3} | 1025/1025 | 1.00000 |
| M _{4->3} | 1025/1025 | 1.00000 |

| M _{5->3} | 1025/1025 | 1.00000 |
|-----------------------|-----------|---------|
| M _{6->3} | 1025/1025 | 1.00000 |
| M _{7->3} | 1025/1025 | 1.00000 |
| M _{8->3} | 1025/1025 | 1.00000 |
| $M_{9->3}$ | 1025/1025 | 1.00000 |
| M 10->3 | 1025/1025 | 1.00000 |
| M 11->3 | 1025/1025 | 1.00000 |
| M _{12->3} | 1025/1025 | 1.00000 |
| M _{1->4} | 1025/1025 | 1.00000 |
| M _{2->4} | 1025/1025 | 1.00000 |
| $M_{3\rightarrow4}$ | 1025/1025 | 1.00000 |
| M _{5->4} | 1025/1025 | 1.00000 |
| M _{6->4} | 1025/1025 | 1.00000 |
| M _{7->4} | 1025/1025 | 1.00000 |
| M _{8->4} | 1025/1025 | 1.00000 |
| M _{9->4} | 1025/1025 | 1.00000 |
| M 10->4 | 1025/1025 | 1.00000 |
| M 11->4 | 1025/1025 | 1.00000 |
| M _{12->4} | 1025/1025 | 1.00000 |
| M _{1->5} | 1025/1025 | 1.00000 |
| M _{2->5} | 1025/1025 | 1.00000 |
| M _{3->5} | 1025/1025 | 1.00000 |
| M _{4->5} | 1025/1025 | 1.00000 |
| M _{6->5} | 1025/1025 | 1.00000 |
| M 7->5 | 1025/1025 | 1.00000 |
| M _{8->5} | 1025/1025 | 1.00000 |
| M _{9->5} | 1025/1025 | 1.00000 |
| M _{10->5} | 1025/1025 | 1.00000 |
| M _{11->5} | 1025/1025 | 1.00000 |
| M _{12->5} | 1025/1025 | 1.00000 |
| M _{1->6} | 1025/1025 | 1.00000 |
| M _{2->6} | 1025/1025 | 1.00000 |
| M 3->6 | 1025/1025 | 1.00000 |
| M 4->6 | 1025/1025 | 1.00000 |
| M 5->6 | 1025/1025 | 1.00000 |
| M 7->6 | 1025/1025 | 1.00000 |
| M 8->6 | 1025/1025 | 1.00000 |
| M 9->6 | 1025/1025 | 1.00000 |
| M 10->6 | 1025/1025 | 1.00000 |
| M 11->6 | 1025/1025 | 1.00000 |
| M 12->6 | 1025/1025 | 1.00000 |
| M 1->7 | 1025/1025 | 1.00000 |
| M 2->7 | 1025/1025 | 1.00000 |
| M 3->7 | 1025/1025 | 1.00000 |
| M _{4->7} | 1025/1025 | 1.00000 |
| l | | |

| M _{5->7} | 1025/1025 | 1.00000 |
|------------------------|-----------|---------|
| M _{6->7} | 1025/1025 | 1.00000 |
| M _{8->7} | 1025/1025 | 1.00000 |
| M _{9->7} | 1025/1025 | 1.00000 |
| M 10->7 | 1025/1025 | 1.00000 |
| M 11->7 | 1025/1025 | 1.00000 |
| M _{12->7} | 1025/1025 | 1.00000 |
| M 1->8 | 1025/1025 | 1.00000 |
| $M_{2\rightarrow 8}$ | 1025/1025 | 1.00000 |
| $M_{3->8}$ | 1025/1025 | 1.00000 |
| M _{4->8} | 1025/1025 | 1.00000 |
| $M_{5->8}$ | 1025/1025 | 1.00000 |
| M _{6->8} | 1025/1025 | 1.00000 |
| M 7->8 | 1025/1025 | 1.00000 |
| $M_{9->8}$ | 1025/1025 | 1.00000 |
| M 10->8 | 1025/1025 | 1.00000 |
| $M_{11->8}^{10->6}$ | 1025/1025 | 1.00000 |
| M 12->8 | 1025/1025 | 1.00000 |
| M 1->9 | 1025/1025 | 1.00000 |
| M _{2->9} | 1025/1025 | 1.00000 |
| $M_{3->9}$ | 1025/1025 | 1.00000 |
| M _{4->9} | 1025/1025 | 1.00000 |
| M _{5->9} | 1025/1025 | 1.00000 |
| M _{6->9} | 1025/1025 | 1.00000 |
| M _{7->9} | 1025/1025 | 1.00000 |
| M _{8->9} | 1025/1025 | 1.00000 |
| M _{10->9} | 1025/1025 | 1.00000 |
| M _{11->9} | 1025/1025 | 1.00000 |
| M _{12->9} | 1025/1025 | 1.00000 |
| M _{1->10} | 1025/1025 | 1.00000 |
| M 2->10 | 1025/1025 | 1.00000 |
| M _{3->10} | 1025/1025 | 1.00000 |
| M _{4->10} | 1025/1025 | 1.00000 |
| M _{5->10} | 1025/1025 | 1.00000 |
| M _{6->10} | 1025/1025 | 1.00000 |
| M _{7->10} | 1025/1025 | 1.00000 |
| M _{8->10} | 1025/1025 | 1.00000 |
| M _{9->10} | 1025/1025 | 1.00000 |
| M _{11->10} | 1025/1025 | 1.00000 |
| M _{12->10} | 1025/1025 | 1.00000 |
| M _{1->11} | 995/995 | 1.00000 |
| M _{2->11} | 1018/1018 | 1.00000 |
| M _{3->11} | 1104/1104 | 1.00000 |
| M _{4->11} | 1011/1011 | 1.00000 |
| M _{5->11} | 1031/1031 | 1.00000 |
| | | |

| M 6 3 11 | 1041/1041 | 1.00000 |
|------------------------|--------------|---------|
| 0->11 | | |
| M 7->11 | 998/998 | 1.00000 |
| M _{8->11} | 1035/1035 | 1.00000 |
| M _{9->11} | 1053/1053 | 1.00000 |
| M 10->11 | 1038/1038 | 1.00000 |
| M _{12->11} | 1051/1051 | 1.00000 |
| M _{1->12} | 1024/1024 | 1.00000 |
| M _{2->12} | 995/995 | 1.00000 |
| M _{3->12} | 1034/1034 | 1.00000 |
| M _{4->12} | 1046/1046 | 1.00000 |
| M _{5->12} | 1038/1038 | 1.00000 |
| M _{6->12} | 996/996 | 1.00000 |
| M _{7->12} | 1046/1046 | 1.00000 |
| M _{8->12} | 987/987 | 1.00000 |
| M _{9->12} | 1025/1025 | 1.00000 |
| M 10->12 | 1070/1070 | 1.00000 |
| $M_{11->12}$ | 1002/1002 | 1.00000 |
| Genealogies | 23777/150367 | 0.15813 |
| | | |

MCMC-Autocorrelation and Effective MCMC Sample Size

| Parameter | Autocorrelation | Effective Sampe Size |
|--|-----------------|----------------------|
| Θ_1 | 0.99119 | 13.27 |
| $\Theta_2^{^1}$ | 0.99119 | 13.27 |
| Θ_3^2 | 0.99119 | 13.27 |
| Θ_4° | 0.99119 | 13.27 |
| Θ_{5} | 0.99119 | 13.27 |
| 96 | 0.99119 | 13.27 |
| \mathbf{p}_7° | 0.99119 | 13.27 |
|) ₈ | 0.99119 | 13.27 |
| 09 | 0.99119 | 13.27 |
| 910 | 0.99119 | 13.27 |
|) ₁₁ | 0.84484 | 252.18 |
| 12 | 0.80806 | 320.53 |
| 1 2->1 | 0.98953 | 15.77 |
| 1 3->1 | 0.98953 | 15.77 |
| 1 _{4->1} | 0.98953 | 15.77 |
| 1 5->1 | 0.98953 | 15.77 |
| 1 6->1 | 0.98953 | 15.77 |
| 1 _{7->1} | 0.98953 | 15.77 |
| 1 8->1 | 0.98953 | 15.77 |
| 1 9->1 | 0.98953 | 15.77 |
| 10->1 | 0.98953 | 15.77 |
| 11->1 | 0.98953 | 15.77 |
| 11->1 | 0.98953 | 15.77 |
| 1 1->2 | 0.98953 | 15.77 |
| $1 \frac{1->2}{3->2}$ | 0.98953 | 15.77 |
| 1 4->2 | 0.98953 | 15.77 |
| 1 5->2 | 0.98953 | 15.77 |
| 1 6->2 | 0.98953 | 15.77 |
| 1 7->2 | 0.98953 | 15.77 |
| 1 8->2 | 0.98953 | 15.77 |
| 1 9->2 | 0.98953 | 15.77 |
| 1 10->2 | 0.98953 | 15.77 |
| 11->2 | 0.98953 | 15.77 |
| 1 11->2 12->2 | 0.98953 | 15.77 |
| 12->2 1 | 0.98953 | 15.77 |
| 1 1->3 1 _{2->3} | 0.98953 | 15.77 |
| $A = \begin{cases} 2->3 \\ 4->3 \end{cases}$ | 0.98953 | 15.77 |

| | | 1 71 |
|---------------------------------------|---------|-------|
| M _{5->3} | 0.98953 | 15.77 |
| M _{6->3} | 0.98953 | 15.77 |
| M 7->3 | 0.98953 | 15.77 |
| M _{8->3} | 0.98953 | 15.77 |
| $M_{9->3}^{6->3}$ | 0.98953 | 15.77 |
| $M_{10->3}$ | 0.98953 | 15.77 |
| $M_{11->3}^{10->3}$ | 0.98953 | 15.77 |
| $M_{12->3}^{11->3}$ | 0.98953 | 15.77 |
| I M | 0.98953 | 15.77 |
| M 1->4 M 2->4 | 0.98953 | 15.77 |
| $M_{3\rightarrow 4}^{2\rightarrow 4}$ | 0.98953 | 15.77 |
| NA 3->4 | 0.98953 | 15.77 |
|) 3->4 M | 0.98953 | 15.77 |
| N/ 0->4 | 0.98953 | 15.77 |
| \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | 0.98953 | 15.77 |
| NA 0->4 | 0.98953 | 15.77 |
| NA 9->4 | 0.98953 | 15.77 |
| 10->4 NA | 0.98953 | 15.77 |
| 11->4 NA | 0.98953 | 15.77 |
| 12->4 NA | 0.98953 | 15.77 |
| 1->3 | 0.98953 | 15.77 |
| \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ | 0.98953 | 15.77 |
| NA 3->3 | 0.98953 | 15.77 |
| 4->3 | 0.98953 | 15.77 |
| 0->3 | 0.98953 | 15.77 |
| NA | 0.98953 | 15.77 |
| NA 0->3 | 0.98953 | 15.77 |
| NA 9->3 | 0.98953 | 15.77 |
| M 10->3 | 0.98953 | 15.77 |
| M 11->5 M 12->5 | 0.98953 | 15.77 |
| $M_{1->6}^{12->3}$ | 0.98953 | 15.77 |
| $M_{2->6}$ | 0.98953 | 15.77 |
| $M_{3->6}$ | 0.98953 | 15.77 |
| $M_{4->6}$ | 0.98953 | 15.77 |
| $M_{5->6}$ | 0.98953 | 15.77 |
| M 7->6 | 0.98953 | 15.77 |
| $M_{8->6}$ | 0.98953 | 15.77 |
| $M_{9->6}^{6->0}$ | 0.98953 | 15.77 |
| M 10->6 | 0.98953 | 15.77 |
| M 11->6 | 0.98953 | 15.77 |
| $M_{12->6}$ | 0.98953 | 15.77 |
| M 1->7 | 0.98953 | 15.77 |
| M _{2->7} | 0.98953 | 15.77 |
| $M_{3->7}^{2->7}$ | 0.98953 | 15.77 |
| M _{4->7} | 0.98953 | 15.77 |
| / | | |

| | | 1 71 |
|-----------------------|---------|--------|
| M _{5->7} | 0.98953 | 15.77 |
| M _{6->7} | 0.98953 | 15.77 |
| M _{8->7} | 0.98953 | 15.77 |
| $M_{9->7}$ | 0.98953 | 15.77 |
| M 10->7 | 0.98953 | 15.77 |
| M 11->7 | 0.98953 | 15.77 |
| $M_{12->7}$ | 0.98953 | 15.77 |
| M 1->8 | 0.98953 | 15.77 |
| $M_{2->8}$ | 0.98953 | 15.77 |
| $M_{3->8}^{2->6}$ | 0.98953 | 15.77 |
| $M_{4->8}^{5->6}$ | 0.98953 | 15.77 |
| M 5->8 | 0.98953 | 15.77 |
| M 6->8 | 0.98953 | 15.77 |
| M 7->8 | 0.98953 | 15.77 |
| $M_{9->8}$ | 0.98953 | 15.77 |
| $M_{10->8}^{9->6}$ | 0.98953 | 15.77 |
| M 11->8 | 0.98953 | 15.77 |
| $M_{12->8}^{11->6}$ | 0.98953 | 15.77 |
| $M_{1->9}^{12->6}$ | 0.98953 | 15.77 |
| M 2->9 | 0.98953 | 15.77 |
| $M_{3->9}$ | 0.98953 | 15.77 |
| M _{4->9} | 0.98953 | 15.77 |
| M _{5->9} | 0.98953 | 15.77 |
| M _{6->9} | 0.98953 | 15.77 |
| M _{7->9} | 0.98953 | 15.77 |
| M _{8->9} | 0.98953 | 15.77 |
| M _{10->9} | 0.98953 | 15.77 |
| M _{11->9} | 0.98953 | 15.77 |
| M _{12->9} | 0.98953 | 15.77 |
| M _{1->10} | 0.98953 | 15.77 |
| M _{2->10} | 0.98953 | 15.77 |
| M _{3->10} | 0.98953 | 15.77 |
| M _{4->10} | 0.98953 | 15.77 |
| M 5->10 | 0.98953 | 15.77 |
| M 6->10 | 0.98953 | 15.77 |
| M 7->10 | 0.98953 | 15.77 |
| M 8->10 | 0.98953 | 15.77 |
| M 9->10 | 0.98953 | 15.77 |
| M 11->10 | 0.98953 | 15.77 |
| M 12->10 | 0.98953 | 15.77 |
| M 1->11 | 0.93186 | 106.16 |
| M 2->11 | 0.87558 | 204.41 |
| M 3->11 | 0.91631 | 131.61 |
| M 4->11 | 0.92992 | 109.24 |
| M _{5->11} | 0.88008 | 192.79 |
| | | |

| Marcon M |
|--|
| M 8->11 0.89895 159.49 M 9->11 0.87317 203.91 M 10->11 0.91081 140.27 M 12->11 0.90546 150.43 M 1->12 0.93843 95.62 M 2->12 0.92485 117.19 M 3->12 0.86533 216.95 M 4->12 0.90292 153.39 M 5->12 0.89318 169.67 M 6->12 0.88382 187.37 M 7->12 0.89171 173.07 M 8->12 0.87884 193.55 M 9->12 0.88898 176.48 |
| $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| $M_{3\rightarrow 12}$ 0.86533 216.95 $M_{4\rightarrow 12}$ 0.90292 153.39 $M_{5\rightarrow 12}$ 0.89318 169.67 $M_{6\rightarrow 12}$ 0.88382 187.37 $M_{7\rightarrow 12}$ 0.89171 173.07 $M_{8\rightarrow 12}$ 0.87884 193.55 $M_{9\rightarrow 12}$ 0.88898 176.48 $M_{9\rightarrow 12}$ 0.88340 187.38 |
| $M_{4\rightarrow 12}$ 0.90292 153.39 $M_{5\rightarrow 12}$ 0.89318 169.67 $M_{6\rightarrow 12}$ 0.88382 187.37 $M_{7\rightarrow 12}$ 0.89171 173.07 $M_{8\rightarrow 12}$ 0.87884 193.55 $M_{9\rightarrow 12}$ 0.88898 176.48 $M_{9\rightarrow 12}$ 0.88340 187.38 |
| $M_{5->12}$ 0.89318 169.67 $M_{6->12}$ 0.88382 187.37 $M_{7->12}$ 0.89171 173.07 $M_{8->12}$ 0.87884 193.55 $M_{9->12}$ 0.88898 176.48 |
| $M_{6\rightarrow 12}$ 0.88382 187.37 173.07 $M_{7\rightarrow 12}$ 0.89171 173.07 193.55 $M_{8\rightarrow 12}$ 0.88898 176.48 |
| $M_{7->12}$ 0.89171 173.07 $M_{8->12}$ 0.87884 193.55 $M_{9->12}$ 0.88898 176.48 |
| $M_{8->12}$ 0.87884 193.55 $M_{9->12}$ 0.88898 176.48 |
| 176.48 0.88898 176.48 |
| A 00040 407.00 |
| NE21/ |
| 0.04450 |
| |
| M _{11->12} 0.94459 85.55 |

Potential Problems

This section reports potential problems with your run, but such reporting is often not very accurate. Whith many parameters in a multilocus analysis, it is very common that some parameters for some loci will not be very informative, triggering suggestions (for example to increase the prior range) that are not sensible. This suggestion tool will improve with time, therefore do not blindly follow its suggestions. If some parameters are flagged, inspect the tables carefully and judge wether an action is required. For example, if you run a Bayesian inference with sequence data, for macroscopic species there is rarely the need to increase the prior for Theta beyond 0.1; but if you use microsatellites it is rather common that your prior distribution for Theta should have a range from 0.0 to 100 or more. With many populations (>3) it is also very common that some migration routes are estimated poorly because the data contains little or no information for that route. Increasing the range will not help in such situations, reducing number of parameters may help in such situations.

- Param 1: Effective sample size of run seems too short!
- Param 1: Effective sample size of run seems too short!
- Param 1: Effective sample size of run seems too short!
- Param 1: Effective sample size of run seems too short!
- Param 1: Effective sample size of run seems too short!
- Param 1: Effective sample size of run seems too short!
- Param 1: Effective sample size of run seems too short!
- Param 1: Effective sample size of run seems too short!
- Param 1: Effective sample size of run seems too short!
- Param 1: Effective sample size of run seems too short!
- Param 13: Effective sample size of run seems too short!
- Param 13: Effective sample size of run seems too short!
- Param 13: Effective sample size of run seems too short!
- Param 13: Effective sample size of run seems too short!
- Param 13: Effective sample size of run seems too short! Param 13: Effective sample size of run seems too short!
- Param 13: Effective sample size of run seems too short!
- Param 13: Effective sample size of run seems too short!
- Param 13: Effective sample size of run seems too short! Param 13: Effective sample size of run seems too short!
- Param 13: Effective sample size of run seems too short!
- Param 13: Effective sample size of run seems too short!
- Param 13: Effective sample size of run seems too short!
- Param 13: Effective sample size of run seems too short!
- Param 13: Effective sample size of run seems too short!
- Param 13: Effective sample size of run seems too short!
- Param 13: Effective sample size of run seems too short!

Param 13: Effective sample size of run seems too short! Param 13: Effective sample size of run seems too short!

| Param 13: Effective sample size of run seems too short! |
|---|
| Param 13: Effective sample size of run seems too short! |
| Param 13: Effective sample size of run seems too short! |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |