Congratulations! You passed!

GradeLatest SubmissionTo pass 70% orreceived 100%Grade 100%higher

Go to next item

1.	Which of the following is false about structure from motion?	1/1 point
	Orthographic cameras are assumed for the Tomasi-Kanade Solution	
	Multiple corresponding image points are known; 3D scene points are unknown	
	The camera's extrinsic parameters are not required	
	The camera's intrinsic parameters are required	
	Correct Camera's intrinsic or extrinsic parameters aren't required to perform structure from motion. Therefore, the last option is the answer.	
2.	Which of the following is true about orthographic projection?	1/1 point
	Projection lines are parallel to each other	
	O Projection lines are perpendicular to each other	
	O Projection lines are normal to each other	
	O Projection lines are oblique to each other	
	 Correct In orthographic projection, all projection lines are parallel to each other. The first option is the answer. 	

1 of 5 16/11/23, 23:41

3.	In orthographic projection, projection lines are to the image plane.	1/1 point
	O Parallel	
	Perpendicular	
	Oblique	
	O Not parallel, perpendicular, or obligue	
	(v) Correct	

4. If you captured a perspective picture of the following scene from 10m away, it would be roughly equivalent to an orthographic image.

In orthographic projection, all projection lines are perpendicular to the

image plane. The second option is the answer.



- True
- False
 - **⊘** Correct

A perspective camera becomes equivalent to an orthographic camera when the distance between the scene and the camera is large compared to the range of depths within the scene. Because the sculpture is relatively flat, a 10m distance would be more than enough to render the images equivalent.

5. If you captured a perspective picture of the following scene from 0.5m away, it

1/1 point

2 of 5

would be roughly equivalent to an orthographic image.



- True
- False
 - ✓ Correct

A perspective camera becomes equivalent to an orthographic camera when the distance between the scene and the camera is large compared to the range of depths within the scene. Because the scene spans the entire desk, the variation of depths is large compared to the 0.5m distance between the scene and the camera, violating this assumption

- Consider 3 image points of the form $\begin{bmatrix} u \\ v \end{bmatrix}$, $a = \begin{bmatrix} 3 \\ 4 \end{bmatrix}$, $b = \begin{bmatrix} 1 \\ 8 \end{bmatrix}$, and $c = \begin{bmatrix} 2 \\ 3 \end{bmatrix}$.
 Which of the following is the centroid-subtracted form of point b, $\begin{bmatrix} \tilde{u}_b \\ \tilde{v}_b \end{bmatrix}$?
 - $\bigcirc \begin{bmatrix} 0 \\ 3 \end{bmatrix}$
 - $\bigcirc \begin{bmatrix} 1 \\ 4 \end{bmatrix}$
 - $\begin{bmatrix}
 2 \\
 13
 \end{bmatrix}$
 - - **⊘** Correct

3 of 5 16/11/23, 23:41

The centroid of the three points is $egin{bmatrix} ar{u} \\ ar{v} \end{bmatrix} = egin{bmatrix} 2 \\ 5 \end{bmatrix}$, and thus $egin{bmatrix} \tilde{u}_b \\ \tilde{v}_b \end{bmatrix} = egin{bmatrix} 1 \\ 8 \end{bmatrix} - egin{bmatrix} 2 \\ 5 \end{bmatrix} = egin{bmatrix} -1 \\ 3 \end{bmatrix}$

- Consider a scene point in the 3D world coordinate frame, $P=\begin{bmatrix}5\\3\\2.5\end{bmatrix}$. If the camera's orientation is $i=\begin{bmatrix}1\\0\\-1\end{bmatrix}$ and $j=\begin{bmatrix}0\\1\\0\end{bmatrix}$, what centoid-subtracted
 - coordinates will it be projected to?
 - $\bigcirc \begin{bmatrix} 5 \\ 3 \end{bmatrix}$
 - $\bigcirc \begin{bmatrix} 1 \\ 1.25 \end{bmatrix}$

 - $\left[\begin{array}{c}
 -1\\0.5
 \end{array}\right]$
 - ✓ Correct

From lecture, we derived that for any point P, the point's centroid-subtracted coordinates in the image can be calculated by the equation

$$egin{bmatrix} ilde{u}_P \ ilde{v}_P \end{bmatrix} = egin{bmatrix} i^T \ j^T \end{bmatrix} P.$$

- 8. What is the rank of the matrix $\begin{bmatrix} 1 & 2 & 3 \\ 2 & 3 & 5 \\ 3 & 4 & 7 \\ 4 & 5 & 9 \end{bmatrix}$?
 - O 1
 - 2
 - \bigcirc 3
 - \bigcirc 4

Week 5 Structure from Motion Coursera

	Correct
(マ)	Correct

Since there are fewer columns than rows, the rank of the matrix is the maximum number of linearly independent columns. Column 1 and 2 are independent, but column 3 is the sum of column 1 and 2. Therefore, the rank of the matrix is 2. The second option is the answer.

9.	Which of the following is true about singular value decompostion (SVD)?	1 / 1 point
	SVD can be applied only when the matrix is a square matrix	
	SVD can be applied only when the matrix has full rank	
	SVD can be applied only when the matrix is invertible	
	SVD can be applied to any matrix	
	♥ Correct SVD can be applied to any matrix. The last answer choice is correct.	
10	• For the Tomasi-Kanade algorithm for structure from motion, at least three images are needed.	1/1 point
	True	
	○ False	
	Correct At least three images are needed to enforce the orthonormality	

constraint. The first answer choice is correct.

5 of 5 16/11/23, 23:41