

Matrix Theory(EE5609) Assignment 4

Anshum Agrawal
Roll No- AI20MTECH11006

Abstract—This Assignment proves the property of a given triangle

Download latex-tikz codes from

<https://github.com/anshum0302/EE5609/blob/master/assignment4/assign4.tex>

1 PROBLEM STATEMENT

$\triangle ABC$ is an isosceles triangle in which $AB = AC$. Side BA is produced to D such that $AD = AB$. Show that $\angle BCD$ is a right angle.

2 SOLUTION




Fig. 1

We are given that $AB = AC$. So

$$\|\mathbf{A} - \mathbf{B}\| = \|\mathbf{A} - \mathbf{C}\| \quad (2.0.1)$$

Also BA is produced to D such that $AB = AD$. Therefore we have

$$\mathbf{A} - \mathbf{B} = \mathbf{D} - \mathbf{A} \quad (2.0.2)$$

Let \vec{CB} and \vec{CD} be the direction vectors of \mathbf{CB} and \mathbf{CD} respectively. Then

$$\begin{aligned} \vec{CB} \cdot \vec{CD} &= (\mathbf{B} - \mathbf{C})^T (\mathbf{D} - \mathbf{C}) \\ &= (\mathbf{B} - \mathbf{A} + \mathbf{A} - \mathbf{C})^T (\mathbf{D} - \mathbf{A} + \mathbf{A} - \mathbf{C}) \\ &= ((\mathbf{B} - \mathbf{A}) + (\mathbf{A} - \mathbf{C}))^T ((\mathbf{D} - \mathbf{A}) + (\mathbf{A} - \mathbf{C})) \end{aligned}$$

using (2.0.2) we get

$$\begin{aligned} \vec{CB} \cdot \vec{CD} &= ((\mathbf{B} - \mathbf{A}) + (\mathbf{A} - \mathbf{C}))^T ((\mathbf{D} - \mathbf{A}) + (\mathbf{A} - \mathbf{C})) \\ &= ((\mathbf{B} - \mathbf{A}) + (\mathbf{A} - \mathbf{C}))^T ((\mathbf{A} - \mathbf{B}) + (\mathbf{A} - \mathbf{C})) \\ &= (-(\mathbf{A} - \mathbf{B}) + (\mathbf{A} - \mathbf{C}))^T ((\mathbf{A} - \mathbf{B}) + (\mathbf{A} - \mathbf{C})) \\ &= -\|\mathbf{A} - \mathbf{B}\|^2 - (\mathbf{A} - \mathbf{B})^T (\mathbf{A} - \mathbf{C}) \\ &\quad + (\mathbf{A} - \mathbf{C})^T (\mathbf{A} - \mathbf{B}) + \|\mathbf{A} - \mathbf{C}\|^2 \end{aligned}$$

now $(\mathbf{A} - \mathbf{B})^T (\mathbf{A} - \mathbf{C})$ and $(\mathbf{A} - \mathbf{C})^T (\mathbf{A} - \mathbf{B})$ are both dot product of vectors $(\mathbf{A} - \mathbf{B})$ and $(\mathbf{A} - \mathbf{C})$ and so

$$\begin{aligned} \vec{CB} \cdot \vec{CD} &= -\|\mathbf{A} - \mathbf{B}\|^2 - (\mathbf{A} - \mathbf{B})^T (\mathbf{A} - \mathbf{C}) \\ &\quad + (\mathbf{A} - \mathbf{C})^T (\mathbf{A} - \mathbf{B}) + \|\mathbf{A} - \mathbf{C}\|^2 \\ &= -\|\mathbf{A} - \mathbf{B}\|^2 + \|\mathbf{A} - \mathbf{C}\|^2 \end{aligned}$$

using (2.0.1) we get

$$\vec{CB} \cdot \vec{CD} = -\|\mathbf{A} - \mathbf{B}\|^2 + \|\mathbf{A} - \mathbf{C}\|^2 = 0 \quad (2.0.3)$$

since $\vec{CB} \cdot \vec{CD} = 0$, therefore $BC \perp CD$ and $\angle BCD$ is a right angle.