

Problem 2. Dynamics in a Non-linear system.**(1)**

Solution: For the graph to have a stable solution, the graph must asymptotically approach a value, to encourage convergence. \square

(2)

Solution: We can consider cases: $|a| < 1$, $|a| = 1$, $|a| > 1$. Note that if $|a| = 1$, we have the linear difference equation $x_{t+1} = x_t + b$, which implies that there is not stable solution, and thus approaches infinity. If $|a| < 1$ or $|a| > 1$, this means that the exponential term grows slower and faster than the linear term respectively. However, as noted in **1**, we can see that if the slope of graph $|ax_t^{a-1}| < 1$, we will asymptotically approach a solution. Else, we may diverge and not approach a steady state solution. Regarding the trajectories, we see that there are types of convergence. Either the function approaches the stable state monotonically or the function oscillates towards the final stable state solution. \square

(3)

Solution:

$$\begin{aligned}\bar{x} &= \bar{x}_t^{0.5} + 2 \\ \bar{x} - \bar{x}_t^{0.5} &= 2 \\ (\bar{x}^{0.5} - 2)(\bar{x}^{0.5} + 1) &= 0\end{aligned}$$

The only possible solution to the above is $\bar{x} = 4$ \square

(4)

Solution:




Figure 1: Initial value of 0.1




Figure 2: Intial Value of 10

□

(5)

Solution:




Figure 3: Initial value of 0.1




Figure 4: Initial Value of 10

The steady state changes to approximately 2.45. Both trajectories seem to oscillate towards the steady state, which is a change from the previous set of parameters, which monotonically converged towards the stable solution. \square

(6)

Solution: We are given $x_{t+1} = x_t^a + b$ where $f(x) = x^a + b$. Let \bar{x} such that $f(\bar{x}) = \bar{x}$ and $\bar{x} \in (x_t - \epsilon, x_t + \epsilon), \forall \epsilon > 0$. Consider the first degree Taylor expansion around \bar{x} . We can see that:

$$\begin{aligned} x_{t+1} &\approx f(\bar{x}) + f'(\bar{x})(x_t - \bar{x}) \\ x_{t+1} - \bar{x} &\approx f'(\bar{x})(x_t - \bar{x}) \end{aligned}$$

Let $d_t = x_t - \bar{x}$ and similarly for d_{t+1} . Thus,

$$x_{t+1} - \bar{x} \approx f'(x)(x_t - \bar{x}) \implies d_{t+1} = f'(x)d_t$$

which implies that the general solution:

$$d_t = (f'(\bar{x}))^t d_0$$

Using this equation, we see that:

$$\begin{aligned} d_t &= (f'(\bar{x}))^t d_0 \\ (x_t - \bar{x}) &= (f'(\bar{x}))^t (x_0 - \bar{x}) \\ x_t &= (f'(\bar{x}))^t x_0 + \bar{x}(1 - f'(\bar{x})^t) \end{aligned}$$

Note that $f'(x) = -0.5x_t^{-0.5}$ and for any $x \in [0, \infty]$ that $|f'(x)| < 1$. Thus, for any t sufficiently large enough, we see that $x_t \rightarrow \bar{x}$, which indicates that this equation approximates it very well. \square

Problem 4. Real GDP as a measure of welfare?

(1)

Solution: Setting up the optimization problem:

$$\begin{aligned} \max \quad & U \\ \text{s.t.} \quad & \sum_{i=1}^n p_i x_i = M \end{aligned}$$

with the following FOCs

$$[x_i] \quad \frac{\partial U}{\partial x_i} = \lambda p_i$$

and λ is the marginal utility of income. \square

(2)

Solution: Taking the total differential of U , we can see that:

$$dU(x_1, x_2, \dots, x_n) = \sum_i^n \frac{\partial U}{\partial x_i} dx_i$$

\square

(3)

Solution: Since $\frac{\partial U}{\partial x_i} = \lambda p_i$ at the optimum, we see that:

$$dU = \sum_i^n \frac{\partial U}{\partial x_i} dx_i = \lambda \sum_i^n p_i dx_i$$

The statements holds to be true. \square

Problem 5. Intertemporal Consumption Choice

(1)

Solution:

$$A_0 K_0^\alpha = c_0 + K_1$$

$$A_1 K_1^\alpha = c_1$$

as in time period 1, the individual consumes all of y □

(2)

$$y_0 = c_0 + K_1 \iff y_0 - c_0 = K_1$$

thus,

$$A_1 (y_0 - c_0)^\alpha = c_1$$




Figure 5: Graph for 3,4,5,6

(3)

Solution: See graph above in black ink. The slope represents the rate of change between the consumption in the current time period and the next time period. □

(4)

Solution: See graph above in black ink

□

(5)

Solution: See graph above, blue line. If A_0 increases, y_0 increases as technology in the current period would increase. This implies that budget constraint shifts outward to the right. Since the consumer now has more "budget" of corn, he now has more income to consume more. Thus,

- y_0 increases
- c_0 increases
- c_1 increases

□

(6)

Solution: See graph above, red line. If A_1 increases, this means that y_1 strictly increases. This implies that the maximum possible value of c_1 will increase, and make the graph steeper. Thus,

- c_1 increases
- y_1 increases
- c_0 decreases, as consumer will substitute away from the good.

□

(7) Algebra manipulation.

Solution: We are interested in the following optimization problem:

$$\begin{aligned} \max \quad & \ln(c_0) + \beta \ln(c_1) \\ \text{s.t} \quad & A_1(y_0 - c_0)^\alpha = c_1 \end{aligned}$$

Substituting the constraint into the objective function yields:

$$\ln(c_0) + \beta \ln(A_1(y_0 - c_0)^\alpha)$$

taking the derivative with respect to c_0 yields:

$$\frac{1}{c_0} - \frac{\alpha\beta}{c_0 - y_0} = 0$$

which, after some algebra, yields:

$$c_0^* = \frac{y_0}{1 + \beta\alpha}$$

Thus, this implies that

$$c_1^* = A_1 \left(\frac{\alpha\beta y_0}{1 + \beta\alpha} \right)^\alpha$$

Thus, we can see that since A_1 only appears in c_1 , this implies that c_1 and y_1 increases. Additionally, we can see that increasing A_0 would increase y_0 which in turn increase all values. \square

Problem 6. Exact Price Index from the Economic Approach

(1)

Solution:

$$\begin{array}{ll} \max & \ln x + \ln y \\ \text{s.t} & p_x x + p_y y = M \end{array}$$

we have the following FOCs:

$$\begin{array}{ll} [x] & \frac{1}{x} = \lambda p_x \\ [y] & \frac{1}{y} = \lambda p_y \\ [\lambda] & M = p_x x + p_y y \end{array}$$

Note that the FOCs imply that $p_x x = p_y y$ and thus, using the budget constraint, we find that:

$$p_x x + p_y y = M \iff 2p_x x = M \iff p_x x = \frac{M}{2}$$

and by symmetry

$$p_y y = \frac{M}{2}$$

which indicates that expenditure share is one half. \square

(2)

Solution: The indirect utility function is

$$V(M, P) = \ln \left(\frac{M}{2p_x} \right) + \ln \left(\frac{M}{2p_y} \right)$$

\square

(3)

Solution: We aim to use duality to prove this. Let

$$U = 2 \ln(M) - \ln(4) - \ln(p_x p_y)$$

\square

(4)

Solution: Using duality, we see that:

$$\begin{aligned}
 U &= 2 \ln(M) - \ln(4) - \ln(p_x p_y) \\
 \ln(M) &= 0.5 \ln(4) + \ln(\sqrt{p_x p_y}) \\
 M &= 2e^{\frac{U}{2}} \sqrt{p_x p_y}
 \end{aligned}$$

Using Shephard's Lemma, we see that:

$$x^h = \frac{\partial e(p, U)}{\partial p_x} = \sqrt{\frac{e^U p_y}{p_x}}$$

and by symmetry

$$y^h = \frac{\partial e(p, U)}{\partial p_y} = \sqrt{\frac{e^U p_x}{p_y}}$$

□

(5)

Solution:

$$M = \frac{2e^{\frac{U_t}{2}} \sqrt{p_x^t p_y^t}}{2e^{\frac{U_0}{2}} \sqrt{p_x^0 p_y^0}} = e^{\frac{U_t - U_0}{2}} \sqrt{\frac{p_x^t p_y^t}{p_x^0 p_y^0}}$$

Since the level of utility remains fixed, we can see that we are left with the following expression.

$$\sqrt{\frac{p_x^t p_y^t}{p_x^0 p_y^0}}$$

□

(6)

Solution: We can see that we have the Fisher Price index. Now to derive what the price index with the fixed basket of goods. This is the fisher price index. Geometric mean of passches index and . Compare geometric with arithmetic mean, compare AM - GM inequality Hold basket fixed, not taking into account sub effect

□

Double
check
thisSame
basket