


# Graph Theory Set 9

**43.** Show that  $\lambda_1, \dots, \lambda_n$  are the eigenvalues for the adjacency matrix  $A(G)$  if and only if  $d - \lambda_1, \dots, d - \lambda_n$  are the eigenvalues for the Laplacian matrix  $L(G)$ .

**44.** Show that if  $0, \mu_2, \dots, \mu_n$  are the eigenvalues for the Laplacian  $L(G)$  of a graph with  $n$  vertices, then  $0, n - \mu_n, \dots, n - \mu_2$  are the eigenvalues for the Laplacian  $L(G^c)$ .

**45.** The eigenvalues for the following 7-regular graph  $G$  are  $\overbrace{-3, \dots, -3}^{21 \text{ times}}, \overbrace{2, \dots, 2}^{28 \text{ times}}, 7$ :



- a. How many triangles are in  $G$ ?
- b. Is  $G$  Eulerian?
- c. Is  $G$  Hamiltonian?
- d. What lower bound on the crossing number for  $G$  is given by Exercise 23?
- e. What lower bound on the chromatic number  $\chi(G)$  is given by Theorem 109?
- f. What lower bound on the vertex connectivity  $\kappa(G)$  is given by Theorem 121?
- g. How many spanning trees does  $G$  have?
- h. What is the diameter of  $G$ ?
- i. Show that  $G$  has a perfect matching.
- j. Repeat all previous of this exercise but with  $G$  replaced with  $G^c$ .