

1

5

Heterogeneous transmission settings

In its early stage, the epidemic will “see” a transmission rate that depends i (typically superlinear), akin to “complex contagion”.

Coarse-grained description of the dynamics at the groups level (with $G_{n,i} = \int G_{n,i}^\beta d\beta$)

$$\frac{dG_{n,i}}{dt} = \mu(i+1)G_{n,i+1} - \mu i G_{n,i} + (n-i+1)[(i-1)\bar{\beta}_{n,i} + \rho]G_{n,i-1} - (n-i)[i\bar{\beta}_{n,i} + \rho]G_{n,i}$$

where

$$\bar{\beta}_{n,i} = \mathbb{E}[\beta|n, i] = \frac{\int \beta G_{n,i}^\beta d\beta}{\int G_{n,i}^\beta d\beta} \simeq \begin{cases} \frac{\mathbb{E}[\beta^i|n]}{\mathbb{E}[\beta^{i-1}|n]} & \text{short term} \\ \mathbb{E}[\beta|n] & \text{long term} \end{cases}$$

Detailed description of the dynamics at the groups level with $\Theta_{n,i,\beta} = i\beta$ (“simple contagion”)

$$\frac{dG_{n,i}^\beta}{dt} = \mu(i+1)G_{n,i+1}^\beta - \mu i G_{n,i}^\beta + (n-i+1)[(i-1)\beta + \rho]G_{n,i-1}^\beta - (n-i)[i\beta + \rho]G_{n,i}^\beta$$

Heterogeneous transmission settings

Detailed description of the dynamics at the groups level with $\Theta_{n,i,\beta} = i\beta$ (“simple contagion”)

$$\frac{dG_{n,i}^\beta}{dt} = \mu(i+1)G_{n,i+1}^\beta - \mu i G_{n,i}^\beta + (n-i+1)[(i-1)\beta + \rho]G_{n,i-1}^\beta - (n-i)[i\beta + \rho]G_{n,i}^\beta$$

Coarse-grained description of the dynamics at the groups level (with $G_{n,i} = \int G_{n,i}^\beta d\beta$)

$$\frac{dG_{n,i}}{dt} = \mu(i+1)G_{n,i+1} - \mu i G_{n,i} + (n-i+1)[(i-1)\bar{\beta}_{n,i} + \rho]G_{n,i-1} - (n-i)[i\bar{\beta}_{n,i} + \rho]G_{n,i}$$

where

$$\bar{\beta}_{n,i} = \mathbb{E}[\beta|n, i] = \frac{\int \beta G_{n,i}^\beta d\beta}{\int G_{n,i}^\beta d\beta} \simeq \begin{cases} \frac{\mathbb{E}[\beta^i|n]}{\mathbb{E}[\beta^{i-1}|n]} & \text{short term} \\ \mathbb{E}[\beta|n] & \text{long term} \end{cases}$$

In its early stage, the epidemic will “see” a transmission rate that depends on i (typically superlinear), akin to “complex contagion”.

Heterogeneous transmission settings

