

TEACHING PORTFOLIO

Anton Bobkov

CONTACT INFORMATION

Anton Bobkov, Graduate Student
UCLA Mathematics Department
Box 951555
Los Angeles, CA 90095-1555 USA

E-mail: bobkov@ucla.edu

Phone: (408) 813-6331

TEACHING PHILOSOPHY

My priority as a teacher is to let the students develop a deep connection to the material that they can carry outside of the classroom. I achieve this by emphasizing interaction and effective communication. I make sure to incorporate demonstrations and interactive activities in my classroom when possible. I also rely heavily on visual aid, online tools and use of technology for explaining mathematical ideas. I relate the math to its real world applications to underline its utility and present it as a part of a bigger picture. When working with students individually, I encourage independent work and exploration while providing concrete tasks and goals.

HONORS AND AWARDS

2016 Departmental Teaching Award

Award given to Teaching Assistants in the mathematics department with excellent teaching records.

TEACHING EXPERIENCE

Instructor

2016 - 2017

- Math 31B: Integration and Infinite Series
- Math 32BH: Calculus of Several Variables, Honors (Syllabus included this portfolio)

Teacher Assistant

2012 - 2017

- Math 31B: Integration and Infinite Series (Evaluations included in this portfolio)
- Math 33A: Linear Algebra and Applications (Evaluations included in this portfolio)
- Math 115B: Linear Algebra (upper division)
- Math 174E: Mathematics of Finance
- PIC 10B: Intermediate Programming (Evaluations included in this portfolio)
- PIC 20A: Principles of Java Language with Applications
- PIC 40A: Introduction to Programming for Internet

I am also prepared to teach:

- Undergraduate math classes including: precalculus, single/multi-variable calculus, analysis, abstract algebra, topology, differential geometry, probability.
- Statistics, programming/computer science, finance.

UNDERGRADUATE PROJECTS

2016 - 2017

- Conway's game of life variations with C++/SDL graphics library
- App development platform with Typescript 2
- Optical character recognition via neural nets with Python
- Discrete signal processing with Matlab

**DIVERSITY
STATEMENT**

UCLA has a large and diverse undergraduate student body. As a teacher assistant and instructor I have interacted with many students, many from underrepresented groups. I make sure that all the students feel welcome in my class regardless of their background or their skill level. If a student is behind, I make sure to work more closely with them, spend more time in office hours, and encourage the student to continue with the course. This way I try to foster an atmosphere where all the students are motivated to realize their full potential and succeed.

Group work is another technique that I have found useful. Often a minority students feel isolated in their class, so working with peers helps them feel that they belong and are on an equal footing with everyone else. Semi-random group assignments also help to break up established social cliques and foster students' interaction outside their normal social comfort zone, ensuring better integration.

I have volunteered to work with math students in a local Los Angeles school from a predominantly Latina district where I was helping the students to catch up on their basic math skills. On the other end of the academic spectrum, I have attended the MSRI workshop "Connections for Women: Model Theory and Its Interactions with Number Theory and Arithmetic Geometry". The workshop was addressing the implicit bias and challenges female researchers face in STEM fields, as well as discussing ways to address that and increase representation of minority groups in academia.

As I go forward I hope to further work on outreach and increasing the diversity in STEM fields.

ALSO INCLUDED

Student Evaluations

- Math 33A: Linear Algebra and Applications
- PIC 10B: Intermediate Programming
- Math 31B: Integration and Infinite Series

Practice Problems

A set of practice problems for the first midterm in Math 31B: Integration and Infinite Series.

Course Syllabus

A course syllabus for Math 32BH: Calculus of Several Variables (Honors)

Worksheet

In-class assignment for PIC 10B: Intermediate Programming.

Research Project Summary

Final report summarizing an independent project involving Conway's game of life variations.



A.A. BOBKOV

Evaluation of Instruction Program Report

13W: MATH 33A DIS 1C: LINEAR ALGEBRA&APPLS


No. of responses = 11

Enrollment = 37

Response Rate = 29.73%

Survey Results

1. UCLA Department of Mathematics:




Profile

Subunit: MATH
 Name of the instructor: A.A. BOBKOV
 Name of the course: 13W: MATH 33A DIS 1C: LINEAR ALGBRA&APPLS
 (Name of the survey)

Values used in the profile line: Mean

1. UCLA Department of Mathematics:

1.1) How would you rate your TA as an effective teacher?	Failing		Excellent	n=11	av.=7.73
1.2) How would you rate the availability and helpfulness of your TA outside of the classroom?	Failing		Excellent	n=10	av.=7.40
1.3) What is your rating of this course independent of the effectiveness of the TA?	Failing		Excellent	n=11	av.=6.91

Comments Report

2. Comments:

^{2.1)} Please use the space provided for any comments you wish to make which are pertinent to the educational process. These may include all aspects of the course: teaching, examinations, grading, textbook, etc.

- A good, straight-forward TA.
- Anton knows his material and how to convey his points well. Mandatory quizzes aside, I thought discussions were worthwhile and organized and I benefited from Anton's TA'ing.

Definitely a solid TA that I would be happy to have in any future math course.

- Anton was a truly outstanding TA. He was extremely knowledgeable about every topic covered in the course and often provided a perspective that was much easier for me to learn from than that which was presented in lecture.
- Effective teaching style.
- Great TA. Very knowledgeable.
- Have more time for questions at the end of the discussion.
- He was a really fantastic TA. I felt like anything that was unclear from the instructor was cleared up during the class discussion (and sometimes that was a lot!). He had the ability to teach us an entire week's worth of information in just 30-40 minutes. He would make a very patient and effective teacher. I went to at least half of his office hours and he was always so helpful. His teaching is a large part of my success in the course.
- The warm up problems at the beginning of the discussion were a great indication of how well one was doing in the class. Keep those up. Going over the quiz problems right after also helped. Overall you did great work answering many of the questions students brought up




A.A. BOBKOV Evaluation of Instruction Program Report

15W: COMPTNG 10B DIS 1A: INTRMDT
PROGRAMMING
No. of responses = 10
Enrollment = 24
Response Rate = 41.67%

Survey Results


1. UCLA Department of Mathematics:



1. UCLA Department of Mathematics:

Values used in the profile line: Mean

- 1.3) What is your rating of this course independent of the effectiveness of the TA?



n=10 av.=8.20

Comments Report

2. Comments:

^{2.1)} Please use the space provided for any comments you wish to make which are pertinent to the educational process. These may include all aspects of the course: teaching, examinations, grading, textbook, etc.

- Anton clearly knows about C++, so there shouldn't be any worries about having a TA who will not help you at all.

At times, his methods of solving will be different than that of the professor, but I see that more as the nature of C++ (much like in math, there's more than one way of solving a problem) than an indictment of him.

Not much else to say, other than going to discussion will help expand on the lectures and ensure that you understand how concepts such as inheritance, linked lists, etc. work.

- Anton is a really helpful TA! He's very clear when explaining and when demonstrating how something works. He's easily one of the better TA's in PIC courses. :)
- Anton is one of the most amazing TA's that I've had. I thought my TA for PIC 10A was good, but Anton proved to be even better.

I like the way he structured his discussion sections and the way he ran office hours. He was always helpful and clear. I even thought that sometimes he was more clear with explaining than the professor.

- He's really good and he helps us understand homework and material a lot.
- One of the most effective TA's I have had in the math department. He posts useful information from each discussion on the course website and provides useful exercises during each class that test the understanding of concepts.
- he's the best PIC TA there is! I could not have asked for a better TA



A.A. BOBKOV

Evaluation of Instruction Program Report

13W: MATH 31B DIS 1B: INTEGRTN&INF SERIES


No. of responses = 13

Enrollment = 35

Response Rate = 37.14%

Survey Results

1. UCLA Department of Mathematics:



Profile

Subunit:

MATH

Name of the instructor:

A.A. BOBKOV

Name of the course:


13W: MATH 31B DIS 1B: INTEGRTN&INF SERIES

(Name of the survey)

Values used in the profile line: Mean


1. UCLA Department of Mathematics:

1.1) How would you rate your TA as an effective teacher?



n=13 av.=7.69

1.2) How would you rate the availability and helpfulness of your TA outside of the classroom?



n=13 av.=8.00

1.3) What is your rating of this course independent of the effectiveness of the TA?



n=13 av.=6.92

Comments Report

2. Comments:

- ^{2.1)} Please use the space provided for any comments you wish to make which are pertinent to the educational process. These may include all aspects of the course: teaching, examinations, grading, textbook, etc.
- Anton always opens up extra office hours during exam weeks and is willing to go over difficult problems in discussion. He also comes to discussion prepared to summarize what the Prof went over during the week and often previews what we will learn in the following lectures.
 - Anton was a wonderful T.A. the whole quarter. Seemed to always pick the right examples to test our knowledge.
 - He was very very organized during the discussion and went over all the main points we needed to know for each section. He is also exceptionally friendly and approachable in that as a student i always felt comfortable enough to seek help.
 - He's a really concern and nice TA. Whenever I had questions he could solve them immediately and he made a lot of sense in the class. The revision he gave regarding the lecture was helpful and I hope I will have the chance to take his other math sections.
 - I would actually say this guy did a pretty good job.

Number of people in the group: _____

Work on the following problems in groups. This worksheet will be collected at the end (but it will not be graded).

Write down the answer for each problem that you finish. For problems involving convergence or divergence of infinite series also write down the tests that you were using to get the answer.

- 1.** For each of the following series, **evaluate it** or show that it diverges.

$$\frac{6}{2^0} + \frac{6}{2^1} + \frac{6}{2^2} + \frac{6}{2^3} + \cdots$$

$$\sum_{n=1}^{\infty} \frac{5 + (-2)^n}{3^n}$$

- 2.** Compute Taylor polynomial $T_n(x)$ for e^x centered at -1 .

- 3.** Consider Taylor polynomial $T_3(x)$ for $\sin(3x)$ centered at 0. Compute error bound for $|T_3(.1) - \sin(.3)|$

- 4.** Compute interval of convergence for each of the following power series:

$$\sum_{n=1}^{\infty} \frac{x^n}{n^2}$$

$$\sum_{n=1}^{\infty} \frac{3^n(x-1)^n}{n}$$

5. Starting from Maclaurin series written on the whiteboard, derive Maclaurin series for the following functions. Also specify for which x the expansion is valid.

$$\sin(x^2)$$

$$\frac{1}{(1-3x)^2}$$

6. For each of the following series, determine whether it converges or diverges.

$$\sum_{n=1}^{\infty} \left(\frac{n}{2n+1} \right)^n$$

$$\sum_{n=3}^{\infty} \frac{\ln n}{n^3 + 1}$$

$$\sum_{n=1}^{\infty} \cos\left(\frac{1}{n}\right)$$

$$\sum_{n=2}^{\infty} \frac{n!}{2^n}$$

7. For each of the following series, determine whether it diverges, converges conditionally, or converges absolutely.

$$\sum_{n=2}^{\infty} \frac{(-1)^n}{n^2 + n}$$

$$\sum_{n=1}^{\infty} \frac{(-1)^n}{\ln(n) + 2}$$

MATH 32BH: CALCULUS OF SEVERAL VARIABLES (HONORS)

Winter 2017

Instructor:	Anton Bobkov	Time:	MTW 09:00 – 09:50
Email:	bobkov@ucla.edu	Place:	Humanities A48
TA:	Ian Coley	Time:	T 09:00 – 09:50
Email:	iacoley@math.ucla.edu	Place:	Boelter 5272

Course Page: <https://ccle.ucla.edu/course/view/17W-MATH32BH-1> (log in to see all the materials)

Office Hours: Check the website for office hours time and location.

Textbook: Gerald B. Folland, Advanced Calculus (2002)

Grading Policy: Two grading schemes are possible

- Write-ups(5%), Homework (10%), Paper(10%), Midterm 1 (20%), Midterm 2 (20%), Final (35%)
- Write-ups(5%), Homework (10%), Paper(10%), Best Midterm (30%), Final (45%)

Write-ups: For each lecture there will be a very short write up assigned. Those will be graded based on completeness rather than content. There will be a total of 26 write-ups assigned. To get a full grade, you only need to complete 20 of them.

Homework: There will be a total of 9 homework assignments. Those are due at the beginning of the lecture each Friday starting week 2. They will be handed back at the following Tuesday discussion. The lowest homework score will be dropped. Homework assignments will contribute 8% to the total grade. In addition, you will be required to present one of the homework problems once during the discussion. The presentation will contribute 2% to the total grade.

Paper: You will write up a paper on the topic of your choosing. See paper handout for more information. It is due at the end of the course, and we will have two individual meetings throughout the quarter to track your progress.

Exams:

There will be two midterms, administered in class Mondays of weeks 5 and 8. The final will be Thursday of the finals week 11:30 AM – 2:30 PM.

Midterm #1 February, 6
Midterm #2 February, 27
Final Exam March, 23



- No calculators or notes are allowed for the exams.
- Bring your student ID card with you (or another form of identification).

In lecture 4 Pr. Ouellette gave the following function as an example

```
bool readDigit(int& digit)
{
    char c;
    cin.get(c); // read as char into c

    // if char c is in fact a digit
    if(c >= '0' && c <= '9')
    {
        cin.unget();    // put c's data back into cin
        cin >> digit;   // read as an int instead
        return true;
    }
    else
        return false;
}
```

Use this function to write the following program. User enters some input. If it is a number, output that number. If not, output "Not a number!".



(write code below)

```
int n;
bool success = readDigit(n);
if(success)
    cout << n << endl;
else
    cout << "Not a number!" << endl;
```

(It was pointed out to me that if you enter "12hi", the program will output "12", whereas one might expect it to output "Not a number". So I guess there is some ambiguity here but the important part is that you understand how this function works.)

Math 99 Summary

Our project focuses on the variation of Conway's Game Of Life (hereinafter to be referred as Game). It is a cellular automation that can be a simulation of a certain community or ecosystem. Specifically, we tried to use the Game model to simulate the predator-prey model with two or three species.

First, we implemented the basic Game with only one species. Under the direction of Anton Bobkov, we implemented the Game on C++ and visualized it by using the SDL2.0 Library. We use a two-dimensional array to store all the information of the cells on the plane, including its current living state, the position of its neighbors and so on. We constructed an interface with a rectangle board representing the ecosystem, and several functional buttons such as pause, resume, restart, clear the board, and quit (and these could also be done by the pressing on the keyboard). The Game can run automatically because we use the SDL Timer; when the user pauses the game, he can change the living state of an individual cell by mouse click. We also construct other windows to update the time-population graph and phase graph (for multiple species). To accomplish all the functions mentioned above, we learned the SDL Poll Event function and function pointers.

In addition, we implemented some variations of the Game. The most common one is named S23/B3 (Survive only if 2 or 3 neighbors, born only if 3 neighbors). We tried S23/B36 (highlife) and S1357/B1357 and S2468/B2468 (replicators).

For the predator-prey model with two species, we tried many different life rules. The basic logic behind the scene is that a predator will die if there are not enough preys around it; a prey will die if it is alone (since herbivores usually live in group) or there is any predator around it; the preys are very productive while the predators will be able to give birth only if there is one additional unit of food around them. When we plot the time-population graph of both species, it turns out that if both of them could survive, the populations of both of them will be oscillating within a certain range with the population of predators trailing that of prey by 90° in the cycle.

This reminds us of the Lotka-Volterra equations ($dx/dt = ax - \beta xy$, $dy/dt = \delta xy - \gamma y$). We guess that some relations between our simulation and the Lotka-Volterra equations could be found by figuring out the parameters. We took Anton Bobkov's

Guoan Wang 004268976

Xi Lin 404326451

suggestion that once we save all the population data in the simulation, we can do linear regression to get the value of these parameters. After we do linear regressions on x , xy , and y , the parameters turn out to be statistically significant (with p value less than 0.001). However, these parameters will vary with different initial configuration; in other words, each time we start a new simulation, the parameters will also be different. Furthermore, the adjusted R-square value is only about 0.6. In fact, if we do linear regression on more variables such as x^2 , y^2 , x^2y , xy^2 , the adjusted R-square will be much larger. Therefore, although the population of both species can explain our model in some extent, the influence from the actual configuration is not negligible.

Furthermore, we expand our model to the three-species model. We have two variations of that. The first one is the “rock-paper-scissors” one, in which $A \rightarrow B \rightarrow C \rightarrow A$ (the arrow represents energy flow, e.g. $x \rightarrow y$ means x is eaten by y). This model also turns out to be stable: after a period of time, the population of the three species will become periodic. From the ecosystem board we can observe a infinite spiral loop of three colors. The second one is an extension of the two-species model, in which $C \rightarrow B \rightarrow A$ (i.e. A is the dominant species, B is the middle one, and C is the bottom one). We modified the life rules by adding a factor that represents an individual’s tolerance to danger and starvation. This time, we plot the time graph a little differently: we plot A and B the same as before, but we reflect the population of C over the x -axis (as if we are plotting the negative value of the population C). The three lines look pretty much alike in shape, and one is imitating the behavior of another.