## (QF. 15/GEIKDV/GP/REV-02/03-2022)

## Did You Know?

- 1. Your Child's eyes should be checked when he/she enters schools for any evidence of squint, defective vision or any other abnormality which needs early attention.
- 2. Squint can leave a child blind in that eye if it goes undetected and untreated.
- 3. "Short Sight" and "Long Sight" are due to altered Curvature and shape of the eyeball and NOT a disease of the eye. It therefore CANNOT be got rid off by EXERCISES, VITAMINS or DIET.
- 4. "SHORT SIGHT" OR MYOPIA is NOT a diet related deficiency.
- 5. All diabetice must get their eyes checked in detail. This is to detect "DIABET RETINOPATHY" which is an important cause for preventable blindness. Eadetection can save Sight. Early detection is possible only by routine checkups. Early diabetic retinopathy has no symptoms.
- 6. Glaucoma is a silent thief of the eyesight. It causes slow progressive loss of vision over a period of years. Glaucoma is an important cause of preventable blindness. Early Glaucoma can be detected during routine checkups. Early diagnosis can prevent loss of Eye Sight.
- 7. There is NO proven medical treatment for Cataract.

Name: John ja Joseph Date: 12/09/2023
Age: 9 yrs IM MRDNo.:

Right eye

Left eye

	SPH.	CYL.	AXIS.	SPH.	CYL.	AXIS.		
D V	10.0	4.25	681	to.00	-4.00	(80°	V	
N V							N V	

Signature