```
t = int(input())
mod = 10000000007
for _ in range(t):
   n, m, l = list(map(int, input().split()))
   s = input()
   v = input()
   e1 = list(map(int, input().split()))
   e2 = list(map(int, input().split()))
   adj = [[] for _ in range(n + 1)]
   count = {}
for i in range(m):
   adj[e1[i] - 1].append(e2[i] - 1)
   adj[e2[i] - 1].append(e1[i] - 1)
   temp = [e1[i]-1, e2[i]-1]
   temp.sort()
   if tuple(temp) not in count:
     count[tuple(temp)] = 0
     count[tuple(temp)] += 1
     dp = [[0 for _ in range(1)] for _ in range(n)]
     for j in range(0, n):
       if s[0] == v[j]:
         dp[j][0] = 1
         for j in range(1, 1):
           for i in range(0, n):
             if s[j] != v[i]:
               continue
             for k in adj[i]:
               dp[i][j] = (dp[i][j] + dp[k][j - 1]) \% mod
               ans = 0
               for i in range(0, n):
                 ans = (ans + dp[i][1 - 1]) \% mod
                 if min(s) == max(s):
                   for i in range(0, n):
                     for j in range(i + 1, n):
                       if v[i] == v[j] and (i,j) in count:
                         ans = (ans - pow(count[(i, j)], l - 1, mod) +
mod) % mod
                         print(ans)
```