



# Markdown Authoring

**Anxo Sánchez Bermúdez**

**University of de Vigo**



# **Curation of Educationa Resources**

# Challenges in identifying and utilizing the OERs.



center

# Teacher Perception

- Most of the teachers guarantee the credibility of online resources only after verifying with the text book resources.
- They have 'tendency to compare' the relevance and quality of online materials with Books.
- The study reflects need of awareness programmes for teacher educators on OER and its utilization.
- Curation is needed to adjudicate the credence and quality of the materials.

*Journal of Educational Technology*, v15, n2, p55-61, Jul-Sep **2018**

# Curation vs Creation Dilemma: Flipped Class

 center

- Content creation is when you create your own materials from scratch:
  - presentations,
  - assignments
  - assessments.
- Content creation is when you create your own materials from scratch—from syllabi, presentations, assignments and assessments.
- You realize that you're a one-stop shop education machine!.
- You don't write your own new course materials every semester.

# What to do?

- Skip borrow material from past. This is content curation.
- Balancing content creation with curation for an effective design.
- Take resources developed by trusted sources. Curation is one tool.
- Curation improves student success keeping supplemental materials costs affordable .
- Curating high-quality content prevents you from unnecessarily duplicating content (MMOER).

# OER Curation

## [OER Curation Kit](#)

- Consider collaborating with others
- Conduct your searches in recognized repositories
- Become familiar with open licensing and accessibility requirements
- Determine your evaluation criteria

# Recommendations

- Limit the amount of copyrighted materials posted to Moodle
- Use links to legal copies of materials, rather than creating and uploading copies to Moodle. Reasons linking is preferable include:
- Consider this a teachable moment: teach to find
- Using films and music within Moodle carefully
- Delete copyrighted content after the class ends



# Creating Materials

# Frustrations with word processors

- Most teachers I know fall into one of two groups: **Microsoft Word'ers** or **Google Docs'ers**
- Both are terrible, especially in a world where there's Markdown.
- When we want share with students we use **PDF** format.
- Make presentations with **Powerpoint**, **Impress** or **Google Slides ...**
- Try to convert a **MS word** `docx` file to **MS PowerPoint** `pptx` and then share it in **Adobe** `pdf` !



# What is markdown?

Markdown is a markup language. The Markdown language lets you write plain text documents with a few annotations that specify the document format. Format is independent of source.

- Text: headers, footers, etc.
- Fonts and font sizes.
- Line, page numbers, etc.

# What is not markdown?

- A WYSIWYG (what you see is what you get) editor.
- You decide your text with information (chapters, sections, etc), but not its format.

This workflow paradigm makes it easier to produce different kinds of outputs. Working together with [pandoc](#) your markdown source can easily be transformed into other formats like HTML, PDF, or DOCX

# Markdown Principal Characteristics

- Markdown is simple. Annotations are minimal, and in made in plain text.
- Markdown is generates easily documents in other markup languages or formats.
- It uses also templa so you can write custom templates and stylesheets.
- Math expresions are writen in LaTeX.
- It uses Pandoc as translation support (several extensions.)

# Why Use Markdown

- If you are an content author which changes versions and outputs formats (like a learner)
- If you thing WYSIWYG editors such as Microsoft Word can ba a nightmare.
- When you share your documents with others, the use of plain text is a good idea.
- Plain text editors are free, light and portable. If you are authoring in plain text file, you know exactly what you are editing.
- If you need your document in different formats, for example, pdf, slides, etc.

# Semantics vs Format

- Texts consist of chapters and sections, plain text and emphasized text, figures and citations, quotes, and lists.
- Semantic elements are visualized by different fonts, bold and italic text, different font sizes, and we do not directly see the semantic structure.
- Most word processors separate semantics from formatting.
- Using WYSIWYG word processors doesn't prevent you from structuring your documents as semantic units—they.



# Preprocessing Documents

- There are a lot of options in order to process documents before convert them into a final output.
- There are a lot of tools that will work well with plain text and markdown as preprocessors.
- Preprocessing documents often require a few programming skills, so it might not be the first thing to learn about markdown

# Concepts

- First, we can learn about:
  - Files
  - Templates
  - Style sheets
  - Outputs
  - Pandoc

# Markdown Process

- You can translate the text in multiple documents, or merge multiple chapters into a single one.
- You combine templates for formatting the documents, and using **Pandoc** to produce the documents you want.

**Markdown**

**Pandoc**

**Pathways**

## Why Use Markdown and pandoc?

- You can write without worrying about it initially, and format later.
- You have a lot of code examples.
- You use math formulas
- You make graphs or charts with online software
- You can easily capture web pages
- You share documents with many people
- You use online sites that can render markdown (Moodle, Jupyter, wordpress, Hugo, etc)

## Why Markdown?

- It's a markup language easier to learn than any other (HTML)
- Is much easier but comparable with TeX and LaTeX
- What makes Markdown particularly pleasant to work with is its simplicity.
- Consider this Markdown document:

```
* One  
* Two
```

# In LaTeX

```
\begin{itemize}  
\item One  
\item Two  
\end{itemize}
```

# In HTML

```
<ul>  
<li>One</li>  
<li>Two</li>  
</ul>
```

# Why Pandoc?

- Since Markdown is just a language for adding structure to a text, it is not tied to any particular tool.
- Many blogging platforms accept Markdown and automatically format it for you to HTML (**Moodle**).
- Now, many text editors also support Markdown but may be you need to export to different file formats and in different styles, then that is obviously the easiest way for you to export your Markdown text.
- Pandoc is vastly more versatile than any Markdown-aware text editor.



# Writing Markdown

```
# Header level 1  
## Header level 2  
### Header level 3
```

## Header level 1

## Header level 2

## Header level 3

# Emphasis

```
*Italics* or _Italics_  
**Bold** or __Bold__  
_**Italic Bold**_  
**_Italic Bold_**
```

*Italics* or *Italics*

**Bold** or **Bold**

***Italic Bold***

***Italic Bold***

# Lists

1. This is a numbered list.
2. Where this is list item two.
3. And this is list item three.

1. This is a numbered list.
2. Where this is list item two.
3. And this is list item three.

1. This is a multi-line list item.  
This is also part of the list item.  
And so is this
2. Here is another one.  
Where this is also part of the list item.

1. This is a multi-line list item. This is also part of the list item. And so is this.
2. Here is another one. Where this is also part of the list item.

# Sublists

- This is a top-level list item
  - \* Here is a sublist item
  - \* Here is another

- This is a top-level list item
  - Here is a sublist item
  - Here is another

# Block Quotes

```
> This is a blockquote. The blockquote  
> can span multiple lines. If you don't  
> put any new lines in it, you only
```

“ This is a blockquote. The blockquote  
can span multiple lines. If you don't  
put any new lines in it, you only

”

# Verbatim Text

```

This will be shown absolutely verbatim

```

The result will then look like this:

```
This will be shown absolutely verbatim
```

# Links

This is a link to [my blog](#).

This is a link to [[these slides](#)]

This is a link to [the section](#).



# Math fórmulas

$$\frac{\partial(\rho u_i)}{\partial t} + \frac{\partial[\rho u_i u_j]}{\partial x_j} = -\frac{\partial p}{\partial x_i} + \frac{\partial \tau_{ij}}{\partial x_j} + \rho f_i$$

$$\frac{\partial \rho}{\partial t} + \vec{\nabla} \cdot (\rho \vec{u}) = 0$$

$$\frac{\partial(\rho \vec{u})}{\partial t} + \vec{\nabla} \cdot [\rho \overline{\vec{u} \otimes \vec{u}}] = -\vec{\nabla} p + \vec{\nabla} \cdot \overline{\vec{\tau}} + \rho \vec{f}$$

- a. This list uses letters instead of numbers.
- b. We can make a sublist with roman numerals:
  - i. This sublist also uses parenthesis
  - ii. Cool, isn't it?

looks like

- a. This list uses letters instead of numbers.
- b. We can make a sublist with a roman numerals:
  - i. This sublist also uses parenthesis
  - ii. Cool, isn't it?

# Images



The poster features a central image of three individuals in white lab coats using VR headsets and controllers. The background is dark blue with geometric patterns and icons like a plus sign and a cross. The title is in a stylized, outlined font on the left. The event details are on the right, and the logos are at the bottom.

**JORNADA**

*Aplicando tecnologías XR en la industria de forma sostenible*

Viernes, 29 de abril  
De 10:00 a 13:30 horas

Salón de Actos  
Escuela de Ingeniería Industrial  
Campus Universitario de Vigo

Universidade de Vigo

ARSOFT

EEI desde 1901 Escola de Enxeñaría Industrial Universidade de Vigo

# Combined with HTML



**JORNADA**

*Aplicando tecnologías XR en la industria de forma sostenible*

Viernes, 29 de abril  
De 10:00 a 13:30 horas

Salón de Actos  
Escuela de Ingeniería Industrial  
Campus Universitario de Vigo

Universidade de Vigo

ARSOFT

EEI Escola de Enxeñaría Industrial desde 1901 Universidade de Vigo

# Video



Watch the video

```
<iframe width="560" height="315"  
src="https://www.youtube.com/embed/AOaxhU1yxOM"  
title="YouTube video player" frameborder="0" allow="accelerometer;  
autoplay; clipboard-write; encrypted-media; gyroscope; picture-in-  
picture" allowfullscreen></iframe>
```


# Tables

```
| Right | Left | Default | Center |
| ----: | :--- | :----- | :----: |
|      12 | 12   | 12       |      12 |
|     123 | 123  | 123      |     123 |
```

Result:

Right	Left	Default	Center
12	12	12	12
123	123	123	123

# Mermaid Diagrams



([https://mermaid.live/edit#pako:eNpt0M2qAjEMBeBXidk68wJdKILC1a3bbkJ7dMrtj9YWEfHd7YzjzqwC-U4gebJJFqz4hmtFNNg6OWcJOIKrjXcG\\_Wq1PKQhKvqD94nGvqMh3Uky6IHq-if-MCNxIDRAMgXMdIz1if7Tpi12n3BH-](https://mermaid.live/edit#pako:eNpt0M2qAjEMBeBXidk68wJdKILC1a3bbkJ7dMrtj9YWEfHd7YzjzqwC-U4gebJJFqz4hmtFNNg6OWcJOIKrjXcG_Wq1PKQhKvqD94nGvqMh3Uky6IHq-if-MCNxIDRAMgXMdIz1if7Tpi12n3BH-)

# Footnotes

Footnote inside a paragraph.<sup>[1]</sup>

Reference to a footnote.<sup>[1]</sup>

<sup>[1]</sup>: This is footnote one.



# Syntax Highlighting

```
for (int i = 0; i < n; i++)  
printf("%d\n", i);
```

```
function v = f(x);  
    v = exp(a^3) - x
```

# Maths

```
$$p_k(x)=\prod_{\substack{i=1\\i\neq k}}^n  
\left(\frac{x-t_i}{t_k-t_i}\right)$$
```

looks like

$$p_k(x) = \prod_{\substack{i=1 \\ i \neq k}}^n \left( \frac{x - t_i}{t_k - t_i} \right)$$

# Presenter notes

```
<!-- This is a presenter note for this page. -->
```

```
<!-- EXAMPLE: An EXAMPLE directive is not defined in Marp/Marpit, so this works as presenter notes. -->
```

```
<!-- fit --> This is not a presenter note.
```

# Thank you!

## Creative Commons License

