word2vec Demo

Efficient Estimation of Word Representations in Vector Space (Mikolov et al, 2013).

Andres Calderon and Hinna Shabir

University of California, Riverside

November 20, 2015

word2vec Demo November 20, 2015 1 / 49

- Installation
- 2 Demos
 - Word vectors
 - Word classification
 - Word analogies
 - From words to phrases
 - Word and phrase accuracy
 - Pre-trained models
 - Other implementations

word2vec Demo

- Installation
- 2 Demos
 - Word vectors
 - Word classification
 - Word analogies
 - From words to phrases
 - Word and phrase accuracy
 - Pre-trained models
 - Other implementations



- https://code.google.com/p/word2vec/.
- Provides an efficient implementation of the continuous bag-of-words and skip-gram.
- Clean and well documented code in C.












word2vec Demo


November 20, 2015





7 / 49

word2vec Demo November 20, 2015





- Installation
- 2 Demos
 - Word vectors
 - Word classification
 - Word analogies
 - From words to phrases
 - Word and phrase accuracy
 - Pre-trained models
 - Other implementations



- Installation
- 2 Demos
 - Word vectors
 - Word classification
 - Word analogies
 - From words to phrases
 - Word and phrase accuracy
 - Pre-trained models
 - Other implementations



demo-word.sh

text8 file



demo-word.sh output

```
and@and-dblab:~/Documents/Projects/C++/word2vec/trunk$ ./demo-word.sh
make: Nothing to be done for 'all'.
--2015-11-12 18:18:10-- http://mattmahonev.net/dc/text8.zip
Resolving mattmahonev.net (mattmahonev.net)... 98.139.135.129
Connecting to mattmahoney.net (mattmahoney.net) | 98.139.135.129 | :80... connected.
HTTP request sent, awaiting response... 200 OK
Length: 31344016 (30M) [application/zip]
Saving to: text8.gz
text8.gz

→ 100%[======>] 29.89M 1.74MB/s in 18s

2015-11-12 18:18:28 (1.70 MB/s) - text8.gz saved [31344016/31344016]
Starting training using file text8
Vocab size: 71291
Words in train file: 16718843
Alpha: 0.000005 Progress: 100.10% Words/thread/sec: 113.47k
real 10m15 450s
user 36m52.552s
sys 0m4.388s
Enter word or sentence (EXIT to break):
```

demo-00.sh

```
## Get a small file...
head -c 5000000 text8 > text8_small
## Build the model...
./word2vec -train text8_small -output vectors_small.bin -cbow 1 -size 100 -window 5 -negative 0 -hs

$\to$ 25 -threads 1 -iter 4 -min-count 2 -binary 1
## Query word distances...
./distance vectors_small.bin
```

demo-01.sh

```
## Text model saving vocabulary
./word2vec -train text8_small -output vectors_small_50.txt -cbow 1 -size 50 -window 5 -negative 0

-> -hs 25 -threads 1 -iter 4 -binary 0 -save-vocab vocab.txt
## Text model with just 3 dimensions
./word2vec -train text8_small -output vectors_small_3.txt -cbow 1 -size 3 -window 5 -negative 0 -hs


-> 25 -threads 1 -iter 4 -binary 0
## See the results...
echo "Text model size 50..."
head -n 5 vectors_small_50.txt
echo "Vocabulary..."
head -n 5 vocab.txt
echo "Text model size 3..."
head -n 5 vectors_small_3.txt
```

demo-word.sh revisited

- distance can load a pre-trained model...
- Let's try some examples...
 - california
 - 2 sciences
 - happiness
 - man
 - **5** ...

3d plot

RGL device 20 [Focus]



- Installation
- 2 Demos
 - Word vectors
 - Word classification
 - Word analogies
 - From words to phrases
 - Word and phrase accuracy
 - Pre-trained models
 - Other implementations



demo-classes.sh

demo-classes.sh

```
## Let's build a small model...
./word2vec -train text8_small -output classes.txt -cbow 1 -size 50 -window 5 -negative 0 -hs

\[
\to 12 -sample 1e-4 -threads 20 -iter 3 -classes 10 \]
sort classes.txt -k 2 -n > classes.sorted.txt
```



- Installation
- 2 Demos
 - Word vectors
 - Word classification
 - Word analogies
 - From words to phrases
 - Word and phrase accuracy
 - Pre-trained models
 - Other implementations




Interesting properties of the word vectors

$$\bullet \ \overrightarrow{\textit{paris}} - \overrightarrow{\textit{france}} + \overrightarrow{\textit{italy}} \cong \overrightarrow{\textit{rome}}$$

•
$$\overrightarrow{king} - \overrightarrow{mah} + \overrightarrow{womeh} \cong \overrightarrow{queeh}$$



Parcoord plot



demo-analogy.sh

demo-analogy.sh

- Some examples...
 - 1 paris france bogota ...
 - ② king man queen ...
 - boy girl brother ...
 - 4 chicago illinois memphis ...
 - poland zloty sweden ...
 - 6 bad worst good ...
 - o child children mouse ...
 - going went selling ...
 - 9 mexico mexican peru ...
 - berlin germany riyadh¹ ...
 - u woman angel man ...
 - heaven hell man ...



¹word2phrase will address the problem...


- Installation
- 2 Demos
 - Word vectors
 - Word classification
 - Word analogies
 - From words to phrases
 - Word and phrase accuracy
 - Pre-trained models
 - Other implementations



From words to phrases and beyond

- It is desirable to have only one vector for representing 'san_francisco'.
- How to get vector representation of larger pieces of text no just words?
- word2phrase
- Pre-processing the training data set to form phrases.





イロト イ団ト イヨト イヨト

word2vec Demo


```
## Compile ...
make
## Download...
if [! -e news.2012.en.shuffled]: then
 wget http://www.statmt.org/wmt14/training-monolingual-news-crawl/news.2012.en.shuffled.gz
 gzip -d news.2012.en.shuffled.gz -f
fi
## Pre-process...
sed -e "s//'/g" -e "s//'/g" -e "s/''/g" < news.2012.en.shuffled | tr -c "A-Za-z'_ \n" " " >
    news.2012.en.shuffled-norm0
time ./word2phrase -train news.2012.en.shuffled-norm0 -output news.2012.en.shuffled-norm0-phrase0

→ -threshold 200 -debug 2


time ./word2phrase -train news.2012.en.shuffled-norm0-phrase0 -output

→ news.2012.en.shuffled-norm0-phrase1 -threshold 100 -debug 2


tr A-Z a-z < news.2012.en.shuffled-norm0-phrase1 > news.2012.en.shuffled-norm1-phrase1
## Model...
time ./word2vec -train news.2012.en.shuffled-norm1-phrase1 -output vectors-phrase.bin -cbow 1 -size
     200 -window 10 -negative 25 -hs 0 -sample 1e-5 -threads 20 -binary 1 -iter 15
## Deploy...
./distance vectors-phrase.bin
```



◆ロ > ◆回 > ◆ を > ◆ を > を ● り へ ○



word2vec Demo



◆ロ > ◆個 > ◆差 > ◆差 > 差 め < ②</p>

demo-phrases.sh output (1/3)

demo-phrases.sh output (2/3)

```
Starting training using file news.2012.en.shuffled-norm0
Words processed: 296900K
                          Vocab size: 33198K
Vocab size (unigrams + bigrams): 18838711
Words in train file: 296901342
Words written: 296900K
real 7m38.607s
user 7m8.592s
svs 0m15.176s
Starting training using file news.2012.en.shuffled-normO-phraseO
Words processed: 280500K Vocab size: 38761K
Vocab size (unigrams + bigrams): 21728781
Words in train file: 280513979
Words written: 280500K
real 7m0.022s
user 6m19.436s
sys 0m14.756s
```

demo-phrases.sh output (3/3)

```
...
Starting training using file news.2012.en.shuffled-norm1-phrase1
Vocab size: 681320
Words in train file: 283545447
Alpha: 0.000005 Progress: 100.00% Words/thread/sec: 162.97k
real 115m6.531s
user 434m57.904s
sys 1m4.464s
Enter word or sentence (EXIT to break):
```

- Installation
- 2 Demos
 - Word vectors
 - Word classification
 - Word analogies
 - From words to phrases
 - Word and phrase accuracy
 - Pre-trained models
 - Other implementations



compute-accuracy

```
and@and-dblab: ~/Documents/Projects/C++/word2vec/trunk - + ×
and@and-dblab: ~/Documents/Projects/C++/word2vec/trunk 125x7
and@and-dblab: ~/Documents/Projects/C++/word2vec/trunk 125x7
and@and-dblab: ~/Documents/Projects/C++/word2vec/trunks ./compute-accuracy
Usage: ./compute-accuracy <FILE> <threshold>
where FILE contains word projections, and threshold is used to reduce vocabulary of the model for fast approximate evaluation
(0 = off, otherwise typical value is 30000)
and@and-dblab: ~/Documents/Projects/C++/word2vec/trunk$
```




word2vec Demo

demo-word-accuracy.sh

questions-words.txt

https://word2vec.googlecode.com/svn/trunk/questions-words.txt



demo-word-accuracy.sh output

```
and@and-dblab: ~/Documents/Projects/C++/word2vec/trunk
     d-dblab:~/Documents/Projects/C++/word2vec/trunks //demo-word-accuracy.sh
CCURACY TOP1: 83.80 % (420 / 586)
otal accuracy: 83.00 % Semantic accuracy: 83.00 % Syntactic accuracy: -nan %
CCURACY TOP1: 20.90 % (56 / 268)
CCURACY TOP1: 77.78 % (238 / 306)
ram1-adjective-to-adverb:
CCURACY TOP1: 18.25 % (138 / 756)
CCURACY TOP1: 23.53 % (72 / 306)
CCURACY TOP1: 62.22 % (784 / 1260)
otal accuracy: 52.73 % Semantic accuracy: 58.35 % Syntactic accuracy: 42.81 %
CURACY TOP1: 38.93 % (197 / 506)
CCURACY TOP1: 39.31 % (390 / 992)
CURACY TOP1: 86.29 % (1183 / 1371)
CCURACY TOP1: 38.21 % (509 / 1332)
CURACY TOP1: 63.71 % (632 / 992)
CURACY TOP1: 34.77 % (226 / 650)
otal accuracy: 53.19 % Semantic accuracy: 58.35 % Syntactic accuracy: 50.59 %
 d@and-dblab:~/Documents/Projects/C++/word2vec/trunk$
```

word2vec Demo

demo-phrase-accuracy.sh

```
## Same than before ...
make
if [ ! -e news.2012.en.shuffled ]; then
  wget http://www.statmt.org/wmt14/training-monolingual-news-crawl/news.2012.en.shuffled.gz
  gzip -d news.2012.en.shuffled.gz -f
fi
sed -e "s//'/g" -e "s//'/g" -e "s/''/g" < news.2012.en.shuffled | tr -c "A-Za-z'_ \n" " " >
       news 2012 en shuffled-norm0
time ./word2phrase -train news.2012.en.shuffled-norm0 -output news.2012.en.shuffled-norm0-phrase0
     -threshold 200 -debug 2
time ./word2phrase -train news.2012.en.shuffled-norm0-phrase0 -output
       news.2012.en.shuffled-norm0-phrase1 -threshold 100 -debug 2
tr A-Z a-z < news.2012.en.shuffled-norm0-phrase1 > news.2012.en.shuffled-norm1-phrase1
time ./word2vec -train news.2012.en.shuffled-norm1-phrase1 -output vectors-phrase.bin -cbow 1 -size
       200 -window 10 -negative 25 -hs 0 -sample 1e-5 -threads 20 -binary 1 -iter 15
## Test accuracy...
./compute-accuracy vectors-phrase.bin < questions-phrases.txt
```

questions-phrases.txt

https://word2vec.googlecode.com/svn/trunk/questions-phrases.txt

```
questions-phrases.txt (~/Documents/Projects/C++/word2vec/trunk) - gedit
File Edit View Search Tools Documents Help
1 Copen - C Save de Guado A D A A Q Q
newspapers
Albuquerque Albuquerque Journal Baltimore Baltimore Sun
Albuquerque Albuquerque Journal Boston Boston Globe
Albuquerque Albuquerque Journal Cincinnati Cincinnati Enquirer
Albuquerque Albuquerque Journal Cleveland Cleveland Plain Dealer
Albuquerque Albuquerque Journal Charleston Charleston Gazette
Albuquerque Albuquerque Journal Chicago Chicago Tribune
Albuquerque Albuquerque Journal Columbus Columbus Dispatch
Albuquerque Albuquerque Journal Dallas Dallas Morning News
Albuquerque Albuquerque Journal Dayton Dayton Daily News
Albuquerque Albuquerque Journal Denver Denver Post
Albuquerque Albuquerque Journal Dothan Dothan Fagle
Albuquerque Albuquerque Journal Fort Collins Fort Collins Coloradoan
Albuquerque Albuquerque Journal Fresno Fresno Bee
Albuquerque Albuquerque Journal Houston Houston Chronicle
Albuquerque Albuquerque Journal Indianapolis Indianapolis Star
Albuquerque Albuquerque Journal Knoxville Knoxville News Sentinel
Albuquerque Albuquerque Journal Los Angeles Los Angeles Times
Albuquerque Albuquerque Journal Miami Miami Herald
Albuquerque Albuquerque Journal Milwaukee Nilwaukee Journal Sentinel
Albuquerque Albuquerque Journal Minneapolis Minneapolis Star Tribune
Albuquerque Albuquerque Journal New Haven New Haven Register
Albuquerque Albuquerque Journal New York New York Times
Albuquerque Albuquerque Journal Oakland Oakland Tribune
Albuquerque Albuquerque Journal Philadelphia Philadelphia Inquirer
Albuquerque Albuquerque Journal Portland Portland Oregonian
Albuquerque Albuquerque Journal Sacramento Sacramento Bee
Albuquerque Albuquerque Journal Salt Lake Salt Lake Tribune
Albuquerque Albuquerque Journal San Antonio San Antonio Express News
Albuquerque Albuquerque Journal San Francisco San Francisco Chronicle
Albuquerque Albuquerque Journal San Jose San Jose Mercury News
Albuquerque Albuquerque Journal Seattle Seattle Times
Albuquerque Albuquerque Journal Tallahassee Tallahassee Democrat
Albuquerque Albuquerque Journal Waco Maco Tribune Herald
Albuquerque Albuquerque Journal Washington Washington Post
Albuquerque Albuquerque Journal Worcester Worcester Telegram
Baltimore Baltimore Sun Boston Boston Globe
Baltimore Baltimore Sun Cincinnati Cincinnati Enquirer
Baltimore Baltimore Sun Cleveland Cleveland Plain Dealer
Baltimore Baltimore Sun Charleston Charleston Gazette
Baltimore Baltimore Sun Chicago Chicago Tribune
Baltimore Baltimore Sun Columbus Columbus Dispatch
Baltimore Baltimore Sun Dallas Dallas Morning News
Baltimore Baltimore Sun Davton Davton Daily News
Baltimore Baltimore Sun Denver Denver Post
Baltimore Baltimore Sun Dothan Dothan Eagle
Baltimore Baltimore Sun Fort Collins Fort Collins Coloradoan
Baltimore Baltimore Sun Fresno Fresno Bee
                                             Plain Text v Tab Width: 8 v In 1 Col 1 INS
```

demo-phrase-accuracy.sh output

```
and@and-dblab: ~/Documents/Projects/C++/word2vec/trunk
               and@and-dblab: ~/Documents/Projects/C++/word2vec/trunk 86x21
nd@and-dblab:~/Documents/Projects/C++/word2vec/trunk$ ./demo-phrase-accuracy.sh
CCURACY TOP1: 27.84 % (294 / 1056)
  URACY TOP1: 17.52 % (123 / 702)
 CURACY TOP1: 60.83 % (365 / 600)
otal accuracy: 33.16 % Semantic accuracy: 33.16 % Syntactic accuracy: -nan %
  JRACY TOP1: 23.81 % (100 / 420)
    ACY TOP1: 82.29 % (79 / 96)
nd@and-dblab:~/Documents/Projects/C++/word2vec/trunk$
```

Agenda

- Installation
- 2 Demos
 - Word vectors
 - Word classification
 - Word analogies
 - From words to phrases
 - Word and phrase accuracy
 - Pre-trained models
 - Other implementations



demo-train-big-model-v1.sh

- GoogleNews-vectors-negative300.bin.gz
 - 100 billion words
 - 300 dimensional vectors
 - 1.6 GB
- freebase-vectors-skipgram1000.bin.gz
 - 100 billion words
 - 1000 dimensional vectors
 - 2.5 GB
- Some tips about performance and where obtain more training data can be found in https://code.google.com/p/word2vec/.



Agenda

- Installation
- 2 Demos
 - Word vectors
 - Word classification
 - Word analogies
 - From words to phrases
 - Word and phrase accuracy
 - Pre-trained models
 - Other implementations



Ports of the framework...

• in Python: gensim²

• in Java: deeplearning4j³

in R: tmcn⁴

• in Scala: Apache Spark⁵

48 / 49

² http://rare-technologies.com/deep-learning-with-word2vec-and-gensim/

³ http://deeplearning4j.org/word2vec.html

⁴ http://rpackages.ianhowson.com/rforge/tmcn.word2vec/man/word2vec.html

 $^{^{5}}_{\rm https://spark.apache.org/docs/latest/mllib-feature-extraction.html \# word2vec}$

Thank you!!!

Download this presentation at https://goo.gl/pE8Mjw

