

# Computational Thinking through Modular Sounds Synthesis

Andrew M. Olney

2022-09-03



# Contents

<b>Welcome</b>	<b>5</b>
<b>1 Introduction</b>	<b>7</b>
1.1 Why this book? . . . . .	7
1.2 Computational thinking . . . . .	8
1.3 Modular synthesis . . . . .	10
1.4 Moving forward . . . . .	15
<b>I Sound</b>	<b>17</b>
<b>2 Physics and Perception</b>	<b>19</b>
2.1 Waves . . . . .	19
2.2 Frequency and pitch . . . . .	24
2.3 Amplitude and loudness . . . . .	28
2.4 Waveshape and timbre . . . . .	30
2.5 Phase and ... phase? . . . . .	33
<b>3 Harmonic Sounds</b>	<b>35</b>
<b>4 Inharmonic Sounds</b>	<b>37</b>
<b>II Fundamental Modules</b>	<b>39</b>
<b>5 Basic Concepts</b>	<b>41</b>

4	<i>CONTENTS</i>
6 Trigger	43
7 Create	45
8 Modify	47
III Sound Design 1	49
9 Kick & Cymbal	51
10 Lead & Bass	53
IV Complex Modules	55
11 Trigger	57
12 Create	59
13 Modify	61
V Sound Design 2	63
14 Minimoog & 303	65

# Welcome

This is the official website for “Computational Thinking through Modular Sound Synthesis”. This book will teach you computational thinking through modular sound synthesis (hereafter *modular*). You’ll learn how to trigger sounds, create sounds, and modify sounds to solve specific sound design problems and create compositions. Along the way, you’ll learn computational thinking practices that transcend modular and can be applied to a variety of problem-solving domains, but which are particularly relevant to information processing domains like computing.

If you’re wondering whether this is a book about computational thinking, or a book about modular, the answer is both: on the surface, most content is about modular, but computational thinking is a style of thinking reflected in the presentation of the material and gives it additional coherence. As you work through the book, you’ll become more proficient in computational thinking practices like decomposition, algorithmic design, evaluation of solutions, pattern recognition, and abstraction.

This book is *interactive*, which is why it is an e-book rather than a paper book. Throughout you will encounter examples, simulations, and exercises that run in your browser to demonstrate and reinforce key concepts. Don’t skip the interactive activities!



This website is free to use and is licensed under the [Creative Commons Attribution-NonCommercial-NoDerivs 4.0 License](#).



# Chapter 1

## Introduction

### 1.1 Why this book?

Let's start with why I'm writing it. I got into electronic music in the 1990s when I lived in London but never transitioned from DJing to making music, though several of my friends did. A few years ago, they started talking about modular, and in talking to them and trying to find out more about it, I realized a few things:

- The best books (to me) were from the 1970s and 1980s<sup>1</sup>
- Modular synthesis is really well aligned with *computational thinking*

If you've never heard of computational thinking and/or modular, that last point won't make a lot of sense, so let's break it down.

Modular sound synthesis (modular) creates sound by connecting modules that each perform some function on sound. Different sounds are created by combining modules in different ways.

Computational thinking creates runnable models to solve a problem or answer a question. Models can be scientific models (e.g. meteorology), statistical models (e.g. statistics/data science), computation models (computer science), and perhaps other kinds of models.

How are they connected? Modular involves computational thinking when we:

---

<sup>1</sup>Old books that I like are [Crombie \(1982\)](#) and [Strange \(1983\)](#). Newer books of note are [Bjørn and Meyer \(2018\)](#), which gives a great overview of module hardware and history, [Eliraz \(2022\)](#), which gives a broader overview of issues related to musical equipment and production, and [Dusha et al. \(2020\)](#), which gives a modern but briefer introduction to modular than the older books. There are also some online courses (paid), but since I haven't taken them, I'm not listing them here.

- Simulate an instrument by reverse engineering its sound
- Create new sounds based on models of signal processing

**Why should you read this book?** This book is about modular, but it approaches modular in a way that highlights computational thinking. I believe this deeper approach to modular will help you do more with modular, other synthesizers, and studio production tools. Additionally, the computational thinking approach should help accelerate your learning of computational-thinking domains in the future. Since computational thinking involves problem solving, this book is full of interactive activities that will let you hone your modular skills - something you won't find in most books!

The next sections give some background on computational thinking and modular to better explain where this book is coming from.

## 1.2 Computational thinking

[Tedre and Denning \(2016\)](#) present a nice overview of the history of computational thinking. Here's a brief summary.

When the field of computing was taking off in the 1950s, there was interest and discussion about how it was different from other fields (e.g. math). One argument was that computing involved *algorithmic thinking*, which is designing algorithms to solve problems (cf. programming), and this kind of thinking was unique to computing. Some even thought that this kind of thinking could improve thinking generally.

*Computational thinking* appears to have been coined in the 1980s by Seymour Papert and popularized in his book *Mindstorms* ([Papert, 1980](#)). Papert was a mathematician by training, and his approach was much broader than the algorithmic thinking approach that came before. Papert's approach was empirical and embraced model building, which he implemented using simulated microworlds containing robots (LEGO Mindstorms takes its name from this work). It was revolutionary in its time and received a lot of attention from educators and policy makers of widely different backgrounds.

Unfortunately, today it's very hard to get agreement on what computational thinking is, so definitions tend to be squishy. This is likely due to the widespread use of computers and the tendency for everyone to frame computational thinking in terms of what *they* do with computers. Some want to reduce it to computer literacy, others to basic programming, and yet others to discovery learning with computers, etc.

I take a more unified view of computational thinking based on model building and problem solving. I define computational thinking as building a *runnable* model to solve a problem:



- For an algorithmic problem, this is a [model of computation](#) (the original computer science view)
- For data science/statistics, this is a [statistical model](#)
- For general scientific fields, this is a [scientific model](#) of a phenomenon or process

The model doesn't need to run on a computer, but to be a runnable model, it needs to be mechanistic. One of my favorite examples of a non-computer model is MENACE ([Michie, 1963](#)), which plays tic-tac-toe (AKA noughts and crosses). MENACE plays tic-tac-toe using matchboxes full of colored beads as shown in Figure 1.1. Each possible board position (starting with a blank board) is represented by a matchbox, and each move is represented by one of nine colored beads. To make a move, a human assistant selects the correct box for the current board position and randomly samples a colored bead, which determines where MENACE makes its move. If MENACE wins the game, the chosen bead from each box is replaced along with extra beads of the same color, and if MENACE loses, the chosen bead is removed. Over time, these bead adjustments make winning moves more likely and losing moves less likely.



Figure 1.1: Machine Educable Noughts and Crosses Engine (MENACE). Each matchbox corresponds to a possible board position and is full of colored beads corresponding to moves. The color key in the foreground shows the board location indicated by each colored bead. Image © [Matthew Scroggs/CC-BY-SA-4.0](#).

MENACE is a nice example of computational thinking without computers because algorithmic game playing has a long history in computer science and AI. However MENACE is not “an exception to the rule” - teaching computer science without computers has been part of the model curriculum for almost 20 years ([Tucker, 2003](#); [Bell, 2021](#)). We really don't need computers for computational thinking!

So how do we *learn* to build runnable models to solve problems (i.e., how do we learn computational thinking)? Well, models are made of interacting elements, so we need to learn those elements, and we need to learn how the elements interact.

Once we know those things, we can customize general problem solving, which has the same basic steps (Polya, 2004):

- Understand the problem
- Make a plan
- Implement the plan
- Evaluate the solution

For any new domain, the big things to learn are the “understand the problem” and the “make a plan” steps of problem solving. That’s the approach of this book - for the domain of modular synthesis.

### 1.3 Modular synthesis

While we can pinpoint the invention of modular synthesis with some precision, it is useful to consider it in a broader context. This section briefly overviews the history of synthesis and how modular fits into it.

Humans have long been interested in musical instruments that incorporate automation or in reproducing sounds by mechanical means. Wind chimes, which play a series of notes when disturbed by wind, appeared in the historical record thousands of years ago. Even before the complete electrification of instruments (synthesizers are electric by definition), there were numerous attempts to partially automate or model sounds, such as barrel organs, player pianos, or speech synthesis using bellows (Dudley and Tarnoczy, 1950) as shown in Figure 1.2.

Consider the difference between wind chimes or a player piano and this speaking machine. Neither of the former is a model of the sound but rather uses mechanical means to trigger the sound (later we will refer to this as sequencing). In contrast, the speaking machine is a well-considered model of the human speech mechanism.

Synthesizers using electricity appeared in the late 19th century.<sup>2</sup> Patents were awarded just a few years apart to Elisha Gray, whose synthesizer comprised simple single note oscillators and transmitted over the telegraph, and Thaddeus Cahill, whose larger Telharmonium could sound like an organ or various wood instruments but weighed 210 tons!

---

<sup>2</sup>There is some difference of opinion on what qualifies as usage of electricity in this context. For a fuller history of synthesizers, see <https://120years.net/wordpress/>




Figure 1.2: [YouTube video](#) of Wolfgang von Kempelen's speaking machine circa 1780. Image © [Fabian Brackhane](#).

The modular synthesizer was developed by Harald Bode from 1959-1960 ([Bode, 1984](#)), and this innovation quickly spread to other electronic music pioneers like Moog and Buchla. The key idea of modular is flexibility. This is achieved by refactoring aspects of synthesis (i.e. functions on sound) into a collection of modules. These modules may then be combined to create a certain sound by patching them together and adjusting module parameters (e.g. by turning knobs or adjusting sliders). An example modular synthesizer is shown in Figure 1.3.

In the 1970s, *semi-modular* synthesizers were developed that did not require patching to make a sound. Instead, semi-modulars were pre-set with an invisible default patch, meaning that the default patch wiring was internal and not visible to the user. Users could then override this default patch by plugging in patch cables. Most semi-modulars from this period also included an integrated keyboard. Arguably, these changes made semi-modulars more approachable to typical musicians. An example semi-modular synthesizer is shown in Figure 1.4.

Digital technology began replacing the analog technology of synthesizers in the 1980s. As a result, synthesizers got smaller and cheaper. Digital synthesizers made increasing use of preset sounds so that most users never needed to create custom sounds. In comparison to digital synthesizers, modular synthesizers were more expensive and harder to use. An example digital synthesizer is shown in Figure 1.5.

By the 1990s the digital transformation was complete, such that computers could be used to create and produce music in software. Although computers were still relatively expensive at this time, they provided an all-in-one solution that included editing, mixing, and other production aspects. Over the next few



Figure 1.3: A Serge modular system based on a 1970s design. Each module is labeled at the top edge, e.g. Wave Multiplier, and extends down to the bottom edge in a column. Note that although the modules have the same height, they have different widths. Image © [mikaël altemark/CC-BY-2.0](#).



Figure 1.4: A Minimoog semi-modular system from the 1970s. Patch points are primarily on the top edge and hidden from view. Image [public domain](#).





Figure 1.5: A Yamaha DX7 from the 1980s. Note the menu-based interface and relative lack of controls compared to modular and semi-modular synthesizers. Image [public domain](#).

decades as personal computers and portable computing devices became common household items, the costs associated with computer-based music making became dominated by the cost of software and associated audio and [MIDI](#) interfaces. Figure 1.6 shows digital audio workstation (DAW) software commonly used in music production.



Figure 1.6: Logic Pro digital audio workstation software. Additional functionality is provided by 3rd-party plugins showing as additional windows on the screen. In the foreground are an audio interface and a MIDI keyboard used for recording/playing audio and entering note information respectively. Image © [Musicianonamission/CC-BY-SA-4.0](#).

The computer-centric approach dominated synthesis for a decade or more, but by the 2010s, improved electronics manufacturing, smartphone technology, and the open-source movement led to lower cost modular synthesizers. Additionally, the Eurorack standard ([Doepfer Musikelektronik, 2022a,b](#)) was widely adopted,

leading to +10,000 interoperable modules.<sup>3</sup> As a result, modular synthesis saw a resurgence in popularity. Figure 1.7 shows a Eurorack modular synthesizer.



Figure 1.7: A Eurorack modular synthesizer. The different modules designs and logos reflect the adoption of the Eurorack standard which makes modules from different manufacturers interoperable. Image © Paul Anthony/CC-BY-SA-4.0.

It is perhaps surprising that some 60 years after its creation, modular synthesis is more popular than ever. One possible reason is the reduction in price over time, shown in Table 1.1. However, other trends seem to be at work. While the modular synthesizer was simplified for wider adoption early in its history, first with semi-modular and later with digital synthesizers, the culmination of this trend led to large preset and sample banks that transformed the task of creating a specific sound to searching for a pre-made sound. It's plausible that as the search for sounds became more intensive, the time savings of presets diminished, making the modular approach more attractive. An intersecting trend is a commonly-expressed dissatisfaction with using computers for every aspect of music making and a corresponding return to hardware instruments, including modular.

Table 1.1: The cost of modular, semi-modular, and computer synthesizers over time. Prices are in 2022 dollars.

Decade	Synthesizer	Cost
1960s	Moog modular synthesiser	\$96,000
1970s	Minimoog semi-modular	\$10,000
1980s	Yamaha DX7	\$6,000
1990s	Gateway computer with Cubase	\$8,000
2010s	ALM System Coupe modular	\$2,400

<sup>3</sup><https://www.modulargrid.net/>

Decade	Synthesizer	Cost
...	VCVRack virtual modular	Free

Earlier in this chapter, I argued that a computational thinking approach to modular could help with other synthesizers and studio production tools. Hopefully this brief history helps explain why: modular represents the building blocks of synthesis that later approaches have appropriated and presented in their own way. A square wave oscillator in modular is fundamentally the same as that in another hardware synth or DAW software. If you understand these building blocks in modular, you should understand them everywhere.

## 1.4 Moving forward

Our next stop is *Sound* where the focus is to “understand the problem”. Chapter 2 addresses both the physics of sound and our perception of it, which perhaps surprisingly, are not the same. From there we move into sounds commonly found in music and their properties, ranging from harmonic sounds in Chapter 3 to inharmonic sounds like percussion in Chapter 4.

The remainder of the book alternates between learning model elements (modules), how they interact (patches), problem solving (sound design). The progressive *Modules* and *Sound Design* sections build up from basic approaches to the more complex. By the time we’re done, you should have a good foundation to create patches to solve new sound design problems.





**Part I**

**Sound**



## Chapter 2

# Physics and Perception

From the outset, it's important to understand that the physics of sound and how we perceive it are not the same. This is a simple fact of biology. Birds can see ultraviolet, and bats can hear ultrasound; humans can't do either. Dogs have up to 40 times more olfactory receptors than humans and correspondingly have a much keener sense of smell. We can only perceive what our bodies are equipped to perceive.

In addition to the limits of our perception, our bodies also *structure* sensations in ways that don't always align with physics. A good example of this is [equal loudness contours](#). As shown in [Figure 2.1](#), sounds can appear equally loud to humans across frequencies even though the actual sound pressure level (a measure of sound energy) is not constant. In other words, our hearing becomes more sensitive depending on the frequency of the sound.

Why do we need to understand the physics of sound *and* perception of sound? Ultimately we hear the sounds we're going to make, but the process of making those sounds is based in physics. So we need to know how both the physics and perception of sound work, at least a bit.

### 2.1 Waves

Have you ever noticed a dust particle floating in the air, just randomly wandering around? That random movement is known as Brownian motion, and it was shown by Einstein to be evidence for the existence of atoms - that you can see with your own eyes! The movement is caused by air molecules<sup>1</sup> bombarding the much larger dust particle from random directions, as shown in [Figure 2.2](#).

---

<sup>1</sup>In what follows, we will ignore that air is a mixture of gases because it is irrelevant to the present discussion.




Figure 2.1: An equal loudness contour showing improved sensitivity to frequencies between 500Hz and 4KHz, which approximately matches the range of human speech frequencies. Image [public domain](#).

Amazingly, it is also possible to see sound waves moving through the air, using a technique called [Schlieren photography](#). Schlieren photography captures differences in air pressure, and sound is just a difference in air pressure that travels as a wave. The animation in Figure 2.3 shows a primary wave of sound corresponding to the explosion of the firecracker in slow motion, and we can see that wave radiate outwards from the explosion.

Let's look at a more musical example, the slow motion drum hit shown in Figure 2.4. After the stick hits the drum head, the head first moves inward and then outward, before repeating the inward/outward cycle. When the drum head moves inward, it creates more room for the surrounding air molecules, so the density of the air next to the drum head decreases (i.e., it becomes less dense, because there is more space for the same amount of air molecules). The decrease in density is called rarefaction. When the drum head moves outward, it creates less room for the surrounding air molecules, so the density of the air next to the drum head increases (i.e., it becomes more dense, because there is less space for the same amount of air molecules). The increase in density is called compression.

You can see an analogous simulation of to the drum hit in Figure 2.5. If you add say 50 particles, grab the handle on the left, and move it to the right, the volume of the chamber decreases, and the pressure in the chamber goes up (compression). Likewise, if you move the handle to the left, the volume of




Figure 2.2: [Simulation](#) of Brownian motion. Press **Pause** to stop the simulation.  
© Andrew Duffy/[CC-BY-NC-SA-4.0](#).



Figure 2.3: [Animation](#) of a firecracker exploding in slow motion, captured by Schlieren photography. Note the pressure wave that radiates outward. Image © Mike Hargather. Linked with [permission from NPR](#).



Figure 2.4: [Youtube video](#) of a slow motion drum hit. Watch how the drum head continues to move inward and outward after the hit. Image © [Boulder Drum Studio](#).

the chamber increases, and the pressure goes down (rarefaction). In the drum example, when the stick hits the head and causes it to move inward, the volume of air above the head will rush in to fill that space (rarefaction), and when the head moves outward, the volume of air above the head will shrink (compression).




Figure 2.5: [Simulation](#) of gas in a chamber. Simulation by [PhET Interactive Simulations](#), University of Colorado Boulder, licensed under [CC-BY-4.0](#).

Sound is a difference in air pressure that travels as a wave through compression and rarefaction. We could see this with the firecracker example because the explosion rapidly heated and expanded the air, creating a pressure wave on the boundary between the surrounding air and the hot air. However, as we've seen with the drum and will discuss in more detail later, musical instruments are designed to create more than a single wave. The Schlieren photography animation in Figure 2.6 is more typical of a musical instrument.

The rings in Figure 2.6 represent compression (light) and rarefaction (dark) stages of the wave. It is important to understand that air molecules aren't moving from the speaker to the left side of the image. Instead, the wave is moving the entire distance, and the air molecules are only moving a little bit as a result of the wave.<sup>2</sup>

<sup>2</sup>The air molecules are moving randomly in general, so the simulation shows only the movement attributable to the effect of the wave.




Figure 2.6: [Animation](#) of a continuous tone from a speaker in slow motion, captured by Schlieren photography. The resulting sound wave shows as lighter compression and darker rarefaction bands that radiate outward. Image © Mike Hargather. Linked with [permission from NPR](#).

To see how this works, take a look at the simulation in [Figure 2.7](#). Hit the green button to start the sound waves and then select the **Particles** radio button. The red dots are markers to help you see how much the air is moving as a result of the wave. As you can see, every red dot is staying in their neighborhood by **moving in opposite directions** as a result of compression and rarefaction cycles. If you select the **Both** radio button, you can see the outlines of waves on top of the air molecules. Note how each red dot is moving back and forth between a white band and a dark band. If you further select the **Graph** checkbox, you will see that the white bands in this simulation correspond to increases in pressure and the black bands correspond to decreases in pressure. This type of graph is commonly used to describe waves, so make sure you feel comfortable with it before moving on.

Now that we've established what sound waves are, let's talk about some important physical properties of sound waves and how we perceive those properties. Most of these properties directly align with the shape of a sound wave.

## 2.2 Frequency and pitch

Almost all waves we'll talk about are periodic, meaning they repeat themselves over time. If you look at the blue wave in [Figure 2.8](#), you'll notice that it starts






Figure 2.7: [Simulation](#) of sound waves. Simulation by [PhET Interactive Simulations](#), University of Colorado Boulder, licensed under [CC-BY-4.0](#).

at equilibrium pressure (marked as zero<sup>3</sup>), goes positive, hits zero again, and then goes negative before hitting zero at 2 seconds. So at 2 seconds, the blue wave has completed 1 full cycle. Now look at the yellow wave. The end of its first cycle is indicated by the circle marker at .5 seconds. By the 2 second mark, the yellow wave has repeated its cycle 4 times. Because the yellow wave has more cycles than the blue wave in the same amount of time, we say that the yellow wave has a higher frequency, i.e. it repeats its cycle more frequently than the blue wave. The standard unit of frequency is Hertz (Hz), which is the number of cycles per second. So the blue wave is .5 Hz and the yellow wave is 2 Hz.




Figure 2.8: Two waves overlaid on the same graph. The yellow wave completes its cycle 4 times in 2 seconds and the blue wave completes its cycle 1 time in 2 seconds, so the frequencies of the waves are 2 Hz and .5 Hz, respectively.

Humans perceive sound wave frequency as pitch. As a sound wave cycles faster, we hear the sound's pitch increase. However, the relationship between frequency and pitch is nonlinear. For example, the pitch A above middle C is 440 Hz<sup>4</sup>, but the A one octave higher is 880 Hz, and the A two octaves higher is 1760 Hz. If you wanted to write an equation for this progression, it would look something like  $A_n = 440 * 2^n$ , which means the relationship between frequency and pitch is exponential. Figure 2.9 shows the relationship between sound wave frequency

<sup>3</sup>Recall sound is a pressure wave, and it is the change in air pressure we care about. Subtracting out the equilibrium pressure to get zero here makes the positive/negative changes in air pressure easier to see.

<sup>4</sup>Also called A4.

and pitch for part of a piano keyboard, together with corresponding white keys and [solfège](#). Notice that the difference in frequencies between the two keys on the far left is about 16 Hz but the difference in frequencies between the two keys on the far right is about 111 Hz. So for low frequencies, the pitches we perceive are closer together in frequency, and for high frequencies, the pitches we perceive are more spread out in frequency.




Figure 2.9: Part of an 88 key piano keyboard with frequency of keys in Hz on each key. The corresponding note in musical notation and solfège is arranged above the keys. Zoom in on the image for more detail.

Of course we experience pitch linearly, so the difference in pitch between the two keys in the far left is the same as the difference between the keys on the far right. We can make the relationship linear by taking the logarithm of the frequencies. On the left side of Figure 2.10, we see the exponential relationship between frequency and pitch: as we go higher on the piano keys and pitch increases, the frequencies increase faster, such that the differences in frequencies between keys gets wider. On the right side of Figure 2.10, we see the same piano keys, but we've taken the logarithm of the frequencies, and now the relationship is linear. It turns out that, in general, our perception is logarithmic in nature (this is sometimes called the [Weber-Fechner law](#)). Our logarithmic perception of pitch is just one example.

You might be wondering if there's a point at which pitches are low enough that the notes run together! It seems the answer to this is that our ability to hear sound at all gives out before this happens. Going back to the 88-key piano keyboard, the two lowest keys (keys 1 & 2; not shown) are about 1.5 Hz apart, but the lowest key<sup>5</sup> is 27.5 Hz. Humans generally can only hear frequencies between 20 Hz and 20,000 Hz (20 kHz). Below 20 Hz, sounds are felt more than

<sup>5</sup>Also called A0




Figure 2.10: (ref:log-freq)

heard (especially if they are loud), and above 20 kHz generally can't be heard at all, though intense sounds at these frequencies can still cause hearing damage.

You may also be curious about the fractional frequencies for pitches besides A. This appears to be largely based on several historical conventions. In brief, western music divides the octave into 12 pitches called semitones based on a system called [twelve-tone equal temperament](#). This is why on a piano, there are 12 white and black keys in an octave - each key represents a semitone. It's possible to divide an octave into more or less than 12 pitches, and some cultures do this. In fact, research suggests that our perception of octaves isn't universal either ([Jacoby et al., 2019](#)). We'll discuss why notes an octave apart feel somehow the same in a later section.

## 2.3 Amplitude and loudness

As discussed, sound is a pressure wave with phases of increasing and decreasing pressure. Take a look at the yellow and blue waves in [Figure 2.11](#). The peak compression of each wave cycle has been marked with a dashed line. For the yellow wave, the peak positive pressure is 2, and for the blue wave, the peak positive pressure is .5. This peak deviation of a sound wave from equilibrium

pressure is called amplitude.<sup>6</sup> It is perhaps not surprising that we perceive larger deviations (with corresponding large positive and negative pressures) as louder sounds.




Figure 2.11: Two waves overlaid on the same graph, with a dashed line marking the amplitude of each wave as the deviation from equilibrium.

The relationship between amplitude and loudness is also nonlinear: we hear quiet sounds very well, and sounds must get a lot louder before we perceive them as being louder. In fact, the nonlinear relationship between amplitude and our perception of loudness is *even more extreme* than the relationship for frequency and pitch.

You might have heard of the unit of loudness before, the [decibel \(dB\)](#). Unfortunately, the decibel is a bit harder to understand than Hz, and it is used as a unit of measurement for different ways of expressing the strength of a sound, like sound pressure, sound power, sound intensity, etc. The most important thing you need to understand about decibels is that they are not an absolute measurement, but rather a relative measurement. Therefore, decibels are always based on a reference value. For hearing, that reference value is the quietest sound people can detect, which is defined as 0 dB. Some examples of 0 to 10dB sounds are a mosquito, breathing, a pin drop, or a leaf hitting the ground.<sup>7</sup>

<sup>6</sup>Note that since the positive and negative pressures are equivalent, amplitude could be measured down from equilibrium to peak negative pressure as well

<sup>7</sup>These are commonly given examples, but see below for how they are misleading when you take frequency into account.

If we call the reference sound pressure  $S_0$  and the sound pressure we are measuring  $S$ , then we calculate the sound pressure level dB of  $S$  as  $20 * \log_{10}(S/S_0)$  dB. Under this definition, a 6 dB increase in sound pressure level means amplitude has doubled:  $20 * \log_{10}(2) = 6.02$  dB.<sup>8</sup> Since our hearing is quickly damaged at 120 dB, you can see that our range of hearing goes from the quietest sound we can hear (0 dB) to a sound that is 1,000,000,000,000 times more intense (120 dB).

Remember from Figure 2.1 that frequency affects our perception of loudness. As a result, we can't say how loud a person will perceive a random 40 dB sound - not in general. One way of approaching this problem is to choose a standard frequency and define loudness for that frequency. The **phon/sone** system uses a standard frequency of 1 kHz so that a **10 dB increase in sound pressure level is perceived as twice as loud**. This relationship is commonly described as needing 10 violins to sound twice as loud as a single violin. There are alternative ways of **weighting dB across a range of frequencies** rather than just 1 kHz, so the 10 dB figure should be viewed as an oversimplification, though a useful one. Table 2.1 summarizes the above discussion with useful dB values to remember.

Table 2.1: Useful values for working with dB. All values reflect sound pressure or sound pressure level.

Value	Meaning
0 db	Reference level, e.g. quietest audible sound.
6 db increase	Twice the amplitude
10 db increase	Twice as loud
20 db increase	Ten times the amplitude

## 2.4 Waveshape and timbre

When we talked about frequency and amplitude, we used the same waveshapes in Figures 2.8 and 2.11. This wave shape is called the sine wave. You can hear a pure sine wave in Figure 2.12.

The sine wave is defined by the trigonometric sine function and found throughout physics. There are an unlimited number of waveshapes in principle, but in electronic music you will encounter the sine wave and other waveshapes in Figure 2.13 often because they are relatively easy to produce using analogue circuitry.

<sup>8</sup>Note that if we'd used sound intensity level, the corresponding value would be 3 dB. Sound pressure level is more useful in our context: it connects directly to sound wave amplitude, it is measured by a microphone and reflected in microphone output voltage, and it has the same formula as dBV, a decibel measurement of voltage common in audio electronics. Sound intensity level is the square of the sound pressure level.













Wave	Wave sound	Comparable instruments	Instrument s
Sine		 Flutes	
Square		 Brass (no reed), e.g. trumpet	
Triangle		 Single reed woodwind, e.g. clarinet	
Saw		 Bowed strings, e.g. violin	

Figure 2.12: [Sounds](#) of the four classic waveshapes in electronic music, together with example instruments that make similar sounds.




Figure 2.13: The four classic waveshapes in analogue electronic music. Image © Omegatron/CC-BY-SA-3.0.



Although sine waves are found throughout physics, there aren't any instruments per se that produce pure sine waves. Perhaps the best natural way to create a sine wave is with a tuning fork.

## 2.5 Phase and ... phase?

You might think that we only need to understand how humans perceive sound and not the physics of it...



## Chapter 3

# Harmonic Sounds



## Chapter 4

# Inharmonic Sounds



## Part II

# Fundamental Modules





## Chapter 5

# Basic Concepts



## Chapter 6

# Trigger



## Chapter 7

### Create



## Chapter 8

# Modify





## Part III

# Sound Design 1



## Chapter 9

# Kick & Cymbal



## Chapter 10

### Lead & Bass



## Part IV

# Complex Modules





## Chapter 11

# Trigger



## Chapter 12

### Create



## Chapter 13

# Modify



## Part V

# Sound Design 2





## Chapter 14

# Minimoog & 303



# Bibliography

- Bell, T. (2021). CS unplugged or coding classes? *Communications of the ACM*, 64(5):25–27.
- Bjørn, K. and Meyer, C. (2018). *Patch & Tweak: Exploring Modular Synthesis*. Bjooks. Google-Books-ID: xmrVvQEACAAJ.
- Bode, H. (1984). History of electronic sound modification. 32(10):730–739.
- Crombie, D. (1982). *The Complete Synthesizer: A Comprehensive Guide*. Omnipress Books.
- Doepfer Musikelektronik (2022a). Construction Details A-100.
- Doepfer Musikelektronik (2022b). Technical details A-100.
- Dudley, H. and Tarnoczy, T. H. (1950). The speaking machine of Wolfgang von Kempelen. 22(2):151–166. Publisher: Acoustical Society of America.
- Dusha, T., Martonova, A., and Johnston, P. (2020). *Modular Sound Synthesis On the Moon*. Modular Moon. Google-Books-ID: lIA4zgEACAAJ.
- Eliraz, Z. (2022). Loopop’s In-Complete Book of Electronic Music.
- Jacoby, N., Undurraga, E. A., McPherson, M. J., Valdés, J., Ossandón, T., and McDermott, J. H. (2019). Universal and Non-universal Features of Musical Pitch Perception Revealed by Singing. 29(19):3229–3243.e12. Publisher: Elsevier.
- Michie, D. (1963). Experiments on the Mechanization of Game-Learning Part I. Characterization of the Model and its parameters. 6(3):232–236.
- Papert, S. (1980). *Mindstorms: Children, computers, and powerful ideas*. Basic Books, New York.
- Polya, G. (2004). *How to solve it: A new aspect of mathematical method*. Princeton University Press.
- Strange, A. (1983). *Electronic Music: Systems, Techniques, and Controls*. William C Brown Publishers, 2 edition.

- Tedre, M. and Denning, P. J. (2016). The long quest for computational thinking. In *Proceedings of the 16th Koli Calling International Conference on Computing Education Research*, Koli Calling '16, page 120–129, New York, NY, USA. Association for Computing Machinery.
- Tucker, A. (2003). A model curriculum for K–12 computer science: Final report of the ACM K–12 task force curriculum committee. Technical report, New York, NY, USA.