Table S1: Summary of Integrative Structure Determination of The proteasomeinteracting Ecm29 protein disassembles the 26S proteasome in response to oxidative stress (PDBDEV00000026)

1. Model Composition	
Entry composition	- Rpt6: Chain A (406 residues) - Rpt4: Chain B (389 residues) - Rpt5: Chain C (439 residues) - Rpt2: Chain D (440 residues) - Rpt3: Chain E (418 residues) - Rpt1: Chain F (433 residues) - Rpt1: Chain F (437 residues) - Rpt10: Chain H (377 residues) - Rpn11: Chain I (310 residues) - Rpn15: Chain J (70 residues) - Rpn15: Chain J (70 residues) - Rpn16: Chain K (908 residues) - Rpn2: Chain L (953 residues) - Rpn3: Chain M (534 residues) - Rpn5: Chain N (456 residues) - Rpn6: Chain O (422 residues) - Rpn7: Chain P (389 residues) - Rpn8: Chain Q (324 residues) - Rpn9: Chain R (376 residues) - Rpt6: Chain A (406 residues) - Rpt6: Chain A (406 residues) - Rpt1: Chain B (389 residues) - Rpt2: Chain C (439 residues) - Rpt1: Chain G (440 residues) - Rpt1: Chain G (350 residues) - Rpt1: Chain F (433 residues) - Rpn11: Chain H (377 residues) - Rpn11: Chain I (310 residues) - Rpn11: Chain I (310 residues) - Rpn11: Chain K (908 residues) - Rpn11: Chain K (908 residues) - Rpn15: Chain M (594 residues) - Rpn15: Chain N (456 residues) - Rpn15: Chain N (456 residues) - Rpn16: Chain N (456 residues) - Rpn7: Chain P (389 residues) - Rpn16: Chain N (456 residues) - Rpn7: Chain P (389 residues) - Rpn6: Chain N (456 residues) - Rpn7: Chain P (389 residues) - Rpn6: Chain N (456 residues) - Rpn7: Chain P (389 residues) - Rpn7: Chain P (389 residues) - Rpn8: Chain N (456 residues) - Rpn9: Chain R (376 residues)
Datasets used for modeling	- Experimental model, PDB ID: 5GJR - Experimental model, PDB ID: Not listed - Experimental model, PDB ID: 1U6G - Comparative model, template PDB ID: Not listed - Experimental model, PDB ID: 3W3W - Comparative model, template PDB ID: Not listed - CX-MS data, Linker name: D, Number of cross-links: S
2. Representation	
Atomic structural coverage	11%
Number of <u>rigid bodies</u> , <u>flexible units</u>	7, 101

Rigid regions	- A: B: C: D: E: F: G: H: I: J: K: L: M: N: O: P: Q: R: -
	- S: 352-504:Comparative model/None, 686-760:Comparative model/None, 788-911:Comparative model/None, 934-1035:Comparative model/None, 1062-1306:Comparative model/None, 1331-1666:Comparative model/None, 1689-1738:Comparative model/None.
Flexible units	- A: 1-23, 24-250, 251-266, 267-397, 398-406 B: 1-14, 15-389 C: 1-43, 44-99, 100-119, 120-439 D: 1-64, 65-84, 85-90, 91-429, 430-440 E: 1-38, 39-418 F: 1-46, 47-72, 73-79, 80-433 G: 1-88, 89-130, 131-134, 135-350 H: 1-193, 194-377 I: 1-27, 28-163, 164-189, 190-310 J: 1-2, 3-27, 28-34, 35-68, 69-70 K: 1-105, 106-170, 171-178, 179-301, 302-308, 309-618, 619-652, 653-848, 849-870, 871-908 L: 1-2, 3-272, 273-320, 321-750, 751-752, 753-816, 817-877, 878-917, 918-922, 923-939, 940-953 M: 1-56, 57-101, 102-103, 104-116, 117-159, 160-496, 497-499, 500-525, 526-534 N: 1-4, 5-24, 25-39, 40-94, 95-98, 99-112, 113-116, 117-132, 133-138, 139-332, 333-340, 341-454, 455-456 O: 1-1, 2-422 P: 1-13, 14-389 Q: 1-3, 4-142, 143-151, 152-295, 296-324 R: 1-2, 3-54, 55-56, 57-376 S: 1-351, 505-685, 761-787, 912-933, 1036-1061, 1307-1330, 1667-1688, 1739-1845.
Resolution	Rigid bodies: 1 residue per bead. Flexible regions: 50 residues per bead.
3. Restraints	
Physical principles	Excluded volume and Sequence connectivity.
Experimental data	- 1 unique CrossLinkRestraint: DSSO, 63 cross-links
4. Validation	

Sampling validation	Information related to sampling validation has not been provided
Clustering algorithm ,clustering feature	distance threshold-based clustering, dRMSD
Number of ensembles	2
Number of models in ensembles	11980, 6261
Model precision (uncertainty of models)	60.0Å, 60.0Å
Quality of data	Quality of input data has not be assessed
Assessment of atomic regions	Not applicable
Assessment of excluded volume	1. Model-1: Number of violations-22257.0 2. Model-2: Number of violations-22180.0
Fit of the model to information used to compute it	Fit of model to information used to compute it has not been determined
Fit of the model to information not used to compute it	Fit of model to information not used to compute it has not been determined
5. Methodology and Software	
<u>Method</u>	Sampling
<u>Name</u>	Replica exchange Monte Carlo
<u>Details</u>	- Method details unspecified
<u>Software</u>	- IMP PMI module (version develop-7c7c0f4348) - Integrative Modeling Platform (IMP) (version develop-0a5706e202) - MODELLER (version 9.17) - No location specified