

# Forrest Glossary

## Table of contents

|    |                   |   |
|----|-------------------|---|
| 1  | Introduction..... | 2 |
| 2  | A.....            | 2 |
| 3  | C.....            | 2 |
| 4  | D.....            | 2 |
| 5  | G.....            | 2 |
| 6  | I.....            | 3 |
| 7  | L.....            | 3 |
| 8  | P.....            | 4 |
| 9  | R.....            | 4 |
| 10 | S.....            | 4 |
| 11 | T.....            | 5 |
| 12 | X.....            | 6 |

## 1 Introduction

This is a glossary of terms and their definitions for the Apache Forrest project. Some plugins also have a glossary, for example [Dispatcher](#).

## 2 A

| Term                                 | Definitions                                                                                                                                                         | Notes                                                                                                                                                              |
|--------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Add content to this Glossary         | 1. This glossary is incomplete, please help where you can by adding definitions to existing items where needed. Also, add new Items to the glossary as appropriate. |                                                                                                                                                                    |
| Abbreviations in electronic mail     | 1. Abbreviations and acronyms are often used as shorthand in email, e.g. AFAIK "As Far As I Know", IMO "In My Opinion".                                             | <ul style="list-style-type: none"> <li>See Apache Cocoon <a href="#">Abbreviations In Mails</a></li> </ul>                                                         |
| The Apache Software Foundation (ASF) | 1. <a href="#">The Apache Software Foundation</a> is the home of Apache Forrest. The ASF is a non-profit charity, membership-based corporation.                     | <ul style="list-style-type: none"> <li><a href="#">Foundation website</a></li> <li><a href="#">Foundation FAQ</a></li> <li><a href="#">How it works</a></li> </ul> |

## 3 C

| Term                         | Definitions                                                                                                          | Notes                                                                                                                 |
|------------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Cascading Style Sheets (CSS) | 1. A simple mechanism for adding style (e.g. fonts, colors, spacing) to Web documents. Source: <a href="#">W3C</a> . | <ul style="list-style-type: none"> <li>See <a href="#">W3C</a></li> <li>See <a href="#">css Zen Garden</a></li> </ul> |

## 4 D

| Term       | Definitions                                                                                                                                                                                                  | Notes                                                                                                                                                                                                          |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Dispatcher | 1. The aim of the "Dispatcher" concept is to provide a flexible framework for creating site and page specific layout. See the Dispatcher documentation and the Dispatcher Glossary for specific terminology. | <ul style="list-style-type: none"> <li><a href="#">Dispatcher plugin documentation</a></li> <li><a href="#">Dispatcher glossary</a></li> <li><a href="#">Status of themes: Skins and Dispatcher</a></li> </ul> |

## 5 G

| Term      | Definitions                                                                                                                                                                                                                                                                    | Notes                                                                                                                           |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Generator | 1. A Generator is a Cocoon <a href="#">sitemap</a> component. Each <a href="#">pipeline</a> begins with a Generator. Its job is to generate XML content as SAX events and initialize the pipeline processing. The default generator is the "File Generator" which reads an xml | <ul style="list-style-type: none"> <li><a href="#">Sitemap Reference</a> and the Cocoon documents linked from there.</li> </ul> |

| Term | Definitions                                          | Notes |
|------|------------------------------------------------------|-------|
|      | document from the local file system or from any url. |       |

## 6 I

| Term                     | Definitions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Notes |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| Internal document format | 1. Forrest's <i>internal</i> document format (defined by an XML-grammar). This format is the common denominator for all things going into or coming out of Forrest's core processing. All input-plugins will translate their supported documents into this format, all output-plugins will create the output by transforming this format into something else. Currently Forrest uses "xdoc" <a href="#">document-v13-dtd</a> as its internal format (see definition of <a href="#">xdoc</a> below). We plan to later use a set of xhtml2 as the internal format. |       |

## 7 L

| Term        | Definitions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Notes                                                                                                       |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------|
| Linkmap     | 1. The "linkmap" is an internal resource that transforms the <a href="#">site.xml</a> navigation and linking configuration file into a table-of-contents. Every site has one at localhost:8888/linkmap.html                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <ul style="list-style-type: none"> <li>For example, Forrest's <a href="#">Table of Contents</a>.</li> </ul> |
| Locationmap | 1. Locationmaps define the mapping from requests to locations, which enables content and resources to be located at various different sources. The advantage of this is that the URL seen by the user need bear no relation to the location of the source document, thus Forrest can separate the client URL space from the source document URL space. Thus, using the locationmap it is possible to pull together documents from many different locations into a single uniform site. In addition, since the user URL space is now unconnected to the source URL space it is possible to move source documents without breaking any existing user links. There are various core locationmaps in the main/webapp directory, each plugin can utilise locationmaps, and projects | <ul style="list-style-type: none"> <li><a href="#">Locationmap</a></li> </ul>                               |

| Term | Definitions                                                     | Notes |
|------|-----------------------------------------------------------------|-------|
|      | can manage their resources with a project-specific locationmap. |       |

## 8 P

| Term     | Definitions                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Notes                                                                                                                                                                                        |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Pipeline | 1. The Cocoon <a href="#">Sitemaps</a> have one or more pipelines which handle the processing of various pieces of xml content. Each pipeline begins with a <a href="#">Generator</a> , continues with zero or more <a href="#">Transformers</a> , and ends with a <a href="#">Serializer</a> . Aggregation enables building a hierarchy of pipelines.                                                                                                                                                                                                                                                                                                                                                                                                               | <ul style="list-style-type: none"> <li>• <a href="#">Sitemap Reference</a> and the Cocoon documents linked from there.</li> </ul>                                                            |
| Plugins  | 1. A Forrest Plugin is a set of resources and configuration files that extend the functionality of Forrest. Plugins are a way of extending Forrest to satisfy site-specific needs. The core of Forrest handles certain processing via the <a href="#">sitemaps</a> in main/webapp/*.xmap files. The main sitemap mounts a plugin sitemap from each declared plugin. For example an input plugin might handle projectInfo source documents to convert them into the <a href="#">internal document format</a> for further processing, while an output plugin would concern itself with generating output PDF documents. Nice <a href="#">Separation of Concerns</a> . If no plugin is found to handle a certain document type, then processing falls back to the core. | <ul style="list-style-type: none"> <li>• <a href="#">Plugins index</a></li> <li>• <a href="#">Extending Forrest with Plugins</a></li> <li>• <a href="#">Plugin infrastructure</a></li> </ul> |

## 9 R

| Term              | Definitions                                                                                                            | Notes |
|-------------------|------------------------------------------------------------------------------------------------------------------------|-------|
| Release Candidate | 1. A temporary Forrest package built from trunk during the <a href="#">release process</a> to be tested and evaluated. |       |

## 10 S

| Term                         | Definitions                                                                                                                                             | Notes                                                                                                                                                               |
|------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Separation of Concerns (SoC) | 1. Different people, different skills, different purposes different code. Each can concentrate on their separate, but well-integrated, area of concern. | <ul style="list-style-type: none"> <li>• <a href="#">Introducing Apache Cocoon</a></li> <li>• <a href="#">Apache Excalibur Introduction and Overview</a></li> </ul> |

| Term             | Definitions                                                                                                                                                                                                                                                                                                                                                                                                                   | Notes                                                                                                                                                                                     |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Serializer       | 1. A Serializer is a Cocoon <a href="#">sitemap</a> component. Each <a href="#">pipeline</a> ends with a Serializer. Its job is to transform SAX events into binary or character streams for final client consumption. One example (the default) is the "HTML Serializer" which serializes xml content to html. The Serializer can have parameters to configure its behaviour, e.g. to specify the document type declaration. | <ul style="list-style-type: none"> <li>• <a href="#">Sitemap Reference</a> and the Cocoon documents linked from there.</li> </ul>                                                         |
| Sitemap          | 1. Cocoon Sitemaps (usually a filename ending with *.xmap) is the system to enable Apache Cocoon to know how to process different types of input and output. Note that many other environments use the term "sitemap" to refer to "a map of the site" which is what <a href="#">site.xml</a> can be considered to be.                                                                                                         | <ul style="list-style-type: none"> <li>• <a href="#">Sitemap Reference</a></li> <li>• <a href="#">Using project sitemaps</a></li> <li>• <a href="#">Plugins infrastructure</a></li> </ul> |
| site.xml         | 1. The site.xml is the menu navigation and linking configuration file. Don't get confused with <a href="#">sitemap</a> defined above.                                                                                                                                                                                                                                                                                         | <ul style="list-style-type: none"> <li>• <a href="#">Menus and linking</a></li> </ul>                                                                                                     |
| Skins            | 1. "Skins" are one method of providing alternatives for creating the layout and look-and-feel of the set of documents. Forrest provides one primary skin called <i>pelt</i> . See the definition of <a href="#">Dispatcher</a> for another method.                                                                                                                                                                            | <ul style="list-style-type: none"> <li>• <a href="#">Using Forrest: Skins</a></li> <li>• <a href="#">Status of themes: Skins and Dispatcher</a></li> </ul>                                |
| Subversion (SVN) | 1. Subversion, also known as SVN, is the version control system used by all Apache projects.                                                                                                                                                                                                                                                                                                                                  | <ul style="list-style-type: none"> <li>• <a href="#">Version control</a></li> </ul>                                                                                                       |

## 11 T

| Term        | Definitions                                                                                                                                                                                                                                                                                                                                                                                     | Notes                                                                                                                             |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Transformer | 1. A Transformer is a Cocoon <a href="#">sitemap</a> component. Each <a href="#">pipeline</a> has zero or more Transformers. Its job is to transform SAX events into other SAX events. The default transformer is the "XSLT Transformer" which uses an XSLT stylesheet to transform xml content. The Transformer can have parameters to configure its behaviour or pass data to the stylesheet. | <ul style="list-style-type: none"> <li>• <a href="#">Sitemap Reference</a> and the Cocoon documents linked from there.</li> </ul> |

**12 X**

| Term | Definitions                                                                                                                                                                                                                                                                                                     | Notes                                                                                                                  |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| xdoc | 1. "xdoc" is an xml documentation structure that started life at some other ASF projects. Apache Forrest adopted it and enhanced it to be similar to xhtml2. "xdoc" is currently the <a href="#">internal xml structure</a> of Forrest (someday will be xhtml2). "xdocs" can be used as an input source format. | <ul style="list-style-type: none"><li>• <a href="#">Reference docs</a></li><li>• <a href="#">Sample xdoc</a></li></ul> |