Open issues for the next release

Table of contents

1 [FOR-681] Include xconf files in plugins using includes, not XPatch	2
2 [FOR-796] Merge all view/dispatcher work into org.apache.forrest.plugin.internal.dispatcher a org.apache.forrest.themes.core	
3 [FOR-911] decide content of release	2
4 [FOR-868] add relevant notes to the "Upgrading" xdoc	3
5 [FOR-812] Remove dependency of projectInfo on skinconf.xml	3
6 [FOR-1108] Dispatcher, Cocoon 2.1 and Windows	
7 [FOR-591] MaxMemory needs increasing for large document sets: Memory Leak w	ith
8 [FOR-1177] where does forrest use Rhino	3
9 [FOR-855] verify the license situation prior to each release	3
10 [FOR-572] run a memory profiler while forrest is operating	4
11 [FOR-986] Dispatcher war fails to build if no skinconf.xml is in place	4
12 [FOR-588] Design new configuration system.	4
13 [FOR-970] Add a way to have plugin specific resources, such as its own CSS styling, independent of skin or theme	ent
14 [FOR-1081] Create example document(s) with all common and pelt contracts enabled a working	
15 [FOR-1117] Prevent publishing module.date.properties and module.properties.properties	5
16 [FOR-922] update all docs that explain sitemap fragments	5
17 [FOR-388] Use plugins in-place if src available	5
18 [FOR-210] whole-site html and pdf: broken link faq, broken image links	5
19 [FOR-217] Certain patterns are claimed by the default sitemaps	5
20 [FOR-560] Remove duplicate jars from eclipse plugins	5
21 [FOR-721] entries without labels in site.xml are now being crawled and generated	6
22 [FOR-676] logkit.xconf has no effect on configuration when in commandline mode	6
23 [FOR-675] upgrading to commons-jxpath-1.2.jar causes failures with linkrewriter protocols si	
etc	
24 [FOR-677] leading slash in gathered URIs causes double the number of links to be processed	
25 [FOR-699] Beginner HowTos for installing Forrest	6

Note:

These are the top 25 open issues for the next release that are scheduled in our <u>issue tracking system</u> (see <u>all</u> open issues). The listing below is regenerated on each Forrest run.

1 [FOR-681] Include xconf files in plugins using includes, not XPatch

http://issues.apache.org/jira/browse/FOR-681

See http:// marc.theaimsgroup.com/?l=forrest-dev&m=112781600212715&w=2

br/> > > I was excited to see the addition of xconf capability into plugins. See < br/>br/> > http://svn.apache.org/viewcvs? rev=227190&view=rev.
br/> >
 > I rebuild cocoon with authentication and session blocks, and added the jars
br/> > to 'plugin/lib' and the xconf files from the

br/> > 'cocoon-2.2.0-dev\build\webapp\WEB-INF\xconf' to 'plugin/conf'.

 > So am bit confused, on two counts:

> 1. if xpatch is required, how do I generate this file?

br/> > 2. why are we using xpatch, when the current cocoon.xconf uses includes,
br/> > can't we do the same here?

This was a rather hasty commit of mine that I have not yet fixed, even

the > though David spotted it as soon as I committed. Sorry that it has stung you.

My original solution for including config files for plugins was to use
 the XPatch utility. This sat on my hard drive for some time because I
br/> had a few minor issues to iron out before committing. Then somebody

somebody

he also contained the

XConf code. I committed in a hurry, not noticing that I still used the

XPatch method.

Via the code. I committed in a hurry, not noticing that I still used the code. >
br/> The good news is that I have also enabled the XConf includes
 functionality. But this has not yet been leveraged for plugins.

There are two short term workarounds for you:

| Str/> | >
br/> 1) Use the XPatch facility (see Cocoon docs on XPatch)
 2) is to edit the main/webapp/ cocoon.xconf and add the include you need,
 it will work ust fine.

 If you opt for one be aware that we will be removing this in favour of
 sing the includes at some point before the 0.8 release.

 The long term solution to the problem is to create a plugin.xconf file
 that s built each time Forrest is run, much the same as we do with the
br/> sitemap mounts for plugins. We would welcome a patch for this, I can
br/> help point you in the right direction if you fancy tackling it.

Could you please create an issue for this and point to this thread in

the archives so I do not forget again.

2 [FOR-796] Merge all view/dispatcher work into org.apache.forrest.plugin.internal.dispatcher and org.apache.forrest.themes.core

http://issues.apache.org/jira/browse/FOR-796

This is the global issue to keep track on the merging effort

3 [FOR-911] decide content of release

http://issues.apache.org/jira/browse/FOR-911

For past releases we have essentially done a " source" release, i.e. pack everything found in svn trunk including a pre-built forrest binary jar file.

br/> ebr/> Here is one recent discussion:

http://marc.theaimsgroup.com/?t=115257903800001">http://marc.theaimsgroup.com/?t=115257903800001</br>
t=115257903800001</br>

4 [FOR-868] add relevant notes to the "Upgrading" xdoc

http://issues.apache.org/jira/browse/FOR-868

We need to add some notes to the upgrading_0*.html doc for the upcoming release. This would most easily be done after attending to <strike>FOR-865</strike> "Add missing entries to status.xml to generate the changes list".

5 [FOR-812] Remove dependency of projectInfo on skinconf.xml

http://issues.apache.org/jira/browse/FOR-812

The dispatcher will remove the file skinconf.xml. However, the projectInfo plugin uses it to get the URL for the issue tracker.

br/> We should chage the projectInfo plugin so that this value is provided by a plugin property.

6 [FOR-1108] Dispatcher, Cocoon 2.1 and Windows

http://issues.apache.org/jira/browse/FOR-1108

Since the update to Cocoon 2.1 Forrest and Dispatcher have broken on windows.

7 [FOR-591] MaxMemory needs increasing for large document sets: Memory Leak with XMLFileModule

http://issues.apache.org/jira/browse/FOR-591

Since the docs restructuring for the 0.7 release it has become necessary to increase the maxmemory to be able to build the Forrest site. We gained three copies of the documents so suddenly have a large document set to trigger memory leakage issues.

br/> obr/> Possibly COCOON-1574
a> "Memory Leak with XMLFileModule".

br/> obr/> Does someone have the tools to run some diagnostics?

chr/> obr/> (NB maxmemory has been increased in our site-author/forrest.properties, if we resolve this issue it should be reduced again)

8 [FOR-1177] where does forrest use Rhino

http://issues.apache.org/jira/browse/FOR-1177

While assessing the license situation for FOR-855 and FOR-857 ... one of the difficult cases is "Rhino".

 Does someone know why we use Rhino and which part of Forrest? Did it just come along by accident with our addition of Cocoon, or is it actually being used?

 See:
 lib/core/rhino-1.6R2.jar

 and prior to that
 lib/core/rhino-1.6R1.jar

9 [FOR-855] verify the license situation prior to each release

http://issues.apache.org/jira/browse/FOR-855

This should be continually happening anyway, but immediately prior to each release we need to verify that our license situation is in order. This issue should not ever be closed, rather just move the

10 [FOR-572] run a memory profiler while forrest is operating

http://issues.apache.org/jira/browse/FOR-572

We need to run a memory profiler while forrest is operating.

11 [FOR-986] Dispatcher war fails to build if no skinconf.xml is in place

http://issues.apache.org/jira/browse/FOR-986

A dispatcher based site does not need a skinconf.xml file. However, if one is not present then the " forrest war" target fails with:

| Apache-forrest-0.8 main targets webapp.xml: 48: The following error occurred while executing this line:

| C:\projects\apache-forrest-0.8 main forrest. build.xml: 256: input file C:\projects\apache-forrest-0.8 main webapp skinconf.xml does not exist

| To work around this issue just put a skinconf.xml in place

12 [FOR-588] Design new configuration system

http://issues.apache.org/jira/browse/FOR-588

We need a new config system for Forrest for various reasons: the initial config system was known to be limited; to enable the specification of multiple Forrest sites within a single instance of Forrest; to accommodate the changes brought about by forrest:views, themes, and plugins.

13 [FOR-970] Add a way to have plugin specific resources, such as its own CSS styling, independent of skin or theme

http://issues.apache.org/jira/browse/FOR-970

It would be nice if plugins could be a little more independent of core skins and themes for plugin specific styling.

This could be CSS, or something else, I have only identified CSS needs at present.

14 [FOR-1081] Create example document(s) with all common and pelt contracts enabled and working.

http://issues.apache.org/jira/browse/FOR-1081

All available contracts should be enabled in Panels and working so that they may be used as examples and also as a test to ensure they work; and as a warning when they don't.

So, in the style of document-v20 this should be created in seed-sample2 so that forrestbot can let us know when any contracts break.

15 [FOR-1117] Prevent publishing module.date.properties and module.properties.properties

http://issues.apache.org/jira/browse/FOR-1117

Brian M Dube wrote:
 > Brian M Dube wrote:
 > > What are module.date.properties and module.properties.properties?
 >
 > They come from links in
 > site-author/content/xdocs/docs_0_90/properties.xml. See
 > http://svn.apache.org/viewc?view=rev&revision=696589">http://svn.apache.org/viewc?view=rev&revision=696589">http://svn.apache.org/viewc?view=rev&revision=696589">http://svn.apache.org/v

16 [FOR-922] update all docs that explain sitemap fragments

http://issues.apache.org/jira/browse/FOR-922

17 [FOR-388] Use plugins in-place if src available

http://issues.apache.org/jira/browse/FOR-388

At present Forrest will attempt to download plugins even if they are available in src form in the local filesystem as part of an SVN checkout.

Have Forrest mount plugins from designated directories in preference to downloading them wherever possible (need more than posible location for src plugins as some people may be developing their own plugins outside of Forrest)

| Strip | Stri

18 [FOR-210] whole-site html and pdf: broken link faq, broken image links

http://issues.apache.org/jira/browse/FOR-210

The "fresh-site" build from 'forrest seed site' reports some failures for faq.html and various missing images. Wonder if sitemap issue?

| Strip |

19 [FOR-217] Certain patterns are claimed by the default sitemaps

http://issues.apache.org/jira/browse/FOR-217

Users are prevented from using certain filenames because those patterns are claimed by the default sitemaps for special processing. These include: site, changes, todo, faq, images, my-images, skinconf, cprofile
br/>

20 [FOR-560] Remove duplicate jars from eclipse plugins

http://issues.apache.org/jira/browse/FOR-560

tools/eclipse/plugins/org.apache.forrest.eclipse.servletEngine/lib contains some duplicate jars to those in the main Forrest trunk. We should find a way of reusing the jars from their existing location.

21 [FOR-721] entries without labels in site.xml are now being crawled and generated

http://issues.apache.org/jira/browse/FOR-721

In our forrest/site-author/content/xdocs/site.xml there are two entries without "label" attributes. Previously these documents were not being generated. Not sure if this change in behaviour is good or bad. Needs investigation.

| This is most likely a side-effect of the workaround for issue FOR-675

22 [FOR-676] logkit.xconf has no effect on configuration when in commandline mode

http://issues.apache.org/jira/browse/FOR-676

Raising loglevels in main/webapp/WEB-INF/logkit.xconf has no effect when doing 'forrest'. All okay when doing 'forrest run'.

23 [FOR-675] upgrading to commons-jxpath-1.2.jar causes failures with linkrewriter protocols site: etc.

http://issues.apache.org/jira/browse/FOR-675

upgrading from commons-jxpath-20030909.jar to commons-jxpath-1.2.jar causes failures with linkrewriter protocols site: etc. This happens in both modes: 'forret run' and 'forrest'.

24 [FOR-677] leading slash in gathered URIs causes double the number of links to be processed

http://issues.apache.org/jira/browse/FOR-677

Doing 'forrest' starts at the virtual document called linkmap.html where the Cocoon crawler gathers the initial set of links, then starts crawling and generating pages. Any new links are pushed onto the linkmap. However, for some sites, such as our own "seed-sample" and our "site-author", there is a sudden jump in the number of URIs remaining to be processed.

This is due to a URI with a leading slash (e.g. /samples/faq.html). When that URI is processed, it gains a whole new set of links all with leading slashes, and so the list of URIs is potentially doubled.

> doubled.

> this issue could be due to a user error, i.e. adding a link that deliberately begins with a slash. Sometimes, that is unavoidable.

> the links. Should it always trim the leading slash? Or are there cases where that should not happen, so cannot generalise?

25 [FOR-699] Beginner HowTos for installing Forrest

http://issues.apache.org/jira/browse/FOR-699

These are a whole group of HowTos that I wrote for my local users (probably a tutorial would be a better format). They are not complete, nor tidied at this point, but they cover a lot of basic step-by-step stuff specifically geared towards Linux with Gnome desktop and Windows XP. Figured I would put them out there so we can pull out bits we may want to use.