

# CHAPTER 1

---

## Introduction

### Chapter Authors:

Masatomo Fujiwara (Faculty of Environmental Earth Science, Hokkaido University, Japan)

Gloria L. Manney (NorthWest Research Associates, USA; also at Department of Physics, New Mexico Institute of Mining and Technology, USA)

Lesley J. Gray (Atmospheric, Oceanic and Planetary Physics, University of Oxford, UK; also at NERC National Centre for Atmospheric Science, UK)

James Anstey (Canadian Centre for Climate Modelling and Analysis, Environment and Climate Change Canada, University of Victoria, Canada)

Thomas Birner (Department of Atmospheric Science, Colorado State University, USA)

Sean Davis (Earth System Research Laboratory, National Oceanic and Atmospheric Administration, USA; also at Cooperative Institute for Research in Environmental Sciences, University of Colorado at Boulder, USA)

Edwin P. Gerber (Courant Institute of Mathematical Sciences, New York University, USA)

V. Lynn Harvey (Laboratory for Atmospheric and Space Physics, University of Colorado, USA)

Michaela I. Hegglin (Department of Meteorology, University of Reading, UK)

Cameron R. Homeyer (School of Meteorology, University of Oklahoma, USA)

John A. Knox (Department of Geography, University of Georgia, USA)

Kirstin Krüger (Department of Geosciences, University of Oslo, Norway)

Alyn Lambert (Jet Propulsion Laboratory, California Institute of Technology, USA)

Craig S. Long (Climate Prediction Center, National Oceanic and Atmospheric Administration, USA)

Patrick Martineau (Earth and Atmospheric Sciences, Cornell University, USA)

Beatriz M. Monge-Sanz (European Centre for Medium-Range Weather Forecasts, UK)

Michelle L. Santee (Jet Propulsion Laboratory, California Institute of Technology, USA)

Susann Tegtmeier (GEOMAR Helmholtz Centre for Ocean Research Kiel, Germany)

Jonathon S. Wright (Center for Earth System Science, Tsinghua University, China)

Simon Chabrillat (Royal Belgian Institute for Space Aeronomy, Belgium)

David G. H. Tan (European Centre for Medium-Range Weather Forecasts, UK)

David R. Jackson (Met Office, UK)

Saroja Polavarapu (Climate Research Division, Environment and Climate Change Canada, Canada)

**CHAPTER 1**  
**INTRODUCTION**  
**Contents**

**1.1 MOTIVATION AND GOALS..... 2**

**1.2 SCOPE ..... 2**

**1.3 OUTLINE PLAN FOR S-RIP REPORTS ..... 3**

**1.4 DEVELOPMENT OF THE S-RIP TEAM..... 6**

**1.5 MANAGEMENT AND COMMUNICATION..... 6**

**1.6 LINKS TO OTHER PROJECTS..... 8**

**1.7 PROSPECTS FOR THE FUTURE ..... 9**

**ACKNOWLEDGMENTS..... 9**

**REFERENCES ..... 10**

**APPENDIX A: LIST OF ACRONYMS ..... 11**

## 1.1. MOTIVATION AND GOALS

The Stratosphere-troposphere Processes And their Role in Climate (SPARC) community uses reanalysis data sets to understand a wide range of processes and variability in the atmosphere, to validate chemistry climate models, and to investigate and identify climate change (e.g., SPARC, 2002; Randel et al., 2004; SPARC, 2010, and references therein). Even for more recent reanalyses, however, different results may be obtained for the same diagnostic due to different technical details of the reanalysis systems (see, e.g., Fujiwara et al., 2016 for a list of many examples). There is thus a need for a coordinated intercomparison of reanalysis data sets with respect to key diagnostics that can help to clarify the causes of these differences. The results can then be used to provide guidance on the appropriate usage of reanalysis products in scientific studies, particularly those of relevance to SPARC. The reanalysis community also benefits from coordinated user feedback, which helps to drive improvements in the next generation of reanalysis products. The SPARC Reanalysis Intercomparison Project (S-RIP) was initiated in 2011 to conduct a coordinated intercomparison of all major global atmospheric reanalysis data sets. While the focus is on the stratosphere, the intercomparison also encompasses the troposphere and lower mesosphere where appropriate.

The goals of S-RIP are as follows:

- (1) To create a communication platform between the SPARC community and the reanalysis centres;
- (2) To better understand the differences among current reanalysis products and their underlying causes and to contribute to future reanalysis improvements; and
- (3) To provide guidance to reanalysis data users by documenting the results of this reanalysis intercomparison in peer reviewed papers and two SPARC S-RIP reports.

This Chapter discusses the scope and plans of S-RIP based on the S-RIP Implementation Plan (February 2014) and updated information.

## 1.2. SCOPE

The S-RIP project focuses predominantly on reanalyses, although some chapters include diagnostics from operational analyses when appropriate. Available and soon to be available reanalysis data sets (as of this writing in August 2016) are listed in Table 1-1. The guidelines for the choice of reanalysis datasets are as follows. Many of the chapters focus primarily on newer reanalysis systems that assimilate upper-air measurements and produce data at relatively high resolution (i.e., ERA-Interim, JRA-55, MERRA, MERRA-2, and CFSR). We also intend to include forthcoming reanalyses (e.g., ERA5) when they become available, and long-term reanalyses that assimilate only surface meteorological observations (e.g., NOAA-CIRES 20CR and ERA-20C) where appropriate. Some chapters will include comparisons with older reanalyses (NCEP-NCAR R1, NCEP-DOE R2, ERA-40, and JRA-25/JCDAS), because these products have been heavily used in the past and are still being used for some studies, and because such comparisons can provide insight into the potential shortcomings of past research results. Other chapters will only include a subset of these reanalysis data sets, since some reanalyses have already been shown to perform poorly for certain diagnostics or

do not extend high enough in the atmosphere. At the beginning of each chapter an explanation is given as to why specific reanalysis data sets were included or excluded. The intercomparison period common to all chapters is 1979–2012. This period starts with the advent of high-frequency remotely sensed data (the “satellite era”) and ends with the starting year of the S-RIP activity. Some chapters will also consider the pre-satellite era before 1979 and/or include results for more recent years. Given the wide use of ERA-40 (which only extends to August 2002), separate intercomparisons for 1979–2002 are also considered for selected diagnostics.

Table 1-1. Global atmospheric reanalysis data sets available or soon to become available (the latter in square brackets) as of August 2016. See Chapter 2 for the reanalysis data sets considered in this report.

Reanalysis Centre	Name of the Reanalysis Product
ECMWF	ERA-40, ERA-Interim, ERA-20C, [ERA5]
JMA	JRA-25/JCDAS, JRA-55
NASA	MERRA, MERRA-2
NOAA/NCEP	NCEP/NCAR (R-1), NCEP/DOE (R-2), CFSR
NOAA and Univ. Colorado	20CR

### 1.3. OUTLINE PLAN FOR S-RIP REPORTS

Summarised below are the plans for the S-RIP’s two reports: an interim report to be published in 2016 (this report) and a full report to be published in 2018. The report consists of two parts. Chapters 1–4 are designated as “basic” chapters that constitute this 2016 interim report and will be updated and included in the 2018 full report. Chapters 5–12 are designated as “advanced” chapters that will only be included in the 2018 full report. The advanced chapters are arranged according to, and focus on, different regions or processes within the atmosphere. Some important topics, such as gravity waves and transport processes, are sufficiently pervasive that related aspects are distributed amongst several chapters.

#### **PART I. Basic Chapters:**

*Chapter 1. Introduction:* The S-RIP motivation, goals, rationale, and report structure are described.

*Chapter 2. Description of the reanalysis systems:* This chapter includes detailed descriptions of the forecast model, assimilation scheme, and observational data assimilated for each reanalysis. It also provides information on processing streams and data products and resolutions that are available.

*Chapter 3. Climatology and interannual variability of dynamical variables:* This chapter centers around climatologies of major dynamical variables (e.g., zonal mean temperature, zonal mean wind) created for the period 1979–2012 from an ensemble of the newer reanalyses on standard pressure levels. The sub-period 1979–2002, allowing comparison with ERA-40, is included in an appendix. Key plots of the ensemble climatological means

and individual reanalysis anomalies from these means are presented in this report, with more complete plots in an accompanying online atlas. Inter-reanalysis variations are quantified. The validation of this climatology is based on independent observations (i.e., those not used in the reanalyses) such as non-assimilated radiosondes, lidars, rocketsondes, and non-assimilated satellite data.

*Chapter 4. Climatology and interannual variability of ozone and water vapour:* This chapter includes a detailed evaluation of ozone and water vapour in the reanalyses, using a range of observational data sets obtained from both nadir and limb satellite instruments. The diagnostics considered include climatological evaluations such as monthly zonal mean cross-sections and altitude profiles, seasonal cycles, and interannual variability. Some more advanced diagnostics, such as the Quasi-Biennial Oscillation (QBO) and equivalent latitude timeseries, are used to better understand the differences in the climatological evaluations, while a detailed investigation of the transport processes resulting in these distributions will be covered in the “advanced” chapters. In addition, this chapter includes some summary information on the assimilated observations and on the modelling of ozone and water vapour in each reanalysis system.

## **PART II. Advanced Chapters:**

*Chapter 5. Brewer-Dobson circulation:* This chapter will focus on evaluation and comparison of the stratospheric circulation in the more recent reanalyses, using diagnostics such as the residual mean meridional streamfunction, age-of-air (AoA), and measures of mixing. Off-line chemistry transport models in Eulerian and Lagrangian frameworks will be used. Results will be validated against satellite, ground-based, balloon, and aircraft observations of long-lived tracers such as SF<sub>6</sub>, CO<sub>2</sub>, and N<sub>2</sub>O. Particular attention will be given to comparing past trends in AoA from the different reanalyses, as well as to comparing reanalysis-based trends with those obtained from models.

*Chapter 6. Stratosphere-troposphere coupling:* This chapter will cover the representation of two-way coupling between the troposphere and stratosphere in the reanalyses. It will focus in particular on extra-tropical coupling on daily to intraseasonal time scales, and how this shorter-term variability is modulated on interannual time scales (e.g., by El Niño Southern Oscillation (ENSO), volcanic eruptions, and stratospheric ozone loss). The chapter will synthesize and compare established approaches with more recent metrics to characterize planetary wave coupling and blocking, it will examine vertical coupling of the zonal mean flow (e.g., the annular modes), and diagnostics relevant to proposed mechanism(s) connecting the stratosphere and troposphere (e.g., changes in tropopause height). It will also take into account the recent discussion on how to best characterize Sudden Stratospheric Warmings (SSWs), exploring how the established and alternative definitions of SSWs impact diagnostics of stratosphere-troposphere coupling.

*Chapter 7. Extra-tropical Upper Troposphere and Lower Stratosphere (ExUTLS):* This chapter will begin with an introduction to the two UTLS chapters (Chapters 7 and 8), and will explain the distinction between the two UTLS regions while identifying key processes and common diagnostics used to study them in each region. ExUTLS processes depend critically on resolution, so the diagnostics will be produced only for the more recent reanalyses. Diagnostics will include characterization of the tropopause based on different definitions (including multiple tropopauses, vertical structure, etc.), UTLS jet characteristics and long-term changes, atmospheric transport from trajectory model calculations, and

diagnostics of mixing and stratosphere-troposphere exchange (STE). In addition, UTLS ozone in the more recent reanalyses, including dynamically-driven column ozone variations, evidence of STE and mixing, and their relationships to the dynamical diagnostics, will be evaluated. This chapter will also include comparisons of assimilated UTLS ozone with satellite, balloon, and ground-based observations.

*Chapter 8. Tropical Tropopause Layer (TTL):* This chapter will include evaluations of the tropical transition region between the well-mixed, convective troposphere and the highly stratified stratosphere in the reanalyses. The general TTL structure as given by the cold point and lapse rate tropopause and the level of zero radiative heating will be analysed. Diagnostics related to clouds and convection in the TTL will include cloud fraction and water content, outgoing longwave radiation, and brightness temperature. The chapter will take into account the diabatic heat budget as well as dynamical characteristics of the TTL such as Lagrangian cold points, residence times, and wave activity. Finally, the width of the tropical belt based on tropical and extra-tropical diagnostics and the representation of monsoon circulations in the reanalyses will be evaluated.

*Chapter 9. Quasi-Biennial Oscillation (QBO) and tropical variability:* The diagnostics in this chapter will include an analysis of the tropical QBO, its extra-tropical teleconnections, other relevant teleconnections such as those with ENSO and the solar cycle, its zonal momentum budget, and spectral characteristics of tropical waves including modal analysis and equatorial wave energetics. Observations for validation will include operational and campaign radiosondes, rocketsondes, and satellite observations such as HIRDLS and SABER. Information regarding non-orographic gravity wave parameterization and analysis increments may also be utilised.

*Chapter 10. Polar processes:* This chapter will focus on polar processes, which are “threshold” phenomena that depend critically on meteorological conditions in the lower stratosphere. The choice of reanalysis data set can lead to substantially different results for polar process studies. A range of diagnostics based on temperatures and polar vortex structure will be examined to assess differences between reanalyses and their impact on studies of polar stratospheric cloud (PSC) formation, denitrification and dehydration, chlorine activation and deactivation, and chemical ozone loss. In addition to basic diagnostics (e.g., minimum temperatures; volume of stratospheric air cold enough to support PSC formation; size, shape, and strength of the winter polar vortex), advanced dynamical diagnostics such as trajectory-based PSC lifetimes and diabatic heating rates will be evaluated. More highly derived diagnostics, including comparisons with satellite composition and PSC measurements to assess thermodynamic consistency with theoretical PSC equilibrium curves and quantification of chemical ozone loss using a chemical transport model, will be used to explore how the spatially and temporally varying differences between reanalyses interact to affect the conclusions of case studies of specific winters.

*Chapter 11. Upper Stratosphere and Lower Mesosphere (USLM):* This chapter will focus on the uppermost levels in the reanalyses, where assimilated data sources are most sparse. Annual cycles of wind and temperature in the reanalyses will be compared to observations as a function of latitude and altitude. We will quantify differences in the following geophysical features and process-oriented diagnostics: the tropical Semi-Annual Oscillation (SAO), inertial instability at the tropical stratopause, the winter polar vortices, effects of SSWs on stratopause evolution and the upper stratosphere/lower mesosphere, the transformed Eulerian mean (TEM) circulation, and the 3D residual circulation. We will also present wave fluxes

and planetary wave amplitudes. Comparisons will be made between the reanalyses and SABER and MLS satellite observations for validation purposes. Comparisons among reanalyses and models nudged to reanalyses in the troposphere and lower stratosphere (below the USLM) will also be used to extend our knowledge of the state of the USLM.

*Chapter 12. Synthesis summary:* This chapter will summarize the key findings and the common patterns across the report, and provide suggestions as to the appropriateness of individual reanalyses for studies of particular atmospheric processes. It will provide recommendations for future research and reanalysis development.

#### 1.4. DEVELOPMENT OF THE S-RIP TEAM

The need for a coordinated reanalysis intercomparison project was proposed and discussed at the 8th SPARC Data Assimilation Workshop held at Brussels, Belgium in June 2011 (Jackson and Polavarapu, 2012), leading to the proposal of the SPARC Reanalysis Intercomparison Project (S-RIP) in January 2012 (Fujiwara et al., 2012). In February 2012, S-RIP was officially endorsed by the SPARC Scientific Steering Group (SSG) as an emerging activity of SPARC. A first S-RIP session was held at the subsequent 9th SPARC Data Assimilation workshop in Socorro, New Mexico, USA, in June 2012 (Jackson et al., 2013), followed by the formation of the scientific Working Group (11 members) and the confirmation of the reanalysis centre contacts (8 members) by August 2012. The Working Group then proceeded to discuss chapter titles, co-leads, and initial contributors to the final SPARC report, and organised an S-RIP Planning Meeting for the following year.

The first S-RIP Planning Meeting, with 39 participants, was hosted by David Jackson at the UK Met Office in Exeter, UK from 29 April to 1 May 2013 (Fujiwara and Jackson, 2013). The purpose of that meeting was to finalise the report outline, to determine the diagnostics list and observational data required for validation for each chapter, to agree on general guidelines and protocols, and to define the project timetable. The S-RIP Implementation Plan was submitted to the SSG in January 2014, at which point S-RIP was officially endorsed by the SSG as a full activity of SPARC. Since this official launch of S-RIP, one side meeting was held during the SPARC General Assembly in Queenstown, New Zealand, in January 2014, and two workshops were held: one hosted by Craig Long at the NOAA Center for Weather and Climate Prediction, College Park, Maryland, USA in September 2014 (Errera et al., 2015) and the other hosted by Bernard Legras and held at Pierre and Marie Curie University, Paris, France in October 2015 (Errera et al., 2016). The 2016 workshop is planned to be held at Victoria, Canada in October 2016, being hosted by James Anstey. The 2014, 2015, and 2016 workshops were co-organized with Quentin Errera and were held at the same place in the same week as the SPARC Data Assimilation workshops, with one-day joint session.

## 1.5. MANAGEMENT AND COMMUNICATION

S-RIP was initially co-led by Masatomo Fujiwara (Japan) and David Jackson (UK) until April 2014 when Jackson stepped down. David Tan (UK) served as a co-lead between September 2014 and July 2015, working together with Masatomo Fujiwara. Since November 2015, S-RIP has been co-led by Masatomo Fujiwara, Gloria Manney (USA), and Lesley Gray (UK). The co-leads are members of a wider Working Group, who help steer the direction of the project and coordinate the specifics of the work. The Working Group members are David Tan (UK; until July 2015), Thomas Birner (USA), Simon Chabrilat (Belgium), Sean Davis (USA), Yulia Zyulyaeva (Russia; until October 2014), Michaela Hegglin (UK), Kirstin Krüger (Germany/Norway), Craig Long (USA), Susann Tegtmeier (Germany), Gloria Manney (USA), Lesley Gray (UK; since November 2015), and Masatomo Fujiwara (Japan).

Each reanalysis centre has also designated a contact who is involved in S-RIP and whose presence is vital to ensure the two-way flow of knowledge between the S-RIP research community and the reanalysis centres. The reanalysis centre contacts are David Tan (ECMWF; until July 2015), Rossana Dragani (ECMWF; since July 2015), Craig Long (NOAA/NCEP), Wesley Ebisuzaki (NOAA/NCEP), Kazutoshi Onogi (JMA), Yayoi Harada (JMA), Steven Pawson (NASA; until April 2016), Krzysztof Wargan (NASA; since April 2016), Gilbert Compo (NOAA and University of Colorado), and Jeffrey Whitaker (NOAA).

Each chapter of the report has selected co-leads who organise the production of relevant diagnostics and the chapter writing, along with several contributors. The chapter co-leads are listed in Table 1-2.

Table 1-2. Chapter titles and co-leads (as of August 2016)

	Title	Co-leads
1	Introduction	Masatomo Fujiwara, Gloria Manney, Lesley Gray
2	Description of the Reanalysis System	Jonathon Wright, Masatomo Fujiwara, Craig Long
3	Climatology and Interannual Variability of Dynamical Variables	Craig Long, Masatomo Fujiwara
4	Climatology and Interannual Variability of Ozone and Water Vapour	Michaela Hegglin, Sean Davis
5	Brewer-Dobson Circulation	Thomas Birner, Beatriz Monge-Sanz
6	Stratosphere-Troposphere Coupling	Edwin Gerber, Patrick Martineau
7	Extra-tropical Upper Troposphere and Lower Stratosphere (ExUTLS)	Cameron Homeyer, Gloria Manney
8	Tropical Tropopause layer (TTL)	Susann Tegtmeier, Kirstin Krüger
9	Quasi-Biennial Oscillation (QBO) and Tropical Variability	James Anstey, Lesley Gray
10	Polar Processes	Michelle Santee, Alyn Lambert, Gloria Manney
11	Upper Stratosphere and Lower Mesosphere (USLM)	Lynn Harvey, John Knox
12	Synthesis Summary	Masatomo Fujiwara, Gloria Manney, Lesley Gray



The project is monitored via progress reports written by the chapter co-leads every 6 months (with the option of associated teleconferences for further discussion). Full S-RIP workshops are held annually to discuss the current status of each chapter, planning of evaluations, writing of papers, and completion of chapters. Individual chapter workshops are also held, usually jointly with other relevant workshops and conferences. Current project information is disseminated through the S-RIP website (<http://s-rip.ees.hokudai.ac.jp/>) constructed by Jonathon Wright and Masatomo Fujiwara, which includes a public section and an internal Wiki to facilitate the preparation of the report (see Figure 1-1). The processed data used to create figures and tables in the report will be stored at the British Atmospheric Data Centre (BADC) of the UK Centre for Environmental Data Analysis (CEDA), as negotiated by James Anstey and Lesley Gray. Quasi-monthly S-RIP News emails have been sent to the participants and other interested researchers to share the latest information relevant to the project and to keep the volunteer participants motivated. Following the discussion at the 2015 S-RIP workshop, in February 2016 a special issue on “The SPARC Reanalysis Intercomparison Project (S-RIP)” was launched in Atmospheric Chemistry and Physics (ACP), a journal of the European Geosciences Union. The editors of this special issue are Peter Haynes, Gabriele Stiller, and William Lahoz. This is one of the ways to encourage researchers to publish S-RIP related works by the end of 2018.





**SPARC**  
Reanalysis  
Intercomparison  
Project

---

[ABOUT S-RIP](#)
[REPORT](#)
[PUBLICATIONS](#)
[MEETINGS](#)
[RESOURCES](#)
[CONTACTS](#)
[INTERNAL](#)
[SPARC](#)

### Introduction to S-RIP

The SPARC Reanalysis Intercomparison Project (S-RIP) is a coordinated activity to

- **compare** all (or some of the newer) reanalysis data sets for various key diagnostics;
- **understand the causes of differences** among reanalyses;
- **provide guidance on the appropriate usage** of various reanalysis products in scientific studies; and
- **connect such activities with future improvements** in the reanalysis products by **establishing collaborative links** between the reanalysis centres and the SPARC community.

S-RIP focuses on reanalysis output in the stratosphere, upper troposphere and lower mesosphere. This activity is closely connected with the [SPARC Data Assimilation](#) activity (see also SPARC's [current activities](#).)

We welcome your contributions to this project. Please contact the [S-RIP preparation team](#) and/or the [co-leads of the relevant chapters](#) directly.

### Recent S-RIP News

---

**S-RIP paper submitted to ACP**  
 28 July 2016 | The paper on [the S-RIP introduction and the reanalysis system overview](#) (based on materials from Chapters 1 and 2 of the S-RIP report) has been submitted to the ACP special issue on [The SPARC Reanalysis Intercomparison Project \(S-RIP\)](#).

**2016 AGU Fall Meeting**  
 16 June 2016 | A reanalysis session, "[A049: Evaluating Reanalysis: Learning about past weather and climate](#)", will be held at the 2016 AGU Fall Meeting, San Francisco, USA, 12-16 December 2016 (the final abstract submission deadline is 3 August 2016, 11:59 P.M. EDT).

**S-RIP 2016 Workshop - First circular released**  
 1 June 2016 | The first circular of the next S-RIP workshop (Victoria, Canada, 19-21 October 2016) has been released. See the [2016 workshop page](#).

**New co-lead of Chapter 11 and new point of contact for NASA reanalyses**  
 24 April 2016 | John Knox becomes a co-lead of Chapter 11, working together with Lynn Harvey. Krzysztof Wargan becomes the new point of contact for MERRA and MERRA-2 reanalyses.

**Variables on pressure levels available on S-RIP group workspace**  
 8 March 2016 | Patrick Martineau has completed the transfer of his archive of 3D reanalysis variables (u,v,w,t,z) on pressure levels to the [BADC's S-RIP group workspace](#). All files are provided in NetCDF format. The directory is `~/NETCDF_3D_pressure_levels/data_sets`. The following reanalysis data sets are archived in separate sub-directories: 20CR, E20, ERA-40, ERA-INTERIM, JRA-25, JRA55, JRA55AMIP, JRA55C, NASA\_MERRA, NCEP\_CFSR, NCEP-DOE, and NCEP-NCAR.

[\[click to view all S-RIP news\]](#)

Questions or Comments:  
 S-RIP: [Masatomo Fujiwara](#)  
 Website: [Jonathon Wright](#)

[Home](#) | [Events](#) | [Resources](#) | [Contacts](#) | [Internal](#)



Figure 1-1. A snapshot of the front page of the S-RIP website (18 August 2016).

## 1.6. LINKS TO OTHER PROJECTS

S-RIP has close links to several other SPARC activities, including the SPARC Data Assimilation Working Group (SPARC-DA), the SPARC Network on Assessment of Predictability (SNAP), SPARC DynVar, and the SPARC QBOi initiative. These activities share a common focus on stratospheric analyses and, in the case of SNAP, on the impacts of these analyses on weather forecasting. The reanalyses evaluated and compared by S-RIP are widely used to validate climate models, establishing a direct connection between the activities of S-RIP and those of the Chemistry-Climate Model Initiative (CCMI). S-RIP activities also overlap with a number of other SPARC activities, such as the Temperature Changes activity, the SPARC Data Initiative, and the Gravity Waves activity. The leaders of several of these activities are also involved in the S-RIP Working Group and/or serving as chapter co-leads or contributors in the preparation of the two S-RIP reports, thus enhancing opportunities for coordination and collaboration.

S-RIP has been publicised at meetings of the WMO Working Group on Numerical Experimentation (WGNE), where the project was well received and prompted discussion about a parallel WGNE activity focused on tropospheric reanalyses. Finally, activities associated with S-RIP have the potential to be important components of the Global Framework for Climate Services.

## 1.7. PROSPECTS FOR THE FUTURE

S-RIP is planned to continue until 2018 (i.e., 5 years starting from the Planning Meeting in 2013). However, a fundamental goal of S-RIP is to provide well-organized feedback to the reanalysis centres, thus forming a “virtuous circle” of assessment, improvements in reanalyses, further assessment, and further improvements in reanalyses. To this end, calculations of diagnostics suited to numerous types of studies have been and are being developed for current reanalyses. These diagnostics can then be easily extended and applied to assessment of future reanalyses. Since most reanalysis centres have ongoing programmes to deliver new and improved reanalyses, it would be valuable to continue S-RIP beyond this initial period of 5 years. It will therefore be critical to review the value of S-RIP to the research community and reanalysis centres at the SPARC SSG meeting in 2018 to determine whether S-RIP should continue, and if so in what form. Some support from SPARC will be needed if the S-RIP activity is to be continued beyond 2018.

Regardless of the future development of S-RIP, it is important that this project leaves a lasting legacy through publication of its report that helps to sustain international interest in the assessment of reanalyses. A primary goal of the project is to establish tighter links between reanalysis providers and the SPARC community. It is thus hoped that outcomes from the S-RIP assessment will facilitate and even drive future reanalysis developments in a systematic, standardised way, in place of the ad hoc approaches that have been used

previously. A further legacy will be the creation of a public data archive (at BADC) of processed reanalysis data with standard formats and resolutions, which will help to enable both further intercomparisons and scientific analyses without repetition of expensive pre-processing steps. This ensemble of derived data sets will be freely available to researchers worldwide, and will be intended to be a useful tool for reanalyses assessment beyond the lifetime of the project.

## ACKNOWLEDGMENTS

We acknowledge the scientific guidance and sponsorship of the World Climate Research Programme, coordinated in the framework of SPARC. We are grateful to Ted Shepherd and Greg Bodeker (past SPARC co-chairs) for strong encouragement and valuable advice during the proposal phase of the project during 2011–2012, and Joan Alexander (serving SPARC co-chair during 2013–2015) and Neil Harris (serving SPARC co-chair since 2014) for continued support and encouragement. The Information Initiative Center of Hokkaido University, Japan has hosted the S-RIP web server since 2014. We thank the reanalysis centres for providing their support and data products. The British Atmospheric Data Centre (BADC) of the UK Centre for Environmental Data Analysis (CEDA) has provided a virtual machine for data processing and a group workspace for data storage. We thank Yulia Zyulyaeva for contributions to S-RIP as an original member of the working group, as a chapter co-lead through October 2014, and as the designer of the S-RIP logo. We thank Diane Pendlebury for contributions to S-RIP as a chapter co-lead through August 2015. We thank Quentin Errera, the lead of the SPARC Data Assimilation working group, for co-organizing the 2014, 2015, and 2016 S-RIP workshops. Travel support for some participants of the 2013 planning meeting and the 2014, 2015, and 2016 workshops was provided by SPARC. We thank Peter Haynes, Gabriele Stiller, and William Lahoz for serving as the editors for the special issue “The SPARC Reanalysis Intercomparison Project (S-RIP)” in the journal *Atmospheric Chemistry and Physics* (ACP).

## REFERENCES

- Errera, Q., M. Fujiwara, C. Long, and D. Jackson, Report from the 10th SPARC data assimilation workshop and the 2014 SPARC Reanalysis Intercomparison Project (S-RIP) workshop in Washington DC, USA, *SPARC Newsletter*, 44, 31–38, January 2015.
- Errera, Q., M. Fujiwara, and B. Legras, The 2015 S-RIP workshop and 11th SPARC data assimilation workshop, *SPARC Newsletter*, 47, 12–19, July 2016.
- Fujiwara, M., S. Polavarapu, and D. Jackson, A proposal of the SPARC Reanalysis/Analysis Intercomparison Project, *SPARC Newsletter*, 38, 14–17, January 2012.
- Fujiwara, M., and D. Jackson, SPARC Reanalysis Intercomparison Project (S-RIP) Planning Meeting, 29 April–1 May, 2013, Exeter, UK, *SPARC Newsletter*, 41, 52–55, July 2013.
- Fujiwara, M., J. S. Wright, G. L. Manney, L. J. Gray, J. Anstey, T. Birner, S. Davis, E. P. Gerber, V. L. Harvey, M. I. Hegglin, C. R. Homeyer, J. A. Knox, K. Krüger, A. Lambert, C. S. Long, P. Martineau, B. M. Monge-Sanz, M. L. Santee, S. Tegtmeier, S. Chabrillat, D. G. H. Tan, D. R. Jackson, S. Polavarapu, G. P. Compo, R. Dragani, W. Ebisuzaki, Y. Harada, C. Kobayashi, W. McCarty, K. Onogi, S. Pawson, A. Simmons, K. Wargan, J. S. Whitaker, and C.-Z. Zou, Introduction to the SPARC Reanalysis

435 Intercomparison Project (SRIP) and overview of the reanalysis systems, *Atmos. Chem.*  
 436 *Phys.*, submitted, July 2016.

437 Jackson, D., and S. Polavarapu, Report on the 8th SPARC Data Assimilation Workshop, 20-  
 438 22 June 2011, Brussels, Belgium, *SPARC Newsletter*, 38, 9-13, January 2012.

439 Jackson, D., G. Manney, K. Minschwaner, Report on the 9th SPARC Data Assimilation  
 440 Workshop in Socorro, NW, USA, *SPARC Newsletter*, 40, 21-29, January 2013.

441 Randel, W., P. Udelhofen, E. Fleming, M. Geller, M. Gelman, K. Hamilton, D. Karoly, D.  
 442 Ortland, S. Pawson, R. Swinbank, F. Wu, M. Baldwin, M.-L. Chanin, P. Keckhut, K.  
 443 Labitzke, E. Remsberg, A. Simmons, and D. Wu, The SPARC intercomparison of  
 444 middle-atmosphere climatologies, *J. Climate*, 17, 986–1003, 2004.

445 SPARC, *Intercomparison of middle atmosphere climatologies*, edited by W. Randel, M.-L.  
 446 Chanin, and C. Michaut, WCRP-116, WMO/TD-No. 1142, SPARC Report No. 3, 2002.

447 SPARC, *Chemistry-climate model validation*, edited by V. Eyring, T. Shepherd, and D.  
 448 Waugh, WCRP-30, WMO/TD-No. 40, SPARC Report No. 5, 2010.

449  
 450  
 451  
 452

453 **APPENDIX A: LIST OF ACRONYMS [TO BE COMBINED AND MOVED TO THE**  
 454 **APPENDIX OF THE REPORT]**

455 20CR: 20th Century Reanalysis  
 456 AoA: Age of Air  
 457 BDC: Brewer-Dobson Circulation  
 458 BADC: British Atmospheric Data Centre  
 459 CCMI: Chemistry-Climate Model Initiative  
 460 CEDA: Centre for Environmental Data Analysis  
 461 CIRES: Cooperative Institute for Research in Environmental Sciences (NOAA and  
 462 University of Colorado Boulder)  
 463 CMAM: Canadian Middle Atmosphere Model  
 464 DOE: Department of Energy  
 465 DynVAR: Dynamical Variability  
 466 ECMWF: European Centre for Medium-Range Weather Forecasts  
 467 ENSO: El Niño Southern Oscillation  
 468 ERA-20C: ECMWF 20th century reanalysis  
 469 ERA-40: ECMWF 40-year reanalysis  
 470 ERA-Interim: ECMWF interim reanalysis  
 471 ERA5: (a planned ECWMF reanalysis for the period 1979 to present, which will replace the  
 472 ERA-Interim)  
 473 ExUTLS: Extra-tropical Upper Troposphere and Lower Stratosphere  
 474 HIRDLS: High Resolution Dynamics Limb Sounder  
 475 JCDAS: JMA Climate Data Assimilation System  
 476 JMA: Japan Meteorological Agency  
 477 JRA-25: Japanese 25-year Reanalysis  
 478 JRA-55: Japanese 55-year Reanalysis  
 479 MERRA: Modern Era Retrospective-Analysis for Research and Applications  
 480 MIPAS: Michelson Interferometer for Passive Atmospheric Sounding  
 481 MLS: Microwave Limb Sounder  
 482 NASA: National Aeronautics and Space Administration  
 483 NCAR: National Center for Atmospheric Research  
 484 NCEP: National Centers for Environmental Prediction of the NOAA  
 485 NCEP-CFSR: Climate Forecast System Reanalysis of the NCEP  
 486 NCEP-DOE R-2: Reanalysis 2 of the NCEP and DOE  
 487 NCEP-NCAR R-1: Reanalysis 1 of the NCEP and NCAR  
 488 NDACC: Network for the Detection of Atmospheric Composition Change  
 489 NOAA: National Oceanic and Atmospheric Administration  
 490 NOGAPS-ALPHA: Navy Operational Global Atmospheric Prediction System, the Advanced  
 491 Level Physics-High Altitude version  
 492 OLR: Out-going Longwave Radiation  
 493 QBO: Quasi-Biennial Oscillation  
 494 QBOi: QBO intercomparison  
 495 SABER: Sounding of the Atmosphere using Broadband Emission Radiometry  
 496 SAO: Semi-Annual Oscillation  
 497 SNAP: SPARC Network on Assessment of Predictability  
 498 SPARC: Stratosphere-troposphere Processes And their Role in Climate (previously, it was  
 499 Stratospheric Processes And their Role in Climate)  
 500 S-RIP: SPARC Reanalysis Intercomparison Project  
 501 SSG: Scientific Steering Group

502 SSWs: Sudden Stratospheric Warmings  
503 STE: Stratosphere-Troposphere Exchange  
504 TEM: Transformed Eulerian Mean  
505 TTL: Tropical Tropopause Layer  
506 USLM: Upper Stratosphere and Lower Mesosphere  
507 UTLS: Upper Troposphere and Lower Stratosphere  
508 WGNE: WMO Working Group on Numerical Experimentation  
509 WMO: World Meteorological Organization  
510  
511  
512