

# Table of Contents

apertus° Wiki..... 1

Chapter 1: Links, images, tables ..... 1

Headers and Text ..... 2

Level 1 Section Title ..... 2

Level 2 Section Title..... 2

Videos ..... 3

Chapter 2: Colored tables ..... 3

PlantUML ..... 3

PlantUML (external file) ..... 4

Kroki!..... 4


[Edit](#)

# apertus° Wiki

[Edit](#)

## Chapter 1: Links, images, tables

This is the body of the document.



Just a simple table:

a	b	c
d	e	f

Another table, but data comes from external CSV file:

pin	signal_name	rating
1	VCC	200mA
2	Trigger	1mA
3	Data1	1mA
4	GND	200mA

# Headers and Text

## Level 1 Section Title

### Level 2 Section Title

#### Level 3 Section Title

##### Level 4 Section Title

##### Level 5 Section Title

A normal paragraph.

A literal paragraph.  
One or more consecutive lines indented by at least one space.

The text is shown in a fixed-width (typically monospace) font.  
The lines are preformatted (i.e., as formatted in the source).  
Spaces and newlines,  
like the ones in this sentence,  
are preserved.

It has **strong** significance to me.


I *cannot* stress this enough.

Type **OK** to accept.

That **really** has to go.

Can't pick one? Let's use them **a11**.

# Videos




[Edit](#)

## Chapter 2: Colored tables


a	b	c
d	e	Test123

a	b	c
d	e	f

# PlantUML



## PlantUML (external file)



## Kroki!

Failed to generate image: Could not find the 'WaveDromEditor' executable in PATH; add it to the PATH or specify its location using the 'WaveDromEditor' document attribute

```

{ signal: [
  { name: "clk",          wave: "p.....|..." },
  { name: "Data",         wave: "x.345x|=.x", data: ["head", "body", "tail", "data"] },
  { name: "Request",      wave: "0.1..0|1.0" },
  {} ,
  { name: "Acknowledge",  wave: "1.....|01." }
]
  
```

