CALCULUS AB
SECTION II, Part A
Time—30 minutes
Number of problems—2

A graphing calculator is required for these problems.

1. The rate at which rainwater flows into a drainpipe is modeled by the function R, where $R(t) = 20\sin\left(\frac{t^2}{35}\right)$ cubic feet per hour, t is measured in hours, and $0 \le t \le 8$. The pipe is partially blocked, allowing water to drain out the other end of the pipe at a rate modeled by $D(t) = -0.04t^3 + 0.4t^2 + 0.96t$ cubic feet per hour, for $0 \le t \le 8$. There are 30 cubic feet of water in the pipe at time $t = 0$.

   (a) How many cubic feet of rainwater flow into the pipe during the 8-hour time interval $0 \le t \le 8$?

   (b) Is the amount of water in the pipe increasing or decreasing at time $t = 3$ hours? Give a reason for your answer.

   (c) At what time t, $0 \le t \le 8$, is the amount of water in the pipe at a minimum? Justify your answer.

   (d) The pipe can hold 50 cubic feet of water before overflowing. For $t > 8$, water continues to flow into and out of the pipe at the given rates until the pipe begins to overflow. Write, but do not solve, an equation involving one or more integrals that gives the time w when the pipe will begin to overflow.

GO ON TO THE NEXT PAGE.



2. Let f and g be the functions defined by $f(x) = 1 + x + e^{x^2 - 2x}$ and $g(x) = x^4 - 6.5x^2 + 6x + 2$. Let R and S be the two regions enclosed by the graphs of f and g shown in the figure above.

   (a) Find the sum of the areas of regions R and S.

   (b) Region S is the base of a solid whose cross sections perpendicular to the x-axis are squares. Find the volume of the solid.

   (c) Let h be the vertical distance between the graphs of f and g in region S. Find the rate at which h changes with respect to x when $x = 1.8$.

END OF PART A OF SECTION II

Question 1

The rate at which rainwater flows into a drainpipe is modeled by the function R, where $R(t) = 20\sin\left(\frac{t^2}{35}\right)$ cubic feet per hour, t is measured in hours, and $0 \le t \le 8$. The pipe is partially blocked, allowing water to drain out the other end of the pipe at a rate modeled by $D(t) = -0.04t^3 + 0.4t^2 + 0.96t$ cubic feet per hour, for $0 \le t \le 8$. There are 30 cubic feet of water in the pipe at time $t = 0$.

(a) How many cubic feet of rainwater flow into the pipe during the 8-hour time interval $0 \le t \le 8$?

(b) Is the amount of water in the pipe increasing or decreasing at time $t = 3$ hours? Give a reason for your answer.

(c) At what time t, $0 \le t \le 8$, is the amount of water in the pipe at a minimum? Justify your answer.

(d) The pipe can hold 50 cubic feet of water before overflowing. For $t > 8$, water continues to flow into and out of the pipe at the given rates until the pipe begins to overflow. Write, but do not solve, an equation involving one or more integrals that gives the time w when the pipe will begin to overflow.

(a) $\int_0^8 R(t)\,dt = 76.570$

$2 : \begin{cases} 1 : \text{integrand} \\ 1 : \text{answer} \end{cases}$

(b) $R(3) - D(3) = -0.313632 < 0$

Since $R(3) < D(3)$, the amount of water in the pipe is decreasing at time $t = 3$ hours.

$2 : \begin{cases} 1 : \text{considers } R(3) \text{ and } D(3) \\ 1 : \text{answer and reason} \end{cases}$

(c) The amount of water in the pipe at time t, $0 \le t \le 8$, is $30 + \int_0^t [R(x) - D(x)]\,dx.$

$R(t) - D(t) = 0 \Rightarrow t = 0,\ 3.271658$

t	Amount of water in the pipe
0	30
3.271658	27.964561
8	48.543686

The amount of water in the pipe is a minimum at time $t = 3.272$ (or 3.271) hours.

$3 : \begin{cases} 1 : \text{considers } R(t) - D(t) = 0 \\ 1 : \text{answer} \\ 1 : \text{justification} \end{cases}$

(d) $30 + \int_0^w [R(t) - D(t)]\,dt = 50$

$2 : \begin{cases} 1 : \text{integral} \\ 1 : \text{equation} \end{cases}$