

photobiologySun Version 0.1.1

Catalogue of Solar Spectra

Pedro J. Aphalo

May 9, 2014

1 Introduction

We will plot the emission spectra of the different lamps for which data is provided in the package. We plot side-by-side the lamp output as spectral energy irradiance and as spectral photon irradiance. All spectra are normalized to an area of one under the whole curve.

```
library(ggplot2)
library(photobiology)
library(photobiologyLamps)
library(photobiologySun)
library(photobiologygg)



## Loading required package: proto
## Loading required package: spls2R
## Loading required package: plyr
```




We define a function to do the actual plotting so as to not repeat code, and to make changes easier in the future.


```
lamp.plotter <- function(lamp.name, w.low = 250, w.high = 900, scaled = "peak") {
  w.length.out <- seq(from = w.low, to = w.high, length.out = 300)
  spectrum.data <- calc_lamp_output(w.length.out = w.length.out, lamp.name = lamp.name,
    scaled = scaled)
  spectrum.data <- na.omit(spectrum.data)
  fig_energy <- ggplot(aes(x = w.length, y = s.e.irrad), data = spectrum.data) +
    xlim(w.low, w.high) + labs(x = "Wavelength (nm)", y = "Spectral energy irradiance\n(rel. units)",
    title = lamp.name) + geom_line() + stat_peaks(ignore_threshold = 0.33,
    colour = "red", span = 21)
  fig_photon <- ggplot(aes(x = w.length, y = s.q.irrad), data = spectrum.data) +
    xlim(w.low, w.high) + labs(x = "Wavelength (nm)", y = "Spectral photon irradiance\n(rel. units)",
    title = lamp.name) + geom_line() + stat_peaks(ignore_threshold = 0.33,
    colour = "red", span = 21)
  print(fig_energy)
  print(fig_photon)
}
```

2 Extraterrestrial solar spectra

```
spectra <- c("WMO_Wehrli_AM0", "ASTM_E490_AM0", "Gueymard_AM0")  
for (spc in spectra) {  
  lamp.plotter(lamp.name = spc, w.low = 200, w.high = 4000)  
}
```











3 Standard terrestrial solar spectra

```
spectra <- c("ASTM_G173_direct", "ASTM_G173_global")
for (spc in spectra) {
  lamp.plotter(lamp.name = spc)
}
```





4 Measured dayligh spectra

```
spectra <- c("sun_May_morning")
for (spc in spectra) {
  lamp.plotter(lamp.name = spc)
}
```

