

# photobiologySun Version 0.3.4

## Catalogue of Solar Spectra

Pedro J. Aphalo

August 24, 2015

## 1 Introduction

The plots show the solar spectral irradiance data included in the package.


```
library(ggplot2)
library(photobiology)
library(photobiologySun)
library(photobiologygg)
library(lubridate)
```

```
options(photobiology.plot.annotations =
        c("boxes", "labels", "colour.guide", "peaks", "title"))
```


We define a function to do the actual plotting so as to not repeat code, and to make changes easier in the future.

## 2 Extraterrestrial solar spectra


```
plot(WMO_Wehrli_AM0.spct, range=c(250, 2000), w.band = NULL)
```



```
plot(ASTM_E490_AM0.spct, range=c(250, 2000), w.band = NULL)
```




```
plot(Gueymard_AM0.spct, range=c(250, 2000), w.band = NULL)
```




### 3 Standard terrestrial solar spectra


```
plot(ASTM_G173_direct.spct, annotations="colour_guide")
```




```
plot(ASTM_G173_global.spct, annotations="colour_guide")
```



```
plot(ASTM_G173_direct.spct, range=c(290, 800), w.band=PAR())
```




```
plot(ASTM_G173_global.spct, range=c(290, 800), w.band=PAR())
```




## 4 Measured daylight spectra

```
plot(sun_May_morning.spct)
```




```
plot(sun_May_morning.spct, unit.out = "photon")
```




April in Helsinki, under birch trees, in a sunfleck.

```
ppfd.df <- q_irrad(gap.mspect, PAR())
ppfd.df$time <- seq(from = 1, by = attr(gap.mspect, "time.step"),
                    length.out = nrow(ppfd.df))
ggplot(ppfd.df, aes(time, q_irrad_PAR * 1e6)) +
  geom_line() + ylim(0, NA) +
  labs(x = "Time (s)",
       y = expression(PAR~photon~irradiance~(mu*mol~m^{-2}~s^{-1})))
```



```
R_FR.df <- q_ratio(gap.mspect, Red("Smith10"), Far_red("Smith10"))
names(R_FR.df)[2] <- "R_FR"
R_FR.df$time <- seq(from = 1, by = attr(gap.mspect, "time.step"),
                    length.out = nrow(R_FR.df))
ggplot(R_FR.df, aes(time, R_FR)) +
  geom_line() +
  labs(x = "Time (s)",
       y = "R:FR photon ratio (fraction of one)")
```



## 5 Simulated hourly daylight spectra

Late summer in Helsinki, modelled spectra using a radiation transfer model.

```
plot(subset(sun_hourly_august.spct, day(EEST) == 21 & hour(EEST) < 21),  
      annotations = "colour_guide") +  
      facet_wrap(~EEST, ncol = 3)
```

