# **Mathematics Homework Sheet 4**

Authors: Abdullah Oguz Topcuoglu & Ahmed Waleed Ahmed Badawy Shora

### Problem 1

Question is asking to find Bezout coefficients.

Which means that (1552303, 233927) = 223. And we have the Bezout coefficients  $u_8 = 173, v_8 = -1148$ 

$$1552303 \cdot 173 + 233927 \cdot (-1148) = 223$$

Thus m = 173, n = -1148.

### Problem 2

Start with the fact that  $106 \equiv 106 \mod 143$ .

$$106 \equiv 106 \mod 143 \qquad \text{(Square both sides)}$$
 
$$106^2 = 11236 \equiv 82 \mod 143 \qquad \text{(Square both sides)}$$
 
$$106^4 \equiv 82^2 \equiv 3 \mod 143 \qquad \text{(Square both sides)}$$
 
$$106^8 \equiv 3^2 \equiv 9 \mod 143$$

And note these:

$$106^{2} = 11236 = 78 \cdot 143 + 82$$
$$82^{2} = 6724 = 46 \cdot 143 + 3$$
$$3^{2} = 9 = 0 \cdot 143 + 9$$

Now we can compute  $106^{11}$ :

$$106^{11} = 106^8 \cdot 106^2 \cdot 106$$

$$\equiv 9 \cdot 82 \cdot 106 \mod 143$$

$$\equiv 738 \cdot 106 \mod 143$$

$$\equiv (5 \cdot 143 + 23) \cdot 106 \mod 143$$

$$\equiv 23 \cdot 106 \mod 143$$

$$\equiv 2428 \mod 143$$

$$\equiv (16 \cdot 143 + 140) \mod 143$$

$$\equiv 140 \mod 143$$

So, these are the results:

$$106^2 \equiv 82 \mod 143$$
  
 $106^4 \equiv 3 \mod 143$   
 $106^8 \equiv 9 \mod 143$   
 $106^{11} \equiv 140 \mod 143$ 

# Problem 3

### (a)

We have the system of equations:

$$\begin{cases} x \equiv 2 \mod 3 \\ x \equiv 5 \mod 7 \\ x \equiv 8 \mod 11 \end{cases}$$

Let's first solve the first two equations:

$$\begin{cases} x \equiv 2 \mod 3 \\ x \equiv 5 \mod 7 \end{cases}$$

From chinese remainder theorem we know that x = 14m + 15n where m and n are Bezout coefficients of 3 and 7. We can find them using the extended Euclidean algorithm:

$$7 = 2 \cdot 3 + 1$$
,  $u_2 = u_0 - 2u_1 = 1$ ,  $v_2 = v_0 - 2v_1 = -2$   
 $3 = 3 \cdot 1 + 0$ 

$$m = u_2 = 1$$
  
 $n = v_2 = -2$   
 $x = 14m + 15n$   
 $x = 14 \cdot 1 + 15 \cdot (-2)$   
 $x = 14 - 30$   
 $x = -16 \mod 21$   
 $x = 5 \mod 21$ 

Now we have these two equations:

$$\begin{cases} x \equiv 5 \mod 21 \\ x \equiv 8 \mod 11 \end{cases}$$

We can solve this system of equations using the same method:

$$21 = 1 \cdot 11 + 10,$$
  $u_2 = u_0 - u_1 = 1,$   $v_2 = v_0 - v_1 = -1$   
 $11 = 1 \cdot 10 + 1,$   $u_3 = u_1 - u_2 = -1,$   $v_3 = v_1 - v_2 = 2$   
 $10 = 10 \cdot 1 + 0$ 

$$m = u_3 = -1$$

$$n = v_3 = 2$$

$$x = 168m + 55n$$

$$x = 168 \cdot (-1) + 55 \cdot 2$$

$$x = -168 + 110$$

$$x = -58 \mod 231$$

$$x = 173 \mod 231$$

## Problem 4

(a)

Fermat's little theorem states that if p is a prime number and a is an integer not divisible by p, then:

$$a^{p-1} \equiv 1 \mod p$$

63 is not a prime number:

We are gonna try to prove this by showing a contradiction. Let's take a=2 and p=63. Then according to Fermat's little theorem we have:

$$2^{62} \equiv 1 \mod 63$$

We are given the hint that  $2^6 \equiv 1 \mod 63$ .

$$2^{62} = (2^6)^{10} \cdot 2^2 \equiv 2^2 \mod 63$$
  
  $\equiv 4 \mod 63$ 

This result contradicts the Fermat's little theorem, which proves that 63 is not a prime number.

341 is not a prime number:

We are gonna try to prove this by showing a contradiction. Let's take a = 56 and p = 341. Then according to Fermat's little theorem we have:

$$56^{340} \equiv 1 \mod 341$$

We are given the hint that  $56^3 \equiv 1 \mod 341$ .

$$56^{340} = (56^3)^{113} \cdot 56^1 \equiv 56^1 \mod 341$$
  
 $\equiv 56 \mod 341$ 

This result contradicts the Fermat's little theorem, which proves that 341 is not a prime number.