

Problem Set 2

Tony Lashley

April 13, 2015

1 Machinery for the Schelling Model

1.1 Write a function that calculates distances between coordinate points

```
an_individual <- c(0,0)

neighbors = matrix(1:8, ncol = 2, byrow = T)
print(neighbors)

##      [,1] [,2]
## [1,]    1    2
## [2,]    3    4
## [3,]    5    6
## [4,]    7    8

colnames(neighbors) <- c("X", "Y")
distances = matrix(ncol = 3, byrow = T)
colnames(distances) <- c("X", "Y", "Pythagorean")

f1 <- function(an_individual, neighbors){

  for (i in 1:nrow(neighbors)){

    neighbor_longitude = neighbors[i,1]
    ## Find your neighbor's longitude
    neighbor_latitude = neighbors[i,2]
    ## Find your neighbor's latitude
    individual_longitude = an_individual[1]
    ## Find your own longitude
    individual_latitude = an_individual[2]
    ## Find your own latitude

    lftrgthdistance = abs(neighbor_longitude - individual_longitude)
```

```

    ## Find east/west distance between indiv. and neighbor
    updowndistance = abs(neighbor_latitude - individual_latitude)
    ## Find north/south distance between indiv. and neighbor
    pyth = sqrt(((lfttrghtdistance)^2) + ((updowndistance)^2))
    ## Find Euclidian distance
    currentdistance = c(lfttrghtdistance, updowndistance, pyth)
    ## Make vector with Manhattan and Euclidian distances

    dstances <- rbind(dstances, currentdistance)
    ## Add vector as row in matrix of distances
  }

  return(dstances)
}

f1(an_individual, neighbors)

##           X  Y Pythagorean
##        NA NA          NA
## currentdistance  1  2   2.236068
## currentdistance  3  4   5.000000
## currentdistance  5  6   7.810250
## currentdistance  7  8  10.630146

```

1.2 Write a function that simulates Schelling's Segregation model

```

library(RANN)
library(FNN)
library(ggplot2)
library(reshape2)

library(foreach)
library(doParallel)

## Loading required package: iterators
## Loading required package: parallel

library(parallel)

require(foreach)
require(doParallel)
require(parallel)

```

```

require(ggplot2)

numCores <- detectCores()
cl <- makeCluster(numCores)
registerDoParallel(cl)

testv = 100

testRacialPreferenceTable <- matrix(1:15, ncol = 5, nrow = 3)
testRacialPreferenceTable[1,] <- c("R", 1, 50, 5, 2)
testRacialPreferenceTable[2,] <- c("G", 0, 50, 5, 2)
testRacialPreferenceTable[3,] <- c("B", -1, 50, 5, 2)
colnames(testRacialPreferenceTable) <- c("Color", "Value", "Pop.", "Test Pool Size", "Racial")
print(testRacialPreferenceTable)

##      Color Value Pop. Test Pool Size Racial Threshold
## [1,] "R"      "1"   "50" "5"           "2"
## [2,] "G"      "0"   "50" "5"           "2"
## [3,] "B"     "-1"   "50" "5"           "2"

nR <- as.numeric(testRacialPreferenceTable[1,"Pop."])
nG <- as.numeric(testRacialPreferenceTable[2,"Pop."])
nB <- as.numeric(testRacialPreferenceTable[3,"Pop."])

n <- sum(nR + nG + nB)
## Find total population from summing each racial population

inputs <- testRacialPreferenceTable

stop.val <- .95
happy_counter <- 0

Schelling <- function(racialPreferenceTable = testRacialPreferenceTable, cyclemax = testv){
  set.seed(20016)
  library(ggplot2)
  LocationTable <- matrix(ncol = 3)
  ## Initializing table for initial neighborhood coordinates

  for (i in 1:nR){
    x <- runif(1, min=0, max=1)
    ## Generate random X coordinate between 0 and 1 for point
    y <- runif(1, min=0, max=1)
    ## Generate random Y coordinate between 0 and 1 for point
    R = c(1,x,y)
    ## Create vector with point coordinates, labeling point as red

```

```

    LocationTable <- rbind(LocationTable, R)
    ## Add red point to table of all neighborhood coordinates
  }

  for (i in 1:nG){
    x <- runif(1, min=0, max=1)
    y <- runif(1, min=0, max=1)

    G = c(0,x,y)

    LocationTable <- rbind(LocationTable, G)
  }

  for (i in 1:nB){
    x <- runif(1, min=0, max=1)
    y <- runif(1, min=0, max=1)
    B = c(-1,x,y)

    LocationTable <- rbind(LocationTable, B)
  }

  LocationTable <- LocationTable[-1,]
  Count <- c(1:nrow(LocationTable))
  ## Create column counting number of points or people

  Happy <- c(rep(0, nrow(LocationTable)))
  ## Create column to keep track of if person is happy

  Testpool <- c(rep(0, nrow(LocationTable)))
  ## Create column for individual's testpool

  Threshold <- c(rep(0, nrow(LocationTable)))
  ## Create column for individual's threshold

  LocationTable <- cbind(Count, LocationTable, Happy, Testpool, Threshold)
  ## Add columns to Location Table

  p <- qplot(x = LocationTable[,3], y = LocationTable[,4], col = ifelse(LocationTable[,2] < 0, "red", "green"))

  print(p)

  testpoolR <- as.numeric(racialPreferenceTable[1,4])
  ## Pull m value for given race
  thresholdR <- as.numeric(racialPreferenceTable[1,5])

```

```

##Pull j value for given race

testpoolG <- as.numeric(racialPreferenceTable[2,4])
thresholdG <- as.numeric(racialPreferenceTable[2,5])

testpoolB <- as.numeric(racialPreferenceTable[3,4])
thresholdB <- as.numeric(racialPreferenceTable[3,5])

for (individual in 1:nrow(LocationTable)){

  own_race <- LocationTable[individual,2]

  if(own_race == 1){
    ##If the point is red...

    testpool <- testpoolR
    ## Pull m value for individual given race
    threshold <- thresholdR
    ##Pull j value for individual given race

    LocationTable[individual,6] <- testpool
    LocationTable[individual,7] <- threshold

  }

  if(own_race == 0){
    ##If the point is green...

    testpool <- testpoolG
    threshold <- thresholdG

    LocationTable[individual,6] <- testpool
    LocationTable[individual,7] <- threshold

  }

  if(own_race == -1){
    ##If the point is blue...

    testpool <- testpoolB
    threshold <- thresholdB

    LocationTable[individual,6] <- testpool
    LocationTable[individual,7] <- threshold
  }
}

```

```

    }
}

print(LocationTable)

maxtestnumb <- max(testpoolR, testpoolG, testpoolB)
#Finding max testpool value so we can create neighborlist outside loop

LoopUnhappyLocationTable <- LocationTable

justXYtable = LocationTable[,3:4]
#Make seperate table with just X & Y coordinate for
#nearest neighbor function

neighborList <- get.knn(data = justXYtable, k = maxtestnumb)$nn.index
## Create matrix of m closest neighbors for each point

print(neighborList)


##Initialize value for total number of neighbors evaluate

cycles <- 0

while (((happy_counter/n) < stop.val) & (cycles < cyclemax)){

  NumUnhappy <- nrow(LoopUnhappyLocationTable)

  cycles <- cycles + 1
  happy_counter<- n - NumUnhappy

  for (individual in (1:NumUnhappy)){
    ##For a point in the location table...

    neighborracevector <- matrix(, ncol = testpool, nrow = 1 )

    for (neighbor in (1:testpool)){
      ## For each closest neighbor of the given point

      neighborList <- neighborList[,1:testpool]
      ##Get rid of extraneous neighbors who are ranked lower than
      ## k closest
    }
  }
}

```

```

a_neighbor <- neighborList[individual,neighbor]
## Find numerical value of neighbor in Location matrix

a_neighbors_race <- LocationTable[a_neighbor,2]
## Find neighbor's race

if (own_race == a_neighbors_race){
  neighborracevector[1,neighbor] = 1
}

else{
  neighborracevector[1,neighbor] = 0
}

}

totalownraceneighbors = sum(neighborracevector[1,])

if (totalownraceneighbors >= (threshold)){
  LocationTable[individual,5] = 1
  LoopUnhappyLocationTable = LoopUnhappyLocationTable[-individual,]
}

else {

  xstar <- runif(1, min=0, max=1)
  ystar <- runif(1, min=0, max=1)

  LocationTable[individual,3] <- xstar
  LocationTable[individual,4] <- ystar

}
}

p <- qplot(x = LocationTable[,3], y = LocationTable[,4], col = ifelse(LocationTable[,2]


  if (cycles %% 5 == 0) {print(p)}
}

out <- c(cycles, happy_counter)
return(out)
print(p)

```

```
}
```

```
Schelling(testRacialPreferenceTable)
```



##	Count				Happy	Testpool	Threshold
## R	1	1	0.88087670	0.292274361	0	5	2
## R	2	1	0.50111460	0.539329507	0	5	2
## R	3	1	0.34984375	0.391174800	0	5	2
## R	4	1	0.71935381	0.350873383	0	5	2
## R	5	1	0.46636470	0.506259974	0	5	2
## R	6	1	0.37548038	0.795474492	0	5	2
## R	7	1	0.48403496	0.719710088	0	5	2
## R	8	1	0.16247257	0.686906370	0	5	2
## R	9	1	0.19127365	0.885605896	0	5	2
## R	10	1	0.71405276	0.600972072	0	5	2
## R	11	1	0.60577097	0.840487010	0	5	2

## R	12	1	0.63742605	0.220050183	0	5	2
## R	13	1	0.03969718	0.809529376	0	5	2
## R	14	1	0.69181073	0.261534572	0	5	2
## R	15	1	0.65363839	0.664152477	0	5	2
## R	16	1	0.63901260	0.833021256	0	5	2
## R	17	1	0.52979992	0.257004289	0	5	2
## R	18	1	0.98889149	0.168652831	0	5	2
## R	19	1	0.42661108	0.615167781	0	5	2
## R	20	1	0.87949560	0.244099568	0	5	2
## R	21	1	0.31329813	0.988823090	0	5	2
## R	22	1	0.41195102	0.265774416	0	5	2
## R	23	1	0.25931412	0.987915983	0	5	2
## R	24	1	0.73325532	0.201447914	0	5	2
## R	25	1	0.07781230	0.533021456	0	5	2
## R	26	1	0.96087329	0.906998900	0	5	2
## R	27	1	0.56762140	0.308037600	0	5	2
## R	28	1	0.81676286	0.371100862	0	5	2
## R	29	1	0.46643300	0.115485445	0	5	2
## R	30	1	0.91045513	0.420044321	0	5	2
## R	31	1	0.95330606	0.992173342	0	5	2
## R	32	1	0.21233086	0.343192349	0	5	2
## R	33	1	0.60603245	0.036496113	0	5	2
## R	34	1	0.49077000	0.056881471	0	5	2
## R	35	1	0.07772721	0.551119528	0	5	2
## R	36	1	0.52250407	0.682729156	0	5	2
## R	37	1	0.44620386	0.219016305	0	5	2
## R	38	1	0.26996361	0.034623944	0	5	2
## R	39	1	0.16472249	0.538759632	0	5	2
## R	40	1	0.29034521	0.591719521	0	5	2
## R	41	1	0.36602488	0.506071298	0	5	2
## R	42	1	0.95998975	0.430965685	0	5	2
## R	43	1	0.18552025	0.682198081	0	5	2
## R	44	1	0.29617673	0.260350465	0	5	2
## R	45	1	0.08887899	0.881948053	0	5	2
## R	46	1	0.14174181	0.801370089	0	5	2
## R	47	1	0.32205100	0.806377763	0	5	2
## R	48	1	0.68550996	0.519523249	0	5	2
## R	49	1	0.39148476	0.910894458	0	5	2
## R	50	1	0.90343921	0.725260953	0	5	2
## G	51	0	0.38196612	0.288304984	0	5	2
## G	52	0	0.60736101	0.437951637	0	5	2
## G	53	0	0.28304754	0.553282319	0	5	2
## G	54	0	0.95431985	0.335656283	0	5	2
## G	55	0	0.76918250	0.062349494	0	5	2
## G	56	0	0.70062206	0.985571126	0	5	2

## G	57	0	0.90407563	0.291436276	0	5	2
## G	58	0	0.97487034	0.866844861	0	5	2
## G	59	0	0.57538006	0.747099884	0	5	2
## G	60	0	0.56372344	0.376455617	0	5	2
## G	61	0	0.51646822	0.596139638	0	5	2
## G	62	0	0.25671389	0.175912370	0	5	2
## G	63	0	0.85005458	0.500281350	0	5	2
## G	64	0	0.52127557	0.191887318	0	5	2
## G	65	0	0.99933825	0.186784270	0	5	2
## G	66	0	0.90205565	0.310173962	0	5	2
## G	67	0	0.11732077	0.693351585	0	5	2
## G	68	0	0.15488647	0.189495955	0	5	2
## G	69	0	0.90067305	0.316219866	0	5	2
## G	70	0	0.45880769	0.064337363	0	5	2
## G	71	0	0.92430297	0.083698585	0	5	2
## G	72	0	0.41358364	0.518244113	0	5	2
## G	73	0	0.81491619	0.366424271	0	5	2
## G	74	0	0.89288318	0.669900519	0	5	2
## G	75	0	0.83698380	0.592185493	0	5	2
## G	76	0	0.91252799	0.971544161	0	5	2
## G	77	0	0.49615943	0.124587787	0	5	2
## G	78	0	0.06626001	0.932025275	0	5	2
## G	79	0	0.19143956	0.454173630	0	5	2
## G	80	0	0.12666432	0.033178403	0	5	2
## G	81	0	0.55324639	0.159727750	0	5	2
## G	82	0	0.69469408	0.928274332	0	5	2
## G	83	0	0.60196479	0.674556291	0	5	2
## G	84	0	0.55610809	0.095542465	0	5	2
## G	85	0	0.17690371	0.500974125	0	5	2
## G	86	0	0.58767244	0.235076410	0	5	2
## G	87	0	0.57664420	0.595454185	0	5	2
## G	88	0	0.25248506	0.373429720	0	5	2
## G	89	0	0.80710407	0.954102898	0	5	2
## G	90	0	0.11780056	0.845909939	0	5	2
## G	91	0	0.03558219	0.340554802	0	5	2
## G	92	0	0.92623339	0.010365395	0	5	2
## G	93	0	0.00783140	0.643187550	0	5	2
## G	94	0	0.48946651	0.190491560	0	5	2
## G	95	0	0.26242574	0.907880367	0	5	2
## G	96	0	0.61903045	0.817983840	0	5	2
## G	97	0	0.04407600	0.533258923	0	5	2
## G	98	0	0.65611025	0.014729884	0	5	2
## G	99	0	0.99759068	0.708671428	0	5	2
## G	100	0	0.70825015	0.855745154	0	5	2
## B	101	-1	0.28403739	0.682381599	0	5	2

## B	102	-1	0.49549380	0.317354294	0	5	2
## B	103	-1	0.01665007	0.856748833	0	5	2
## B	104	-1	0.36686837	0.644468423	0	5	2
## B	105	-1	0.15136172	0.909936710	0	5	2
## B	106	-1	0.99574788	0.274148161	0	5	2
## B	107	-1	0.34591864	0.068874221	0	5	2
## B	108	-1	0.73146704	0.714227306	0	5	2
## B	109	-1	0.86064525	0.210119003	0	5	2
## B	110	-1	0.96896713	0.616654244	0	5	2
## B	111	-1	0.37609992	0.134423233	0	5	2
## B	112	-1	0.53699035	0.988473766	0	5	2
## B	113	-1	0.26198562	0.431435353	0	5	2
## B	114	-1	0.44866089	0.609484812	0	5	2
## B	115	-1	0.61410004	0.489205373	0	5	2
## B	116	-1	0.48478954	0.284334196	0	5	2
## B	117	-1	0.54874250	0.059020051	0	5	2
## B	118	-1	0.12959936	0.537379685	0	5	2
## B	119	-1	0.01384381	0.788933858	0	5	2
## B	120	-1	0.14618622	0.523666771	0	5	2
## B	121	-1	0.88337735	0.862787974	0	5	2
## B	122	-1	0.26621716	0.459968218	0	5	2
## B	123	-1	0.44061894	0.570699342	0	5	2
## B	124	-1	0.77261437	0.497840131	0	5	2
## B	125	-1	0.27200541	0.029366484	0	5	2
## B	126	-1	0.34462786	0.651964305	0	5	2
## B	127	-1	0.42271211	0.566269456	0	5	2
## B	128	-1	0.11508901	0.602072069	0	5	2
## B	129	-1	0.30451388	0.993687095	0	5	2
## B	130	-1	0.16626382	0.570786456	0	5	2
## B	131	-1	0.29007546	0.607338065	0	5	2
## B	132	-1	0.37406760	0.154123175	0	5	2
## B	133	-1	0.50591913	0.375157764	0	5	2
## B	134	-1	0.18329200	0.622406428	0	5	2
## B	135	-1	0.12450300	0.448399968	0	5	2
## B	136	-1	0.99320260	0.935470444	0	5	2
## B	137	-1	0.90531437	0.085126241	0	5	2
## B	138	-1	0.10787591	0.051739027	0	5	2
## B	139	-1	0.31719869	0.540758874	0	5	2
## B	140	-1	0.74466186	0.145718680	0	5	2
## B	141	-1	0.95939913	0.009733661	0	5	2
## B	142	-1	0.98383691	0.508911631	0	5	2
## B	143	-1	0.19343030	0.248508668	0	5	2
## B	144	-1	0.02300792	0.544214905	0	5	2
## B	145	-1	0.05023313	0.631581234	0	5	2
## B	146	-1	0.18296334	0.046411481	0	5	2

```

## B    147 -1 0.29731931 0.511776394    0      5      2
## B    148 -1 0.72596524 0.908810235    0      5      2
## B    149 -1 0.66749887 0.074263743    0      5      2
## B    150 -1 0.63282073 0.183889588    0      5      2
##      [,1] [,2] [,3] [,4] [,5]
## [1,]    57    66    69    20   109
## [2,]     5    61   123   127   114
## [3,]   113    88    51   122    41
## [4,]    14    73    28    52    24
## [5,]     2    72   123   127    41
## [6,]    47    49     7   101   126
## [7,]    36    59   114    19    83
## [8,]    43    67   134   128   130
## [9,]   105    95    90    46    45
## [10,]    48    15   108   124    75
## [11,]    96    16    59   100    82
## [12,]   150    86    14    24    81
## [13,]   119   103    90    45    46
## [14,]    12    24     4   150    86
## [15,]    83    10   108    87    59
## [16,]    96    11   100    59    82
## [17,]   116    86    27    64   102
## [18,]    65   106    71   137    20
## [19,]   114   123   127   104   126
## [20,]   109     1    57    66    69
## [21,]   129    23    95    49     9
## [22,]    51    37   116   102    94
## [23,]   129    21    95     9   105
## [24,]   140    14    12   150   109
## [25,]    35    97   118   144   120
## [26,]    58   136    76    31   121
## [27,]    17    60   102    86   116
## [28,]    73     4    69     1    66
## [29,]    77    70    34    94    84
## [30,]    42    54    63    69    28
## [31,]    76   136    26    58   121
## [32,]    88   143   113    79    44
## [33,]    98   117   149    84    34
## [34,]    70   117    29    77    84
## [35,]    25    97   118   144   128
## [36,]     7    83    59    61    87
## [37,]    94    22   116    64    17
## [38,]   125   107   146    62    80
## [39,]   120   130   118    85   128
## [40,]   131    53   139   147   126

```


##	[41,]	72	139	147	127	53
##	[42,]	30	142	54	69	63
##	[43,]	8	134	67	101	128
##	[44,]	51	62	143	22	32
##	[45,]	90	78	105	103	13
##	[46,]	90	45	9	13	105
##	[47,]	6	95	49	101	9
##	[48,]	115	10	124	52	87
##	[49,]	21	6	129	47	95
##	[50,]	74	99	110	121	75
##	[51,]	22	44	37	116	3
##	[52,]	115	60	48	133	27
##	[53,]	139	40	147	131	122
##	[54,]	69	66	57	106	1
##	[55,]	140	149	98	137	24
##	[56,]	82	148	89	100	112
##	[57,]	66	1	69	20	54
##	[58,]	26	136	121	76	31
##	[59,]	83	96	36	7	11
##	[60,]	133	27	52	102	116
##	[61,]	2	87	114	123	36
##	[62,]	44	143	68	132	111
##	[63,]	124	75	30	42	28
##	[64,]	94	81	17	77	86
##	[65,]	18	106	71	20	137
##	[66,]	69	57	1	54	20
##	[67,]	8	43	145	128	134
##	[68,]	143	62	138	146	44
##	[69,]	66	57	1	54	20
##	[70,]	34	29	77	117	84
##	[71,]	137	92	141	18	65
##	[72,]	127	41	5	123	2
##	[73,]	28	4	1	69	66
##	[74,]	50	110	75	99	108
##	[75,]	63	74	124	10	110
##	[76,]	31	26	136	89	121
##	[77,]	29	94	84	81	34
##	[78,]	45	105	103	90	13
##	[79,]	85	135	113	122	120
##	[80,]	138	146	38	125	68
##	[81,]	64	84	77	94	86
##	[82,]	148	56	100	16	89
##	[83,]	15	59	36	87	61
##	[84,]	117	81	77	34	33
##	[85,]	120	39	79	118	130

```

## [86,] 12 17 150 27 64
## [87,] 61 83 2 36 15
## [88,] 32 113 122 3 79
## [89,] 148 76 56 82 121
## [90,] 45 46 105 9 13
## [91,] 135 32 143 68 79
## [92,] 141 71 137 55 18
## [93,] 145 144 128 35 97
## [94,] 64 37 77 81 17
## [95,] 9 23 129 21 105
## [96,] 16 11 59 100 82
## [97,] 144 25 35 118 145
## [98,] 33 149 117 55 84
## [99,] 50 110 74 58 121
## [100,] 148 16 82 96 11
## [101,] 126 131 40 104 43
## [102,] 116 133 17 27 60
## [103,] 13 119 45 78 90
## [104,] 126 19 131 114 101
## [105,] 9 45 90 78 46
## [106,] 54 65 57 66 69
## [107,] 111 38 125 132 70
## [108,] 15 10 83 100 16
## [109,] 20 1 57 66 69
## [110,] 74 99 142 50 75
## [111,] 132 107 29 70 37
## [112,] 11 56 49 82 16
## [113,] 122 88 79 147 3
## [114,] 19 123 127 61 2
## [115,] 52 48 87 60 2
## [116,] 102 17 22 37 27
## [117,] 84 34 33 77 70
## [118,] 120 39 130 25 35
## [119,] 13 103 90 45 46
## [120,] 118 39 85 130 25
## [121,] 26 58 76 89 136
## [122,] 113 147 79 88 53
## [123,] 127 114 19 72 2
## [124,] 63 48 75 10 28
## [125,] 38 107 146 80 62
## [126,] 104 101 131 40 19
## [127,] 123 72 19 114 5
## [128,] 130 35 118 134 145
## [129,] 21 23 95 49 9
## [130,] 39 118 120 134 128

```

## [131,]	40	53	126	139	101
## [132,]	111	107	37	29	22
## [133,]	60	102	27	116	52
## [134,]	130	43	8	128	39
## [135,]	79	85	120	118	25
## [136,]	26	31	58	76	121
## [137,]	71	92	141	18	109
## [138,]	80	146	68	38	125
## [139,]	147	53	40	41	131
## [140,]	24	55	149	150	14
## [141,]	92	71	137	18	65
## [142,]	42	110	30	63	75
## [143,]	68	62	32	44	88
## [144,]	97	35	25	145	93
## [145,]	93	128	35	67	144
## [146,]	80	138	38	125	68
## [147,]	139	53	122	41	40
## [148,]	82	100	56	89	16
## [149,]	98	33	55	140	84
## [150,]	12	86	81	14	24



```
## [1] 8 143
```

```
# print(system.time(Schelling(testRacialPreferenceTable)))
```

2 Code Review

2.1 Sketch model that code is based on