

FMC "Planting Life Together"

MATERIAL SAFETY DATA SHEET

MSDS #: 6044-A

Revision date: 2015-10-07

Version 1

Rugby® 200 CS

Recommended Use: Insecticide, Nematicide

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Rugby® 200 CS

Formula code 6044

Active Ingredient(s) Cadusafos

Synonyms CADUSAFOS: S,S-di-sec-butyl O-ethyl phosphorodithioate (IUPAC name); O-ethyl

S,S-bis(1-methylpropyl) phosphorodithioate (CAS Name)

Formula C₁₀H₂₃O₂PS₂ (Cadusafos)

Chemical Family Organophosphate Pesticide

Registrant FMC Agroquímica de México, S. de R.L. de C.V.

Av. Vallarta No. 6503, Local A1-6, Col. Cd. Granja, 45010 Zapopan, Jalisco.

Distributor FMC Agroquímica de México, S. de R.L. de C.V.

Emergency telephone number In case of intoxication call emergency numbers SINTOX (poison control center):

01-800-00-928-00; 01 (55) 5611 2634 and 01 (55) 5598 6659, 24 hour service 365 days a

year.

078

Federal Transport Police 062 Fire brigade 068 Red Cross 065

 Civil Protection
 01 800 004 1300

 PROFEPA [Federal Attorney for
 01 800 776 3372

Environmental Protection

SETIQ [Emergency Transportation From anywhere in the Mexican Republic: 01 800 002 1400 (24 hour)

System for the Chemical Industry In Mexico City and the Metropolitan area: 01 (55) 5559 1588

In case of spills call COTRA

(Committee on Transport and

Storage):

Green Angels (if there are injured

people)

045 55 4194 0157

2. HAZARDS IDENTIFICATION

<u>Appearance</u> Suspension

Physical State Liquid

Odor Slight mercaptan

Flash point 89 - 92 °C / 192-198 °F

Flammable properties Combustible liquid

Revision date: 2015-10-07 Version 1

Acute Effects

Eyes May cause slight irritation.

SkinSubstance may cause slight skin irritation.InhalationMay cause irritation of respiratory tract.

Ingestion Harmful if swallowed. Expected to produce cholinesterase inhibition including headache,

lightheadedness, weakness, abdominal cramps, nausea, excessive salivation, perspiration and blurred vision. More severe signs of cholinesterase inhibition include tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and

coma. Excessive cholinesterase inhibition may result in death.

Chronic Effects See Section 11 for additional Toxicological Information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical name	CAS-No	Weight %
Cadusafos	95465-99-9	20.6
Methylene diphenyl diisocyanate (polymeric)	9016-87-9	5-10
1,6-hexanediamine (70%)	124-09-4	1-5
Naphtha (petroleum), heavy aromatic	64742-94-5	1-5
Phosphoric acid	7664-38-2	1-5
1-Methylnaphthalene	90-12-0	1-5

Exposure Guidelines

See Section 8 "Exposure Controls/Personal Protection" for specific details.

4. FIRST AID MEASURES

Eye Contact Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove

contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for further treatment advice.

Skin ContactTake off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move person from contaminated area to fresh air. Seek medical attention immediately. If

person is not breathing, give artificial respiration, preferably by mouth-to-mouth, if possible.

Ingestion Call a poison control center or doctor immediately for treatment advice. Have person sip a

glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Notes to Physician In case of intoxication call emergency numbers SINTOX (poison control center):

01-800-00-928-00; 01 (55) 5611 2634 and 01 (55) 5598 6659, 24 hour service 365 days a

year.

5. FIRE-FIGHTING MEASURES

Flammable properties Combustible liquid

Flash point 89 - 92 °C / 192-198 °F

MethodTag Closed CupSensitivity to Mechanical ImpactNot applicableSensitivity to Static DischargeNot applicable

Suitable Extinguishing Media Foam. Carbon dioxide (CO₂). Dry powder. Water spray.

Hazardous Decomposition Products Carbon oxides (COx), Phosphorous oxides, Sulfur dioxide

Revision date: 2015-10-07

Version 1

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit

NFPA

Health Hazards 2 Flammability 2 Stability 0 Special Hazards

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Identify the substance from a safe place. Do not inhale, do not touch and do not walk through spilled material. Isolate the area to ensure sufficient breadth to individuals and to facilitate the work control and cleaning. Keep away from unauthorized personnel. Call the emergency phones COTRA (Committee on Transport and Storage) 045 55 4194 0157 and wait for help. Stay upwind and out of low areas. Always have a fire extinguisher available, preferably dry chemical (PQS).

Environmental Precautions

Keep people and animals away and upstream of the spill / leak. Keep the material out of lakes, streams, ponds and drains.

Methods for Containment

Wear the full Personal Protection Equipment, avoiding inhalation or contact with skin or eyes. Dike to contain spill with inert material which is absorbent and non-combustible (clay, sand or soil). Then soak up with absorbent material inward from the edges.

Methods for cleaning up

Transfer spilled material to plastic bags with a shovel or dustpan and broom using non-sparking tools, if possible. Clean and neutralize spill area, tools and equipment with a solution of caustic soda and detergent or an appropriate alcohol (e.g., methanol, ethanol or isopropanol). Continue washing with a strong solution of soap and water, using the least amount possible. Absorb rinsate and add it to the waste collected. Repeat if necessary. Then place the bags in a plastic container. Waste container must be classified and labeled prior to disposal. Before re-entering the area where the spill occurred, ventilate closed spaces at least 15 minutes. For waste disposal, see indications in Section 13.

Other

For further cleaning instructions call COTRA (COMMITTEE ON TRANSPORT AND STORAGE) 045 55 4194 0157.

510RAGE) 045 55 4 194 0 157.

7. HANDLING AND STORAGE

Handling

Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage

Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
1,6-hexanediamine (70%)	TWA: 0.5 ppm			
Phosphoric acid	STEL 3 mg/m ³ TWA: 1 mg/m ³	TWA: 1 mg/m ³	IDLH: 1000 mg/m ³ TWA: 1 mg/m ³ STEL: 3 mg/m ³	Mexico: TWA 1 mg/m³ Mexico: STEL 3 mg/m³
1-Methylnaphthalene	TWA: 0.5 ppm			
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Methylene diphenyl diisocyanate (polymeric)				TWA: 0.005 ppm TWA: 0.07 mg/m ³
1,6-hexanediamine (70%)	TWA: 0.5 ppm	TWA: 0.5 ppm TWA: 2.3 mg/m ³	TWA: 0.5 ppm	TWA: 0.5 ppm TWA: 2.4 mg/m ³

Revision date: 2015-10-07

Phosphoric acid	TWA: 1 mg/m ³			
	STEL: 3 mg/m ³	STEL: 3 mg/m ³		STEL: 3 mg/m ³
			STEL: 3 mg/m ³	
1-Methylnaphthalene	TWA: 0.5 ppm		TWA: 0.5 ppm	
	Skin		1	
			Skin	

Occupational exposure controls

Engineering measures Apply technical measures to comply with the occupational exposure limits (if listed above).

When working in confined spaces (tanks, containers, etc.), Make sure there is an adequate source of air for breathing and wear the recommended equipment. Ventilate all transport

vehicles prior to discharge.

Personal protective equipment

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied.

Respiratory Protection For splash, spray or mist exposure wear, as a minimum, a properly fitted half-face or

full-face respirator with dust/mists/fume cartridges (approved by U.S. NIOSH/MSHA, EU CEN or comparably certified organization). Respirator use and selection must be based on

airborne concentrations.

Eye/Face Protection For exposure to mists or sprays, wear safety goggles or face shield for chemical agents.

a spill, use barrier suit covering the entire body, such as a waterproof PVC suit. Leather items, including shoes, belts and watchbands, that have been contaminated should be removed and destroyed. Wash all work clothing before reuse (separately from clothing

commonly used).

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

Hygiene measures Must have clean water available for washing in case of eye or skin contamination. Wash

skin before eating, drinking, chewing gum, or using snuff. Shower after work. Remove contaminated clothing and wash before reuse. Wash all work clothing separately; do not

mix with household laundry.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Suspension
Color Green
Physical State Liquid

Odor Slight mercaptan

pH 7.4-7.9
Melting Point/Range Not applicable
Boiling Point/Range Not applicable

Flash point 89 - 92 °C / 192-198 °F Tag Closed Cup

Evaporation Rate

Flammable properties

Vapor pressure

Vapor density

Not applicable

Not applicable

Not applicable

Specific gravity 1.06

Bulk Density

Vater solubility

Percent Volatile

Partition coefficient

Viscosity

1.06 g/cm³

Not applicable

Not applicable

Not applicable

434-446 cP @ 6 rpm

Revision date: 2015-10-07

Version 1

10. STABILITY AND REACTIVITY

Stability Stable.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition.

Materials to avoid None in particular.

Hazardous Decomposition Products Carbon oxides (COx), Phosphorous oxides, Sulfur dioxide.

Hazardous polymerization Hazardous polymerization does not occur.

Hazardous reactionsNone under normal processing.

11. TOXICOLOGICAL INFORMATION

Acute Effects

Principal Routes of Exposure Eye Contact, Skin Contact, Inhalation, Ingestion.

Acute toxicity

Cadusafos is a cholinesterase-inhibiting pesticide, which elicits symptoms in humans typical of cholinesterase inhibition including headaches, light-headedness, weakness, abdominal cramps, nausea, excessive salivation, perspiration and blurred vision. More severe signs of cholinesterase inhibition include tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and coma. Excessive cholinesterase inhibition can result in death. Reduction of blood acetylcholinesterase levels can occur without symptoms of toxicity.

Eye Contact Skin ContactMinimally irritating (rabbit)

Non-irritating (rabbit)

 LD50 Dermal
 > 5000 mg/kg (rat)

 LD50 Oral
 1,097 mg/kg (rat)

 LC50 Inhalation
 > 3.87 mg/L 4 hr (rat)

Sensitization Non-sensitizing

Chronic Effects

Chronic toxicity Cadusafos: Prolonged exposure caused inhibition of red blood cell and brain

cholinesterase, and decreased motor activity.

Carcinogenicity Cadusafos: No evidence of carcinogenicity from animal studies.

Mutagenicity Cadusafos: Not genotoxic in laboratory studies.

Reproductive toxicityCadusafos: No toxicity to reproduction in animal studies.

Neurological effects Cadusafos: Chronic exposure to animals caused decreased motor activity and decreased

cholinesterase activity in brain, red blood cells and plasma.

Developmental toxicity Cadusafos: Not teratogenic in animal studies.

Target organ effects Central Nervous System (CNS), Peripheral Nervous System (PNS)

Chemical name	ACGIH	IARC	NTP	OSHA	NIOSH - Target Organs
Cadusafos		Group 2A			
Methylene diphenyl diisocyanate (polymeric)		Group 3			
Phosphoric acid					eyes,respiratory system,skin

Revision date: 2015-10-07

Version 1

12. ECOLOGICAL INFORMATION

Ecotoxicity

Ecotoxicity effectsVery toxic to aquatic organisms

Cadusafos (95465-99-9)					
Active Ingredient(s)	Duration	Species	Value	Units	
Cadusafos	48 h EC50	Crustacea	1.6	μg/L	
	96 h LC50	Fish	0.13	mg/L	
	72 h EC50	Algae	4.3	mg/L	
	21 d NOEC	Crustacea	0.23	μg/L	
	21 d NOEC	Fish	5.2	μg/L	
	96 h NOEC	Algae	1.0	mg/L	

Environmental Fate

Persistence and degradability Cadusafos: Moderately persistent. Does not readily hydrolyze. Not readily biodegradable.

Bioaccumulation Cadusafos: The substance does not have a potential for bioconcentration.

Mobility Cadusafos: Moderately mobile; Has some potential to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate

disposal authorities for guidance.

Contaminated PackagingContainers should be disposed of in accordance with local, state and federal regulations.

For removal of the package see the instructions on the label. Handle empty containers and waste product as established in the General Law for the Prevention and Management of Waste Regulations or Management Plan Pesticides Empty Containers, Registered by

SEMARNAT.

14. TRANSPORT INFORMATION

Packaging Type Bulk

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

UN/ID no UN3082
Hazard class 9
Packing Group III

Marine Pollutant Cadusafos

Description UN3082, Environmentally hazardous substance, liquid, n.o.s. (Cadusafos), 9, PGIII, Marine

Pollutant

15. REGULATORY INFORMATION

This document has been prepared in accordance with the GHS (Globally Harmonized System). The document consists of 16 points which cover the 12 points of the official Mexican Regulation NOM-018-STPS-2000 system for the identification and communication of hazards and risks of dangerous chemical substances, which found in the workplace 271000.

COFEPRIS [Federal Commission for the Protection Against Sanitary Risks] Register:

RSCO-NEMA-0904-306-064-021

16. OTHER INFORMATION

Revision date: 2015-10-07

Revision date: 2015-10-07

Version 1

Reason for revision: (M)SDS sections updated.

Disclaimer

Disclaimer of Warranties - FMC Agroquímica of Mexico, S. de R.L. de C.V. The information and recommendations contained herein (including data and statements) are accurate as of the current date. THERE ARE NO WARRANTIES OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTIES OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED AS TO THE INFORMATION PROVIDED HERE. The information provided herein relates only to the specific product and may not be applicable when such product is used in combination with other materials or in any process. Use of this product is regulated by FEDERAL COMMISSION FOR PROTECTION HEALTH HAZARDS (COFEPRIS). Use of this product in a manner inconsistent with its labeling constitutes a violation of federal law. Further, since the conditions and methods of use are beyond the control of FMC Agroquímica de México, S. de R.L. de C.V., expressly disclaims any recognized legal responsibility for results obtained or generated from any use of the product or related this information.

Prepared By:

FMC Corporation

FMC Logo and Rugby - Trademarks of FMC Corporation

© 2015 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet