SAFETY DATA SHEET

Rugby® 200 CS

SDS #: 6044-A

Revision date: 2018-02-09

Format: NA Version 1.04



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Rugby® 200 CS

Other means of identification

Product Code(s) 6044-A

Synonyms CADUSAFOS: S,S-di-sec-butyl O-ethyl phosphorodithioate (IUPAC name); O-ethyl

S,S-bis(1-methylpropyl) phosphorodithioate (CAS Name)

Active Ingredient(s) Cadusafos

Formula C₁₀H₂₃O₂PS₂ (Cadusafos)

Chemical Family Organophosphate Pesticide

Alternate Commercial Name Apache 200 CS

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide, Nematicide

Restrictions on Use: Use as recommended by the label

Supplier Address

FMC Corporation 2929 Walnut Street Philadelphia, PA 19104

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

For leak, fire, spill or accident emergencies, call: 1800 / 424 9300 (CHEMTREC - U.S.A.) 1703 / 741-5970 (CHEMTREC - International) 1703 / 527 3887 (CHEMTREC - Alternate)

Medical Emergencies:

1 800 / 331-3148 (ProPharma Group - U.S.A. & Canada)

1 651 / 632-6793 (ProPharma Group - All Other Countries - Collect)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral Category 4

Revision date: 2018-02-09

Version 1.04

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 1

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements

H302 - Harmful if swallowed

H332 - Harmful if inhaled

H370 - Causes damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

P321 - Specific treatment (see supplemental first aid instructions on label)

P308 + P311 - If exposed or concerned: Call a POISON CENTER or doctor

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Organophosphate Pesticide.

Chemical name	CAS-No	Weight %
2-Methylnaphthalene	91-57-6	1-5
Cadusafos	95465-99-9	20.6
Methylene diphenyl diisocyanate (polymeric)	9016-87-9	5-10
Naphtha (petroleum), heavy aromatic	64742-94-5	1-5
1,6-hexanediamine (70%)	124-09-4	1-5
1-Methylnaphthalene	90-12-0	1-5

Revision date: 2018-02-09 Version 1.04

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Eye Contact Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control

center or doctor for further treatment advice.

Skin ContactTake off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, contact emergency medical services, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or

doctor for further treatment advice.

IngestionCall a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison

control center or doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Symptoms of exposure may include headache, light-headedness, weakness, abdominal cramps, nausea, excessive salivation, perspiration, blurred vision, tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and coma.

Indication of immediate medical attention and special treatment needed, if necessary

This product contains a reversible cholinesterase inhibitor. Atropine sulfate is antidotal. Support respiration as needed with removal of secretions, maintenance of a patent airway and, if necessary, artificial ventilation. If cyanosis is absent: Adults - start treatment by giving 2 mg atropine intravenously or intramuscularly, if necessary, and repeat with 0.4 - 2.0 mg atropine at 15 minute intervals until atropinization occurs (tachycardia, flushed skin, dry mouth, mydriasis); Children under 12 - initial dose = 0.05 mg/kg body weight and repeat dose = 0.02 - 0.05 mg/kg body weight. Start 2-PAM at the same time, following manufacturer's recommended dosages and administration. Morphine, reserpine, phenothiazines and theophylline are probably contraindicated. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Observe patient to ensure that these symptoms do not recur as atropinization wears off. If in eyes, instill one drop of homatropine. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive care.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Foam. Carbon dioxide (CO₂). Dry powder. Water spray.

Specific Hazards Arising from the

Chemical Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge Combustible liquid

No information available. No information available.

Protective equipment and precautions for firefighters

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing,

gloves and eye/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains.

Methods for Containment

Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and

Revision date: 2018-02-09 Version 1.04

transfer to containers for later disposal.

Methods for cleaning up

Clean and neutralize spill area, tools and equipment by washing with water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Cadusafos (95465-99-9)	TWA: 0.001 mg/m ³	-	-	-
1,6-hexanediamine (70%) (124-09-4)	TWA: 0.5 ppm	-	-	-
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm	-	-	-
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Cadusafos (95465-99-9)	Skin	-	-	-
Methylene diphenyl diisocyanate (polymeric) (9016-87-9)	-	-	-	TWA: 0.005 ppm TWA: 0.07 mg/m ³
1,6-hexanediamine (70%) (124-09-4)	TWA: 0.5 ppm	TWA: 0.5 ppm TWA: 2.3 mg/m ³	TWA: 0.5 ppm	TWA: 0.5 ppm TWA: 2.4 mg/m ³
1-Methylnaphthalene (90-12-0)	TWA: 0.5 ppm Skin		TWA: 0.5 ppm	-
			Skin	

Appropriate engineering controls

Engineering measures

Apply technical measures to comply with the occupational exposure limits (if listed above). When working in confined spaces (tanks, containers, etc.), make sure there is an adequate source of air for breathing and wear the recommended equipment. Ventilate all transport vehicles prior to discharge.

Individual protection measures, such as personal protective equipment

Eye/Face Protection For exposure to mists or sprays, wear safety goggles or face shield for chemical agents.

a spill, use barrier suit covering the entire body, such as a waterproof PVC suit. Leather items, including shoes, belts and watchbands, that have been contaminated should be removed and destroyed. Wash all work clothing before reuse (separately from clothing

commonly used).

Hand Protection Use protective gloves made of chemical materials such as nitrile or neoprene. Wash the

outside of gloves with soap and water before reuse. Check regularly for leaks.

Rugby® 200 CS

SDS #: 6044-A

Revision date: 2018-02-09

Version 1.04

Respiratory Protection For splash, spray or mist exposure wear, as a minimum, a properly fitted half-face or

full-face respirator with dust/mists/fume cartridges (approved by U.S. NIOSH/MSHA, EU CEN or comparably certified organization). Respirator use and selection must be based on

airborne concentrations.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Remove

and wash contaminated clothing before re-use. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Launder work clothing

separately from regular household laundry.

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers. These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Suspension
Physical State Liquid
Color Green

Odor Slight mercaptan
Odor threshold No information available

pH 7.4-7.9 Melting point/freezing point Not applicable

Boiling Point/Range No information available

Flash point 89-92 °C / 192-198 °F Tag Closed Cup

Evaporation Rate
No information available
Flammability (solid, gas)
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
No information available

Specific gravity 1.05-1.07

No information available Water solubility Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing properties** No information available Molecular weight No information available

Bulk density 1.06 g/cm³

10. STABILITY AND REACTIVITY

Reactivity Not applicable

Chemical Stability Stable.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials None known.

Hazardous Decomposition Products Carbon oxides (COx), Phosphorous oxides, Sulfur dioxide.

11. TOXICOLOGICAL INFORMATION

Product Information

Revision date: 2018-02-09

Version 1.04

 LD50 Oral
 1,097 mg/kg (rat)

 LD50 Dermal
 > 5000 mg/kg (rat)

 LC50 Inhalation
 > 3.87 mg/L 4 hr (rat)

Serious eye damage/eye irritation

Skin corrosion/irritation Sensitization

Minimally irritating (rabbit).

Non-irritating. Non-sensitizing

Information on toxicological effects

Symptoms This substance is a reversible cholinesterase-inhibiting pesticide, which elicits symptoms in

humans typical of cholinesterase inhibition including headache, light-headedness,

weakness, abdominal cramps, nausea, excessive salivation, perspiration and blurred vision. More severe signs of cholinesterase inhibition include tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and coma. Excessive cholinesterase inhibition may result in death. Reduction of blood acetylcholinesterase levels

can occur without symptoms of toxicity.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Cadusafos: Prolonged exposure caused inhibition of red blood cell and brain

cholinesterase, and decreased motor activity.

Mutagenicity Cadusafos:

Not genotoxic in laboratory studies.

Carcinogenicity Cadusafos: No evidence of carcinogenicity from animal studies.

Neurological effects Cadusafos: Chronic exposure to animals caused decreased motor activity and decreased

cholinesterase activity in brain, red blood cells and plasma.

Reproductive toxicity Cadusafos: No toxicity to reproduction in animal studies.

Developmental toxicity

Cadusafos: Not teratogenic in animal studies.

STOT - single exposure Causes damage to organs. See listed target organs below.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. See listed target

organs below.

Target organ effects Central Nervous System (CNS), Peripheral Nervous System (PNS)

Neurological effects Cadusafos: Chronic exposure to animals caused decreased motor activity and decreased

cholinesterase activity in brain, red blood cells and plasma.

Aspiration hazard No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Cadusafos		Group 2A		
95465-99-9				
Methylene diphenyl		Group 3		
diisocyanate (polymeric)		·		
9016-87-9				

Legend:

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

Group 3 - Not classifiable as to its carcinogenicity to humans

12. ECOLOGICAL INFORMATION

Ecotoxicity

Cadusafos (95465-99-9)				
Active Ingredient(s)	Duration	Species	Value	Units
Cadusafos	48 h EC50	Crustacea	1.6	μg/L
	96 h LC50	Fish	0.13	mg/L
	72 h EC50	Algae	4.3	mg/L
	21 d NOEC	Crustacea	0.23	μg/L
	21 d NOEC	Fish	5.2	μg/L
	96 h NOEC	Algae	1.0	mg/L

Revision date: 2018-02-09

Version 1.04

Persistence and degradability Cadusafos: Moderately persistent. Does not readily hydrolyze. Not readily biodegradable.

Bioaccumulation Cadusafos: The substance does not have a potential for bioconcentration.

Mobility Cadusafos: Moderately mobile; Has some potential to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance. Proper personal protective equipment, as described in

Sections 7 and 8, must be worn while handling materials for waste disposal.

Contaminated Packaging Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

<u>DOT</u> This material is a Combustible liquid and is, therefore, not subject to the hazardous

materials regulations when in non-bulk packages shipped within the USA per 49 CFR

§173.150(f)(2).

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class Combustible

Packing Group

Description UN3082, Combustible liquid, n.o.s. (aromatic hydrocarbons), PGIII

TDG The "Marine Pollutant" marking is only applicable when shipped by vessel, and is not

applicable when shipped only by road or rail in Canada.

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Marine Pollutant Cadusafos.

Description UN3082 Environmentally hazardous substance, liquid, n.o.s. (Cadusafos), 9, PG III, Marine

Pollutant

ICAO/IATA

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Description UN3082 Environmentally hazardous substance, liquid, n.o.s. (Cadusafos), 9, PG III, Marine

Pollutant

IMDG/IMO

UN/ID no UN308

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III
EmS No. F-A, S-F
Marine Pollutant Cadusafos

Description UN3082 Environmentally hazardous substance, liquid, n.o.s. (Cadusafos), 9, PG III, Marine

Pollutant

15. REGULATORY INFORMATION

Revision date: 2018-02-09

Version 1.04

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Methylene diphenyl diisocyanate (polymeric) - 9016-87-9	9016-87-9	5-10	1.0

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sodium Hydroxide 1310-73-2	1000 lb			X
Phosphoric acid 7664-38-2	5000 lb			X
Naphthalene 91-20-3	100 lb	X	Х	X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Sodium Hydroxide	1000 lb	
1310-73-2	454 kg	
Methyl alcohol	5000 lb	
67-56-1	2270 kg	
Phosphoric acid	5000 lb	
7664-38-2	2270 kg	
Naphthalene	100 lb	
91-20-3	45.4 kg	

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Causes minimal eye irritation.

This product is highly toxic to bees and other pollinating insects. This pesticide is highly toxic tofish, aquatic invertebrates, and birds.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

Revision date: 2018-02-09

Version 1.04

Chemical name	New Jersey	Massachusetts	Pennsylvania
Methylene diphenyl diisocyanate (polymeric) 9016-87-9	X		
1,6-hexanediamine (70%) 124-09-4	X	X	
1-Methylnaphthalene 90-12-0	Х	Х	Х

International Inventories

Chemical name	TSCA (United States)	DSL (Canada)	EINECS/ELINC S (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Cadusafos 95465-99-9	Giaissy					Х		
Methylene diphenyl diisocyanate (polymeric) 9016-87-9	Х	X		Х	Х	X	Х	Х
Naphtha (petroleum), heavy aromatic 64742-94-5	Х	X	X		X	X	Х	Х
1,6-hexanediamine (70%) 124-09-4	Х	Х	Х	Х	Х	Х	Х	Х
1-Methylnaphthalene 90-12-0	Х	Х	Х	Х	Х		Х	Х

Mexico - Grade

Moderate risk, Grade 2

Chemical name	Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities	Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities
Methylene diphenyl diisocyanate (polymeric)	100	100 kg/yr
	5000 kg/yr	

WHMIS Statement

This product has been classified in accordance with the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

WHMIS Hazard Class

B3 - Combustible liquid D2A - Very toxic materials





|--|

NFPA	Health Hazards 2	Flammability 2	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 2	Physical hazard 0	Personal Protection X

^{*}Indicates a chronic health hazard.

Revision date: 2018-02-09

Version 1.04

Revision date: 2018-02-09

Reason for revision: (M)SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2018 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet