

We will prove *LDC* is NPC by reduction from *k Coloring*, that is, given a graph  $G = (V, E)$  and an integer  $k$ , we want to know whether we can color  $V$  with  $k$  colors, s.t. no two adjacent nodes share the same color.

Construct an instance of *LDC* as follows: for each node  $v_i \in V$ , we have an object  $p_i$ , let

$$d(p_i, p_j) = \begin{cases} 0 & i = j \\ 1 & i \neq j \wedge (v_i, v_j) \notin E \\ 2 & i \neq j \wedge (v_i, v_j) \in E \end{cases}$$

and let  $B = 1$ . The goal is to partition  $\{p_1, p_2, \dots, p_n\}$  into  $k$  subsets.

Now we are going to prove that *k Coloring* is achievable if and only if we can find a valid partition in *LDC*. If we have a valid coloring scheme, then we can partition those objects into  $k$  subsets, each of which is corresponding to a subset of nodes which have the same color. From the specification of *k Coloring* problem, we know that there is no edge connecting two nodes with the same color, and therefore their corresponding objects have distance no greater than 1, and hence we have a valid partition in *LDC*. If we have a valid partition in *LDC*, then each subset is corresponding to a different color, and we can color those nodes that have their counterparts in the same subset with the same color. By our construction of *LDC* instance, we know that any two objects in the same subset can't have distance of 2, which means that their corresponding nodes in *k Coloring* problem are not connected. So the coloring will be legal.

---

<sup>1</sup>ex463.411.47