

(a) We process the customers in an arbitrary order. At any given point in time, let V_j denote the total value of all customers who have been shown ad j . As we see each new customer, we show him or her the ad for which V_j is as small as possible.

Let s' denote the spread of this algorithm. We first claim that $s' \geq \bar{v}/2m$. To prove this, suppose that ad j is the one achieving the spread (i.e., $V_j = s'$), and let i be any other ad. Let c be the last customer to be shown ad i . Before c was shown ad i , the value of V_i was at most V_j (by the definition of our greedy algorithm), and so $V_i \leq V_j + v_c \leq V_j + (\bar{v}/2m)$ by our assumption about the maximum customer value. Thus, if $s' = V_j < \bar{v}/2m$, then

$$\bar{v} = \sum_j V_j < V_j + (m-1)(V_j + (\bar{v}/2m)) < mV_j + (\bar{v}/2m) < (\bar{v}/2m) + (\bar{v}/2m) = \bar{v},$$

a contradiction.

Next we claim that the optimum spread s satisfies $s \leq \bar{v}/m$. Indeed, the total customer value is \bar{v} , and there are m ads, so one must be allocated at most a customer value of \bar{v}/m .

Combining these two claims, we get $s \leq \bar{v}/m \leq 2s'$.

(b) Suppose the input begins with $N + m$ customers of value 1, for some very large N , and then $m/2$ customers of value 2. (Suppose m is even and N is divisible by m .) Then our greedy algorithm will produce a spread of $1 + N/m$, while the optimal spread is $2 + N/m$, obtained by grouping the final m customers of value 1 onto $m/2$ ads, and showing the remaining $m/2$ ads to the customers of value 2.

¹ex43.640.595