

(a) We'll say a set of advertisements is "valid" if it covers all paths in  $\{P_i\}$ . First, *Strategic Advertising* (SA) is in NP: Given a set of  $k$  nodes, we can check in  $O(kn)$  time (or better) whether at least one of them lies on a path  $P_i$ , and so we can check whether it is a valid set of advertisements in time  $O(knt)$ .

We now show that  $\text{Vertex Cover} \leq_P \text{SA}$ . Given an undirected graph  $G = (V, E)$  and a number  $k$ , produce a directed graph  $G' = (V, E')$  by arbitrarily directing each edge of  $G$ . Define a path  $P_i$  for each edge in  $E'$ . This construction involves one pass over the edges, and so takes polynomial time to compute. We now claim that  $G'$  has a valid set of at most  $k$  advertisements if and only if  $G$  has a vertex cover of size at most  $k$ . For suppose  $G'$  does have such a valid set  $U$ ; since it meets at least one end of each edge, it is a vertex cover for  $G$ . Conversely, suppose  $G$  has a vertex cover  $T$  of size at most  $k$ ; then, this set  $T$  meets each path in  $\{P_i\}$  and so it is a valid set of advertisements.

(b) We construct the algorithm by induction on  $k$ . If  $k = 1$ , we simply check whether there is any node that lies on all paths. Otherwise, we ask the fast algorithm  $\mathcal{S}$  whether there is a valid set of advertisements of size at most  $k$ . If it says "no," we simply report this. If it says "yes", we perform the following test for each node  $v$ : we delete  $v$  and all paths through it, and ask  $\mathcal{S}$  whether, on this new input, there is a valid set of advertisements of size at most  $k - 1$ . We claim that there is at least one node  $v$  where this test will succeed. For consider any valid set  $U$  of at most  $k$  advertisements (we know one exists since  $\mathcal{S}$  said "yes"): The test will succeed on any  $v \in U$ , since  $U - \{v\}$  is a valid set of at most  $k - 1$  advertisements on the new input.

Once we identify such a node, we add it to a set  $T$  that we maintain. We are now dealing with an input that has a valid set of at most  $k - 1$  advertisements, and so our algorithm will finish the construction of  $T$  correctly by induction. The running time of the algorithm involves  $O(n + t)$  operations and calls to  $\mathcal{S}$  for each fixed value of  $k$ , for a total of  $O(n^2 + nt)$  operations.

---

<sup>1</sup>ex685.1.698